MEDICAL LIBRARY
(MINISTRY OF HEALTH.)

n: Report
of Births,
racts of 1880).

Sent Reminder Ret.d

MEDICAL LIBRARY

22500766926

No.....

MINISTRY OF HEALTH.

MEDICAL LIBRARY.

This book may be retained for 14 days. It should be returned to the Medical Library (Room 30/IV) on or before the latest date given below.

The volume may be re-borrowed for a further period upon written request provided it is not required by another officer.

| | | | |
|---|---|---|---|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

22318 21935/490 5m(2) 3/27 J.P.D207 Gp.132
MED. LIBRARY I.

Digitized by the Internet Archive
in 2021 with funding from
Wellcome Library

https://archive.org/details/s4677id1397447

# TWENTY-SIXTH DETAILED ANNUAL REPORT

OF THE

# REGISTRAR-GENERAL

OF

# BIRTHS, DEATHS, AND MARRIAGES IN SCOTLAND.

[ABSTRACTS OF 1880.]

Presented to both Houses of Parliament by Command of Her Majesty.

EDINBURGH:
PRINTED BY NEILL AND COMPANY,
FOR HER MAJESTY'S STATIONERY OFFICE.
1884.

MEDICAL LIBRARY
MINISTRY OF HEALTH

[C.—3867.] *Price* 2*s.* 1*d.*

WELLCOME INSTITUTE
LIBRARY

| | |
|---|---|
| Coll. | welMOmec |
| Call No. | Suv WA |

# REPORT

TO THE RIGHT HON.

SIR WILLIAM VERNON HARCOURT, Q.C., M.P.,

*Her Majesty's Principal Secretary of State for the Home Department.*

GENERAL REGISTRY OFFICE OF BIRTHS, ETC.,
EDINBURGH, *2nd February* 1884.

SIR,

I had the honour in 1881, in conformity with the requirements of the seventh section of the Scottish Registration Act, 17 & 18 Vict. cap. 60, to transmit to you, as Secretary of State for the Home Department, General Abstracts of the Births, Deaths, and Marriages registered in Scotland during the year 1880, along with the usual explanation and commentary.

At the same time, my Sixteenth Annual Report on Vaccination was transmitted, in accordance with the nineteenth section of the Scottish Vaccination Act, 26 & 27 Vict. cap. 108.

I have now the honour to transmit the Detailed Annual Report, together with the relative Tables, regarding the Births,

Deaths, and Marriages registered in Scotland during the same year (1880).

I have the honour to be,

SIR,

Your most obedient Servant,

STAIR AGNEW,

*Registrar-General.*

# CONTENTS.


| | Page |
|---|---|
| Report of Registrar-General to the Secretary of State, | iii |
| Report by Dr Cunynghame to the Registrar-General, | ix |
| Table of Estimated Population, with the Number of Births, Deaths, and Marriages registered in Scotland during each of the years 1855–1880 inclusive, and their Proportions to the Population; showing also the excess of Births over Deaths, | ix |
| Population, | ix |
| Tables showing the Number and Proportion of Births, Deaths, and Marriages in the Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1880, | x & xi |
| Table showing the Number and Proportion of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1880, | xii |
| ccasional Table, showing the State of Illegitimacy in all Scotland, in the Five Groups of Districts, Principal Towns, and Two Counties in 1880, | xii |
| Table showing the Number and Proportion of the Births, Deaths, and Marriages registered in the Divisions and Counties of Scotland during the year 1880, | xiii |


## BIRTHS.


| | |
|---|---|
| Births in 1880, and their Proportion to the Population, with relative Tables, | xi |
| Tables showing particulars relative to the Births during each of the years 1855 to 1880 inclusive, | xiv |
| Number and Proportion of Twins and Triplets, | xiv |


## MARRIAGES.


| | |
|---|---|
| Number of Marriages in 1880, and their Proportion to the Population, | xv |
| Proportion of Legitimate Children to the Marriages in Scotland and England, | xv |
| Influence of Density of Population on the Marriages, | xv |
| Number and Proportion of Marriages contracted according to the Rites of the several Religious Denominations in 1880, and 1855–1880, with relative Tables, | xvi |
| Number and Proportion of Persons marrying at different Ages, with relative Tables, | xvii |
| Number and Proportion of Marriages between Persons in different Conjugal Conditions, with relative Tables, | xix |
| Number and Proportion of Men and Women in Scotland, its Divisions and Counties, also in Edinburgh and Glasgow, who signed the Marriage Schedules by Mark, | xx & xxi |

Page

DEATHS.

Number of Deaths in Scotland in 1880, and their Proportion to the Population, xxi

Death-rates in Scotland, and in its Principal Town, Large Town, Small Town, Mainland-Rural, and Insular-Rural Districts, during each of the years 1855–1880, with relative Tables, . . . . . xxii

Death-rates in each of the Eight Principal Towns of Scotland during each of the years 1870–1880, . . . . . xxiii

Series of Tables of the Deaths at different Ages in Scotland, and its Five Great Groups of Districts, during the year 1880, . . . . . xxiv

Mortality of Female lower than that of the Male, . . . . . xxv

High Mortality in Towns at every period of life, as compared with mortality of Rural Districts, xxv

Causes of Death in 1880, with relative Tables, . . . . . xxvii

Proportion of Deaths from the Zymotic Diseases at different Ages, with relative Tables, . xxxii

Small-pox Deaths in Scotland for twenty-four years, . . . . . xxxv

Vaccinations in Scotland, 1870–1880, . . . . . xxxvi & xxxvii

Different forms of Fever prevalent in Scotland, and Monthly Fever Deaths, . . . xxxviii

The Twenty most fatal Diseases in England and Scotland in 1880, . . . . xxxix

INFLUENCE OF EXTERNAL AGENCIES ON THE MORTALITY IN 1880.

Weather, Weekly and Monthly, and its Influence on the Mortality, . . . . xlii

Table showing the Meteorology of Scotland during each month of the year 1880, together with the Monthly and Daily Number of Births, Deaths, and Marriages, . . xlii

Table showing the connection between certain Atmospheric Phenomena, especially Mean Temperature, and the Deaths from certain Diseases and classes of Disease, in the Eight Principal Towns of Scotland during each Month of the year 1880, . . xliii

Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland, during each week of the year 1880, . . . . . xliv

Influence of Season, etc., on the Mortality at different Ages, . . . . . xlv

---

## APPENDIX.

Vaccinations in the several Counties of Scotland during the year 1880, . . . xlviii

---

## ABSTRACTS.

Summary Table of the Births, Deaths, and Marriages in the Groups of Districts, Divisions, and Counties of Scotland in 1880, distinguishing the Sexes, the Number of Illegitimate Births, the Population in 1871 and 1881, the Excess of Births over Deaths, and the Area in Square Miles of each County, . . . . . 1

Tables of the Population in 1871 and 1881, and of the Births, Deaths, and Marriages during the year 1880, also of the Illegitimate Births in every Registration District, . . 2–23

MARRIAGES.

Table of the Marriages in Scotland and its Counties in 1880; distinguishing the Number of Marriages solemnized according to the Rites of the several Religious Denominations, the Number of Irregular Marriages, and the Number of the respective Sexes who signed the Register by Marks, . . . . . 4

Page

Table of the Civil Condition of the parties who married in 1880; distinguishing the Marriages of Bachelors with Spinsters; Bachelors with Widows; Widowers with Spinsters; and Widowers with Widows; giving the particulars as to the Age of each Sex, 25

Table of the Ages of all Males who married in Scotland and its Counties in 1880, . . 26

Table of the Ages of all Females who married in Scotland and its Counties in 1880, . . 28

DEATHS.

Table of the Ages of all persons of both Sexes who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1880, together with the Populations in 1871 and 1881, . . . . . 30

Table of the Ages of all Males who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1880, together with the Male Populations in 1871 and 1881, . . . . . 32

Table of the Ages of all Females who died in each of the Groups of Districts, Counties, and Principal Towns of Scotland in 1880, together with the Female Populations in 1871 and 1881, . . . . . 34

Deaths at different Ages in both Sexes in each of the Large Towns, and in the Small Town Districts of the Counties of Scotland in 1880, . . . . . 36
Do. Males, . . . . . 38
Do. Females, . . . . . 40

Deaths at different Ages in both Sexes in the Mainland-Rural and in the Insular-Rural Districts of Scotland in 1880, . . . . . 42
Do. Males, . . . . . 44
Do. Females, . . . . . 46

Summary Table of the Causes of Death in each of the Counties of Scotland in 1880—
Males, . . . . . 48
Females, . . . . . 49

Summary Table of the Causes of Death in each of the Principal Towns of Scotland in 1880—
Males, . . . . . 64
Females, . . . . . 65

Summary Table of the Causes of Death in each of the Large Towns of Scotland in 1880—
Males, . . . . . 72
Females, . . . . . 3

Summary Table of the Causes of Death in each of the Small Town Districts of the Counties of Scotland in 1880—
Males, . . . . . 80
Females, . . . . . 81

Summary Table of the Causes of Death in the Mainland-Rural Districts of Scotland in 1880—
Males, . . . . . 96
Females, . . . . . 97

Summary Table of the Causes of Death in the Insular-Rural Districts of Scotland in 1880—
Males and Females, . . . . . 112

Table of the Causes of Death in all Scotland at different Periods of Life—
Males, . . . . . 116
Females, . . . . . 117

Table of the Causes of Death in the Principal Town Districts of Scotland at different Periods of Life—
Males, . . . . . 132
Females, . . . . . 133

Page

Table of the Causes of Death in the Large Town Districts of Scotland at different Periods of Life—
Males, . . . . . 148
Females, . . . . . 149

Table of the Causes of Death in the Small Town Districts of Scotland at different Periods of Life—
Males, . . . . . 164
Females, . . . . . 165

Table of the Causes of Death in the Mainland-Rural Districts of Scotland at different Periods of Life—
Males, . . . . . 180
Females, . . . . . 181

Table of the Causes of Death in the Insular-Rural Districts of Scotland at different Periods of Life—
Males, . . . . . 196
Females, . . . . . 197

Table of the Causes of Death in Glasgow at different Periods of Life—
Males, . . . . . 212
Females, . . . . . 213

Table of the Causes of Death in Edinburgh at different Periods of Life—
Males, . . . . . 228
Females, . . . . . 229

Table of the Causes of Death in Dundee at different Periods of Life—
Males, . . . . . 244
Females, . . . . . 245

Table of the Causes of Death in Aberdeen at different Periods of Life—
Males, . . . . . 260
Females . . . . . 261

Table of the Causes of Death in Greenock at different Periods of Life—
Males, . . . . . 276
Females, . . . . . 277

Table of the Causes of Death in Paisley at different Periods of Life—
Males, . . . . . 292
Females, . . . . . 293

Table of the Causes of Death in Leith at different Periods of Life—
Males, . . . . . 308
Females, . . . . . 309

Table of the Causes of Death in Perth at different Periods of Life—
Males, . . . . . 324
Females, . . . . . 325

Table showing the Influence of Season on the Mortality, or the Number of Deaths during the several Months of the Year 1880, in each of the Groups of Districts, Divisions, and Counties of Scotland, . . . . . 340

---

Constitution of the Compound Districts, . . . . . 341

List of Registration Districts which include Burghs or Towns of 2000 Inhabitants and upwards, or parts thereof, bearing a different name from the Districts in which they are situated, . . . . . 342

Index to Districts, . . . . . 34

# REPORT TO THE REGISTRAR-GENERAL,

BY R. J. BLAIR CUNYNGHAME, M.D., F.R.S.E.

SIR,

During the year 1880 that indication of improvement in commercial matters which had shown itself towards the end of the year previous was continued, and in fact this last may be almost termed a somewhat prosperous year after so long a period of depression. The agricultural outlook was not yet bright, but the seasons were on the whole better; the temperature throughout the year being generally higher, the sunshine of greater intensity than for some time, and the average rainfall rather less than that for 1879. The proportion of marriages among the population still shows a falling off, as also does the birth-rate, which is the lowest for many years, and is a natural consequence of the former. The death-rate is, however, low, although somewhat higher than during 1879.

## POPULATION.

In this as in last Report the estimates of population made use of are obtained from the Census numbers of 1881, it being found more

TABLE I.—Population estimated to the middle of each year; with the Number of Births, Deaths, and Marriages registered in Scotland during each of the Years 1855 to 1880, and their Proportion to the Population; also the Excess of Births over Deaths, the Illegitimate Births, and their Proportion to the Total Births.

| Years | Estimated Population. | Births. | | Deaths. | Marriages. | Excess of Births over Deaths. | Percentage to Population. | | | Percent. of Illegit. to Total Births. |
|---|---|---|---|---|---|---|---|---|---|---|
| | | Total. | Illegit. | | | | Births. | Deaths. | Marriages. | |
| 1855 | 2,978,065 | 93,349 | 7,357 | 62,004 | 19,680 | 31,345 | 3·1491 | 2·0820 | 0·6608 | 7·8 |
| 1856 | 2,995,771 | 101,821 | 8,695 | 58,529 | 20,740 | 43,292 | 3·3988 | 1·9537 | 0·6923 | 8·5 |
| 1857 | 3,012,310 | 103,415 | 8,869 | 61,906 | 21,369 | 41,509 | 3·4331 | 2·0551 | 0·7094 | 8·5 |
| 1858 | 3,027,665 | 104,018 | 9,354 | 63,539 | 19,655 | 40,479 | 3·4356 | 2·0986 | 0·6492 | 8·9 |
| 1859 | 3,041,812 | 106,543 | 9,715 | 61,714 | 21,201 | 44,829 | 3·5026 | 2·0288 | 0·6969 | 9·1 |
| 1860 | 3,054,738 | 105,629 | 9,736 | 68,170 | 21,225 | 37,359 | 3·5578 | 2·2316 | 0·6948 | 9·2 |
| 1861 | 3,069,404 | 107,009 | 9,929 | 62,341 | 20,896 | 44,668 | 3·4863 | 2·0310 | 0·6808 | 9·2 |
| 1862 | 3,097,009 | 107,069 | 10,376 | 67,195 | 20,597 | 39,874 | 3·4572 | 2·1697 | 0·6651 | 9·7 |
| 1863 | 3,126,879 | 109,341 | 10,948 | 71,481 | 22,234 | 37,860 | 3·4968 | 2·2860 | 0·7160 | 10·0 |
| 1864 | 3,156,021 | 112,333 | 11,197 | 74,416 | 22,725 | 37,917 | 3·5594 | 2·3579 | 0·7200 | 9·9 |
| 1865 | 3,185,437 | 113,070 | 11,262 | 70,891 | 23,611 | 42,179 | 3·5496 | 2·2255 | 0·7412 | 9·9 |
| 1866 | 3,215,129 | 113,667 | 11,673 | 71,348 | 23,688 | 42,319 | 3·5354 | 2·2191 | 0·7367 | 10·2 |
| 1867 | 3,245,098 | 114,044 | 11,148 | 69,067 | 22,618 | 44,976 | 3·5063 | 2·1284 | 0·6970 | 9·7 |
| 1868 | 3,275,350 | 115,514 | 11,354 | 69,416 | 21,855 | 46,098 | 3·5267 | 2·1193 | 0·6673 | 9·8 |
| 1869 | 3,305,885 | 113,354 | 11,066 | 75,875 | 22,144 | 37,479 | 3·4288 | 2·2951 | 0·6698 | 9·7 |
| 1870 | 3,336,707 | 115,390 | 11,108 | 74,165 | 23,854 | 41,225 | 3·4582 | 2·2227 | 0·7149 | 9·6 |
| 1871 | 3,368,921 | 116,128 | 11,077 | 74,712 | 24,019 | 41,416 | 3·4470 | 2·2177 | 0·7130 | 9·5 |
| 1872 | 3,404,798 | 118,765 | 10,927 | 75,794 | 25,641 | 42,971 | 3·4882 | 2·2261 | 0·7531 | 9·2 |
| 1873 | 3,441,056 | 119,700 | 10,925 | 76,946 | 26,748 | 42,754 | 3·4786 | 2·2361 | 0·7773 | 9·1 |
| 1874 | 3,477,704 | 123,711 | 10,991 | 80,720 | 26,390 | 42,991 | 3·5573 | 2·3211 | 0·7588 | 8·9 |
| 1875 | 3,514,744 | 123,578 | 10,786 | 81,767 | 25,974 | 41,811 | 3·5160 | 2·3264 | 0·7390 | 8·73 |
| 1876 | 3,552,183 | 126,534 | 11,029 | 74,129 | 26,579 | 52,405 | 3·5621 | 2·0869 | 0·7482 | 8·72 |
| 1877 | 3,590,022 | 126,822 | 10,568 | 73,937 | 25,817 | 52,885 | 3·5326 | 2·0595 | 0·7191 | 8·33 |
| 1878 | 3,628,268 | 126,773 | 10,641 | 76,793 | 24,358 | 49,980 | 3·4940 | 2·1165 | 0·6713 | 8·39 |
| 1879 | 3,665,443 | 125,730 | 10,727 | 73,347 | 23,519 | 52,383 | 3·4301 | 2·0010 | 0·6416 | 8·53 |
| 1880 | 3,705,994 | 124,570 | 10,589 | 75,803 | 24,505 | 48,767 | 3,3613 | 2,0454 | 0,6346 | 8·50 |

correct to estimate back from the latter than onwards from the Census enumerations of 1871, as was necessarily the case up to the publication of the Detailed Annual Report of 1879, when the last Census numbers were first available. We accordingly find that, at the 30th June 1880, the estimated population of Scotland is 3,705,994, of whom 1,783,950 are males, and 1,922,044 females. They are distributed over the five groups of registration districts into which Scotland is divided as follows:—In the Principal Town Districts, 1,193,128; in the Large Town Districts, 439,403; in the Small Town Districts, 865,459; in the Mainland Rural Districts, 1,077,497; and in the Insular Rural Districts, 130,507.

TABLE II.—Population of Scotland, in its Five Groups of Districts, by the Censuses of 1871 and 1881, and estimated to the middle of 1880.

| Five Groups of Districts. | Census 1871. | | | Census 1881. | | | Estimated to 30th June 1880. | | |
|---|---|---|---|---|---|---|---|---|---|
| | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. |
| Principal Towns | 507,761 | 570,848 | 1,078,609 | 569,008 | 634,131 | 1,203,139 | 564,067 | 629,061 | 1,193,128 |
| Large Towns | 156,031 | 171,088 | 327,119 | 217,792 | 231,590 | 449,382 | 212,713 | 226,690 | 439,403 |
| Small Towns | 368,041 | 401,981 | 770,022 | 420,742 | 452,345 | 873,087 | 416,813 | 448,646 | 865,459 |
| Mainland-Rural | 510,269 | 541,995 | 1,052,264 | 530,754 | 548,823 | 1,079,577 | 529,189 | 548,308 | 1,077,497 |
| Insular-Rural | 61,041 | 70,963 | 132,004 | 61,179 | 69,209 | 130,388 | 61,168 | 69,339 | 130,507 |
| SCOTLAND | 1,603,143 | 1,756,875 | 3,360,018 | 1,799,475 | 1,936,098 | 3,735,573 | 1,783,950 | 1,922,044 | 3,705,994 |

TABLE III.—Births, Deaths, and Marriages in the Five Groups of Districts in Scotland, 1855–1880.

| Years. | Principal Towns. | | | Large Towns. | | | Small Towns. | | | Mainland-Rural. | | | Insular-Rural. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. | Births. | Deaths | Marriages. |
| 1855 | 28113 | 22706 | 6937 | 8374 | 8954 | 1980 | 16042 | 10015 | 3371 | 37994 | 21656 | 6829 | 2826 | 1673 | 563 |
| 1856 | 31719 | 22254 | 7507 | 9221 | 5374 | 1975 | 17289 | 19542 | 3428 | 39649 | 19462 | 7106 | 3943 | 1897 | 724 |
| 1857 | 32674 | 23363 | 7476 | 9387 | 5860 | 2113 | 17848 | 10009 | 3442 | 39466 | 20706 | 7483 | 4040 | 1968 | 855 |
| 1858 | 32563 | 23445 | 6865 | 9282 | 6163 | 1824 | 17678 | 10076 | 3133 | 40307 | 21789 | 7044 | 4188 | 2066 | 789 |
| 1859 | 33027 | 22352 | 7554 | 9545 | 5775 | 1918 | 18533 | 10045 | 3643 | 41210 | 21090 | 7222 | 4228 | 2452 | 864 |
| 1860 | 32958 | 26066 | 7688 | 9223 | 6042 | 1983 | 18239 | 11070 | 3443 | 41043 | 22593 | 7408 | 4166 | 2399 | 703 |
| 1861 | 34351 | 23149 | 7753 | 9695 | 5831 | 1940 | 18453 | 10366 | 3365 | 40432 | 20820 | 7032 | 4078 | 2175 | 806 |
| 1862 | 34436 | 24960 | 7724 | 9618 | 6566 | 1837 | 18376 | 10933 | 3289 | 40621 | 22108 | 6998 | 4018 | 2628 | 749 |
| 1863 | 35888 | 27045 | 8544 | 9895 | 6780 | 2086 | 18707 | 11542 | 3521 | 40975 | 23509 | 7416 | 3876 | 2605 | 667 |
| 1864 | 37058 | 28845 | 8897 | 10263 | 7132 | 2234 | 19389 | 12294 | 3750 | 41704 | 23805 | 7178 | 3919 | 2341 | 666 |
| 1865 | 38109 | 28515 | 9347 | 10594 | 6896 | 2304 | 19283 | 11256 | 3775 | 40449 | 22080 | 7512 | 4635 | 2144 | 669 |
| 1866 | 38541 | 27466 | 9458 | 10453 | 6906 | 2279 | 19326 | 11809 | 3839 | 41485 | 22905 | 7430 | 3862 | 2262 | 682 |
| 1867 | 39012 | 26519 | 8870 | 10651 | 6776 | 2156 | 19178 | 11557 | 3607 | 41339 | 21986 | 7271 | 3864 | 2230 | 714 |
| 1868 | 39492 | 28037 | 8589 | 10733 | 6684 | 2101 | 19563 | 11392 | 3469 | 41840 | 21164 | 7090 | 3886 | 2139 | 606 |
| 1869 | 39517 | 31467 | 9156 | 10618 | 7486 | 2201 | 18895 | 11901 | 3398 | 40640 | 22616 | 6806 | 3684 | 2405 | 583 |
| 1870 | 40452 | 28508 | 9733 | 10999 | 7712 | 2369 | 18958 | 12097 | 3762 | 41378 | 23654 | 7383 | 3603 | 2194 | 607 |
| 1871 | 40442 | 31426 | 9819 | 12599 | 8071 | 2656 | 26507 | 16200 | 5081 | 32825 | 17180 | 5863 | 3755 | 1835 | 600 |
| 1872 | 41673 | 30199 | 10427 | 13318 | 8940 | 2967 | 28059 | 16478 | 5545 | 32157 | 18093 | 6063 | 3558 | 2084 | 639 |
| 1873 | 41500 | 30008 | 10594 | 14033 | 9306 | 3140 | 28841 | 17357 | 6130 | 31963 | 18098 | 6291 | 3363 | 2177 | 593 |
| 1874 | 42631 | 32124 | 10574 | 15189 | 10026 | 3051 | 29557 | 17560 | 5695 | 32877 | 18816 | 6443 | 3457 | 2194 | 627 |
| 1875 | 43621 | 30983 | 10670 | 14638 | 9802 | 2995 | 28926 | 18285 | 5594 | 33104 | 20303 | 6160 | 3289 | 2394 | 555 |
| 1876 | 44265 | 27977 | 10722 | 15439 | 9024 | 3116 | 29601 | 16826 | 5773 | 33802 | 18192 | 6351 | 3427 | 2110 | 617 |
| 1877 | 44575 | 28227 | 10706 | 15863 | 9057 | 2938 | 29510 | 16060 | 5434 | 33596 | 18475 | 6207 | 3278 | 2118 | 532 |
| 1878 | 44329 | 29425 | 9727 | 16228 | 10188 | 2942 | 29499 | 17005 | 5150 | 33422 | 18212 | 5938 | 3295 | 1963 | 601 |
| 1879 | 43613 | 27144 | 9490 | 15896 | 9433 | 2781 | 30048 | 16562 | 5096 | 32886 | 18039 | 5569 | 3287 | 2169 | 583 |
| 1880 | 42903 | 28873 | 9763 | 15734 | 9840 | 3091 | 29843 | 17482 | 5562 | 32790 | 17557 | 5554 | 3300 | 2051 | 535 |

Principal Towns above 25000 inhabitants. Large Towns above 10000 and under 25000 inhabitants. The Small Towns from 3000 to 10000 inhabitants from 1855 to 1871—but from 1871 and upwards the Small Towns have from 2000 to 10000 of population.

## BIRTHS.

124570 births were registered in Scotland during the year 1880, being at the rate of 336 births in every ten thousand of population, or 3·3613 per cent. This is the lowest number of births which has taken place in the country in any one year during the last five, and the smallest proportion to the total population since 1855.

Of the above, 63786 were males, and 60784 females, an excess of the former over the latter of 3002.

Of the total 124570 births, 42903 were referred to the Principal Town districts, constituting in this group a birth-rate of 3·596 per cent. In the Large Town districts 15734 births took place, or 3·581 per cent. of a birth-rate. In the Small Town group they numbered 29843, or 3·448 per cent. In the Mainland-Rural districts 32790 natal events occurred, being at the rate of 3·043 per cent., while the Insular-Rural districts claimed of such 3300, or a birth-rate of 2·529 per cent. Tables III. and IV.

10589 of the total births registered in Scotland during 1880 were returned as illegitimate, showing that 8·50 per cent. of the births come under this denomination, a slight decrease upon those of like nature in the previous year.

In Tables V*a*. and V*b*. is found some information as to the number and proportion of illegitimate births in the Principal Towns of Scotland, and in each of the five registration districts into which it is divided, as also for the two counties of Banff and Wigtown, the inhabitants of which

---

TABLE IV.—Percentage of Births, Deaths, and Marriages in the Five Groups of Districts of Scotland, to the Population during each of the Years 1855–1880.

| YEARS. | Principal Towns. | | | Large Towns. | | | Small Towns. | | | Mainland-Rural. | | | Insular-Rural. | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. | Births. | Deaths | Mar-riages. |
| 1855 | 3·397 | 2·747 | 0·838 | 3·525 | 2·506 | 0·833 | 3·324 | 2·075 | 0·698 | 2·955 | 1·684 | 0·531 | 2·192 | 1·298 | 0·437 |
| 1856 | 3·787 | 2·657 | 0·896 | 3·835 | 2·235 | 0·821 | 3·554 | 1·962 | 0·705 | 3·080 | 1·512 | 0·552 | 3·078 | 1·481 | 0·565 |
| 1857 | 3·855 | 2·757 | 0·882 | 3·858 | 2·409 | 0·868 | 3·641 | 2·042 | 0·702 | 3·062 | 1·606 | 0·580 | 3·173 | 1·546 | 0·672 |
| 1858 | 3·797 | 2·734 | 0·801 | 3·771 | 2·504 | 0·741 | 3·579 | 2·040 | 0·634 | 3·052 | 1·689 | 0·546 | 3·310 | 1·633 | 0·623 |
| 1859 | 3·807 | 2·577 | 0·871 | 3·833 | 2·319 | 0·770 | 3·724 | 2·018 | 0·732 | 3·190 | 1·632 | 0·559 | 3·362 | 1·950 | 0·688 |
| 1860 | 3·756 | 2·971 | 0·876 | 3·662 | 2·398 | 0·787 | 3·637 | 2·207 | 0·686 | 3·173 | 1·747 | 0·573 | 3·334 | 1·920 | 0·563 |
| 1861 | 3·863 | 2·603 | 0·872 | 3·797 | 2·284 | 0·760 | 3·663 | 2·058 | 0·668 | 3·121 | 1·607 | 0·543 | 3·282 | 2·115 | 0·603 |
| 1862 | 3·809 | 2·761 | 0·854 | 3·701 | 2·521 | 0·705 | 3·621 | 2·155 | 0·648 | 3·122 | 1·703 | 0·539 | 3·177 | 2·126 | 0·606 |
| 1863 | 3·887 | 2·929 | 0·925 | 3·724 | 2·552 | 0·767 | 3·631 | 2·240 | 0·683 | 3·150 | 1·807 | 0·569 | 3·153 | 2·119 | 0·543 |
| 1864 | 3·939 | 3·073 | 0·946 | 3·699 | 2·631 | 0·824 | 3·751 | 2·378 | 0·725 | 3·199 | 1·826 | 0·550 | 3·205 | 1·914 | 0·545 |
| 1865 | 3·975 | 2·906 | 0·975 | 3·831 | 2·493 | 0·833 | 3·718 | 2·170 | 0·728 | 3·096 | 1·690 | 0·562 | 3·810 | 1·762 | 0·550 |
| 1866 | 3·945 | 2·811 | 0·968 | 3·705 | 2·448 | 0·808 | 3·699 | 2·260 | 0·735 | 3·169 | 1·750 | 0·567 | 3·191 | 1·869 | 0·563 |
| 1867 | 3·958 | 2·691 | 0·900 | 3·701 | 2·354 | 0·749 | 3·645 | 2·196 | 0·685 | 3·151 | 1·675 | 0·554 | 3·210 | 1·852 | 0·593 |
| 1868 | 3·893 | 2·763 | 0·866 | 3·656 | 2·276 | 0·716 | 3·690 | 2·149 | 0·654 | 3·182 | 1·610 | 0·539 | 3·245 | 1·786 | 0·487 |
| 1869 | 3·822 | 3·044 | 0·886 | 3·545 | 2·499 | 0·735 | 3·539 | 2·229 | 0·636 | 3·085 | 1·717 | 0·517 | 3·092 | 2·019 | 0·478 |
| 1870 | 3·836 | 2·703 | 0·923 | 3·559 | 2·524 | 0·775 | 3·525 | 2·249 | 0·699 | 3·134 | 1·791 | 0·559 | 3·040 | 1·851 | 0·512 |
| 1871 | 3·739 | 2·906 | 0·907 | 3·821 | 2·448 | 0·806 | 3·432 | 2·097 | 0·658 | 3·117 | 1·632 | 0·557 | 2·846 | 1·391 | 0·455 |
| 1872 | 3·811 | 2·762 | 0·954 | 3·913 | 2·627 | 0·872 | 3·587 | 2·107 | 0·709 | 3·046 | 1·714 | 0·574 | 2·700 | 1·581 | 0·485 |
| 1873 | 3·754 | 2·715 | 0·958 | 3·994 | 2·649 | 0·894 | 3·641 | 2·191 | 0·774 | 3·020 | 1·710 | 0·594 | 2·555 | 1·654 | 0·450 |
| 1874 | 3·815 | 2·874 | 0·946 | 4·188 | 2·764 | 0·841 | 3·685 | 2·189 | 0·710 | 3·099 | 1·773 | 0·607 | 2·629 | 1·669 | 0·477 |
| 1875 | 3·861 | 2·742 | 0·944 | 3·910 | 2·618 | 0·800 | 3·561 | 2·251 | 0·689 | 3·112 | 1·909 | 0·579 | 2·505 | 1·823 | 0·423 |
| 1876 | 3·875 | 2·449 | 0·939 | 3·995 | 2·335 | 0·806 | 3·599 | 2·046 | 0·702 | 3·169 | 1·706 | 0·596 | 2·613 | 1·609 | 0·470 |
| 1877 | 3·860 | 2·444 | 0·927 | 3·976 | 2·270 | 0·736 | 3·543 | 1·928 | 0·652 | 3·142 | 1·728 | 0·581 | 2·503 | 1·617 | 0·406 |
| 1878 | 3·797 | 2·520 | 0·833 | 3·941 | 2·474 | 0·714 | 3·497 | 2·016 | 0·611 | 3·118 | 1·699 | 0·554 | 2·519 | 1·480 | 0·459 |
| 1879 | 3·694 | 2·299 | 0·804 | 3·738 | 2·218 | 0·654 | 3·517 | 1·939 | 0·596 | 3·060 | 1·678 | 0·518 | 2·516 | 1·660 | 0·446 |
| 1880 | 3·596 | 2·420 | 0·818 | 3·581 | 2·239 | 0·703 | 3·448 | 2·020 | 0·643 | 3·043 | 1·629 | 0·515 | 2·529 | 1·572 | 0·410 |

in the greatest proportion apparently omit to undergo a regular marriage ceremony.

In the latter Table, we have the proportion of illegitimate births to the estimated number of unmarried women and widows living in each locality at ages between 15 and 45.

Of the 124570 live births registered in Scotland during the year 63786 were of the male sex, and 60784 of the female. Thus for every hundred female live births we have 104·9 male births. Among the legitimate alone the proportion is 104·4 male to every hundred female births; whilst among the illegitimate alone there were 110·0 male for every hundred female births.

---

TABLE V*a*.—Number of Births, Deaths, and Marriages in each of the Eight Principal Towns of Scotland during 1880, and their Proportion to the Estimated Population; also the Illegitimate Births, and their Proportion to the Total Births.

| Towns. | Estimated Population, 1880. | Births. | | Illegitimate Births. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|
| | | Births. | Per cent. to Pop. | Illegit. Births. | Per cent. to Total Births. | Deaths. | Per cent. to Pop. | Marriages. | Per cent. to Pop. |
| Glasgow . | 509,921 | 18,912 | 3·708 | 1469 | 7·7 | 13,304 | 2·609 | 4335 | 0·850 |
| Edinburgh . | 225,855 | 7,540 | 3·338 | 594 | 7·8 | 4,946 | 2·190 | 1982 | 0·877 |
| Dundee . . | 140,698 | 4,957 | 3·523 | 518 | 10·4 | 3,464 | 2·462 | 1024 | 0·728 |
| Aberdeen . | 103,703 | 3,614 | 3·485 | 388 | 10·7 | 2,078 | 2·004 | 806 | 0·777 |
| Greenock . | 68,480 | 2,634 | 3·846 | 139 | 5·2 | 1,620 | 2·365 | 514 | 0·750 |
| Paisley . . | 55,048 | 1,927 | 3·500 | 153 | 7·9 | 1,424 | 2·587 | 451 | 0·819 |
| Leith . . | 59,935 | 2,334 | 3·894 | 142 | 6·1 | 1,378 | 2·299 | 448 | 0·747 |
| Perth . . | 29,488 | 985 | 3·340 | 87 | 8·8 | 659 | 2·235 | 203 | 0·688 |

OCCASIONAL TABLE V*b*.—Showing the state of Illegitimacy in all Scotland, in the Five Groups of Registration Districts, in each of the Principal Towns, and in two Counties, during 1880.

| Localities. | Estimated Number of Unmarried Women and of Widows living between the ages of 15 and 45 at middle of 1880. | Number of Illegitimate Children born during 1880. | Percentage of Illegitimate Children to the Unmarried and Widowed Women aged 15–45. | Percentage of Illegitimates in Total Births. |
|---|---|---|---|---|
| All Scotland . . . | 492,888 | 10,589 | 2·15 | 8·50 |
| Principal Towns . . . | 172,083 | 3,490 | 2·03 | 8·1 |
| Large Towns . . . | 56,804 | 1,037 | 1·82 | 6·5 |
| Small Towns . . . | 108,208 | 2,425 | 2·24 | 8·1 |
| Mainland-Rural . . . | 136,647 | 3,423 | 2·50 | 10·4 |
| Insular-Rural . . . | 19,127 | 214 | 1·12 | 6·4 |
| Glasgow . . . | 68,480 | 1,469 | 2·14 | 7·7 |
| Edinburgh . . . | 38,125 | 594 | 1·56 | 7·8 |
| Dundee . . . | 24,371 | 518 | 2·12 | 10·4 |
| Aberdeen . . . | 15,059 | 388 | 2·57 | 10·7 |
| Greenock . . . | 7,225 | 139 | 1·92 | 5·2 |
| Paisley . . . . | 8,126 | 153 | 1·88 | 7·9 |
| Leith . . . . | 6,547 | 142 | 2·17 | 6·1 |
| Perth . . . . | 4,177 | 87 | 2·08 | 8·8 |
| County Banff . . . | 7,755 | 301 | 3·88 | 16·0 |
| County Wigtown . . . | 5,577 | 198 | 3·55 | 16·9 |

In England during this year the total male births were to the female in the proportion of 103·6 to 100; among the legitimate births alone it was 103·6 male to every 100 female, and with the illegitimate alone 103·6 male births to every 100 female.

---

TABLE VI.—Number of Births, Deaths, and Marriages in 1880, and their Proportion to the Population, estimated to the middle of the year, in Scotland, its Groups of Districts, its Divisions and Counties; also the Number of Illegitimate Births, and their Proportion to the Total Births.

| Divisions and Counties. | | Population Estimated to middle of year 1880. | Total Births. | | Illegit. Births. | | Deaths. | | Marriages. | |
|---|---|---|---|---|---|---|---|---|---|---|
| | | | No. | Per cent to Pop. | No. | Per cent to Births | No. | Per cent to Pop. | No. | Per cent to Pop. |
| SCOTLAND | | 3,705,994 | 124570 | 3·3613 | 10589 | 8·50 | 75803 | 2·0454 | 24505 | 0·6346 |
| 1. | Principal Town Dists. | 1,193,128 | 42903 | 3·596 | 3490 | 8·1 | 28873 | 2·420 | 9763 | 0·818 |
| 2. | Large Town Districts | 439,403 | 15734 | 3·581 | 1037 | 6·5 | 9840 | 2·239 | 3091 | 0·703 |
| 3. | Small Town Districts | 865,459 | 29843 | 3·448 | 2425 | 8·1 | 17482 | 2·020 | 5562 | 0·643 |
| 4. | Mainland-Rural Dists. | 1,077,497 | 32790 | 3·043 | 3423 | 10·4 | 17557 | 1·629 | 5554 | 0·515 |
| 5. | Insular-Rural Dists. | 130,507 | 3300 | 2·529 | 214 | 6·4 | 2051 | 1·572 | 535 | 0·410 |
| | Divisions. | | | | | | | | | |
| I. | Northern | 124,215 | 3000 | 2·415 | 237 | 7·9 | 2003 | 1·613 | 545 | 0·439 |
| II. | North-Western. | 165,884 | 4400 | 2·652 | 296 | 6·7 | 2619 | 1·579 | 729 | 0·433 |
| III. | North-Eastern | 417,109 | 13698 | 3·284 | 2005 | 14·6 | 6956 | 1·668 | 2552 | 0·612 |
| IV. | East-Midland | 599,023 | 18782 | 3·135 | 1675 | 8·9 | 11735 | 1·959 | 3720 | 0·621 |
| V. | West-Midland | 280,858 | 9100 | 3·240 | 608 | 6·6 | 5486 | 1·953 | 1568 | 0·558 |
| VI. | South-Western | 1,369,004 | 50723 | 3·705 | 3460 | 6·8 | 32119 | 2·346 | 10333 | 0·755 |
| VII. | South-Eastern | 540,859 | 18532 | 3·426 | 1403 | 7·6 | 11224 | 2·075 | 3900 | 0·721 |
| VIII. | Southern | 209,042 | 6335 | 3·030 | 905 | 14·2 | 3661 | 1·751 | 1158 | 0·554 |
| | Counties. | | | | | | | | | |
| 1 | Shetland | 29,843 | 671 | 2·248 | 40 | 5·9 | 500 | 1·675 | 111 | 0·372 |
| 2 | Orkney | 31,985 | 755 | 2·360 | 46 | 6·0 | 466 | 1·457 | 174 | 0·544 |
| 3 | Caithness | 39,944 | 1056 | 2·644 | 122 | 11·5 | 677 | 1·695 | 175 | 0·438 |
| 4 | Sutherland | 22,443 | 518 | 2·308 | 29 | 5·5 | 360 | 1·604 | 85 | 0·379 |
| 5 | Ross and Cromarty | 79,661 | 2087 | 2·620 | 98 | 4·6 | 1197 | 1·503 | 363 | 0·456 |
| 6 | Inverness | 86,223 | 2313 | 2·683 | 198 | 8·5 | 1422 | 1·649 | 366 | 0·424 |
| 7 | Nairn | 9,611 | 262 | 2·726 | 28 | 10·6 | 130 | 1·353 | 37 | 0·385 |
| 8 | Elgin | 45,066 | 1391 | 3·086 | 235 | 16·8 | 812 | 1·802 | 274 | 0·608 |
| 9 | Banff | 59,715 | 1873 | 3·137 | 301 | 16·0 | 1000 | 1·675 | 337 | 0·564 |
| 10 | Aberdeen | 267,260 | 9099 | 3·405 | 1313 | 14·4 | 4472 | 1·673 | 1700 | 0·636 |
| 11 | Kincardine | 35,457 | 1073 | 3·025 | 128 | 11·9 | 542 | 1·529 | 204 | 0·575 |
| 12 | Forfar | 266,344 | 8862 | 3·327 | 881 | 9·9 | 5705 | 2·142 | 1818 | 0·683 |
| 13 | Perth | 130,151 | 3597 | 2·764 | 327 | 9·0 | 2370 | 1·821 | 738 | 0·567 |
| 14 | Fife | 171,264 | 5299 | 3·094 | 377 | 7·1 | 3100 | 1·810 | 990 | 0·578 |
| 15 | Kinross | 7,373 | 204 | 2·767 | 23 | 11·2 | 143 | 1·939 | 36 | 0·488 |
| 16 | Clackmannan | 23,891 | 820 | 3·432 | 67 | 8·1 | 417 | 1·745 | 138 | 0·577 |
| 17 | Stirling | 105,822 | 4008 | 3·787 | 280 | 6·9 | 2076 | 1·962 | 701 | 0·662 |
| 18 | Dumbarton | 76,772 | 2513 | 3·273 | 127 | 5·0 | 1500 | 1·954 | 475 | 0·619 |
| 19 | Argyll | 80,682 | 2108 | 2·613 | 168 | 7·9 | 1557 | 1·930 | 299 | 0·371 |
| 20 | Bute | 17,582 | 471 | 2·679 | 33 | 7·0 | 353 | 2·008 | 93 | 0·529 |
| 21 | Renfrew | 223,153 | 7730 | 3·464 | 485 | 6·2 | 5239 | 2·348 | 1636 | 0·733 |
| 22 | Ayr | 216,299 | 7766 | 3·590 | 612 | 7·8 | 4414 | 2·041 | 1456 | 0·673 |
| 23 | Lanark | 929,552 | 35227 | 3·790 | 2363 | 6·7 | 22466 | 2·417 | 7241 | 0·779 |
| 24 | Linlithgow | 43,801 | 1741 | 3·975 | 131 | 7·5 | 838 | 1·913 | 293 | 0·669 |
| 25 | Edinburgh | 383,926 | 13255 | 3·452 | 974 | 7·3 | 8558 | 2·229 | 3016 | 0·786 |
| 26 | Haddington | 38,452 | 1166 | 3·032 | 72 | 6·1 | 627 | 1·631 | 175 | 0·455 |
| 27 | Berwick | 35,355 | 1020 | 2·885 | 102 | 10·0 | 557 | 1·575 | 182 | 0·515 |
| 28 | Peebles | 13,572 | 423 | 3·117 | 44 | 10·4 | 194 | 1·429 | 71 | 0·523 |
| 29 | Selkirk | 25,753 | 927 | 3·700 | 80 | 8·6 | 450 | 1·747 | 163 | 0·633 |
| 30 | Roxburgh | 52,247 | 1623 | 3·106 | 180 | 11·0 | 838 | 1·604 | 297 | 0·568 |
| 31 | Dumfries | 76,071 | 2252 | 2·960 | 325 | 14·4 | 1417 | 1·863 | 469 | 0·617 |
| 32 | Kirkcudbright | 42,265 | 1291 | 3·054 | 202 | 15·6 | 707 | 1·673 | 207 | 0·490 |
| 33 | Wigtown | 38,459 | 1169 | 3·039 | 198 | 16·9 | 699 | 1·817 | 185 | 0·481 |

In 1438 cases the births were twin, and in 8 cases triplet, so that the number of mothers in Scotland who during the year bore live children was 123116, and of those mothers one in every 85·5 bore twins, and one in every 15389·5 bore triplets.

The above numbers refer solely to the children born alive, as still births are not accounted for to the Registrar-General.

On Table V*a.* is seen the number of births in each of the eight Principal Towns during the year, and their proportion per cent. to the population. In Leith the rate is highest, being 3·894 per cent., or almost 39 per 1000; Greenock comes next with 3·846 per cent. or 38 per 1000; Edinburgh being lowest with 3·338 per cent. or 33 per 1000.

The birth-rate per 1000 of population during 1880 was in the

---

TABLE VII.—Births in Scotland, 1855–1880; with the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; also the Number of Twin and Triplet Births during each year; and the Proportion of Mothers who had Multiple Births.

| Years. | Total Births. | | Legitimate Births. | | Illegit. Births. | | Twin Births. | Triplet Births. | Proportion of Males to every 100 Females in the | | | Proportion of Mothers who had Multiple Births. One in every |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | | | Total Births. | Legit. Births. | Illeg. Births. | |
| 1855 | 47804 | 45545 | 44044 | 41948 | 3760 | 3597 | ... | ... | 104·9 | 104·9 | 104·5 | ... |
| 1856 | 52239 | 49582 | 47761 | 45365 | 4478 | 4217 | 1267 | 12 | 105·3 | 105·2 | 106·1 | 77 |
| 1857 | 53158 | 50257 | 48632 | 45924 | 4526 | 4333 | 1300 | 16 | 105·7 | 105·8 | 104·4 | 76 |
| 1858 | 53694 | 50324 | 48743 | 45921 | 4951 | 4403 | 1262 | 17 | 106·6 | 106·1 | 110·2 | 79 |
| 1859 | 54628 | 51915 | 49539 | 47289 | 5089 | 4626 | 1335 | 11 | 105·2 | 104·7 | 110·0 | 77 |
| 1860 | 54409 | 51220 | 49370 | 46523 | 5039 | 4697 | 1247 | 23 | 106·2 | 106·1 | 107·3 | 80 |
| 1861 | 54606 | 52403 | 49438 | 47642 | 5168 | 4761 | 1249 | 18 | 104·2 | 103·7 | 108·5 | 82 |
| 1862 | 55257 | 51812 | 49886 | 46807 | 5371 | 5005 | 1279 | 18 | 106·6 | 106·5 | 107·3 | 80 |
| 1863 | 56226 | 53115 | 50559 | 47834 | 5667 | 5281 | 1267 | 6 | 105·8 | 105·7 | 107·3 | 84 |
| 1864 | 57374 | 54959 | 51644 | 49492 | 5730 | 5467 | 1332 | 12 | 104·4 | 104·3 | 104·8 | 82 |
| 1865 | 58220 | 54850 | 52441 | 49367 | 5779 | 5483 | 1364 | 9 | 106·1 | 106·2 | 105·4 | 81 |
| 1866 | 58360 | 55307 | 52386 | 49608 | 5974 | 5699 | 1366 | 12 | 105·5 | 105·6 | 104·8 | 81 |
| 1867 | 58517 | 55527 | 52751 | 50145 | 5766 | 5382 | 1365 | 13 | 105·4 | 105·1 | 107·1 | 82 |
| 1868 | 59222 | 56292 | 53375 | 50785 | 5847 | 5507 | 1443 | 15 | 105·2 | 105·1 | 106·1 | 78 |
| 1869 | 58321 | 55033 | 52711 | 49577 | 5610 | 5456 | 1407 | 15 | 105·9 | 106·3 | 102·8 | 78 |
| 1870 | 58959 | 56431 | 53254 | 51028 | 5705 | 5403 | 1384 | 9 | 104·4 | 104·3 | 105·6 | 81 |
| 1871 | 60029 | 56099 | 54220 | 50831 | 5809 | 5268 | 1299 | 17 | 107·0 | 106·7 | 110·3 | 87 |
| 1872 | 61293 | 57472 | 55641 | 52197 | 5652 | 5275 | 1383 | 11 | 106·6 | 106·6 | 107·1 | 85 |
| 1873 | 61467 | 58233 | 55925 | 52850 | 5542 | 5383 | 1410 | 15 | 105·5 | 105·6 | 103·0 | 84 |
| 1874 | 63602 | 60109 | 57960 | 54760 | 5642 | 5349 | 1512 | 13 | 105·8 | 105·8 | 105·5 | 81 |
| 1875 | 63432 | 60146 | 57886 | 54906 | 5546 | 5240 | 1477 | 9 | 105·5 | 105·4 | 105·8 | 83 |
| 1876 | 64819 | 61715 | 59113 | 56392 | 5706 | 5323 | 1463 | 20 | 105·0 | 104·8 | 107·2 | 85 |
| 1877 | 65089 | 61733 | 59657 | 56597 | 5432 | 5136 | 1429 | 12 | 105·4 | 105·4 | 105·8 | 77 |
| 1878 | 65200 | 61573 | 59716 | 56416 | 5484 | 5157 | 1367 | 12 | 105·9 | 105·8 | 106·3 | 91 |
| 1879 | 64346 | 61384 | 58796 | 56207 | 5550 | 5177 | 1452 | 20 | 104·8 | 104·6 | 107·2 | 84 |
| 1880 | 63786 | 60784 | 58239 | 55742 | 5547 | 5042 | 1438 | 8 | 104·9 | 104·4 | 110·0 | 85 |

TABLE VIII.—Births, 1880. Number of Legitimate, Illegitimate, and Total Births in Scotland and its Five Groups of Districts, distinguishing the Sexes. Also the number of Twin and Triplet Births.

| Five Groups of Districts. | Total Births. | | | Legitimate Births. | | | Illegitimate Births. | | | Twin Births. | Triplet Births. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | Males. | Fem. | Both Sexes. | | |
| Principal Towns | 21994 | 20909 | 42903 | 20202 | 19211 | 39413 | 1792 | 1698 | 3490 | 470 | 3 |
| Large Towns | 7956 | 7778 | 15734 | 7433 | 7264 | 14697 | 523 | 514 | 1037 | 180 | 1 |
| Small Towns | 15398 | 14445 | 29843 | 14073 | 13345 | 27418 | 1325 | 1100 | 2425 | 362 | 2 |
| Mainland-Rural | 16709 | 16081 | 32790 | 14916 | 14451 | 29367 | 1793 | 1630 | 3423 | 395 | 1 |
| Insular-Rural | 1729 | 1571 | 3300 | 1615 | 1471 | 3086 | 114 | 100 | 214 | 31 | 1 |
| Scotland . . | 63786 | 60784 | 124570 | 58239 | 55742 | 113981 | 5547 | 5042 | 10589 | 1438 | 8 |

undernoted countries as follows:—In England and Wales 34·2; in Denmark 31·8; in Sweden 29·4; in Austria 37·3; in Prussia 37·9; in the Netherlands 35·6; in Hungary 42·9; in Switzerland 29·6; in Italy 33·6; and in Scotland, as before mentioned, 33·6.

---

## MARRIAGES.

The number of marriages which took place in Scotland during the year under review was 24505, which is an advance in number upon those solemnized during 1879, of 986, but in the proportion of only 0·6346 per hundred of estimated population, or 63 in every ten thousand,—the lowest rate that has been experienced in the country since the commencement of these Reports. In England the marriage-rate was 74 per ten thousand of its inhabitants. In the Mainland-Rural and Insular-Rural districts of the country the number of marriages is under that of last year by 63, to the extent of 15 in the former, and 48 in the latter; in the other three divisions they are increased, in the Principal Town group to the extent of 273; in the Large Town group by 310; and in the Small Town group of districts by 466;—the marriage-rate per ten thousand of the population being in the Principal Town districts 82; in the Large Town districts 70; in the Small Town districts 64; in the Mainland-Rural 51; and in the Insular-Rural districts 41.

In estimating the fertility of marriages, which is done in accordance with the method proposed by the late Dr Farr, we find that during 1874 26390 couples entered into the matrimonial state in Scotland, and that during 1880 the registered legitimate births amounted to 113981, so that $\frac{113981}{26390}$ gives 4·32 as the average fertility of each marriage, or 432 children to 100 marriages.

In England a similar calculation gives 4·15 as the average number of births to each marriage, or 415 children to 100 marriages.

Upon Table V*a* is found the percentage of marriages to the population in each of the Eight Principal Towns of Scotland. Edinburgh stands highest with 0·877 per cent., or nearly 88 marriages in every ten thousand of population; Glasgow is next with 0·850 per cent.,

---

TABLE IX.—Proportion of Births in 1880. Percentage of Births to Population, and of Illegitimate to the Total Births; also the Proportion of Males to Females in the Legitimate, Illegitimate, and Total Births; with the Proportion of Mothers who bare Twins and Triplets in Scotland, and its Five Groups of Districts in 1880.

| Five Groups of Districts. | Percentage of Births to Population. | Percentage of Illegit. to Total Births | Proportion of Males to every 100 Females in the | | | Proportion of Mothers who bare Twins. — One in every | Proportion of Mothers who bare Triplets. — One in every |
|---|---|---|---|---|---|---|---|
| | | | Total Births. | Legitimate Births. | Illegit. Births. | | |
| Principal Towns | 3·596 | 8·1 | 105·2 | 105·1 | 105·5 | 90·0 | 14142 |
| Large Towns | 3·581 | 6·5 | 102·3 | 102·3 | 101·7 | 86·4 | 15552 |
| Small Towns | 3·448 | 8·1 | 106·5 | 105·4 | 120·4 | 81·4 | 14738 |
| Mainland-Rural | 3·043 | 10·4 | 103·9 | 103·2 | 110·0 | 82·0 | 32393 |
| Insular-Rural | 2·529 | 6·4 | 110·0 | 109·7 | 114·0 | 105·4 | 3267 |
| Scotland . . . | 3·3613 | 8·50 | 104·9 | 104·4 | 110·0 | 85·5 | 15389 |

or 85 per ten thousand; whilst Perth on this occasion comes last with 0·688 per cent., or nearly 69 marriages per ten thousand of its population.

Tables X., XI., and XII. afford information as to the various details of the marriages taking place in Scotland and in its divisions during the year. From the latter we find that 1·48 per cent. of all the marriages were irregular, *i.e.*, without proclamation of banns or any

TABLE X.—Marriages, 1880. Number of Marriages contracted in Scotland and its Five Groups of Districts according to the Rites of the several Religious Denominations, and their Proportion to the Total Marriages in each Group.

| Religious Denominations. | Number of Marriages. | | | | | | Proportion in every 100 Marriages. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Scotland. | Principal Towns. | Large Towns. | Small Towns. | Mainland-Rural. | Insular-Rural. | Scotland | Principal Towns. | Large Towns. | Small Towns. | Mainland-Rural. | Insular-Rural. |
| Regular Marriages. | | | | | | | | | | | | |
| Established Church . | 11275 | 3756 | 1314 | 2657 | 3337 | 211 | 46·02 | 38·48 | 42·51 | 47·77 | 60·08 | 39·44 |
| Free Church . . | 5287 | 1950 | 599 | 1101 | 1408 | 229 | 21·58 | 19·98 | 19·38 | 19·79 | 25·36 | 42·81 |
| United Presb. Church | 2981 | 1222 | 424 | 800 | 488 | 47 | 12·17 | 12·51 | 13·72 | 14·38 | 8·79 | 8·79 |
| Roman Catholic Ch. . | 2337 | 1212 | 417 | 529 | 142 | 37 | 9·53 | 12·41 | 13·49 | 9·52 | 2·56 | 6·92 |
| Episcopal Church . | 700 | 440 | 94 | 112 | 53 | 1 | 2·85 | 4·51 | 3·04 | 2·01 | 0·95 | 0·18 |
| Other Denominations | 1529 | 835 | 219 | 344 | 122 | 9 | 6·24 | 8·55 | 7·09 | 6·19 | 2·20 | 1·68 |
| Denomin. not stated | 33 | 21 | 2 | 7 | 3 | 0 | 0·13 | 0·21 | 0·06 | 0·13 | 0·05 | 0·00 |
| Irregular Marriages . | 363 | 327 | 22 | 12 | 1 | 1 | 1·48 | 3·35 | 0·71 | 0·21 | 0·01 | 0·18 |
| Total Marriages . | 24505 | 9763 | 3091 | 5562 | 5554 | 535 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

TABLE XI.—Marriages, 1855–1880. Number of Marriages in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1880.

| Years. | Total Marriages. | | Regular Marriages according to Rites of the | | | | | | | Irregular Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|
| | Number. | Percentage to Population. | Established Church. | Free Church. | United Presbyterian Church. | Romish Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 19680 | 0·660 | 8879 | 4665 | 2952 | 1826 | 350 | 923 | 76 | 9 |
| 1856 | 20740 | 0·692 | 9863 | 4645 | 2875 | 1953 | 360 | 984 | 24 | 36 |
| 1857 | 21369 | 0·709 | 10194 | 4789 | 2926 | 1919 | 416 | 1017 | 101 | 7 |
| 1858 | 19655 | 0·649 | 9104 | 4650 | 2707 | 1697 | 379 | 1034 | 57 | 27 |
| 1859 | 21201 | 0·697 | 9769 | 4861 | 2936 | 1822 | 378 | 1175 | 243 | 17 |
| 1860 | 21225 | 0·695 | 9705 | 4870 | 2837 | 1857 | 414 | 1217 | 309 | 16 |
| 1861 | 20896 | 0·681 | 9332 | 4969 | 2925 | 1806 | 386 | 1290 | 163 | 25 |
| 1862 | 20597 | 0·666 | 9307 | 4930 | 2846 | 1778 | 371 | 990 | 348 | 27 |
| 1863 | 22234 | 0·711 | 9929 | 5242 | 3249 | 2119 | 487 | 1113 | 76 | 19 |
| 1864 | 22725 | 0·720 | 9907 | 5507 | 3198 | 2276 | 469 | 1231 | 115 | 22 |
| 1865 | 23611 | 0·743 | 10177 | 5636 | 3345 | 2399 | 476 | 1516 | 30 | 32 |
| 1866 | 23688 | 0·737 | 10392 | 5570 | 3385 | 2259 | 516 | 1483 | 41 | 42 |
| 1867 | 22618 | 0·697 | 10066 | 5347 | 3247 | 2039 | 488 | 1323 | 65 | 43 |
| 1868 | 22855 | 0·667 | 9736 | 5015 | 3244 | 1872 | 467 | 1403 | 58 | 60 |
| 1869 | 22144 | 0·669 | 9761 | 5095 | 3277 | 2043 | 450 | 1393 | 56 | 69 |
| 1870 | 23854 | 0·7149 | 10678 | 5465 | 3422 | 2121 | 538 | 1496 | 60 | 74 |
| 1871 | 24019 | 0·7102 | 10985 | 5404 | 3325 | 2087 | 551 | 1498 | 64 | 105 |
| 1872 | 25641 | 0·7543 | 11794 | 5661 | 3312 | 2461 | 579 | 1681 | 5 | 148 |
| 1873 | 26748 | 0·7796 | 12187 | 5806 | 3596 | 2451 | 648 | 1853 | 10 | 197 |
| 1874 | 26390 | 0·7621 | 11820 | 5922 | 3586 | 2267 | 643 | 1923 | 13 | 216 |
| 1875 | 25974 | 0·7431 | 11587 | 5889 | 3443 | 2254 | 658 | 1899 | 9 | 235 |
| 1876 | 26579 | 0·7534 | 11996 | 5944 | 3603 | 2279 | 719 | 1703 | 37 | 298 |
| 1877 | 25817 | 0·7251 | 11773 | 5833 | 3313 | 2368 | 651 | 1477 | 47 | 355 |
| 1878 | 24358 | 0·6778 | 11330 | 5431 | 3013 | 2181 | 653 | 1350 | 12 | 388 |
| 1879 | 23519 | 0·6416 | 10744 | 5314 | 2878 | 2171 | 653 | 1415 | 18 | 326 |
| 1880 | 24505 | 0·6346 | 11275 | 5287 | 2981 | 2337 | 700 | 1529 | 33 | 363 |

religious ceremony. This is an increase upon those of like nature last year, but somewhat less than in 1878.

98·52 per cent. of all the marriages registered in Scotland were regular, and in the case of 11275 the ceremony was performed in accordance with the rites of the Established Church; 5287 in accordance with the rites of the Free Church; 2981 in accordance with the rites of the United Presbyterian Church; 2337 in accordance with the rites of the Roman Catholic Church; 700 in accordance with the rites of the Episcopal Church; 1529 according to the rites of other denominations; while in 33 cases the denominations under which the marriage took place were not mentioned; and there were 363 irregular marriages. In other words, the clergy of the Established Church performed 46·02 per cent. of the ceremonies; those of the Free Church, 21·58 per cent.; of the United Presbyterian Church, 12·17 per cent.; of the Romish Church, 9·53 per cent.; of the Episcopal Church, 2·85 per cent.; and of other denominations, 6·24 per cent.; while in 0·13 per cent. of the marriages, the denomination of the officiating clergyman was not stated. Table X.

Of the total 24505 marriages, the ages of the men at the time of the ceremony are ascertained in 24501 cases, and of these 1769 or 7·22 per cent. were minors, *i.e.* under 21 years of age. In the case of the females, the ages of 24499 were obtained at marriage, and of these 5393 or over 22 per cent. were then under 21 years of age. 31 men were at

---

TABLE XII.—Proportion of Marriages, 1855–1880. Percentage of Marriages contracted in Scotland according to the Rites of the several Religious Denominations during each of the Years 1855–1880.

| Years. | Percentage of Regular Marriages according to the Rites of the | | | | | | | Irregular Marriages. |
|---|---|---|---|---|---|---|---|---|
| | Established Church. | Free Church. | United Presbyterian Church. | Romish Church. | Episcopal Church. | Other Denominations. | Denomination not stated. | |
| 1855 | 45·12 | 23·70 | 15·00 | 9·28 | 1·78 | 4·70 | 0·38 | 0·07 |
| 1856 | 47·55 | 22·40 | 13·87 | 9·42 | 1·73 | 4·74 | 0·12 | 0·14 |
| 1857 | 47·71 | 22·41 | 13·69 | 8·98 | 1·95 | 4·76 | 0·47 | 0·03 |
| 1858 | 46·32 | 23·66 | 13·77 | 8·63 | 1·93 | 5·26 | 0·30 | 0·13 |
| 1859 | 46·08 | 22·93 | 13·85 | 8·59 | 1·78 | 5·54 | 1·15 | 0·08 |
| 1860 | 45·73 | 22·95 | 13·36 | 8·75 | 1·95 | 5·73 | 1·45 | 0·08 |
| 1861 | 44·66 | 23·78 | 14·00 | 8·65 | 1·85 | 6·18 | 0·76 | 0·12 |
| 1862 | 45·19 | 23·94 | 13·81 | 8·64 | 1·80 | 4·80 | 1·69 | 0·13 |
| 1863 | 44·66 | 23·58 | 14·61 | 9·53 | 2·19 | 5·01 | 0·34 | 0·08 |
| 1864 | 43·60 | 24·24 | 14·06 | 10·02 | 2·07 | 5·41 | 0·51 | 0·09 |
| 1865 | 43·10 | 23·87 | 14·17 | 10·16 | 2·02 | 6·42 | 0·13 | 0·13 |
| 1866 | 43·87 | 23·52 | 14·29 | 9·54 | 2·18 | 6·26 | 0·17 | 0·17 |
| 1867 | 44·51 | 23·65 | 14·36 | 9·02 | 2·15 | 5·84 | 0·28 | 0·19 |
| 1868 | 44·55 | 22·95 | 14·85 | 8·57 | 2·13 | 6·42 | 0·26 | 0·27 |
| 1869 | 44·08 | 23·01 | 14·80 | 9·23 | 2·03 | 6·29 | 0·25 | 0·31 |
| 1870 | 44·76 | 22·91 | 14·35 | 8·89 | 2·26 | 6·26 | 0·26 | 0·31 |
| 1871 | 45·73 | 22·50 | 13·85 | 8·69 | 2·29 | 6·24 | 0·26 | 0·44 |
| 1872 | 46·00 | 22·08 | 12·92 | 9·60 | 2·26 | 6·55 | 0·02 | 0·57 |
| 1873 | 45·56 | 21·71 | 13·44 | 9·16 | 2·42 | 6·93 | 0·04 | 0·74 |
| 1874 | 44·79 | 22·44 | 13·59 | 8·59 | 2·44 | 7·29 | 0·05 | 0·81 |
| 1875 | 44·61 | 22·67 | 13·26 | 8·68 | 2·53 | 7·31 | 0·03 | 0·91 |
| 1876 | 45·13 | 22·36 | 13·56 | 8·57 | 2·71 | 6·41 | 0·14 | 1·12 |
| 1877 | 45·60 | 22·59 | 12·83 | 9·17 | 2·53 | 5·72 | 0·18 | 1·33 |
| 1878 | 46·51 | 22·30 | 12·37 | 8·96 | 2·68 | 5·54 | 0·05 | 1·59 |
| 1879 | 45·68 | 22·59 | 12·24 | 9·23 | 2·78 | 6·02 | 0·08 | 1·38 |
| 1880 | 46·02 | 21·58 | 12·17 | 9·53 | 2·85 | 6·24 | 0·13 | 1·48 |

4 b

the time of their marriage over 70 years of age, whilst among the females only three entered into this state at a like advanced period of life. Four men and six women do not state their age at marriage.

The favourite age for marriage among both sexes, and generally throughout Scotland, is between 20 and 25, as 38·92 per cent. of the men, and 46·13 per cent. of the females married between these years.

In the Insular-Rural districts, however, the largest proportion of the men marry between 25 and 30, for we find 35·33 per cent. of them doing so, as against 22·06 per cent. between 20 and 25.

TABLE XIII.—Marriages, 1880. Ages of Men and Women at Marriage.

| Ages. | Scotland. | | Principal Towns. | | Large Towns. | | Small Towns. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. | Men. | Women. |
| Under 15 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| 15—16 | – | 5 | – | 2 | – | 2 | – | – | – | – | – | 1 |
| 16—17 | 1 | 63 | 1 | 19 | – | 18 | – | 12 | – | 14 | – | – |
| 17—18 | 21 | 356 | 11 | 170 | 1 | 48 | 4 | 79 | 4 | 54 | 1 | 5 |
| 18—19 | 144 | 1036 | 73 | 457 | 14 | 141 | 32 | 243 | 25 | 186 | – | 9 |
| 19—20 | 519 | 1790 | 231 | 725 | 81 | 267 | 114 | 398 | 91 | 378 | 2 | 22 |
| 20—21 | 1084 | 2142 | 468 | 898 | 156 | 283 | 239 | 485 | 211 | 446 | 10 | 30 |
| 21—25 | 8451 | 9235 | 3265 | 3605 | 1135 | 1144 | 2088 | 2201 | 1855 | 2105 | 108 | 180 |
| 25—30 | 7391 | 5595 | 2933 | 2177 | 858 | 636 | 1682 | 1235 | 1729 | 1366 | 189 | 181 |
| 30—35 | 3023 | 1961 | 1173 | 744 | 364 | 231 | 617 | 419 | 763 | 515 | 106 | 52 |
| 35—40 | 1631 | 1144 | 683 | 478 | 190 | 151 | 320 | 236 | 384 | 250 | 54 | 29 |
| 40—45 | 953 | 615 | 389 | 239 | 110 | 85 | 223 | 144 | 209 | 136 | 22 | 11 |
| 45—50 | 536 | 322 | 207 | 138 | 75 | 42 | 103 | 65 | 133 | 69 | 18 | 8 |
| 50—55 | 357 | 138 | 151 | 62 | 51 | 24 | 66 | 20 | 74 | 25 | 15 | 7 |
| 55—60 | 201 | 57 | 82 | 26 | 38 | 10 | 37 | 14 | 37 | 7 | 7 | – |
| 60—65 | 113 | 29 | 58 | 13 | 10 | 8 | 22 | 6 | 22 | 2 | 1 | – |
| 65—70 | 45 | 7 | 22 | 5 | 6 | – | 8 | 2 | 9 | – | – | – |
| 70—75 | 21 | 3 | 7 | – | 2 | 1 | 6 | 2 | 4 | – | 2 | – |
| 75—80 | 9 | – | 4 | – | – | – | 1 | – | 4 | – | – | – |
| 80—85 | 1 | .. | 1 | – | – | – | – | – | – | – | – | – |
| 85—90 | – | – | – | – | – | – | – | – | – | – | – | – |
| Not stated | 4 | 6 | 4 | 4 | – | – | – | 1 | – | 1 | – | – |
| Total | 24505 | 24505 | 9763 | 9763 | 3091 | 3091 | 5562 | 5562 | 5554 | 5554 | 535 | 535 |

TABLE XIV.—Marriages, 1880. Percentage of Men and Women at different Ages who contracted Marriage in Scotland in 1880.

| Ages. | Men. | | | | | | Women. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Scotland. | Principal Towns. | Large Towns. | Small Towns. | Mainland-Rural. | Insular-Rural. | Scotland | Principal Towns. | Large Towns. | Small Towns. | Mainland-Rural. | Insular-Rural. |
| 15—20 years | 2·79 | 3·24 | 3·10 | 2·70 | 2·16 | 0·56 | 13·27 | 14·07 | 15·40 | 13·16 | 11·38 | 6·92 |
| 20—25 | 38·92 | 38·24 | 41·77 | 41·84 | 37·20 | 22·06 | 46·43 | 46·13 | 46·17 | 48·29 | 45·93 | 39·25 |
| 25—30 | 30·16 | 30·04 | 27·76 | 30·24 | 31·13 | 35·33 | 22·84 | 22·30 | 20·58 | 22·21 | 24·60 | 33·83 |
| 30—35 | 12·34 | 12·02 | 11·78 | 11·09 | 13·74 | 19·82 | 8·00 | 7·62 | 7·47 | 7·53 | 9·27 | 9·72 |
| 35—40 | 6·66 | 6·99 | 6·15 | 5·75 | 6·92 | 10·09 | 4·67 | 4·90 | 4·88 | 4·24 | 4·50 | 5·42 |
| 40—45 | 3·89 | 3·98 | 3·56 | 4·01 | 3·76 | 4·11 | 2·51 | 2·45 | 2·75 | 2·59 | 2·45 | 2·06 |
| 45—50 | 2·18 | 2·12 | 2·42 | 1·85 | 2·39 | 3·36 | 1·31 | 1·41 | 1·36 | 1·17 | 1·24 | 1·49 |
| 50 and above | 3·04 | 3·33 | 3·46 | 2·52 | 2·70 | 4·67 | 0·95 | 1·08 | 1·39 | 0·79 | 0·61 | 1·31 |
| Not stated | 0·02 | 0·04 | 0·00 | 0·00 | 0·00 | 0·00 | 0·02 | 0·04 | 0·00 | 0·02 | 0·02 | 0·00 |
| Total | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

In the Principal Town districts one girl was under 15 at her marriage: the youngest husband being a lad between 16 and 17, and in the same districts.

The condition of the contracting parties previous to marriage is as follows:—20848 marriages took place between bachelors and spinsters; 764 between bachelors and widows; 2122 between widowers and spinsters; and 750 between widowers and widows: in other words, 85·07 per cent. of the marriages were between bachelors and spinsters; 3·12

---

TABLE XV.—Marriages, 1855–1880. Number and Proportion of Men and Women in Scotland at each Quinquennial Period of Age who contracted Marriage during the Years 1855–1880.

| Ages. | Men. | | Women. | |
|---|---|---|---|---|
| | Number who married at each Age. | Percentage at each Age to Total Marriages. | Number who married at each Age. | Percentage at each Age to Total Marriages. |
| 15—20 years | 18129 | 3·02 | 77805 | 12·95 |
| 20—25 | 232257 | 38·66 | 274354 | 45·66 |
| 25—30 | 178278 | 29·67 | 142742 | 23·76 |
| 30—35 | 74714 | 12·43 | 51971 | 8·65 |
| 35—40 | 39300 | 6·54 | 27249 | 4·54 |
| 40—45 | 23275 | 3·87 | 14177 | 2·36 |
| 45—50 | 14617 | 2·43 | 7009 | 1·17 |
| 50 and above | 19630 | 3·27 | 4429 | 0·73 |
| Not stated | 661 | 0·11 | 1125 | 0·18 |
| TOTAL | 600861 | 100·00 | 600861 | 100·00 |

TABLE XVI.—Marriages in Scotland, 1855–1880. Numbers.

| Years. | Number who Married | | | | | | Number who Signed | | | | Number of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years. | | Under 25 years. | | Above 25 years. | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 7724 | 11118 | 11858 | 8390 | 17436 | 15174 | 2244 | 4506 | 15251 | 557 | 1863 | 619 |
| 1856 | ? | ? | 8433 | 12033 | 12307 | 8707 | 18485 | 15772 | 2455 | 4968 | 17035 | 536 | 1721 | 605 |
| 1857 | 1593 | 4568 | 8995 | 12513 | 12374 | 8856 | 18781 | 16064 | 2588 | 5305 | 17030 | 521 | 1648 | 601 |
| 1858 | 1448 | 4172 | 8096 | 11492 | 11511 | 8084 | 17328 | 14929 | 2327 | 4726 | 16196 | 492 | 1624 | 533 |
| 1859 | 1571 | 4565 | 8726 | 12425 | 12443 | 8704 | 18992 | 16494 | 2209 | 4707 | 17536 | 567 | 1864 | 603 |
| 1860 | 1561 | 4607 | 8666 | 12459 | 12525 | 8695 | 19036 | 16616 | 2189 | 4609 | 18157 | 508 | 1738 | 558 |
| 1861 | 1480 | 4403 | 8550 | 12235 | 12323 | 8601 | 18679 | 16439 | 2217 | 4457 | 17431 | 441 | 1768 | 517 |
| 1862 | 1569 | 4496 | 8663 | 12205 | 11912 | 8358 | 18535 | 16405 | 2062 | 4192 | 17392 | 464 | 1747 | 501 |
| 1863 | 1756 | 4897 | 8731 | 13304 | 12488 | 8896 | 19819 | 17319 | 2415 | 4915 | 19142 | 348 | 1856 | 584 |
| 1864 | 1695 | 4989 | 9662 | 13547 | 13033 | 9132 | 20120 | 17298 | 2605 | 5427 | 19383 | 497 | 1922 | 631 |
| 1865 | 1690 | 5010 | 9859 | 13864 | 13724 | 9696 | 20914 | 18364 | 2697 | 5247 | 20158 | 593 | 2055 | 642 |
| 1866 | 1706 | 4896 | 9923 | 13843 | 13752 | 9812 | 21032 | 18483 | 2656 | 5205 | 20080 | 601 | 2094 | 715 |
| 1867 | 1532 | 4611 | 9180 | 12991 | 13414 | 9595 | 20224 | 17931 | 2394 | 4687 | 19067 | 578 | 2075 | 689 |
| 1868 | 1459 | 4463 | 8668 | 12439 | 13169 | 9384 | 19712 | 17701 | 2143 | 4154 | 18609 | 484 | 1966 | 671 |
| 1869 | 1576 | 4622 | 8792 | 12699 | 13352 | 9445 | 19911 | 17723 | 2233 | 4421 | 18818 | 625 | 1949 | 651 |
| 1870 | 1744 | 5175 | 9657 | 13723 | 14176 | 10102 | 21403 | 19194 | 2451 | 4660 | 20262 | 653 | 2132 | 759 |
| 1871 | 1821 | 5321 | 9895 | 13945 | 14124 | 10074 | 21630 | 19315 | 2389 | 4704 | 20440 | 610 | 2099 | 778 |
| 1872 | 1978 | 5666 | 10714 | 14953 | 14927 | 10688 | 22965 | 20380 | 2676 | 5261 | 21637 | 798 | 2269 | 889 |
| 1873 | 2229 | 6129 | 11573 | 15938 | 15175 | 10810 | 24175 | 21754 | 2573 | 4994 | 22648 | 813 | 2368 | 851 |
| 1874 | 2176 | 6000 | 11425 | 15675 | 14965 | 10715 | 23989 | 21643 | 2401 | 4747 | 22291 | 840 | 2330 | 855 |
| 1875 | 2103 | 5829 | 11061 | 15252 | 14913 | 10722 | 23740 | 21581 | 2234 | 4393 | 21877 | 860 | 2353 | 837 |
| 1876 | 2173 | 6014 | 11472 | 15750 | 15107 | 10829 | 24586 | 22291 | 1993 | 4288 | 22438 | 794 | 2432 | 896 |
| 1877 | 2060 | 5767 | 11118 | 15349 | 14699 | 10468 | 23865 | 21839 | 1952 | 3978 | 21945 | 795 | 2285 | 778 |
| 1878 | 1877 | 5436 | 10418 | 14555 | 13940 | 9803 | 22684 | 20839 | 1674 | 3519 | 20809 | 691 | 2083 | 752 |
| 1879 | 1797 | 5188 | 9905 | 13877 | 13614 | 9642 | 21725 | 19919 | 1794 | 3600 | 19915 | 782 | 2083 | 725 |
| 1880 | 1769 | 5393 | 10220 | 14628 | 14285 | 9877 | 22696 | 20777 | 1809 | 3728 | 20848 | 764 | 2122 | 750 |

per cent. between bachelors and widows; 8·66 per cent. between widowers and spinsters; and 3·06 per cent. between widowers and widows.

Table XVIII. indicates in a somewhat crude manner the condition of elementary education among those who married in Scotland, and in its Groups, Divisions, and Counties during the year, inasmuch as we there find the percentage of men and women who at the date of their marriage signed the register by writing or simply by the adhibition of their mark.

There is an improvement this year on last, as 92·62 per cent. of the men signed their names in 1880, against 92·37 per cent. in 1879; and among the females 84·79 per cent. were able to do likewise in 1880, the proportion in the year previous being 84·69 per cent. 7·38 per cent. of the men adhibited their mark to the marriage document in 1880, as against 7·63 per cent. in 1879; 15·21 per cent. of the women doing the same, the percentage in 1879 among them being 15·31.

In Ross and Cromarty the schoolmaster was evidently most wanted, as only 77·69 per cent. of the bridegrooms could write, and 49·31 per cent. of the brides; and in Inverness, Dumbarton, Bute, and Lanarkshires over 10 per cent. of the former signed only by mark, whilst in 16 counties a like proportion of the fairer sex did the same.

Upon the two lower lines of Table XVIII., similar information is found as to Edinburgh and Glasgow. The former, as usual, has the advantage of the latter; but in Edinburgh during the present year 97·28 per cent. of the men signed by writing, while in 1879 there were 97·53 per cent. able to do so. In Glasgow there is, on the other hand, an

---

TABLE XVII.—Marriages in Scotland, 1855–1880. Proportions.

| Years. | Percentage who Married | | | | | | Percentage who signed | | | | Proportion in every 100 Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Under 21 years | | Under 25 years | | Above 25 years | | By Writing. | | By Mark. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| | Men. | Women | Men. | Women | Men. | Women | Men. | Women | Men. | Women | | | | |
| 1855 | ? | ? | 39·44 | 57·99 | 60·56 | 42·01 | 88·60 | 77·10 | 11·40 | 22·90 | 83·48 | 3·04 | 10·20 | 3·38 |
| 1856 | ? | ? | 40·79 | 58·44 | 59·21 | 41·56 | 89·13 | 76·05 | 10·87 | 23·95 | 85·62 | 2·69 | 8·65 | 3·04 |
| 1857 | 7·47 | 21·43 | 42·19 | 58·84 | 57·81 | 41·16 | 87·89 | 75·34 | 12·11 | 24·66 | 86·01 | 3·63 | 8·32 | 3·04 |
| 1858 | 7·38 | 21·23 | 41·25 | 58·70 | 58·75 | 41·30 | 88·16 | 75·95 | 11·84 | 24·05 | 85·95 | 2·61 | 8·62 | 2·82 |
| 1859 | 7·42 | 21·60 | 41·22 | 58·80 | 58·78 | 41·20 | 89·58 | 77·80 | 10·42 | 22·10 | 85·25 | 2·76 | 9·06 | 2·93 |
| 1860 | 7·36 | 21·77 | 40·89 | 58·89 | 59·11 | 41·11 | 89·68 | 78·28 | 10·32 | 21·72 | 86·62 | 2·42 | 8·29 | 2·67 |
| 1861 | 7·09 | 21·13 | 40·96 | 58·72 | 59·04 | 41·28 | 89·39 | 78·67 | 10·61 | 21·33 | 86·48 | 2·19 | 8·77 | 2·56 |
| 1862 | 7·62 | 21·86 | 42·11 | 59·35 | 57·89 | 40·65 | 89·99 | 79·65 | 10·01 | 20·35 | 86·51 | 2·31 | 8·69 | 2·49 |
| 1863 | 7·91 | 22·05 | 43·79 | 59·93 | 56·21 | 40·07 | 89·14 | 77·89 | 10·86 | 22·11 | 87·29 | 1·59 | 8·46 | 2·66 |
| 1864 | 7·46 | 21·99 | 42·57 | 59·73 | 57·42 | 40·26 | 88·54 | 76·12 | 11·46 | 23·88 | 86·41 | 2·21 | 8·57 | 2·81 |
| 1865 | 7·16 | 21·26 | 41·38 | 58·84 | 58·62 | 41·16 | 88·58 | 77·78 | 11·42 | 22·22 | 85·97 | 2·53 | 8·77 | 2·73 |
| 1866 | 7·20 | 20·69 | 41·91 | 58·52 | 58·09 | 41·48 | 88·78 | 78·50 | 11·22 | 22·00 | 85·49 | 2·55 | 8·92 | 3·04 |
| 1867 | 6·77 | 20·41 | 40·63 | 57·47 | 59·37 | 42·53 | 89·41 | 79·27 | 10·59 | 20·73 | 85·09 | 2·58 | 9·26 | 3·07 |
| 1868 | 6·68 | 20·45 | 39·69 | 57·00 | 60·31 | 43·00 | 90·19 | 80·99 | 9·81 | 19·01 | 85·64 | 2·22 | 9·05 | 3·09 |
| 1869 | 7·08 | 20·87 | 39·70 | 57·34 | 60·30 | 42·66 | 89·92 | 80·04 | 10·08 | 19·96 | 85·38 | 2·83 | 8·84 | 2·95 |
| 1870 | 7·32 | 21·72 | 40·52 | 57·60 | 59·48 | 42·40 | 89·73 | 80·46 | 10·27 | 19·54 | 85·11 | 2·74 | 8·96 | 3·19 |
| 1871 | 7·58 | 22·15 | 41·20 | 58·06 | 58·80 | 41·94 | 90·05 | 80·42 | 9·95 | 19·58 | 85·10 | 2·54 | 8·74 | 3·24 |
| 1872 | 7·71 | 22·10 | 41·78 | 58·32 | 58·22 | 41·68 | 89·56 | 79·48 | 10·44 | 20·52 | 84·38 | 3·11 | 8·35 | 3·47 |
| 1873 | 8·33 | 22·91 | 43·26 | 59·58 | 56·74 | 40·42 | 90·38 | 81·33 | 9·62 | 18·67 | 84·89 | 3·05 | 8·88 | 3·18 |
| 1874 | 8·25 | 22·73 | 43·29 | 59·40 | 56·71 | 40·60 | 90·90 | 92·01 | 9·10 | 17·99 | 84·47 | 3·18 | 8·83 | 3·24 |
| 1875 | 8·10 | 22·44 | 42·58 | 58·72 | 57·42 | 41·28 | 91·40 | 83·09 | 8·60 | 16·91 | 84·23 | 3·31 | 9·06 | 3·22 |
| 1876 | 8·18 | 22·63 | 43·16 | 59·26 | 56·84 | 40·74 | 92·50 | 83·87 | 7·50 | 16·13 | 84·42 | 2·99 | 9·15 | 3·37 |
| 1877 | 7·98 | 22·34 | 43·06 | 59·46 | 56·94 | 40·54 | 92·44 | 84·59 | 7·56 | 15·41 | 85·00 | 3·08 | 8·89 | 3·01 |
| 1878 | 7·71 | 22·32 | 42·77 | 59·75 | 57·23 | 40·25 | 93·13 | 85·55 | 6·87 | 14·45 | 85·43 | 2·84 | 8·55 | 3·09 |
| 1879 | 7·64 | 22·06 | 42·11 | 59·00 | 57·89 | 41·00 | 92·37 | 84·69 | 7·63 | 15·31 | 84·68 | 3·32 | 8·86 | 3·08 |
| 1880 | 7·22 | 22·01 | 41·71 | 59·69 | 58·29 | 40·31 | 92·62 | 84·79 | 7·38 | 15·21 | 85·07 | 3·12 | 8·66 | 3·06 |

improvement from 88·31 per cent. in 1879, to 88·86 per cent. in 1880. The proportion of females in Edinburgh, who signed by mark in 1880,

TABLE XVIII.—Marriages, 1880. Percentage of Men and Women who signed by Writing or by Mark, of persons under 21 years of age, and of Marriages between persons in different conjugal conditions, in Scotland, its Groups of Districts, Divisions, and Counties; also the percentage of the same in Edinburgh and Glasgow.

| 1880. | | Signed by Writing. | | Signed by Mark. | | Persons under 21 Years. | | Percentage of Marriages between | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Per cent. of Men. | Per cent. of Women. | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. |
| SCOTLAND. | | 92·62 | 84·79 | 7·38 | 15·21 | 7·22 | 22·01 | 85·07 | 3·12 | 8·66 | 3·06 |
| | GROUPS. | | | | | | | | | | |
| | PRINCIPAL TOWNS | 92·29 | 82·16 | 7·71 | 17·84 | 8·03 | 23·27 | 82·84 | 3·91 | 9·36 | 3·81 |
| | LARGE TOWNS | 90·23 | 82·05 | 9·67 | 17·95 | 8·15 | 24·55 | 83·66 | 3·52 | 8·83 | 3·95 |
| | SMALL TOWNS | 92·32 | 85·10 | 7·68 | 14·90 | 6·99 | 21·88 | 85·67 | 2·95 | 8·61 | 2·71 |
| | MAINLAND-RURAL | 95·97 | 93·09 | 4·03 | 6·91 | 5·96 | 19·41 | 89·05 | 1·87 | 7·20 | 1·71 |
| | INSULAR-RURAL | 80·19 | 59·25 | 19·81 | 40·75 | 2·24 | 12·52 | 86·54 | 0·93 | 10·47 | 1·87 |
| | DIVISIONS. | | | | | | | | | | |
| I. | NORTHERN | 95·60 | 89·54 | 4·40 | 10·46 | 3·12 | 14·12 | 88·99 | 0·92 | 8·44 | 1·65 |
| II. | NORTH-WESTERN | 79·56 | 56·11 | 20·44 | 43·89 | 1·23 | 12·62 | 89·44 | 1·37 | 8·09 | 1·10 |
| III. | NORTH-EASTERN | 97·92 | 96·05 | 2·08 | 5·95 | 6·50 | 21·32 | 88·67 | 2·00 | 7·48 | 1·68 |
| IV. | EAST-MIDLAND | 96·43 | 91·02 | 3·57 | 8·98 | 7·66 | 16·93 | 85·94 | 1·72 | 9·30 | 3·01 |
| V. | WEST-MIDLAND | 91·12 | 84·31 | 9·88 | 15·69 | 6·25 | 22·96 | 85·65 | 3·38 | 8·35 | 2·49 |
| VI. | SOUTH-WESTERN | 89·38 | 77·90 | 10·62 | 22·10 | 8·63 | 26·31 | 83·15 | 4·18 | 8·75 | 3·90 |
| VII. | SOUTH-EASTERN | 96·08 | 93·13 | 3·92 | 6·87 | 5·85 | 19·33 | 85·31 | 2·90 | 8·69 | 2·79 |
| VIII. | SOUTHERN | 97·15 | 94·22 | 2·85 | 5·78 | 6·39 | 18·74 | 85·40 | 3·11 | 9·15 | 2·33 |
| | COUNTIES. | | | | | | | | | | |
| 1 | Shetland | 93·69 | 81·08 | 6·31 | 18·92 | 2·70 | 6·31 | 88·29 | 0·90 | 9·01 | 1·80 |
| 2 | Orkney | 98·85 | 98·85 | 1·15 | 1·15 | 5·17 | 17·81 | 83·91 | 1·72 | 12·07 | 2·30 |
| 3 | Caithness | 95·43 | 88·57 | 4·57 | 11·43 | 2·86 | 18·28 | 92·57 | 0·57 | 6·86 | 0·00 |
| 4 | Sutherland | 91·77 | 83·53 | 8·23 | 16·47 | 0·00 | 8·23 | 92·94 | 0·00 | 3·53 | 3·53 |
| 5 | Ross & Cromarty | 77·69 | 49·31 | 22·31 | 50·69 | 1·10 | 11·57 | 90·08 | 0·55 | 7·16 | 2·21 |
| 6 | Inverness | 81·42 | 62·84 | 18·58 | 37·16 | 1·37 | 13·66 | 88·80 | 2·19 | 9·01 | 0·00 |
| 7 | Nairn | 94·60 | 78·38 | 5·40 | 21·62 | 8·11 | 13·51 | 97·30 | 2·70 | 0·00 | 0·00 |
| 8 | Elgin | 97·08 | 92·70 | 2·92 | 7·30 | 8·03 | 16·42 | 86·87 | 2·55 | 8·03 | 2·55 |
| 9 | Banff | 96·74 | 92·29 | 3·26 | 7·71 | 5·34 | 19·88 | 88·73 | 0·89 | 8·90 | 1·48 |
| 10 | Aberdeen | 98·30 | 94·94 | 1·70 | 5·06 | 6·82 | 23·23 | 38·41 | 2·35 | 7·47 | 1·53 |
| 11 | Kincardine | 98·53 | 94·12 | 1·47 | 5·88 | 3·43 | 15·68 | 91·67 | 0·00 | 5·88 | 2·45 |
| 12 | Forfar | 94·83 | 86·53 | 5·17 | 13·47 | 8·80 | 18·43 | 84·43 | 1·54 | 10·12 | 3·91 |
| 13 | Perth | 98·92 | 97·16 | 1·08 | 2·84 | 3·79 | 12·74 | 86·86 | 2·03 | 9·48 | 1·49 |
| 14 | Fife | 97·88 | 94·55 | 2·12 | 5·45 | 8·89 | 17·17 | 87·68 | 1·51 | 8·59 | 2·22 |
| 15 | Kinross | 97·22 | 100·00 | 2·78 | 0·00 | 2·78 | 16·67 | 94·44 | 0·00 | 2·78 | 2·78 |
| 16 | Clackmannan | 93·48 | 89·86 | 6·52 | 10·14 | 5·80 | 18·11 | 86·23 | 4·35 | 4·35 | 5·07 |
| 17 | Stirling | 92·30 | 87·88 | 7·70 | 12·12 | 7·99 | 27·39 | 86·17 | 3·71 | 6·70 | 3·42 |
| 18 | Dumbarton | 85·47 | 77·69 | 14·53 | 22·31 | 5·89 | 22·10 | 87·37 | 3·37 | 7·58 | 1·68 |
| 19 | Argyll | 90·30 | 87·29 | 9·70 | 12·71 | 2·67 | 16·39 | 84·28 | 3·01 | 10·37 | 2·01 |
| 20 | Bute | 86·02 | 81·72 | 13·98 | 18·28 | 6·45 | 15·05 | 77·42 | 2·15 | 18·28 | 1·07 |
| 21 | Renfrew | 90·28 | 78·24 | 9·72 | 21·76 | 7·27 | 23·10 | 82·95 | 3·73 | 9·17 | 4·15 |
| 22 | Ayr | 91·90 | 84·27 | 8·10 | 15·73 | 8·72 | 25·07 | 83·38 | 2·75 | 9·20 | 4·67 |
| 23 | Lanark | 88·68 | 76·54 | 11·32 | 23·46 | 8·92 | 27·29 | 83·15 | 4·57 | 8·56 | 3·69 |
| 24 | Linlithgow | 91·47 | 84·98 | 8·53 | 15·02 | 9·21 | 26·96 | 84·98 | 2·73 | 8·87 | 1·71 |
| 25 | Edinburgh | 96·22 | 93·17 | 3·78 | 6·83 | 5·97 | 19·43 | 84·62 | 3·28 | 8·72 | 3·18 |
| 26 | Haddington | 96·00 | 93·14 | 4·00 | 6·86 | 2·86 | 13·71 | 89·14 | 1·14 | 7·43 | 2·29 |
| 27 | Berwick | 97·80 | 98·35 | 2·20 | 1·65 | 3·30 | 10·99 | 89·56 | 1·10 | 8·24 | 0·55 |
| 28 | Peebles | 97·18 | 98·59 | 2·82 | 1·41 | 5·63 | 12·68 | 88·73 | 0·00 | 11·27 | 0·00 |
| 29 | Selkirk | 99·39 | 98·78 | 0·61 | 1·22 | 3·68 | 22·08 | 88·35 | 1·22 | 8·59 | 1·84 |
| 30 | Roxburgh | 98·65 | 93·94 | 1·35 | 6·06 | 5·39 | 19·86 | 85·19 | 3·03 | 10·1 | 1·68 |
| 31 | Dumfries | 97·44 | 94·88 | 2·56 | 5·12 | 6·18 | 16·42 | 84·86 | 2·77 | 9·3 | 2·99 |
| 32 | Kirkcudbright | 97·59 | 96·62 | 2·41 | 3·38 | 7·25 | 21·26 | 85·99 | 4·83 | 6·2 | 2·90 |
| 33 | Wigtown | 93·51 | 90·27 | 6·49 | 9·73 | 7·57 | 20·00 | 86·49 | 2·16 | 10·27 | 1·08 |
| | EDINBURGH | 97·28 | 95·11 | 2·72 | 4·89 | 5·35 | 17·80 | 83·96 | 3·28 | 9·28 | 3·33 |
| | GLASGOW | 88·86 | 73·87 | 11·14 | 26·13 | 8·95 | 26·57 | 81·64 | 4·87 | 9·39 | 4·10 |

is 4·89 per cent.; whilst in 1879 it was 5·04 per cent.; but in Glasgow there is a falling back from 25·63 per cent. in 1879, to 26·13 per cent. in 1880.

---

## DEATHS.

The number of deaths registered in all Scotland during the year 1880 was 75803, or 204·5 in every ten thousand of the estimated population. The mean death rate in Scotland for the last ten years was 217·9 in every ten thousand of its inhabitants; so that although the proportion is higher than in 1879, the death rate is still much below the average for the last decennial period.

In England we find from the Registrar-General's Forty-third Annual Report, the death rate in 1880 to be 205 per ten thousand persons living, "the lowest recorded since civil registration began, with one single exception, namely in the year 1877, when the death rate was only 203." The Scotch death rate that same year was 205·9 per ten thousand.

The average death rate in the Sister Kingdom during the last decennium (1870–1879) was 216 per ten thousand of its population.

On looking at the death rate in the five groups of districts into which we divide Scotland for statistical purposes, it is seen that in the Principal Town districts 28873 deaths were recorded, or at the rate of 242 per ten thousand of the inhabitants of the same; in the Large Town districts the deaths numbered 9840, or very nearly 224 per ten thousand of the inhabitants; in the Small Town districts the mortality was

---

TABLE XIX.—Deaths of Males and Females in Scotland, and its Five Groups of Districts, during each of the Years 1855–1880.

| Years. | Scotland. | | Principal Towns. | | Large Towns. | | Small Towns. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 30626 | 31378 | 11189 | 11517 | 2972 | 2982 | 4963 | 5052 | 10681 | 10975 | 821 | 852 |
| 1856 | 29418 | 29111 | 11155 | 11099 | 2703 | 2671 | 4785 | 4757 | 9855 | 9607 | 920 | 977 |
| 1857 | 30937 | 30969 | 11692 | 11671 | 2917 | 2943 | 4911 | 5098 | 10421 | 10285 | 996 | 972 |
| 1858 | 31652 | 31887 | 11770 | 11675 | 3034 | 3129 | 5046 | 5030 | 10792 | 10997 | 1010 | 1056 |
| 1859 | 30588 | 31126 | 11075 | 11277 | 2946 | 2829 | 4975 | 5070 | 10418 | 10672 | 1174 | 1278 |
| 1860 | 33610 | 34560 | 12814 | 13252 | 2972 | 3070 | 5480 | 5590 | 11169 | 11424 | 1175 | 1224 |
| 1861 | 30890 | 31451 | 11464 | 11685 | 2869 | 2962 | 5150 | 5216 | 10346 | 10474 | 1061 | 1114 |
| 1862 | 33179 | 34016 | 12270 | 12690 | 3286 | 3280 | 5368 | 5565 | 10967 | 11141 | 1288 | 1340 |
| 1863 | 35631 | 35850 | 13624 | 13421 | 3358 | 3422 | 5862 | 5680 | 11510 | 11999 | 1277 | 1328 |
| 1864 | 37010 | 37406 | 14504 | 14341 | 3544 | 3588 | 6132 | 6162 | 11722 | 12082 | 1108 | 1233 |
| 1865 | 35190 | 35701 | 14263 | 14252 | 3352 | 3544 | 5598 | 5658 | 10906 | 11174 | 1071 | 1073 |
| 1866 | 35355 | 35993 | 13742 | 13724 | 3378 | 3528 | 5777 | 6032 | 11334 | 11571 | 1124 | 1138 |
| 1867 | 34363 | 34705 | 13219 | 13300 | 3322 | 3454 | 5786 | 5771 | 10964 | 11022 | 1072 | 1158 |
| 1868 | 34662 | 34754 | 14154 | 13883 | 3359 | 3325 | 5640 | 5752 | 10522 | 10642 | 987 | 1152 |
| 1869 | 37868 | 38007 | 15744 | 15723 | 3647 | 3839 | 6022 | 5879 | 11274 | 11342 | 1181 | 1224 |
| 1870 | 36866 | 37299 | 14234 | 14274 | 3858 | 3854 | 5929 | 6168 | 11760 | 11894 | 1085 | 1109 |
| 1871 | 36827 | 37885 | 15478 | 15948 | 4003 | 4068 | 7913 | 8287 | 8527 | 8653 | 906 | 929 |
| 1872 | 37939 | 37355 | 15192 | 15007 | 4363 | 4240 | 8500 | 8315 | 8876 | 9217 | 1008 | 1076 |
| 1873 | 39037 | 37909 | 15227 | 14781 | 4766 | 4540 | 8869 | 8488 | 9155 | 8943 | 1020 | 1157 |
| 1874 | 40678 | 40042 | 16245 | 15879 | 5079 | 4947 | 8852 | 8708 | 9419 | 9397 | 1083 | 1111 |
| 1875 | 40323 | 41444 | 15272 | 15711 | 4984 | 4818 | 9026 | 9259 | 9925 | 10378 | 1116 | 1278 |
| 1876 | 37404 | 36725 | 14256 | 13721 | 4500 | 4524 | 8420 | 8406 | 9177 | 9015 | 1051 | 1059 |
| 1877 | 37173 | 36764 | 14190 | 14037 | 4521 | 4536 | 8052 | 8008 | 9383 | 9092 | 1027 | 1091 |
| 1878 | 38389 | 38404 | 14707 | 14718 | 5157 | 5031 | 8512 | 8493 | 9072 | 9140 | 941 | 1022 |
| 1879 | 36296 | 37051 | 13397 | 13747 | 4682 | 4751 | 8217 | 8345 | 8999 | 9040 | 1001 | 1168 |
| 1880 | 38055 | 37748 | 14578 | 14295 | 5019 | 4821 | 8635 | 8847 | 8800 | 8757 | 1023 | 1028 |

17482, in the proportion of 202 per ten thousand; in the Mainland-Rural districts they numbered 17557, or very nearly 163 per ten thousand; and in the Insular-Rural districts they were 2051, or 157 per ten thousand of the inhabitants, the proportion as usual steadily falling as the space at the disposal of the people residing there increases,—the greater the crowding the higher the mortality.

Tables XXI. and XXII. afford like information as to the Principal Towns individually. In Glasgow the mortality for 1880 is at the rate of 2·61 per cent. of the estimated population; in Paisley it is 2·59 per cent.; in Dundee, 2·46 per cent.; in Greenock, 2·36 per cent.; in Leith, 2·30 per cent.; in Perth, 2·23 per cent.; in Edinburgh, 2·19 per cent.; and in Aberdeen, 2·00 per cent.

Of the total 75803 deaths in Scotland, 38055 are of males, and 37748 of females, and in accordance with our numbers upon Table II. it is found the proportion of male deaths to the estimated population per 1000 of its male inhabitants is 21·33, and of its female, 19·64. Table XX.

TABLE XX.—Percentage of Male and Female Deaths to the Population in Scotland, and its Five Groups of Districts, during each of the Years 1855–1880.

| Years. | Scotland. | | Principal Towns. | | Large Towns. | | Small Towns. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| 1855 | 2·162 | 2·003 | 2·929 | 2·584 | 2·644 | 2·382 | 2·163 | 1·995 | | | | |
| 1856 | 2·065 | 1·850 | 2·887 | 2·460 | 2·378 | 2·107 | 2·070 | 1·863 | | | | |
| 1857 | 2·161 | 1·958 | 2·991 | 2·556 | 2·539 | 2·292 | 2·109 | 1·981 | | | | |
| 1858 | 2·202 | 2·005 | 2·976 | 2·527 | 2·612 | 2·407 | 2·152 | 1·939 | | | | |
| 1859 | 2·120 | 1·940 | 2·769 | 2·412 | 2·509 | 2·179 | 2·107 | 1·938 | | | | |
| 1860 | 2·321 | 2·150 | 3·168 | 2·801 | 2·336 | 2·304 | 2·304 | 2·125 | | | | |
| 1861 | 2·125 | 1·946 | 2·796 | 2·438 | 2·386 | 2·193 | 2·157 | 1·924 | | | | |
| 1862 | 2·260 | 2·087 | 2·931 | 2·603 | 2·675 | 2·384 | 2·231 | 2·085 | | | | |
| 1863 | 2·402 | 2·181 | 3·188 | 2·706 | 2·676 | 2·441 | 2·363 | 2·114 | | | | |
| 1864 | 2·470 | 2·256 | 3·324 | 2·842 | 2·764 | 2·512 | 2·510 | 2·277 | | | | |
| 1865 | 2·325 | 2·135 | 3·202 | 2·777 | 2·559 | 2·435 | 2·274 | 2·076 | | | | |
| 1866 | 2·313 | 2·134 | 3·021 | 2·628 | 2·524 | 2·379 | 2·329 | 2·198 | | | | |
| 1867 | 2·226 | 2·040 | 2·853 | 2·504 | 2·430 | 2·286 | 2·315 | 2·088 | | | | |
| 1868 | 2·222 | 2·025 | 2·985 | 2·569 | 2·405 | 2·159 | 2·240 | 2·067 | | | | |
| 1869 | 2·404 | 2·196 | 3·252 | 2·860 | 2·556 | 2·448 | 2·374 | 2·098 | | | | |
| 1870 | 2·317 | 2·137 | 2·880 | 2·552 | 2·647 | 2·412 | 2·319 | 2·185 | | | | |
| 1871 | 2·290 | 2·151 | 3·039 | 2·786 | 2·544 | 2·359 | 2·143 | 2·055 | 1·669 | 1·596 | 1·484 | 1·309 |
| 1872 | 2·333 | 2·100 | 2·949 | 2·594 | 2·682 | 2·386 | 2·271 | 2·038 | 1·731 | 1·698 | 1·651 | 1·521 |
| 1873 | 2·372 | 2·111 | 2·923 | 2·529 | 2·834 | 2·479 | 2·338 | 2·056 | 1·778 | 1·645 | 1·671 | 1·639 |
| 1874 | 2·444 | 2·208 | 3·083 | 2·688 | 2·921 | 2·620 | 2·303 | 2·085 | 1·822 | 1·727 | 1·773 | 1·578 |
| 1875 | 2·394 | 2·263 | 2·865 | 2·632 | 2·772 | 2·476 | 2·317 | 2·191 | 1·913 | 1·905 | 1·826 | 1·820 |
| 1876 | 2·196 | 1·986 | 2·644 | 2·274 | 2·421 | 2·255 | 2·133 | 1·965 | 1·762 | 1·652 | 1·719 | 1·512 |
| 1877 | 2·157 | 1·969 | 2·603 | 2·302 | 2·352 | 2·194 | 2·012 | 1·850 | 1·794 | 1·664 | 1·680 | 1·562 |
| 1878 | 2·202 | 2·037 | 2·667 | 2·389 | 2·595 | 2·361 | 2·099 | 1·939 | 1·728 | 1·671 | 1·539 | 1·467 |
| 1879 | 2·059 | 1·947 | 2·401 | 2·208 | 2·278 | 2·162 | 1·999 | 1·883 | 1·707 | 1·651 | 1·637 | 1·680 |
| 1880 | 2·133 | 1·964 | 2·584 | 2·272 | 2·359 | 2·127 | 2·072 | 1·972 | 1·663 | 1·597 | 1·672 | 1·482 |

TABLE XXI.—Town Deaths, 1870–1880. Annual Number of Deaths in the Eight Principal Towns of Scotland.

| Towns. | 1870. | 1871. | 1872. | 1873. | 1874. | 1875. | 1876. | 1877. | 1878. | 1879. | 1880. |
|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . . | 13955 | 15790 | 14053 | 14499 | 15845 | 15384 | 13763 | 13823 | 14157 | 12498 | 13304 |
| Edinburgh . . . | 4715 | 5447 | 5484 | 4578 | 5011 | 5044 | 4392 | 4644 | 4910 | 4432 | 4946 |
| Dundee . . . | 3185 | 3336 | 3491 | 3281 | 4170 | 3305 | 3075 | 3026 | 3159 | 3178 | 3464 |
| Aberdeen . . . | 1927 | 1997 | 2119 | 2120 | 2066 | 2011 | 2033 | 2060 | 2204 | 2127 | 2078 |
| Greenock . . . | 1674 | 1772 | 1697 | 2220 | 1690 | 2180 | 1613 | 1563 | 1549 | 1597 | 1620 |
| Paisley . . . . | 1352 | 1453 | 1430 | 1589 | 1388 | 1364 | 1287 | 1325 | 1591 | 1497 | 1424 |
| Leith . . . . | 1059 | 1081 | 1338 | 1084 | 1254 | 1060 | 1174 | 1169 | 1215 | 1158 | 1378 |
| Perth . . . . | 641 | 550 | 587 | 637 | 700 | 635 | 640 | 617 | 640 | 657 | 659 |

thus shows that in each of the five groups of districts the proportion of male deaths exceeds that of the female, most markedly in the Principal Town group, next in the Large Town group, then in the Insular-Rural districts, followed by the Small Town districts; the least difference being in the Mainland-Rural group of districts.

Table XXIV. affords information as to the percentage of deaths to the estimated population at various periods of life among males and females in Scotland, and in each of its five registration groups. For Scotland as a whole the percentage of male deaths under one year of age is 15·157, and of female, 12·654. The highest mortality is in the Principal Town districts, where at this early age males perished at the rate of 18·389 per cent.; females at that of 15·308 per cent.; the lowest being in the Insular-Rural districts, where the males died at the ratio of 9·633 per cent., the females at 8·079 per cent. The three remaining districts are intermediate, and their death rate apparently in accordance with the density of the population residing in them.

Under two years of age the percentage of male deaths in Scotland

---

TABLE XXII.—Proportion of Town Deaths, 1870–1880. Annual Percentage of Deaths to the Population in each of the Principal Towns in Scotland.

| TOWNS. | 1870. | 1871. | 1872. | 1873. | 1874. | 1875. | 1876. | 1877. | 1878. | 1879. | Mean Annual Mortality. | 1880. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . | 2·96 | 3·21 | 2·84 | 2·93 | 3·18 | 3·08 | 2·74 | 2·74 | 2·79 | 2·46 | 2·89 | 2·61 |
| Edinburgh | 2·38 | 2·75 | 2·73 | 2·25 | 2·42 | 2·40 | 2·06 | 2·15 | 2·24 | 1·99 | 2·34 | 2·19 |
| Dundee . | 2·69 | 2·75 | 2·83 | 2·61 | 3·27 | 2·55 | 2·33 | 2·26 | 2·32 | 2·29 | 2·59 | 2·46 |
| Aberdeen | 2·21 | 2·25 | 2·35 | 2·31 | 2·21 | 2·12 | 2·10 | 2·09 | 2·20 | 2·09 | 2·19 | 2·00 |
| Greenock | 2·87 | 2·95 | 2·79 | 3·59 | 2·69 | 3·42 | 2·49 | 2·38 | 2·33 | 2·36 | 2·79 | 2·36 |
| Paisley . | 2·80 | 3·00 | 2·91 | 3·19 | 2·75 | 2·66 | 2·47 | 2·51 | 2·97 | 2·75 | 2·80 | 2·59 |
| Leith . . | 2·32 | 2·31 | 2·78 | 2·19 | 2·47 | 2·03 | 2·19 | 2·12 | 2·14 | 1·98 | 2·25 | 2·30 |
| Perth . . | 2·43 | 2·08 | 2·19 | 2·35 | 2·55 | 2·29 | 2·28 | 2·17 | 2·22 | 2·25 | 2·28 | 2·23 |

TABLE XXIII.—Ages of Males and Females who died in Scotland, and in each of its Groups of Districts, during the Year 1880.

| AGE. | SCOTLAND. | | PRINCIPAL TOWNS. | | LARGE TOWNS. | | SMALL TOWNS. | | MAINLAND-RURAL. | | INSULAR-RURAL. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 8612 | 6911 | 3539 | 2849 | 1177 | 950 | 2046 | 1641 | 1703 | 1349 | 147 | 122 |
| — 2 | 3456 | 3227 | 1641 | 1549 | 535 | 479 | 724 | 724 | 516 | 436 | 40 | 39 |
| — 3 | 1510 | 1501 | 757 | 726 | 213 | 205 | 306 | 347 | 213 | 207 | 21 | 16 |
| — 4 | 962 | 979 | 466 | 448 | 128 | 133 | 213 | 246 | 138 | 144 | 17 | 8 |
| — 5 | 688 | 688 | 323 | 339 | 74 | 61 | 161 | 170 | 118 | 109 | 12 | 9 |
| 0– 5 | 15228 | 13306 | 6726 | 5911 | 2127 | 1828 | 3450 | 3128 | 2688 | 2245 | 237 | 194 |
| 5–10 | 1962 | 1705 | 882 | 729 | 242 | 205 | 460 | 414 | 340 | 326 | 38 | 31 |
| 10–15 | 939 | 991 | 328 | 360 | 137 | 123 | 239 | 253 | 208 | 226 | 27 | 29 |
| 15–20 | 1276 | 1215 | 491 | 499 | 153 | 117 | 301 | 306 | 299 | 268 | 32 | 25 |
| 20–30 | 2470 | 2601 | 975 | 1004 | 301 | 378 | 543 | 595 | 576 | 562 | 75 | 62 |
| 30–40 | 2152 | 2412 | 893 | 951 | 289 | 327 | 453 | 536 | 455 | 541 | 62 | 57 |
| 40–50 | 2499 | 2327 | 1071 | 1025 | 346 | 294 | 524 | 495 | 506 | 458 | 52 | 55 |
| 50–60 | 2878 | 2631 | 1091 | 1062 | 431 | 332 | 627 | 597 | 663 | 566 | 66 | 74 |
| 60–70 | 3419 | 3713 | 1087 | 1251 | 446 | 472 | 781 | 891 | 987 | 985 | 118 | 114 |
| 70–80 | 3332 | 4044 | 723 | 1000 | 367 | 464 | 812 | 992 | 1276 | 1416 | 154 | 172 |
| 80–90 | 1696 | 2383 | 295 | 444 | 166 | 246 | 411 | 549 | 693 | 977 | 131 | 167 |
| 90–100 | 188 | 395 | 15 | 58 | 14 | 34 | 34 | 87 | 99 | 173 | 26 | 43 |
| 100 and above | 7 | 21 | 1 | 1 | – | 1 | – | 3 | 4 | 11 | 2 | 5 |
| Not stated | 9 | 4 | – | – | – | – | – | 1 | 6 | 3 | 3 | – |
| ALL AGES. | 38055 | 37748 | 14578 | 14295 | 5019 | 4821 | 8635 | 8847 | 8800 | 8757 | 1023 | 1028 |

is 7·009, and of female, 6·850. In the Principal Town districts this is most exceeded, the male deaths here being 10·277 per cent., and the female, 10·057 per cent. In the Small Town and Insular-Rural districts the female exceed the male exits.

During the third year of life, while the percentage of male deaths in Scotland was 2·944, and of females 3·063, in the Principal Town districts it was 4·756 of males, and 4·615 of females. In the Small Town and Mainland-Rural districts as in all Scotland the proportion of female deaths exceeds that of the male.

---

TABLE XXIV.—Percentage of Deaths to the Population at each Age in 1880.

| Age. | Scotland. | | Principal Towns. | | Large Towns. | | Small Towns. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 15·157 | 12·654 | 18·389 | 15·308 | 16·568 | 13·820 | 14·852 | 12·461 | 11·069 | 9·194 | 9·633 | 8·079 |
| — 2 | 7·009 | 6·850 | 10·277 | 10·057 | 8·736 | 8·199 | 6·167 | 6·351 | 3·645 | 3·278 | 2·811 | 3·047 |
| — 3 | 2·944 | 3·063 | 4·756 | 4·615 | 3·413 | 3·366 | 2·403 | 2·905 | 1·427 | 1·493 | 1·362 | 1·093 |
| — 4 | 1·909 | 2·021 | 2·992 | 2·950 | 2·098 | 2·228 | 1·721 | 2·037 | 0·937 | 1·038 | 1·035 | 0·522 |
| — 5 | 1·403 | 1·471 | 2·176 | 2·365 | 1·265 | 1·074 | 1·339 | 1·480 | 0·808 | 0·791 | 0·696 | 0·592 |
| 0– 5 | 5·930 | 5·410 | 8·248 | 7·457 | 6·769 | 6·033 | 5·507 | 5·207 | 3·642 | 3·231 | 3·016 | 2·658 |
| 5–10 | 0·862 | 0·779 | 1·323 | 1·108 | 0·885 | 0·782 | 0·820 | 0·769 | 0·489 | 0·496 | 0·479 | 0·429 |
| 10–15 | 0·444 | 0·497 | 0·540 | 0·605 | 0·546 | 0·519 | 0·460 | 0·515 | 0·318 | 0·379 | 0·343 | 0·402 |
| 15–20 | 0·686 | 0·660 | 0·845 | 0·790 | 0·691 | 0·524 | 0·685 | 0·724 | 0·536 | 0·533 | 0·512 | 0·390 |
| 20–30 | 0·872 | 0·812 | 0·904 | 0·832 | 0·853 | 0·974 | 0·893 | 0·842 | 0·786 | 0·690 | 1·011 | 0·615 |
| 30–40 | 1·047 | 0·981 | 1·206 | 1·084 | 1·153 | 1·105 | 0·988 | 0·964 | 0·831 | 0·835 | 0·950 | 0·648 |
| 40–50 | 1·535 | 1·210 | 2·026 | 1·587 | 1·742 | 1·317 | 1·379 | 1·123 | 1·056 | 0·847 | 0·965 | 0·763 |
| 50–60 | 2·386 | 1·832 | 3·157 | 2·389 | 3·104 | 2·088 | 2·250 | 1·797 | 1·696 | 1·304 | 1·372 | 1·203 |
| 60–70 | 4·255 | 3·622 | 5·555 | 4·359 | 5·316 | 4·352 | 4·202 | 3·719 | 3·371 | 2·933 | 3·110 | 2·422 |
| 70–80 | 8·654 | 7·594 | 10·394 | 8·057 | 10·358 | 8·779 | 8·916 | 7·899 | 8·091 | 7·328 | 6·235 | 5·749 |
| 80–90 | 18·654 | 16·588 | 25·409 | 17·466 | 23·782 | 19·324 | 21·552 | 17·664 | 16·071 | 16·259 | 17·124 | 15·086 |
| 90–100 | 28·790 | 29·544 | 17·442 | 26·852 | 35·000 | 29·060 | 25·185 | 35·223 | 33·446 | 28·361 | 36·111 | 39·815 |
| 100 and above | 28·000 | 35·000 | 33·333 | 7·143 | 0·000 | 14·286 | 0·000 | 27·273 | 36·364 | 50·000 | 66·667 | 100·000 |
| Not stated | – | – | – | – | – | – | – | – | – | – | – | – |
| Total . . | 2·133 | 1·964 | 2·584 | 2·272 | 2·359 | 2·127 | 2·072 | 1·972 | 1·663 | 1·597 | 1·672 | 1·482 |

TABLE XXV.—Percentage of Deaths at each Age to the Total Deaths in 1880.

| Age. | Scotland. | | Principal Towns. | | Large Towns. | | Small Towns. | | Mainland-Rural. | | Insular-Rural. | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. | Males. | Fem. |
| Under 1 Year | 22·63 | 18·31 | 24·28 | 19·93 | 23·45 | 19·71 | 23·70 | 18·55 | 19·35 | 15·41 | 14·37 | 11·87 |
| — 2 | 9·08 | 8·55 | 11·26 | 10·84 | 10·66 | 9·93 | 8·38 | 8·18 | 5·86 | 4·98 | 3·91 | 3·79 |
| — 3 | 3·97 | 3·98 | 5·19 | 5·08 | 4·24 | 4·25 | 3·54 | 3·92 | 2·42 | 2·36 | 2·05 | 1·56 |
| — 4 | 2·52 | 2·59 | 3·20 | 3·13 | 2·55 | 2·76 | 2·47 | 2·78 | 1·57 | 1·64 | 1·66 | 0·78 |
| — 5 | 1·81 | 1·82 | 2·21 | 2·37 | 1·47 | 1·26 | 1·86 | 1·92 | 1·34 | 1·24 | 1·17 | 0·87 |
| 0– 5 | 40·01 | 35·25 | 46·14 | 41·35 | 42·37 | 37·91 | 39·95 | 35·35 | 30·54 | 25·63 | 23·16 | 18·87 |
| 5–10 | 5·16 | 4·52 | 6·05 | 5·10 | 4·82 | 4·26 | 5·34 | 4·68 | 3·86 | 3·72 | 3·71 | 3·02 |
| 10–15 | 2·47 | 2·63 | 2·25 | 2·52 | 2·73 | 2·55 | 2·77 | 2·86 | 2·36 | 2·58 | 2·64 | 2·83 |
| 15–20 | 3·35 | 3·22 | 3·37 | 3·49 | 3·05 | 2·43 | 3·48 | 3·47 | 3·40 | 3·06 | 3·13 | 2·43 |
| 20–30 | 6·49 | 6·89 | 6·69 | 7·02 | 6·00 | 7·84 | 6·29 | 6·72 | 6·55 | 6·42 | 7·33 | 6·03 |
| 30–40 | 5·66 | 6·39 | 6·12 | 6·65 | 5·76 | 6·78 | 5·25 | 6·06 | 5·17 | 6·18 | 6·08 | 5·54 |
| 40–50 | 6·57 | 6·16 | 7·35 | 7·17 | 6·89 | 6·10 | 6·07 | 5·60 | 5·75 | 5·23 | 5·08 | 5·35 |
| 50–60 | 7·56 | 6·97 | 7·48 | 7·43 | 8·59 | 6·89 | 7·26 | 6·75 | 7·54 | 6·47 | 6·45 | 7·20 |
| 60–70 | 8·98 | 9·84 | 7·46 | 8·75 | 8·89 | 9·79 | 9·04 | 10·07 | 11·22 | 11·25 | 11·54 | 11·09 |
| 70–80 | 8·76 | 10·71 | 4·96 | 6·99 | 7·31 | 9·63 | 9·40 | 11·22 | 14·50 | 16·17 | 15·05 | 16·73 |
| 80–90 | 4·46 | 6·31 | 2·02 | 3·11 | 3·31 | 5·10 | 4·76 | 6·20 | 7·88 | 11·16 | 12·81 | 16·25 |
| 90–100 | 0·49 | 1·05 | 0·10 | 0·41 | 0·28 | 0·70 | 0·39 | 0·98 | 1·12 | 1·98 | 2·54 | 4·18 |
| 100 and above | 0·02 | 0·05 | 0·01 | 0·01 | 0·00 | 0·02 | 0·00 | 0·03 | 0·04 | 0·12 | 0·19 | 0·48 |
| Not stated | 0·02 | 0·01 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·01 | 0·07 | 0·03 | 0·29 | 0·00 |
| Total . . | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 | 100·00 |

During the fourth year, the female mortality is again in excess of that of the male over Scotland generally, and especially in the Large Town, Small Town, and Mainland-Rural districts. In the Principal Town and Insular-Rural districts, on the other hand, a somewhat higher ratio of mortality is exhibited among the males than among the females.

In the fifth year of life the percentage of female mortality again slightly preponderates over the male throughout Scotland as a whole, and individually in the Principal Town and Small Town districts; the reverse occurring in the Large Town, Mainland-Rural, and Insular-Rural districts.

Between 5 and 10 years of age there was not a marked difference between the male and female mortality, and in all but the Mainland-Rural districts the proportion of the former exceeded that of the latter. Between 10 and 15, the proportion of female deaths was to a slight extent in excess of that among the males in Scotland, and four of its five divisions. Between 15 and 20, the males again usurped the going over to the majority in greater proportion than the females, and that in all the districts. Between 20 and 80 the percentage of male deaths universally overtopped that of the female, with the exception of a slight excess of the latter in the Large Town districts between 20 and 30, and in the Mainland-Rural districts between 30 and 40. At ages over 80, greater changes occur, though the male mortality is still in excess of the female, but probably the number of deaths at the higher ages are not to be so strictly depended upon as those occurring at the earlier.

Table XXVII. affords like information as to the percentage of deaths to the population at different ages in the Eight Principal Towns, the males and females being included together. Under one year of age, the greatest proportion of deaths takes place in Dundee and Perth, where 20·58 and 19·27 per cent. respectively succumb; and it is lowest in Aberdeen, with 14·43 per cent. At all years below 5, Glasgow shows the highest proportionate mortality, 8·68 per cent.; followed by Dundee, with 8·43 per cent.; Aberdeen being lowest, with 5·02 per cent. At the

---

Table XXVI.—Deaths at different Ages in each of the Eight Principal Towns of Scotland during the Year 1880.

| Age. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 2842 | 1076 | 877 | 476 | 389 | 276 | 309 | 143 |
| — 2 | 1617 | 503 | 403 | 133 | 191 | 152 | 156 | 35 |
| — 3 | 772 | 253 | 183 | 47 | 87 | 60 | 68 | 13 |
| — 4 | 457 | 171 | 97 | 42 | 48 | 29 | 61 | 9 |
| — 5 | 354 | 115 | 55 | 21 | 39 | 20 | 51 | 7 |
| 0– 5 | 6042 | 2118 | 1615 | 719 | 754 | 537 | 645 | 207 |
| 5–10 | 825 | 290 | 143 | 75 | 75 | 81 | 103 | 19 |
| 10–15 | 354 | 103 | 56 | 56 | 38 | 42 | 24 | 15 |
| 15–20 | 498 | 124 | 117 | 75 | 50 | 65 | 37 | 24 |
| 20–30 | 957 | 313 | 218 | 167 | 97 | 105 | 79 | 43 |
| 30–40 | 863 | 302 | 229 | 120 | 133 | 84 | 66 | 47 |
| 40–50 | 960 | 400 | 245 | 135 | 117 | 103 | 92 | 44 |
| 50–60 | 1007 | 344 | 270 | 153 | 121 | 108 | 91 | 59 |
| 60–70 | 979 | 385 | 271 | 238 | 113 | 152 | 123 | 77 |
| 70–80 | 576 | 379 | 211 | 212 | 81 | 98 | 90 | 76 |
| 80–90 | 213 | 176 | 77 | 119 | 36 | 46 | 28 | 44 |
| 90–100 | 28 | 12 | 12 | 9 | 5 | 3 | – | 4 |
| 100 and above | 2 | – | – | – | – | – | – | – |
| Not stated | – | – | – | – | – | – | – | – |
| All Ages . . . | 13304 | 4946 | 3464 | 2078 | 1620 | 1424 | 1378 | 659 |

greater ages of 70 and above, the highest percentage of deaths occurs in Leith, Perth, and Greenock.

Upon Table XXV. interesting information may be obtained as to the ages at which deaths occur in Scotland and in its five registration groups of districts; thus at a glance we may notice the larger proportion of infantile mortality, and also among children beyond this stage, up to the age of 5 years.

In Scotland, of the total deaths no fewer than 22·63 per cent. of males, and 18·31 per cent. of females die during their first year of life, the mean being exceeded in the Principal Town, Large Town, and Small Town districts; below the mean being the Mainland and Insular-Rural districts; and during the first five years of life, the very large percentage of 40·01 of male, and 35·25 of female deaths is found to occur throughout Scotland generally, being highest in the Principal Town districts, viz., 46·14 per cent. of males, and 41·35 per cent. of females; and lowest in the Insular-Rural districts, where 23·16 per cent. of males, and 18·87 per cent. of females die yearly at these early ages.

At the other end of the scale of life a large proportion of the population, both male and female, apparently attain to greater ages in the more sparsely populated parts of the country, viz., the Mainland and Insular districts, than in the more crowded Town and City districts, as our table shows a larger proportion of the total deaths at ages of 70 and above to occur in the former than in the latter. Thus, of the females, who it is generally admitted are longer lived than the opposite sex, of every 100 who died in the Principal Town districts not more than 10·5 attained the age of 70, in the Large Town districts 15·4, in the Small Town districts 18·4; whilst in the Mainland-Rural 29·5, and in the Insular-Rural districts 37·6, in every 100 attained a like age.

---

## Causes of Death.

The number of deaths registered in all Scotland during the year 1880 was 75803, but in the case of 1156, or 1·5 per cent. of the total, the cause

Table XXVII.—Percentage of Deaths to the Population at each Age in each of the Principal Towns of Scotland in 1880.

| Age. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|
| Under 1 Year | 16·73 | 16·62 | 20·58 | 14·43 | 16·39 | 16·77 | 15·23 | 19·27 |
| — 2 | 11·81 | 9·30 | 11·32 | 4·68 | 9·45 | 10·84 | 8·97 | 4·91 |
| — 3 | 5·69 | 4·55 | 4·69 | 1·73 | 4·42 | 4·17 | 3·73 | 1·84 |
| — 4 | 3·51 | 3·23 | 2·56 | 1·47 | 2·44 | 2·02 | 3·52 | 1·25 |
| — 5 | 2·72 | 2·24 | 1·51 | 0·80 | 2·08 | 1·44 | 3·27 | 1·07 |
| 0– 5 | 8·68 | 7·60 | 8·43 | 5·02 | 7·39 | 7·35 | 7·26 | 5·86 |
| 5–10 | 1·47 | 1·25 | 0·88 | 0·62 | 0·93 | 1·25 | 1·44 | 0·58 |
| 10–15 | 0·69 | 0·48 | 0·38 | 0·52 | 0·56 | 0·68 | 0·39 | 0·50 |
| 15–20 | 0·96 | 0·53 | 0·77 | 0·72 | 0·80 | 1·07 | 0·68 | 0·85 |
| 20–30 | 0·93 | 0·70 | 0·86 | 0·97 | 0·73 | 1·16 | 0·72 | 0·92 |
| 30–40 | 1·23 | 0·97 | 1·22 | 0·93 | 1·32 | 1·25 | 0·78 | 1·22 |
| 40–50 | 1·91 | 1·78 | 1·71 | 1·37 | 1·83 | 1·95 | 1·59 | 1·36 |
| 50–60 | 3·13 | 2·13 | 2·97 | 2·01 | 2·94 | 2·78 | 2·39 | 2·52 |
| 60–70 | 5·42 | 3·68 | 4·95 | 4·35 | 4·67 | 5·65 | 5·54 | 4·62 |
| 70–80 | 8·96 | 8·17 | 10·35 | 8·38 | 8·87 | 8·15 | 10·17 | 8·82 |
| 80–90 | 18·65 | 19·86 | 22·00 | 19·44 | 20·57 | 19·74 | 17·72 | 23·66 |
| 90–100 | 29·47 | 17·65 | 37·50 | 18·74 | 41·66 | 14·28 | 0·00 | 22·22 |
| 100 and above | 22·22 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |
| Not stated | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 | 0·00 |

of death was unknown to the informants, or so specified to the registrars as to be useless for many statistical purposes and classification.

This may be to a great extent explained by bearing in mind the fact

TABLE XXVIII.—Proportion of Deaths from different Diseases to every

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWNS. | | | LARGE TOWNS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| TOTAL DEATHS . . | 2045 | 2133 | 1963 | 2420 | 2584 | 2272 | 2239 | 2360 | 2127 |
| 1. Miasmatic Order . | 362 | 366 | 356 | 473 | 492 | 456 | 380 | 393 | 369 |
| 2. Tubercular Order . | 329 | 330 | 327 | 410 | 430 | 392 | 384 | 379 | 388 |
| 3. Nervous System . | 211 | 228 | 194 | 242 | 272 | 215 | 258 | 291 | 226 |
| 4. Organs of Circulation | 131 | 136 | 126 | 142 | 147 | 138 | 135 | 141 | 130 |
| 5. Respiratory Organs . | 379 | 414 | 346 | 502 | 554 | 455 | 430 | 491 | 373 |
| 6. Organs of Digestion . | 119 | 121 | 117 | 127 | 130 | 125 | 115 | 118 | 111 |
| 7. Urinary Organs . . | 44 | 58 | 31 | 50 | 65 | 36 | 44 | 57 | 32 |
| 8. Generative Organs . | 5 | – | 10 | 5 | – | 8 | 5 | – | 9 |
| 9. Locomotive Organs . | 11 | 13 | 8 | 13 | 17 | 10 | 11 | 15 | 8 |
| 10. Skin, etc. . . . . | 7 | 8 | 7 | 7 | 7 | 7 | 8 | 7 | 9 |
| 11. Developmental Diseases of Children . | 71 | 80 | 63 | 95 | 109 | 83 | 74 | 82 | 67 |
| 12. Age . . . . . | 131 | 103 | 157 | 77 | 54 | 97 | 125 | 92 | 155 |
| 13. Atrophy . . . . | 74 | 82 | 67 | 82 | 92 | 73 | 98 | 102 | 93 |
| 14. Violent Deaths . . | 70 | 107 | 34 | 78* | 119 | 41 | 71 | 111 | 33 |
| Small-pox . . . . | – | – | – | – | – | – | – | – | 1 |
| Measles . . . . . | 39 | 43 | 36 | 67 | 74 | 60 | 45 | 43 | 46 |
| Scarlatina . . . . | 59 | 64 | 55 | 87 | 98 | 77 | 41 | 45 | 38 |
| Diphtheria . . . . | 23 | 24 | 22 | 23 | 24 | 22 | 25 | 32 | 18 |
| Croup . . . . . | 22 | 24 | 20 | 21 | 23 | 19 | 27 | 29 | 24 |
| Hooping-cough . . | 72 | 68 | 76 | 111 | 108 | 115 | 94 | 88 | 99 |
| All FEVERS, viz. . | 46 | 48 | 43 | 50 | 56 | 44 | 35 | 38 | 33 |
| Typhus . . | 5 | 6 | 4 | 7 | 9 | 6 | 4 | 5 | 3 |
| Enteric . . . | 37 | 39 | 35 | 39 | 44 | 35 | 27 | 29 | 25 |
| Relapsing . . | – | – | – | – | – | – | – | – | – |
| Continued . . | 4 | 4 | 5 | 4 | 3 | 4 | 4 | 3 | 5 |
| Erysipelas . . . . | 10 | 10 | 10 | 10 | 10 | 10 | 8 | 7 | 8 |
| Metria . . . . . | 5 | – | 10 | 5 | – | 9 | 6 | – | 12 |
| Influenza . . . . | 3 | 3 | 3 | 1 | 1 | 1 | 4 | 4 | 5 |
| Dysentery . . . . | 5 | 5 | 5 | 4 | 4 | 5 | 7 | 8 | 6 |
| DIARRHŒA . . . | 59 | 60 | 58 | 75 | 75 | 75 | 71 | 77 | 65 |
| Cholera . . . . . | 5 | 6 | 4 | 5 | 5 | 4 | 8 | 12 | 4 |
| Rheumatism . . . | 10 | 10 | 10 | 8 | 8 | 9 | 6 | 5 | 6 |
| Dropsy . . . . . | 12 | 11 | 13 | 13 | 11 | 14 | 17 | 11 | 21 |
| Cancer . . . . . | 51 | 39 | 63 | 54 | 39 | 68 | 44 | 32 | 56 |
| Scrofula . . . . | 22 | 24 | 19 | 25 | 30 | 20 | 22 | 27 | 18 |
| Tabes Mesenterica . | 34 | 38 | 30 | 48 | 59 | 38 | 46 | 48 | 44 |
| PHTHISIS . . . | 221 | 209 | 232 | 271 | 266 | 276 | 248 | 229 | 266 |
| Hydrocephalus . . | 52 | 59 | 46 | 65 | 74 | 57 | 67 | 76 | 59 |
| Apoplexy . . . . | 55 | 59 | 52 | 62 | 68 | 57 | 62 | 71 | 55 |
| Paralysis . . . . | 56 | 57 | 55 | 57 | 58 | 55 | 73 | 80 | 67 |
| Epilepsy . . . . | 7 | 7 | 6 | 6 | 7 | 5 | 11 | 13 | 8 |
| Convulsions . . . | 30 | 34 | 25 | 42 | 52 | 34 | 36 | 39 | 32 |
| BRONCHITIS . . | 234 | 241 | 229 | 315 | 332 | 300 | 271 | 292 | 251 |
| Pneumonia . . . . | 88 | 108 | 69 | 120 | 147 | 96 | 99 | 126 | 73 |
| Enteritis . . . . | 24 | 26 | 22 | 27 | 31 | 24 | 20 | 22 | 18 |
| All Liver Diseases . | 32 | 32 | 32 | 35 | 34 | 35 | 32 | 32 | 32 |
| Teething . . . . | 19 | 21 | 17 | 27 | 29 | 24 | 18 | 20 | 15 |
| CHILDBIRTH . . | 11 | – | 22 | 13 | – | 24 | 12 | – | 23 |
| Fracture & Contusion | 25 | 43 | 9 | 30 | 49 | 12 | 26 | 45 | 7 |
| Burns and Scalds . | 8 | 8 | 7 | 9 | 10 | 9 | 10 | 11 | 8 |
| Drowning . . . . | 17 | 30 | 5 | 17 * | 30 | 6 | 15 | 27 | 4 |

* The deaths of 47 males and 12 females from Drowning, owing to the fall of the Tay Bridge, on 28th December 1879, were registered in Dundee.

that the inhabitants in some parts of Scotland are so scattered, and so far from medical aid that in cases of illness none such can be obtained, and consequently no proper certificate of death is forthcoming, and in

Hundred Thousand Persons of the Population in 1880, allowing for Causes not Specified.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 100,000 Persons Living. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWNS. | | | MAINLAND-RURAL. | | | INSULAR-RURAL. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| TOTAL DEATHS . . | 2020 | 2072 | 1972 | 1629 | 1663 | 1597 | 1571 | 1672 | 1483 |
| 1. Miasmatic Order . | 382 | 381 | 382 | 231 | 233 | 229 | 235 | 256 | 217 |
| 2. Tubercular Order . | 333 | 323 | 344 | 226 | 221 | 231 | 204 | 237 | 175 |
| 3. Nervous System . | 209 | 218 | 201 | 170 | 176 | 165 | 111 | 125 | 99 |
| 4. Organs of Circulation | 132 | 140 | 125 | 124 | 127 | 120 | 65 | 80 | 50 |
| 5. Respiratory Organs. | 345 | 374 | 317 | 266 | 282 | 250 | 228 | 258 | 202 |
| 6. Organs of Digestion. | 123 | 121 | 125 | 110 | 116 | 105 | 102 | 108 | 96 |
| 7. Urinary Organs . . | 42 | 54 | 30 | 40 | 55 | 25 | 36 | 58 | 17 |
| 8. Generative Organs . | 6 | 1 | 11 | 5 | – | 10 | 6 | – | 12 |
| 9. Locomotive Organs. | 10 | 13 | 7 | 8 | 10 | 7 | 7 | 4 | 10 |
| 10. Skin, etc. . . . . | 9 | 8 | 9 | 8 | 8 | 7 | 1 | 2 | – |
| 11. Developmental Diseases of Children . | 73 | 79 | 67 | 48 | 55 | 42 | 19 | 21 | 18 |
| 12. Age . . . . . | 119 | 95 | 140 | 181 | 147 | 214 | 377 | 317 | 431 |
| 13. Atrophy . . . . | 75 | 88 | 64 | 59 | 64 | 55 | 34 | 34 | 34 |
| 14. Violent Deaths . . | 64 | 103 | 28 | 65 | 97 | 34 | 69 | 114 | 29 |
| Small-pox . . . . | – | – | – | – | – | – | – | – | – |
| Measles . . . . . | 30 | 34 | 27 | 16 | 19 | 13 | 4 | 6 | 3 |
| Scarlatina . . . . | 78 | 81 | 76 | 25 | 26 | 24 | 21 | 24 | 18 |
| Diphtheria. . . . | 21 | 20 | 22 | 25 | 26 | 25 | 17 | 17 | 17 |
| Croup . . . . . | 24 | 26 | 23 | 19 | 21 | 16 | 25 | 26 | 24 |
| Hooping-cough . . | 62 | 54 | 69 | 29 | 27 | 31 | 70 | 80 | 61 |
| All FEVERS, viz. . | 54 | 51 | 57 | 40 | 42 | 37 | 39 | 43 | 35 |
| Typhus . . | 3 | 2 | 3 | 3 | 3 | 2 | 14 | 17 | 12 |
| Enteric. . . | 47 | 44 | 48 | 32 | 34 | 30 | 20 | 22 | 18 |
| Relapsing . . | – | – | – | – | – | – | – | – | – |
| Continued . | 5 | 4 | 5 | 5 | 4 | 5 | 4 | 4 | 5 |
| Erysipelas . . . . | 11 | 11 | 11 | 10 | 11 | 9 | 7 | 9 | 5 |
| Metria . . . . . | 6 | – | 12 | 4 | – | 8 | 4 | – | 8 |
| Influenza . . . . | 3 | 3 | 2 | 3 | 3 | 4 | 4 | 6 | 3 |
| Dysentery . . . . | 5 | 5 | 5 | 5 | 4 | 5 | 4 | 6 | 2 |
| DIARRHŒA. . . | 64 | 68 | 60 | 36 | 33 | 38 | 10 | 15 | 5 |
| Cholera . . . . . | 6 | 7 | 5 | 3 | 4 | 3 | 2 | 2 | 2 |
| Rheumatism . . . | 11 | 13 | 10 | 11 | 12 | 10 | 23 | 17 | 29 |
| Dropsy . . . . . | 11 | 11 | 10 | 10 | 9 | 11 | 16 | 9 | 22 |
| Cancer . . . . . | 56 | 40 | 70 | 50 | 42 | 58 | 32 | 32 | 32 |
| Scrofula . . . . | 24 | 26 | 23 | 16 | 17 | 16 | 9 | 9 | 8 |
| Tabes Mesenterica . | 32 | 33 | 31 | 17 | 19 | 16 | 5 | 7 | 3 |
| PHTHISIS . . . | 219 | 197 | 241 | 162 | 152 | 172 | 173 | 200 | 149 |
| Hydrocephalus . . | 57 | 65 | 50 | 31 | 33 | 28 | 17 | 21 | 13 |
| Apoplexy . . . . | 58 | 60 | 56 | 44 | 46 | 43 | 30 | 30 | 30 |
| Paralysis . . . . | 52 | 50 | 54 | 54 | 54 | 55 | 40 | 39 | 40 |
| Epilepsy . . . . | 8 | 8 | 8 | 6 | 5 | 7 | 5 | 7 | 3 |
| Convulsions . . . | 28 | 30 | 26 | 16 | 18 | 14 | 11 | 19 | 5 |
| BRONCHITIS . . | 216 | 222 | 211 | 158 | 151 | 164 | 118 | 123 | 114 |
| Pneumonia . . . | 76 | 92 | 62 | 62 | 77 | 48 | 40 | 54 | 27 |
| Enteritis . . . . | 28 | 28 | 29 | 20 | 22 | 17 | 14 | 15 | 13 |
| All Liver Diseases . | 34 | 35 | 31 | 29 | 29 | 28 | 27 | 22 | 32 |
| Teething . . . . | 19 | 21 | 18 | 12 | 15 | 10 | 4 | 4 | 5 |
| CHILDBIRTH . . | 12 | – | 24 | 9 | – | 18 | 13 | – | 25 |
| Fracture & Contusion | 25 | 45 | 7 | 22 | 36 | 9 | 10 | 17 | 3 |
| Burns and Scalds . | 6 | 8 | 5 | 7 | 6 | 7 | 11 | 9 | 12 |
| Drowning . . . . | 16 | 29 | 5 | 16 | 28 | 5 | 42 | 77 | 10 |

these cases the statement of some friend or relative who saw the patient in life has to be accepted in lieu of anything better. Also, as has been before pointed out, some cases of Suicide may not be returned as such,

TABLE XXIX.—Proportion of Deaths from different

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SCOTLAND. | | | PRINCIPAL TOWNS. | | | LARGE TOWNS. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| 1 Miasmatic Order . . | 1772 | 1733 | 1811 | 1956 | 1905 | 2008 | 1699 | 1667 | 1733 |
| 2. Tubercular Order . | 1606 | 1547 | 1665 | 1693 | 1663 | 1723 | 1713 | 1608 | 1822 |
| 3. Nervous System . . | 1031 | 1071 | 992 | 1000 | 1054 | 946 | 1150 | 1235 | 1062 |
| 4. Organs of Circulation | 640 | 641 | 639 | 588 | 570 | 606 | 603 | 596 | 609 |
| 5. Respiratory Organs | 1852 | 1941 | 1761 | 2072 | 2143 | 2001 | 1922 | 2082 | 1756 |
| 6. Organs of Digestion | 580 | 568 | 593 | 526 | 502 | 550 | 512 | 500 | 524 |
| 7. Urinary Organs . . | 215 | 273 | 155 | 207 | 253 | 159 | 197 | 241 | 152 |
| 8. Generative Organs . | 25 | 1 | 49 | 19 | 1 | 37 | 20 | – | 42 |
| 9. Locomotive Organs . | 52 | 63 | 41 | 55 | 73 | 44 | 51 | 64 | 35 |
| 10. Skin, etc. . . . . | 36 | 35 | 36 | 28 | 27 | 29 | 36 | 30 | 42 |
| 11. Developmental Diseases of Children . | 349 | 375 | 323 | 394 | 424 | 364 | 332 | 349 | 315 |
| 12. Age . . . . . | 642 | 485 | 801 | 317 | 209 | 426 | 557 | 391 | 728 |
| 13. Atrophy . . . . | 363 | 385 | 340 | 339 | 357 | 322 | 436 | 434 | 438 |
| 14. Violent Deaths . . | 340 | 503 | 175 | 321 | 460 | 180 | 316 | 472 | 154 |
| Small-pox . . . . | 1 | 1 | 1 | 2 | 2 | 1 | 4 | 1 | 6 |
| Measles . . . . . | 191 | 200 | 182 | 278 | 288 | 268 | 199 | 184 | 215 |
| Scarlatina . . . . | 290 | 299 | 281 | 359 | 377 | 340 | 183 | 188 | 177 |
| Diphtheria . . . . | 112 | 113 | 111 | 93 | 92 | 95 | 109 | 134 | 83 |
| Croup . . . . . | 107 | 113 | 101 | 87 | 90 | 84 | 120 | 124 | 115 |
| Hooping-cough . . | 353 | 319 | 389 | 460 | 416 | 504 | 419 | 373 | 467 |
| All FEVERS, viz. . | 223 | 226 | 221 | 205 | 216 | 193 | 157 | 160 | 154 |
| Typhus . . . | 23 | 26 | 20 | 30 | 34 | 25 | 17 | 22 | 12 |
| Enteric . . . | 179 | 181 | 177 | 161 | 169 | 152 | 121 | 124 | 117 |
| Relapsing . . | 1 | 1 | 1 | – | – | – | – | – | – |
| Continued . . | 20 | 18 | 23 | 14 | 13 | 16 | 19 | 14 | 25 |
| Erysipelas . . . . | 48 | 48 | 49 | 42 | 38 | 46 | 35 | 30 | 39 |
| Metria . . . . . | 25 | – | 50 | 19 | – | 39 | 29 | – | 58 |
| Influenza . . . . | 13 | 12 | 13 | 6 | 5 | 6 | 19 | 16 | 23 |
| Dysentery . . . . | 23 | 22 | 25 | 17 | 14 | 20 | 29 | 32 | 27 |
| DIARRHŒA . . . | 286 | 279 | 293 | 310 | 291 | 330 | 317 | 327 | 307 |
| Cholera . . . . . | 24 | 27 | 20 | 19 | 21 | 18 | 36 | 52 | 18 |
| Rheumatism . . . | 48 | 48 | 48 | 35 | 32 | 38 | 25 | 22 | 29 |
| Dropsy . . . . . | 58 | 49 | 67 | 52 | 44 | 60 | 74 | 48 | 100 |
| Cancer . . . . . | 251 | 182 | 320 | 223 | 150 | 298 | 198 | 136 | 263 |
| Scrofula . . . . . | 105 | 114 | 96 | 104 | 118 | 90 | 99 | 112 | 85 |
| Tabes Mesenterica . | 165 | 177 | 151 | 198 | 228 | 167 | 207 | 205 | 209 |
| PHTHISIS . . . . | 1081 | 981 | 1183 | 1121 | 1030 | 1213 | 1107 | 970 | 1250 |
| Hydrocephalus . . | 254 | 274 | 234 | 270 | 287 | 252 | 299 | 321 | 277 |
| Apoplexy . . . . | 268 | 275 | 262 | 257 | 265 | 250 | 278 | 299 | 257 |
| Paralysis . . . . | 274 | 266 | 282 | 234 | 225 | 243 | 325 | 337 | 313 |
| Epilepsy . . . . | 34 | 34 | 33 | 25 | 27 | 22 | 48 | 56 | 39 |
| Convulsions . . . | 145 | 161 | 129 | 175 | 201 | 149 | 159 | 166 | 152 |
| BRONCHITIS . . | 1147 | 1130 | 1164 | 1303 | 1286 | 1321 | 1211 | 1239 | 1181 |
| Pneumonia . . . . | 429 | 504 | 353 | 495 | 368 | 421 | 440 | 534 | 342 |
| Enteritis . . . . . | 117 | 122 | 112 | 112 | 120 | 105 | 88 | 92 | 83 |
| All Liver Diseases . | 157 | 151 | 163 | 114 | 132 | 155 | 144 | 136 | 152 |
| Teething . . . . . | 92 | 98 | 86 | 110 | 114 | 106 | 79 | 86 | 71 |
| CHILDBIRTH . . | 55 | – | 112 | 52 | – | 105 | 53 | – | 108 |
| Fracture & Contusion | 124 | 200 | 47 | 123 | 190 | 55 | 114 | 193 | 33 |
| Burns and Scalds . | 38 | 39 | 37 | 37 | 37 | 38 | 43 | 48 | 37 |
| Drowning . . . | 84 | 141 | 27 | 71 | 115 | 26 | 68 | 116 | 19 |

there being no one near at the time who could or would take upon himself to make such a charge against a dead man upon the evidence at hand, and without further investigation than was available.

Diseases to the Total Deaths from Specified Causes in 1880.

| DISEASES AND CLASSES OF DISEASE. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| | SMALL TOWNS. | | | MAINLAND-RURAL. | | | INSULAR-RURAL. | | |
| | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. | Both Sexes. | Males. | Females. |
| 1. Miasmatic Order | 1890 | 1840 | 1939 | 1415 | 1399 | 1431 | 1496 | 1529 | 1462 |
| 2. Tubercular Order | 1648 | 1548 | 1745 | 1388 | 1328 | 1449 | 1299 | 1417 | 1179 |
| 3. Nervous System | 1035 | 1050 | 1020 | 1046 | 1059 | 1032 | 708 | 748 | 669 |
| 4. Organs of Circulation | 655 | 678 | 632 | 758 | 766 | 751 | 410 | 480 | 340 |
| 5. Respiratory Organs | 1706 | 1805 | 1608 | 1631 | 1696 | 1565 | 1451 | 1540 | 1360 |
| 6. Organs of Digestion | 610 | 584 | 636 | 675 | 695 | 654 | 647 | 647 | 646 |
| 7. Urinary Organs | 206 | 260 | 153 | 245 | 332 | 158 | 230 | 346 | 113 |
| 8. Generative Organs | 31 | 4 | 57 | 31 | – | 63 | 39 | – | 79 |
| 9. Locomotive Organs | 49 | 62 | 36 | 52 | 63 | 41 | 45 | 22 | 68 |
| 10. Skin, etc. | 42 | 40 | 44 | 46 | 50 | 42 | 5 | 11 | – |
| 11. Developmental Diseases of Children | 360 | 381 | 339 | 296 | 329 | 263 | 124 | 123 | 125 |
| 12. Age | 587 | 458 | 713 | 1110 | 884 | 1337 | 2401 | 1897 | 2914 |
| 13. Atrophy | 373 | 424 | 324 | 364 | 385 | 342 | 213 | 201 | 227 |
| 14. Violent Deaths | 317 | 496 | 143 | 396 | 581 | 210 | 438 | 681 | 193 |
| Small-pox | 1 | 1 | – | – | – | – | – | – | – |
| Measles | 151 | 166 | 136 | 98 | 113 | 83 | 28 | 33 | 22 |
| Scarlatina | 386 | 389 | 383 | 153 | 156 | 151 | 135 | 145 | 125 |
| Diphtheria | 102 | 95 | 109 | 156 | 157 | 155 | 107 | 100 | 113 |
| Croup | 119 | 124 | 114 | 116 | 129 | 103 | 157 | 156 | 158 |
| Hooping-cough | 305 | 260 | 349 | 177 | 164 | 191 | 444 | 480 | 408 |
| All FEVERS, viz. | 268 | 247 | 288 | 243 | 255 | 231 | 247 | 256 | 238 |
| Typhus | 13 | 11 | 16 | 16 | 21 | 12 | 90 | 100 | 79 |
| Enteric | 230 | 214 | 245 | 198 | 208 | 188 | 129 | 134 | 125 |
| Relapsing | 2 | 1 | 2 | 1 | 1 | – | – | – | – |
| Continued | 23 | 21 | 25 | 28 | 25 | 31 | 28 | 22 | 34 |
| Erysipelas | 55 | 55 | 56 | 61 | 69 | 54 | 45 | 56 | 34 |
| Metria | 31 | – | 61 | 25 | – | 50 | 28 | – | 56 |
| Influenza | 12 | 15 | 10 | 20 | 17 | 23 | 28 | 33 | 22 |
| Dysentery | 26 | 26 | 26 | 28 | 24 | 33 | 22 | 33 | 11 |
| DIARRHŒA | 317 | 328 | 306 | 219 | 201 | 238 | 62 | 89 | 34 |
| Cholera | 28 | 33 | 24 | 21 | 22 | 20 | 11 | 11 | 11 |
| Rheumatism | 55 | 61 | 50 | 66 | 71 | 61 | 146 | 100 | 193 |
| Dropsy | 52 | 54 | 50 | 62 | 53 | 70 | 101 | 56 | 147 |
| Cancer | 275 | 192 | 356 | 307 | 252 | 362 | 202 | 190 | 215 |
| Scrofula | 120 | 126 | 114 | 100 | 101 | 98 | 56 | 56 | 56 |
| Tabes Mesenterica | 157 | 157 | 157 | 106 | 112 | 101 | 33 | 44 | 22 |
| PHTHISIS | 1086 | 948 | 1220 | 994 | 914 | 1074 | 1102 | 1194 | 1009 |
| Hydrocephalus | 284 | 315 | 253 | 188 | 201 | 175 | 107 | 123 | 90 |
| Apoplexy | 287 | 288 | 285 | 271 | 275 | 267 | 191 | 178 | 204 |
| Paralysis | 257 | 241 | 271 | 332 | 322 | 342 | 253 | 234 | 272 |
| Epilepsy | 39 | 38 | 40 | 35 | 29 | 41 | 33 | 44 | 22 |
| Convulsions | 139 | 146 | 131 | 100 | 110 | 90 | 73 | 111 | 34 |
| BRONCHITIS | 1070 | 1069 | 1071 | 967 | 906 | 1029 | 416 | 736 | 771 |
| Pneumonia | 377 | 442 | 315 | 381 | 461 | 301 | 247 | 323 | 181 |
| Enteritis | 140 | 133 | 147 | 121 | 135 | 106 | 90 | 89 | 90 |
| All Liver Diseases | 166 | 170 | 162 | 176 | 174 | 177 | 174 | 134 | 215 |
| Teething | 95 | 99 | 91 | 74 | 87 | 61 | 28 | 22 | 34 |
| CHILDBIRTH | 60 | – | 120 | 55 | – | 110 | 84 | – | 170 |
| Fracture & Contusion | 125 | 217 | 36 | 136 | 216 | 55 | 62 | 100 | 22 |
| Burns and Scalds | 31 | 37 | 25 | 42 | 38 | 45 | 67 | 56 | 79 |
| Drowning | 81 | 141 | 23 | 101 | 168 | 34 | 264 | 457 | 68 |

In all Scotland the deaths from the Miasmatic order of the Zymotic class of diseases in 1880 numbered 13229, being at the rate of 362 for every hundred thousand of estimated population of the country, and 17·72 per cent. of all specified deaths registered during the year. The Principal Town districts have apparently suffered more heavily than any of the others, and in all there has been a greater proportion of mortality from diseases of this order than in 1879; this, at the same time, to a slightly greater extent in the Insular-Rural districts than in the Mainland-Rural, which is not the usual condition.

Table XXXIII. shows the percentage of the deaths from the Zymotics and other diseases grouped at various ages; thus from 0 to 5 years 31·37 per cent. of the total deaths at the same ages are due to the former; from 5 to 10 years 41·31 per cent. die of the same, and from 10 to 15 years 21·66 per cent. do likewise, after which the proportion falls off largely. This shows a considerable increase of mortality from such

TABLE XXX.—Proportion of Deaths from different Diseases to the Population in each of the Eight Principal Towns of Scotland during the Year 1880, allowing for the Causes not Specified.

| DISEASES. | Proportion of DEATHS to every 100,000 Persons living. | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
| TOTAL DEATHS | 2630 | 2196 | 2473 | 2015 | 2377 | 2598 | 2309 | 2248 |
| Miasmatic Diseases | 541 | 489 | 430 | 250 | 302 | 416 | 630 | 348 |
| Tubercular Diseases | 479 | 316 | 360 | 331 | 452 | 489 | 332 | 358 |
| Brain, etc., Diseases | 238 | 215 | 258 | 247 | 252 | 306 | 231 | 293 |
| Heart, etc., Diseases | 130 | 176 | 144 | 143 | 128 | 104 | 142 | 177 |
| Respiratory Organs | 564 | 410 | 599 | 363 | 515 | 494 | 419 | 297 |
| Organs of Digestion | 146 | 108 | 106 | 116 | 136 | 151 | 94 | 95 |
| Developmental Diseases of Children | 102 | 72 | 90 | 100 | 116 | 102 | 104 | 82 |
| Old Age | 56 | 65 | 98 | 114 | 63 | 177 | 49 | 184 |
| Violent Deaths | 80 | 59 | 108* | 55 | 103 | 64 | 82 | 75 |
| Small-pox | 1 | – | 1 | 1 | 1 | – | – | – |
| Measles | 65 | 81 | 117 | 18 | 26 | 44 | 99 | 3 |
| SCARLATINA | 92 | 156 | 23 | 5 | 19 | 18 | 253 | – |
| Diphtheria | 31 | 17 | 16 | 16 | 12 | 9 | 17 | 17 |
| Croup | 22 | 18 | 20 | 14 | 32 | 29 | 30 | 3 |
| HOOPING-COUGH | 145 | 94 | 83 | 67 | 75 | 149 | 87 | 14 |
| FEVERS, viz. | 66 | 33 | 35 | 24 | 41 | 62 | 26 | 85 |
| Typhus | 7 | 3 | 12 | 1 | 19 | 7 | 3 | 7 |
| Enteric | 56 | 26 | 20 | 21 | 16 | 46 | 23 | 71 |
| Relapsing | – | – | – | – | – | – | – | – |
| Continued | 3 | 4 | 3 | 2 | 6 | 9 | – | 7 |
| Dysentery | 3 | 4 | 1 | 11 | 4 | 5 | – | 10 |
| DIARRHŒA | 75 | 55 | 108 | 57 | 62 | 60 | 74 | 198 |
| Cholera | 7 | 5 | 1 | 1 | 1 | 2 | 2 | – |
| Rheumatism | 8 | 7 | 9 | 10 | 15 | 5 | 12 | 3 |
| Dropsy | 15 | 12 | 11 | 5 | 18 | 13 | 3 | 10 |
| Cancer | 46 | 75 | 47 | 69 | 41 | 33 | 60 | 55 |
| PHTHISIS | 318 | 200 | 245 | 229 | 289 | 323 | 213 | 269 |
| Apoplexy | 65 | 53 | 69 | 54 | 63 | 97 | 44 | 51 |
| Paralysis | 51 | 50 | 60 | 51 | 60 | 87 | 79 | 95 |
| BRONCHITIS | 360 | 220 | 393 | 253 | 289 | 361 | 266 | 198 |
| Pneumonia | 126 | 114 | 154 | 72 | 160 | 87 | 106 | 61 |
| Teething | 29 | 16 | 16 | 28 | 47 | 58 | 20 | 27 |

* Among the deaths from Drowning in Dundee are included those of 47 males and 12 females, owing to the fall of the Tay Bridge.

diseases in 1880 over the same in 1879. Between 5 and 10 years is the age at which they are usually most fatal, children at those years running the greatest risk of infection while attending school, &c.

Table XXXII. exhibits the number and proportion of deaths from the chief Zymotic diseases, and from all other causes arranged so as to present the mortality due to each during 5 successive periods of life. Out of every 100 deaths from Zymotic diseases 64·1 occurred during the first 5 years of life; 74·9 during the first 10 years of life; between 10 and 15 years of age 3·0; between 15 and 60 they were 14·7; and at ages over 60 they were 7·4.

Hooping-cough stands at the head of the list as a cause of death, 2641 deaths being due to this disease; 93·8 per cent. of them occurring during the first five years of life, and 5·9 per cent. during the next quinquennial period. Scarlet Fever caused 2165 deaths, 62 per cent. of which were during the ages 0 to 5 years, 29 per cent. between 5 and 10 years. Diarrhœa accounted for 2136 deaths, of which 69·6 per cent. were during the first five years of life, the next greatest percentage being 19·6

---

Table XXXI.—Proportion of Deaths from different Diseases to the Total Deaths from Specified Causes in each of the Eight Principal Towns of Scotland, during the Year 1880.

| Diseases. | Proportion of DEATHS in every 10,000 Specified Causes of Death. | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| | Glasgow. | Edinburgh | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
| Miasmatic Diseases | 2076 | 2232 | 1749 | 1249 | 1278 | 1608 | 2740 | 1557 |
| Tubercular Diseases | 1837 | 1441 | 1462 | 1650 | 1911 | 1890 | 1443 | 1603 |
| Brain Diseases | 915 | 981 | 1047 | 1234 | 1067 | 1185 | 1006 | 1313 |
| Heart, etc., Diseases | 499 | 805 | 586 | 716 | 540 | 402 | 619 | 794 |
| Respiratory Organs | 2162 | 1871 | 2433 | 1810 | 2177 | 1911 | 1822 | 1328 |
| Organs of Digestion | 560 | 493 | 429 | 581 | 577 | 585 | 408 | 427 |
| Developmental Diseases of Children | 392 | 330 | 365 | 503 | 490 | 395 | 452 | 366 |
| Old Age | 216 | 296 | 397 | 571 | 267 | 684 | 211 | 824 |
| Violent Deaths | 308 | 268 | 438 | 276 | 434 | 247 | 357 | 336 |
| Small-pox | 1 | – | 3 | 5 | 6 | – | – | – |
| Measles | 250 | 371 | 475 | 92 | 111 | 169 | 430 | 15 |
| SCARLATINA | 354 | 714 | 96 | 24 | 80 | 70 | 1100 | – |
| Diphtheria | 122 | 79 | 67 | 82 | 49 | 35 | 73 | 76 |
| Croup | 84 | 81 | 81 | 72 | 136 | 113 | 131 | 15 |
| HOOPING-COUGH | 556 | 428 | 339 | 334 | 316 | 578 | 379 | 61 |
| FEVERS, viz. | 256 | 150 | 142 | 121 | 173 | 239 | 116 | 381 |
| Typhus | 30 | 16 | 49 | 5 | 80 | 28 | 14 | 30 |
| Enteric | 214 | 116 | 81 | 107 | 68 | 176 | 102 | 321 |
| Relapsing | – | – | – | – | – | – | – | – |
| Continued | 12 | 18 | 12 | 9 | 25 | 35 | – | 30 |
| Dysentery | 14 | 18 | 6 | 53 | 18 | 21 | – | 46 |
| DIARRHŒA | 288 | 249 | 441 | 285 | 260 | 332 | 321 | 885 |
| Cholera | 28 | 24 | 6 | 5 | 6 | 7 | 7 | – |
| Rheumatism | 29 | 34 | 38 | 47 | 62 | 21 | 51 | 15 |
| Dropsy | 59 | 57 | 43 | 24 | 74 | 49 | 14 | 46 |
| Cancer | 179 | 345 | 191 | 344 | 174 | 127 | 262 | 244 |
| PHTHISIS | 1218 | 914 | 995 | 1142 | 1222 | 1248 | 926 | 1206 |
| Apoplexy | 251 | 241 | 281 | 271 | 267 | 373 | 189 | 229 |
| Paralysis | 196 | 227 | 244 | 256 | 254 | 338 | 342 | 885 |
| BRONCHITIS | 1381 | 1004 | 1595 | 1263 | 1222 | 1396 | 1159 | 427 |
| Pneumonia | 482 | 523 | 626 | 358 | 676 | 338 | 459 | 275 |
| Teething | 110 | 73 | 64 | 140 | 198 | 225 | 87 | 122 |

at ages over 60. Fevers generally were fatal in 1667 cases, the period of greatest mortality from them being between 15 and 60 years of age, when 52 per cent. of them occurred. Of the Fevers, Typhoid caused by far the largest mortality, viz. 1338, of which 51·1 per cent. of the deaths took place between 15 and 60 years of age, and 17·4 per cent. between 5 and 10 years. Typhus caused 170 deaths, 72·9 per cent. of them at ages between 15 and 60. Simple Continued Fever caused 155 deaths, and Relapsing but 4. Measles accounted for 1427 deaths, 92·8 per cent. of them during the first five years of life, 5·5 per cent. between 5 and 10 years. Diphtheria caused 838 exits, 64·5 per cent. of them within the first five years of life, 24·2 per cent. during the next quinquennial period. Croup caused 801 deaths, 90 per cent. of them at ages under 5 years, 9·4 per cent. between 5 and 10 years. Erysipelas accounted for 363 deaths, 41·9 per cent. at ages under 5 years, 27·3 per cent. between 15 and 60 years, and 28·6 per cent. at ages over 60. Syphilis is the cause of 228 deaths, no less than 86 per cent. of them being apparently congenital, as that proportion of deaths from the disease occurred during the first five years of life, and 12·3 per cent. were between ages 15 and 60.

As regards the five registration groups into which Scotland is divided, we find that diseases of this same order, Zymotic, proved fatal in varying proportions; thus, in the Principal Town districts, which suffered most, 473 out of every hundred thousand of their population perished from one or other of them; in the Small Town districts the fatality was 382 per hundred thousand; in the Large Town districts 380 per hundred thousand; in the Insular-Rural 235, and the Mainland-Rural districts 231 per hundred thousand of the population,—the rate for the whole of

---

TABLE XXXII.—Number and Proportion of Deaths at different Ages from the Zymotic and Ordinary Diseases in Scotland in 1880.

| Diseases. | Number of Deaths at each Age. | | | | | | Percentage at each Age. | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 years. | 5–10. | 10–15. | 15–60. | Above 60. | Total. | 0–5. | 5–10 | 10–15 | 15–60 | Above 60. | Total. |
| Small-pox . . . | 2 | 1 | 1 | 6 | – | 10 | 20·0 | 10·0 | 10·0 | 60·0 | 0·0 | 100 |
| Measles . . . . | 1324 | 78 | 10 | 14 | 1 | 1427 | 92·8 | 5·5 | 0·7 | 0·9 | 0·1 | 100 |
| Scarlatina. . . . | 1343 | 628 | 101 | 91 | 2 | 2165 | 62·0 | 29·0 | 4·7 | 4·2 | 0·1 | 100 |
| Diphtheria . . . | 540 | 203 | 49 | 41 | 5 | 838 | 64·5 | 24·2 | 5·8 | 4·9 | 0·6 | 100 |
| Croup . . . . . | 721 | 75 | 3 | 2 | – | 801 | 90·0 | 9·4 | 0·4 | 0·2 | 0·0 | 100 |
| Hooping-cough . . | 2478 | 157 | 4 | 2 | – | 2641 | 93·8 | 5·9 | 0·2 | 0·1 | 0·0 | 100 |
| All Fevers, viz. . . | 229 | 257 | 196 | 866 | 119 | 1667 | 13·7 | 15·4 | 11·8 | 52·0 | 7·1 | 100 |
| Typhus . . . . | 11 | 8 | 13 | 124 | 14 | 170 | 6·5 | 4·7 | 7·7 | 72·9 | 8·2 | 100 |
| Enteric . . . . | 180 | 233 | 168 | 683 | 74 | 1338 | 13·4 | 17·4 | 12·6 | 51·1 | 5·5 | 100 |
| Relapsing . . . | – | – | 2 | 2 | – | 4 | 0·0 | 0·0 | 50·0 | 50·0 | 0·0 | 100 |
| Simple Continued | 38 | 16 | 13 | 57 | 31 | 155 | 24·5 | 10·3 | 8·4 | 36·8 | 20·0 | 100 |
| Dysentery . . . | 51 | 4 | – | 46 | 76 | 177 | 28·8 | 2·3 | 0·0 | 26·0 | 42·9 | 100 |
| Diarrhœa . . . . | 1486 | 31 | 12 | 188 | 419 | 2136 | 69·6 | 1·4 | 0·6 | 8·8 | 19·6 | 100 |
| Cholera . . . . | 117 | 7 | 1 | 32 | 21 | 178 | 65·7 | 3·9 | 0·6 | 18·0 | 11·8 | 100 |
| Erysipelas . . . | 152 | 7 | 1 | 99 | 104 | 363 | 41·9 | 1·9 | 0·3 | 27·3 | 28·6 | 100 |
| Syphilis . . . . | 196 | – | 1 | 28 | 3 | 228 | 86·0 | 0·0 | 0·4 | 12·3 | 1·3 | 100 |
| All Zymotics. . . | 8950 | 1515 | 418 | 2056 | 1028 | 13967 | 64·1 | 10·8 | 3·0 | 14·7 | 7·4 | 100 |
| All other Diseases, exclud'g Zymotics | 195 84 | 2152 | 1512 | 20405 | 18183 | 61836 | 31·7 | 3·5 | 2·4 | 33·0 | 29·4 | 100 |
| Total Deaths. . . | 28534 | 3667 | 1930 | 22461 | 19211 | 75803 | 37·7 | 4·8 | 2·5 | 29·7 | 25·3 | 100 |

Scotland, as before mentioned, being 362 per hundred thousand of its estimated population of both sexes.

Tables XXX. and XXXI. afford information regarding the mortality in the eight Principal Towns of Scotland as caused by various diseases, and we particularly note how the chief Miasmatics are here manifested.

In Leith the deaths from diseases of this nature were at the rate of 630 per hundred thousand of its inhabitants, no less than 253 of these being due to Scarlet Fever. Measles comes next with 99 deaths, and Hooping-cough follows with 87; Diarrhœa and Fevers bringing up the rear.

In Glasgow the proportion of deaths from Miasmatics is 541 per hundred thousand of its population, of these 145 being due to Hooping-cough, 92 to Scarlet Fever, 65 to Measles, 75 to Diarrhœa, and 66 to Fevers.

In Edinburgh the deaths from the same class of diseases is at the rate of 489 per hundred thousand of its inhabitants, Scarlet Fever being the most fatal, causing 156 in like proportion, Hooping-cough 94, Measles 81, Diarrhœa 55, and Fevers 33.

In Dundee the proportion is 430 per hundred thousand of popula-

---

Table XXXIII.—Number and Percentage of Deaths from the Zymotic and Ordinary Diseases at each Age.

| Age. | Number of Deaths. | | | Percentage of Deaths at each Age from | |
|---|---|---|---|---|---|
| | Total Deaths. | Zymotic Deaths. | All other Diseases. | Zymotic Deaths. | All other Diseases. |
| 0—5 | 28,534 | 8,950 | 19,584 | 31·37 | 68·63 |
| 5—10 | 3,667 | 1,515 | 2,152 | 41·31 | 58·69 |
| 10—15 | 1,930 | 418 | 1,512 | 21·66 | 78·34 |
| 15—60 | 22,461 | 2,056 | 20,405 | 9·15 | 90·85 |
| Above 60 | 19,211 | 1,028 | 18,183 | 5·35 | 94·65 |
| 0—15 | 34,131 | 10,883 | 23,248 | 31·89 | 68·11 |
| 15 and upwards | 41,672 | 3,084 | 38,588 | 7·40 | 92·60 |

Table XXXIV.— Small-pox Deaths in Scotland.

| Year. | Small-pox Deaths. | Year. | Small-pox Deaths. |
|---|---|---|---|
| 1855 | 1,309 | 1868 | 15 |
| 1856 | 1,306 | 1869 | 64 |
| 1857 | 845 | 1870 | 114 |
| 1858 | 332 | 1871 | 1,442 |
| 1859 | 682 | 1872 | 2,448 |
| 1860 | 1,495 | 1873 | 1,126 |
| 1861 | 766 | 1874 | 1,246 |
| 1862 | 426 | 1875 | 76 |
| 1863 | 1,648 | 1876 | 39 |
| 1864 | 1,741 | 1877 | 38 |
| 1865 | 383 | 1878 | 4 |
| 1866 | 200 | 1879 | 8 |
| 1867 | 100 | 1880 | 10 |

tion, Measles being responsible for 117, Hooping-cough for 83, Diarrhœa for 108, Scarlet Fever 23, and Fevers, as Typhoid, Typhus, &c., 35.

In Paisley the deaths from Miasmatics is at the rate of 416 in every hundred thousand of its inhabitants, 149 being referred to Hooping-cough, 60 to Diarrhœa, 46 to Typhoid Fever, and 44 to Measles.

In Perth the proportion is 348, Diarrhœa causing the heaviest mortality, viz., 198, and Typhoid Fever 71 deaths in every hundred thousand of the population of the city, the other Miasmatics causing but a small proportion of the deaths in comparison with what they do in the other towns.

In Greenock the corresponding mortality is 302, of which Hooping-cough is the cause of 75, Diarrhœa of 62, and Croup of 32 deaths per hundred thousand of its population.

In Aberdeen the mortality is at the rate of 250 in the like number of its inhabitants, Hooping-cough causing 67, Diarrhœa 57, Measles 18, Diphtheria 16, and Croup 14 deaths in every hundred thousand of its population.

Throughout Scotland 10 fatal cases of Small-pox occurred, in the persons of 5 males and 5 females. In Glasgow 2 females died from it, one male in Dundee, one male in Aberdeen, one male in Greenock, one male and 3 females in Arbroath, and one male in Renfrew. Of those one was an infant under 6 months, and one a child under 3 years of age. Tables XXXII., XXXIV., XXXV., and XXXVI. afford the information we are able to present regarding the deaths from this loathsome disease, and the progress of vaccination in Scotland in 1880.

Measles caused throughout the country 1427 deaths during the year,

---

TABLE XXXV.—Vaccinations in Scotland, 1870–80, and Proportion to the Births each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination— From Constitutional Insusceptibility. | From having had Small-pox | From previous Vaccination. | Died before Vaccination. | Removed from District before Vaccination, or otherwise unaccounted for. | TOTAL BIRTHS. |
|---|---|---|---|---|---|---|---|---|---|
| 1870 | Numbers . | 101875 | 843 | 215 | 28 | 229 | 9724 | 2532 | 115446 |
| 1871 | Numbers . | 101923 | 841 | 241 | 142 | 175 | 10280 | 2582 | 116184 |
| 1872 | Numbers . | 104902 | 811 | 184 | 64 | 322 | 10325 | 2351 | 118959 |
| 1873 | Numbers . | 105177 | 1113 | 162 | 39 | 163 | 10527 | 2629 | 119810 |
| 1874 | Numbers . | 108022 | 1229 | 206 | 33 | 205 | 11288 | 2878 | 123861 |
| 1875 | Numbers . | 108096 | 1211 | 190 | 1 | 252 | 11326 | 2575 | 123651 |
| 1876 | Numbers . | 111815 | 1034 | 177 | 5 | 348 | 10760 | 2567 | 126706 |
| 1877 | Numbers . | 112229 | 1304 | 180 | 4 | 480 | 10374 | 2329 | 126900 |
| 1878 | Numbers . | 111694 | 1196 | 190 | 3 | 406 | 10905 | 2460 | 126854 |
| 1879 | Numbers . | 111469 | 1290 | 180 | 3 | 349 | 9999 | 2492 | 125782 |
| 10 Years. | Average . | 107720 | 1087 | 193 | 32 | 293 | 10551 | 2540 | 122415 |
| 1880 | Numbers . | 109381 | 1404 | 155 | 0 | 359 | 11016 | 2359 | 124674 |
| 1870 | Percentage | 88·246 | 0·730 | 0·186 | 0·024 | 0·198 | 8·423 | 2·193 | 100·000 |
| 1871 | Percentage | 87·726 | 0·724 | 0·208 | 0·122 | 0·150 | 8·848 | 2·222 | 100·000 |
| 1872 | Percentage | 88·183 | 0·682 | 0·155 | 0·054 | 0·271 | 8·679 | 1·976 | 100·000 |
| 1873 | Percentage | 87·786 | 0·930 | 0·135 | 0·033 | 0·136 | 8·786 | 2·194 | 100·000 |
| 1874 | Percentage | 87·213 | 0·992 | 0·166 | 0·027 | 0·165 | 9·114 | 2·323 | 100·000 |
| 1875 | Percentage | 87·420 | 0·979 | 0·154 | 0·001 | 0·204 | 9·160 | 2·082 | 100·000 |
| 1876 | Percentage | 88·248 | 0·816 | 0·140 | 0·003 | 0·275 | 8·492 | 2·025 | 100·000 |
| 1877 | Percentage | 88·438 | 1·028 | 0·141 | 0·003 | 0·378 | 8·175 | 1·835 | 100·000 |
| 1878 | Percentage | 88·049 | 0·943 | 0·150 | 0·003 | 0·320 | 8·596 | 1·939 | 100·000 |
| 1879 | Percentage | 88·621 | 1·026 | 0·143 | 0·003 | 0·277 | 7·949 | 1·981 | 100·000 |
| 10 Years. | Percentage | 87·994 | 0·885 | 0·158 | 0·027 | 0·237 | 8·622 | 2·077 | 100·000 |
| 1880 | Percentage | 87·734 | 1·126 | 0·124 | 0·000 | 0·288 | 8·836 | 1·892 | 100·000 |

at the rate of 39 deaths in every hundred thousand of its inhabitants, and of these 1324 occurred during the first five years of life. This disease was most fatal in the Principal Town districts, where 2·78 per cent. of all the deaths from specified causes are due to it.

Scarlet Fever caused 2165 deaths, or 59 in every hundred thousand of the population of Scotland, 1343 occurring during the first five years of life, and 628 during the next quinquennial period. It was most felt in the Small Town districts, where 3·86 per cent. and in the Principal Town districts, where 3·59 per cent. of all the deaths from specified causes were due to it. Diphtheria caused in Scotland 838 deaths, in the proportion of 23 for every hundred thousand of its inhabitants, being most fatal in the Mainland-Rural districts, where 1·56 per cent., and in the Large Town districts 1·09 per cent. of all the deaths from specified causes were due to it.

Croup caused 801 deaths in Scotland, or 22 per hundred thousand of its population, the Insular-Rural districts affording the highest percentage to the total deaths from specified causes in the case of this disease.

Hooping-cough in all Scotland was the cause of 2641 deaths, in the ratio of 72 in every hundred thousand of its population; and of these 2478 succumbed during the first five years of life. This disease was most felt in the Principal Town districts, where it is responsible for 4·60 per cent. of the total deaths from specified causes.

From Fevers, 1667 persons died in Scotland during 1880, at the rate of 46 in every hundred thousand of its population, and forming 2·23 per cent. of the total deaths from specified causes. To Typhus 170 deaths

---

TABLE XXXVI.—Vaccinations in Scotland, 1870–1880, deducting from the Births those who died before they could be Vaccinated, and giving the Proportion of the Vaccinated to the surviving Births of each Year.

| Years. | | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccination. | | | Removed from District before Vaccination, or otherwise unaccounted for. | TOTAL LIVING. |
|---|---|---|---|---|---|---|---|---|
| | | | | From Constitutional Insusceptibility. | From having had Small-pox. | From previous Vaccination. | | |
| 1870 | Numbers . | 101875 | 843 | 215 | 28 | 229 | 2532 | 105722 |
| 1871 | Numbers . | 101923 | 841 | 241 | 142 | 175 | 2582 | 105904 |
| 1872 | Numbers . | 104902 | 811 | 184 | 64 | 322 | 2351 | 108634 |
| 1873 | Numbers . | 105177 | 1113 | 162 | 39 | 163 | 2629 | 109283 |
| 1874 | Numbers . | 108022 | 1229 | 206 | 33 | 205 | 2878 | 112573 |
| 1875 | Numbers . | 108096 | 1211 | 190 | 1 | 252 | 2575 | 112325 |
| 1876 | Numbers . | 111815 | 1034 | 177 | 5 | 348 | 2567 | 115946 |
| 1877 | Numbers . | 112229 | 1304 | 180 | 4 | 480 | 2329 | 116526 |
| 1878 | Numbers . | 111694 | 1196 | 190 | 3 | 406 | 2460 | 115949 |
| 1879 | Numbers . | 111469 | 1290 | 180 | 3 | 349 | 2492 | 115783 |
| 10 Years. | Average . | 107720 | 1087 | 193 | 32 | 293 | 2540 | 111865 |
| 1880 | Numbers . | 109381 | 1404 | 155 | 0 | 359 | 2359 | 113658 |
| 1870 | Percentage | 96·362 | 0·797 | 0·203 | 0·026 | 0·217 | 2·395 | 100·000 |
| 1871 | Percentage | 96·241 | 0·794 | 0·228 | 0·134 | 0·165 | 2·438 | 100·000 |
| 1872 | Percentage | 96·565 | 0·747 | 0·169 | 0·059 | 0·296 | 2·164 | 100·000 |
| 1873 | Percentage | 96·243 | 1·018 | 0·148 | 0·036 | 0·149 | 2·406 | 100·000 |
| 1874 | Percentage | 95·958 | 1·092 | 0·183 | 0·029 | 0·182 | 2·556 | 100·000 |
| 1875 | Percentage | 96·235 | 1·078 | 0·169 | 0·001 | 0·224 | 2·293 | 100·000 |
| 1876 | Percentage | 96·437 | 0·892 | 0·153 | 0·004 | 0·300 | 2·214 | 100·000 |
| 1877 | Percentage | 96·312 | 1·119 | 0·154 | 0·003 | 0·411 | 1·999 | 100·000 |
| 1878 | Percentage | 96·330 | 1·031 | 0·164 | 0·003 | 0·350 | 2·122 | 100·000 |
| 1879 | Percentage | 96·274 | 1·114 | 0·156 | 0·003 | 0·301 | 2·152 | 100·000 |
| 10 Years. | Percentage | 96·295 | 0·968 | 0·173 | 0·030 | 0·260 | 2·274 | 100·000 |
| 1880 | Percentage | 96·237 | 1·235 | 0·136 | 0·000 | 0·316 | 2·076 | 100·000 |

are ascribed, and to Typhoid 1338, or 1·79 per cent. of all specified deaths. The latter was most felt in the Small Town districts, where 2·30 per cent., and in the Mainland-Rural districts, where 1·98 per cent. of all specified deaths were due to it. Diarrhœa caused 2136 deaths, or 59 per hundred thousand of the population of the whole country, being most fatal in the Town districts, where so many children succumb to this disease.

Cancer caused the death of 1873 persons, 683 being of the male, and 1190 of the female sex, and at the rate of 51 per every hundred thousand of the population; the highest percentage to the total deaths from specified causes being in the Mainland-Rural districts, where it was 3·07, and in the Small Town districts, where it was 2·75.

Dropsy is assigned to be the cause of death in 436 cases, 185 males and 251 females, in the proportion of 12 per hundred thousand of population, although it is perhaps more frequently a symptom accompanying a specific disease, as of Heart, Kidney, Liver, &c., than a disease *per se.*

From the Tubercular order of diseases there were registered 11989 deaths in Scotland, 5799 being males, and 6190 females, in the proportion of 329 deaths for every hundred thousand of the population; or, in other words, 16·0 per cent. of the total deaths from specified causes came under this heading. The mortality is greatest in the Principal Town districts where in every hundred thousand of the population 410 succumbed to the various disorders of a Tubercular nature; in the Large Town districts, it is 384, in the Small Town districts is 333, in the Mainland-Rural 226,

---

TABLE XXXVII.—Deaths from Fever in 1880.

| FEVERS. | RURAL DISTRICTS. | | TOWN DISTRICTS. | |
|---|---|---|---|---|
| | Deaths from each Fever. | Percentage to Total Fever Deaths. | Deaths from each Fever. | Percentage to Total Fever Deaths. |
| Typhus . . . | 44 | 9·56 | 126 | 10·44 |
| Enteric . . . | 361 | 78·48 | 977 | 80·94 |
| Relapsing . . . | 1 | 0·22 | 3 | 0·25 |
| Simple Continued . . | 54 | 11·74 | 101 | 8·37 |
| ALL FEVERS . . | 460 | 100·00 | 1207 | 100·00 |

TABLE XXXVIII.—Monthly Deaths from Fever in the Eight Principal Towns of Scotland during the Ten Years 1871–1880; specifying those from Typhus and Enteric Fever.

| MONTHS. | Total Fever Deaths. | Typhus. | Enteric. | MONTHS. | Total Fever Deaths. | Typhus. | Enteric. |
|---|---|---|---|---|---|---|---|
| January . | 752 | 310 | 315 | July . . | 542 | 201 | 278 |
| February . | 653 | 230 | 302 | August . | 528 | 173 | 298 |
| March . | 707 | 259 | 328 | September . | 586 | 163 | 367 |
| April . . | 651 | 261 | 312 | October . | 717 | 198 | 439 |
| May . . | 697 | 257 | 356 | November . | 712 | 241 | 391 |
| June . . | 595 | 207 | 317 | December . | 731 | 239 | 408 |

and in the Insular-Rural districts the ratio of deaths is 204 per hundred thousand of their population.

Consumption stands at the head of this order of disease, the deaths from it amounting to 8074, or 221 in every hundred thousand of population; the males numbered 3677, and the females 4397.

Phthisis as a cause of death is found to be greatest in the Principal Town districts, where 1082 succumbed to it, or 271 in every hundred thousand of the inhabitants.

In Paisley the proportion of deaths from Phthisis is higher than in any of the other Eight Towns, viz., 323 per hundred thousand of population; in Glasgow it is 318; in Greenock, 289; in Perth, 269; in Dundee, 245; in Aberdeen, 229; in Leith, 213; and in Edinburgh, 200 per hundred thousand.

Hydrocephalus caused 1900 deaths in Scotland, 1029 males and 871 females, being at the rate of 52 per hundred thousand of its population. Their percentage is highest in the Large Town districts, where 2·99 per cent. of the total deaths from specified causes in these districts fall under this heading.

It is apparent, on looking at Tables XXVIII. and XXIX., that all the classes of the Tubercular order of disease are more prevalent the denser the population, and therefore with less air and light, &c., available for each person.

To Diseases of the Brain and Nervous System 7701 deaths are ascribed, in the proportion of 211 in every hundred thousand of the population; in other words, 10·31 per cent. of all deaths due to specified causes are of this nature, 4015 being males, and 3686 females. Apoplexy and Paralysis cause the largest mortality; from the former, 2006 are

---

TABLE XXXIX.—The Twenty most fatal Diseases in Scotland and England in 1880, arranged in the order of their fatality.

| SCOTLAND. | | ENGLAND. | |
|---|---|---|---|
| DISEASES. | Proportion of Deaths to 100,000 living. | DISEASES. | Proportion of Deaths to 100,000 living. |
| Bronchitis | 234 | Bronchitis | 225 |
| Phthisis | 221 | Phthisis | 187 |
| Heart, &c., Diseases of | 131 | Heart, &c., Diseases of | 135 |
| Age | 131 | Diarrhœa | 115 |
| Pneumonia | 88 | Atrophy and Debility | 104 |
| Atrophy | 74 | Age | 100 |
| Hooping-cough | 72 | Pneumonia | 98 |
| Developmental Dis. of Children | 71 | Convulsions | 91 |
| Scarlatina | 59 | Scarlet Fever | 68 |
| Diarrhœa | 59 | Apoplexy | 56 |
| Paralysis | 56 | Hooping-cough | 53 |
| Apoplexy | 55 | Cancer | 52 |
| Hydrocephalus | 52 | Measles | 48 |
| Cancer | 51 | Premature Birth | 48 |
| All Fevers | 46 | Paralysis | 46 |
| Measles | 39 | Tabes Mesenterica | 37 |
| Tabes Mesenterica | 34 | Hydrocephalus | 33 |
| All Liver Diseases | 32 | Cephalitis | 32 |
| Convulsions | 30 | Brain Disease | 27 |
| Fractures and Contusions | 25 | Enteric Fever | 26 |

returned as having died, or 55 per hundred thousand, 1031 being males, and 975 females; and from the latter, 2048, or 56 per hundred thousand, 998 being of the male, and 1050 of the female sex; and it is in the Large Town, and Principal Town districts they bulk most largely. Among the Principal Towns, Paisley apparently suffers most in proportion to its population from diseases of this class, the deaths being in the ratio of 306 per hundred thousand. Perth comes next, with 293 deaths, and Edinburgh least, with 215 in like proportion.

To Diseases of the Circulatory System—Heart and Blood-vessels—4779 deaths are due, *i.e.*, 131 in every hundred thousand of the inhabitants, or 6·40 per cent. of all deaths from specified causes; 2402 are males and 2377 females.

From Heart Disease 4514 deaths occurred in the persons of 2225 males and 2289 females. It is in the Principal Towns that diseases of this nature are fatal in the highest proportion; thus in Perth they are in the ratio of 177 per hundred thousand of population; next in Edinburgh, 176; next in Dundee, 144; and least in Paisley, with 104 in like proportion.

From Diseases of the Respiratory System other than those included under Consumption, Croup, Diphtheria, &c., there were 13824 deaths, males 7277, females 6547, at the rate of 379 per hundred thousand of population, or 18·52 per cent. of deaths from specified causes were due to them. Bronchitis and Pneumonia are responsible for a great proportion of this mortality, no fewer than 8562 deaths being due to the former, or 234 per hundred thousand of population, and to the latter, 3203 deaths are ascribed, or 88 in similar proportion. In both cases the preponderance of them is in the Principal Town districts.

From Diseases of the Organs of Digestion 4335 persons succumbed, at the rate of 119 in every hundred thousand of population, or 5·80 per cent. of all deaths from specified causes; of these 2130 were males, and 2205 females.

From Enteritis 876 deaths occurred; from Hernia 133 deaths, 11 of these during the first three years of life, and 65 at ages over 60, and of those 29 were males, and 36 females.

From Liver Diseases, inclusive of Hepatitis and Jaundice, 1173 deaths took place, 567 being males, and 606 females.

To Diseases of the Urinary Organs 1603 deaths are ascribed, *i.e.*, 44 in every hundred thousand population, or 2·15 per cent. of the deaths from specified causes, 1025 being males and 578 females. Of these 491 were due to Bright's Disease, 168 to Cystitis, and 34 to Vesical Calculi in the person of 28 males and 6 females.

From Diseases of the Organs of Generation the deaths of 8 males and 184 females are registered, 82 of the latter being from Ovarian Dropsy, and 102 from Disease of the Uterus.

From Puerperal Causes 620 females died, 185 being from Puerperal Fever, 19 from Paramenia, and 416 from other direct effects of Child-birth.

From Diseases of the Organs of Locomotion—Bones and Joints—chiefly the latter, 237 males and 153 females died; and Diseases of the Skin and parts connected therewith are accountable for the deaths of 132 males and 136 females.

Under deaths from Premature Births are 890 males and 742 females, together 1632; and Teething was the ascribed cause of death in 691 cases, 370 male and 321 female children; while to Spina Bifida, Cyanosis, and other Malformations, 147 males and 138 females succumbed.

From Old Age 1818 males and 2977 females died, in the proportion of 131 in every hundred thousand of the population. Of these, 24 men are between 95 and 100, and 7 over 100 years of age; and of the females 76, and 19 are returned as having died at like advanced ages. One of the men, a crofter in Caithness, is said to have been 114 years old at death. Of the females 10 are over 100 years of age, and one, a widow, is reported of no less an age than 120 years at the time of her demise.

From Violence, in one form or other, there suffered 1885 males and 652 females, together 2537, or 3·40 per cent. of all deaths from specified causes were due to them. Fracture and Contusion was the cause in the case of 751 males and 175 females; Burns and Scalds in 148 males and 140 females; Drowning in 631 cases, 530 being males and 101 females (of these 46 were cases of Suicide); 135 males and 116 females were accidentally suffocated. Among the cases of Drowning, are included those of 47 males and 12 females, who met their death by being in the train which was crossing the Tay Bridge when it fell, on the night of the 28th December 1879.

There were 9 cases of Murder or Homicide.

Suicide was resorted to by 115 males and 55 females, as follows:—by Hanging, 50 males and 15 females; by Gunshot, 2 males; by Stabbing and Cut-throat, 29 males and 4 females; by Drowning, 24 males and 22 females; by Poison, 6 males and 9 females; (2 males and 1 female taking Laudanum, 1 male and 1 female Carbolic Acid, 1 female Arsenic, 2 females Aconite, 2 females Phosphorus, while in the case of 3 males and 2 females the poison preferred was not stated). 2 females committed Suicide by precipitation, *e.g.*, before railway train; while in the case of 4 men and 3 females the special method by which each made away with him or herself is not specifically given.

There was no Execution in Scotland for the purposes of justice during 1880.

In 1156 cases the causes of death were not specified, or in so ill-defined a manner that they could not be made use of for statistical purposes.

---

TABLE XL.—Monthly Mortality and Mean Temperature in Scotland during 1880, compared with the Mean of the Ten Years 1855–1864.

| Year 1880. | | | | | 1855–1864. | |
|---|---|---|---|---|---|---|
| Months. | Mean Temperature. | Actual Deaths. | Deaths when Months are equalized to 31 Days. | Proportion to 12,000 per Annum, or 1000 per Month. | Monthly Proportion of Deaths. | Mean Temperature. |
| January . . . | 36°·8 | 6959 | 6959 | 1083 | 1134 | 37°·2 |
| February . . . | 41·7 | 6473 | 6919 | 1076 | 1193 | 37·4 |
| March . . . . | 41·2 | 7319 | 7319 | 1141 | 1145 | 39·8 |
| April . . . . | 44·7 | 6986 | 7219 | 1124 | 1083 | 44·1 |
| May . . . . | 49·0 | 6677 | 6677 | 1040 | 1010 | 49·5 |
| June . . . . | 54·9 | 6048 | 6250 | 973 | 956 | 55·6 |
| July . . . . | 56·7 | 5706 | 5706 | 888 | 895 | 57·6 |
| August . . . | 59·4 | 5770 | 5770 | 898 | 856 | 57·3 |
| September . . | 55·2 | 5571 | 5757 | 896 | 843 | 52·8 |
| October . . . | 42·4 | 5656 | 5656 | 881 | 858 | 47·2 |
| November . . | 38·5 | 6510 | 6727 | 1047 | 954 | 40·2 |
| December . . . | 36·6 | 6120 | 6120 | 953 | 1073 | 38·6 |
| Year . . | 46·4 | 75,795 | 77,073 | 12,000 | 12,000 | 46·7 |

## WEATHER AND ITS INFLUENCE ON THE MORTALITY.

It is now an accepted fact, often enough proved, that the health of a people is much affected by the climatic changes which take place among them; and this is constantly presented to the notice of those who are wont to regard those changes which occur hourly, daily, weekly, and monthly, and compare with them the Sick and Death rate of corresponding periods and communities.

Among the old and young, in other words, in the case of the feeble and those who are consequently not able to take proper care of themselves from want of strength or want of knowledge, as is the case at either end of the span of life, we find with any considerable fall of atmospheric temperature, many struck down by the more acute pulmonary affections, and to this category may be added those suffering from long-standing organic diseases, especially of the Heart, Kidneys, and Lungs. The prevalence or not of Miasmatics is also to a considerable degree dependent upon the season of the year, and therefore upon climatic conditions.

On looking to the end of the previous year, it is to be remembered that December of 1879 was a cold month, its mean temperature being 34°·7; the thermometer in Edinburgh upon one day registering 7°·5, or 24°·5 below freezing point; and towards the end of the month the weather became very windy, but mild. The daily deaths were 241.

---

TABLE XLI.—Meteorology of Scotland for 1880, deduced from Observations made at 55 Stations of the Meteorological Society of Scotland, the particulars for each of the Stations having been published in the Quarterly Reports of the Registrar-General; also, the Number of Births, Deaths, and Marriages registered during each Month of the Year 1880, as stated in the Quarterly Reports.

| 1880. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. | YEAR. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Highest Temp. in shade | 58°·6 | 60°·0 | 63°·8 | 64°·0 | 76°·0 | 80°·7 | 80°·0 | 82°·0 | 81°·6 | 67°·0 | 59°·2 | 59°·0 | 69°·3 |
| Lowest Temp. in do. | 6°·0 | 19°·0 | 18°·0 | 22°·0 | 25°·0 | 28°·0 | 36°·0 | 35°·0 | 30°·0 | 11°·0 | 1 ·0 | 0°·1 | 19°·3 |
| Mean Day Temp. . . | 41°·5 | 46°·7 | 48°·5 | 51°·8 | 57°·2 | 63°·4 | 64°·0 | 67°·5 | 63°·0 | 49°·5 | 44°·9 | 41°·8 | 53°·3 |
| Mean Night Temp. . | 32°·1 | 36°·7 | 33°·9 | 37°·6 | 40°·7 | 46°·3 | 49°·4 | 51°·3 | 47°·4 | 35°·3 | 32°·2 | 31°·3 | 39°·5 |
| Daily Range . . . . | 9°·5 | 10°·0 | 14°·6 | 14°·1 | 16°·5 | 17°·2 | 14°·4 | 16°·2 | 15°·6 | 14°·2 | 12°·7 | 10°·5 | 13°·8 |
| Mean Temperature . | 36°·8 | 41 5 | 41°·2 | 44°·7 | 49°·0 | 54°·9 | 56°·7 | 59°·4 | 55°·2 | 42°·4 | 38°·5 | 36°·6 | 46°·4 |
| Highest Temperature in sun . . . . . | 90°·2 | 101°·0 | 115°·3 | 125°·0 | 137°·0 | 146°·8 | 138°·0 | 136°·0 | 131°·8 | 114°·8 | 103°·0 | 93°·0 | 119°·3 |
| Lowest on grass at night | 3°·0 | 13°·3 | 9°·5 | 12°·5 | 12°·5 | 17°·5 | 26°·5 | 26°·0 | 15°·5 | 5°·5 | −6°·0 | −1°·0 | 11°·2 |
| Wet-bulb Temperature | 35°·5 | 39°·5 | 38°·1 | 42°·3 | 45°·7 | 51°·9 | 53°·8 | 56°·5 | 52°·9 | 39°·6 | 37°·0 | 35°·6 | 44°·0 |
| Dew-point Temperature | 33°·5 | 37°·6 | 35°·8 | 39°·7 | 42°·1 | 48°·9 | 51°·5 | 54°·3 | 50°·8 | 37°·3 | 35°·0 | 33°·6 | 41°·7 |
| Humidity of Air . . | 88 | 89 | 86 | 84 | 78 | 80 | 84 | 85 | 86 | 85 | 88 | 88 | 85 |
| Elastic force of Vapour (inches) . . . . | ·193 | ·226 | ·21 1 | ·245 | ·270 | ·347 | ·381 | ·422 | ·373 | ·223 | ·204 | ·194 | ·274 |
| Number of Rainy Days | 10 | 18 | 9 | 18 | 10 | 13 | 16 | 6 | 15 | 13 | 17 | 18 | 163 |
| Amount of Rain (inch.) | 2·02 | 3·98 | 2·32 | 3·37 | 1·20 | 2·09 | 3·69 | 0·86 | 3·68 | 2·53 | 5·03 | 3·96 | 34·73 |
| Amount of Cloud . . | 6·7 | 6·6 | 5·6 | 6·4 | 5·9 | 5·9 | 7·0 | 6·2 | 5·9 | 5·6 | 5·9 | 6·7 | 6·2 |
| Hours of Sunshine . | 58 | 92 | 155 | 147 | 223 | 230 | 194 | 198 | 166 | 130 | 85 | 51 | 1729 |
| Mean Barometer (in.) | 30·215 | 29·553 | 30·030 | 29·815 | 30·084 | 29·920 | 29·835 | 3 0·037 | 29·896 | 29·968 | 29·772 | 29·740 | 29·905 |
| Easterly Winds (number of days) . . . | 4 | 6 | 14 | 10 | 11 | 13 | 12 | 12 | 6 | 10 | 5 | 6 | 109 |
| Westerly Winds (do.) | 18 | 16 | 11 | 13 | 15 | 10 | 12 | 11 | 18 | 12 | 17 | 18 | 171 |
| Births . . . . . | 10524 | 9664 | 11131 | 11047 | 11443 | 11337 | 10630 | 9914 | 9635 | 9538 | 9749 | 10040 | 124652 |
| Deaths . . . . . | 6959 | 6473 | 7319 | 6986 | 6677 | 6048 | 5706 | 5770 | 5571 | 5656 | 6510 | 6120 | 75795 |
| Marriages . . . . . | 3143 | 1353 | 1510 | 1545 | 1305 | 3374 | 2379 | 1657 | 1464 | 1564 | 2476 | 2719 | 24489 |
| Daily Births . . . . | 339 | 333 | 359 | 368 | 369 | 378 | 343 | 320 | 321 | 308 | 325 | 324 | 341 |
| Daily Deaths . . . . | 224 | 223 | 236 | 233 | 215 | 202 | 184 | 186 | 186 | 182 | 217 | 197 | 207 |

For a brief notice of the Meteorology, &c., of the various months of the year, we refer to our Annual Report for 1880.

*January* was remarkable for extremely high barometric pressure and little rain. The mean temperature was 36°·8. The month both began and ended with mild weather. Prevailing winds were W.S.W. The daily deaths were 224.

*February* was remarkable for its high temperature, generally low barometric pressure, unusually strong W.N.W. winds, and generally normal rainfall. The mean temperature was 41°·7. The daily deaths amounted to 223.

*March* was on the whole an average month in its meteorological features. The prevailing wind was easterly; the barometric pressure was high; the mean temperature was 41°·2. The daily deaths 236.

*April* 1880 was a favourable example of that month; the mean temperature 44°·7, having been 0·5 above the average of former years, and 4·3 above that of April 1879. There was an abundant rainfall, and the strength of the winds (E.N.E. and W.S.W.) not excessive. The daily deaths were 233.

*May* was bright, dry, and breezy; the wind nearly equally divided between east and west; the mean temperature 49°, rather above the average of former years; considerable daily variations of temperature indicating an open sky; little humidity of the air, rather scanty rainfall; but strength of wind considerable, and barometric pressure high. The daily deaths were 215.

*June* was chiefly characterised by the prevalence of east winds, with consequent lowering of the mean temperature, which was only 54°·9. There was a decrease of rainfall; the barometric column stood at its usual height. The daily deaths were 202.

---

TABLE XLII.—Showing the connection between certain Atmospheric Phenomena, especially Temperature, and the Deaths from certain Diseases and Classes of Disease, in the Eight Principal Towns of Scotland, during each Month of the Year 1880.

| 1880. | Jan. | Feb. | Mar. | April. | May. | June. | July. | Aug. | Sept. | Oct. | Nov. | Dec. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Mean Temperature | 37°·8 | 42°·7 | 41°·4 | 45°·6 | 50°·0 | 55°·5 | 57°·9 | 60°·2 | 56°·4 | 43°·6 | 39°·5 | 37°·9 |
| Highest Temperature | 57°·0 | 55°·3 | 59°·3 | 62°·7 | 75°·3 | 74°·3 | 76°·3 | 79°·5 | 78°·2 | 63°·6 | 56°·6 | 57°·0 |
| Lowest Temperature | 19°·0 | 27°·1 | 25°·0 | 28°·0 | 30°·0 | 37°·0 | 44°·7 | 44°·8 | 38°·2 | 19°·5 | 7°·5 | 12°·0 |
| Rainfall in inches | 1·65 | 2·74 | 2·21 | 3·37 | 0·89 | 1·84 | 3·41 | 1·04 | 2·96 | 2·04 | 3·92 | 4·00 |
| Easterly Winds (days) | 4 | 7 | 15 | 12 | 13 | 16 | 17 | 16 | 8 | 12 | 6 | 8 |
| Westerly Winds (days) | 24 | 20 | 12 | 14 | 16 | 10 | 13 | 12 | 18 | 15 | 19 | 20 |
| Total Deaths | 2594 | 2349 | 2801 | 2616 | 2635 | 2284 | 2175 | 2143 | 2010 | 2262 | 2585 | 2389 |
| Daily Deaths | 84 | 81 | 90 | 87 | 85 | 76 | 70 | 69 | 67 | 73 | 86 | 77 |
| Miasmatic Diseases | 328 | 351 | 482 | 528 | 533 | 384 | 459 | 530 | 540 | 513 | 481 | 388 |
| Small-pox | – | – | 2 | – | – | – | 2 | – | – | – | – | 1 |
| Measles | 13 | 55 | 142 | 160 | 101 | 96 | 67 | 32 | 26 | 17 | 40 | 36 |
| Scarlatina | 52 | 39 | 21 | 29 | 32 | 37 | 67 | 90 | 136 | 188 | 206 | 121 |
| Diphtheria | 18 | 12 | 21 | 19 | 22 | 14 | 17 | 15 | 35 | 30 | 27 | 24 |
| Hooping-cough | 135 | 139 | 160 | 177 | 175 | 102 | 98 | 77 | 59 | 59 | 54 | 70 |
| Croup | 28 | 18 | 28 | 19 | 14 | 11 | 10 | 17 | 27 | 35 | 20 | 32 |
| All Fevers | 29 | 21 | 42 | 42 | 101 | 60 | 38 | 52 | 53 | 65 | 60 | 34 |
| Diarrhœa | 26 | 34 | 39 | 50 | 62 | 39 | 121 | 191 | 162 | 79 | 40 | 23 |
| Dysentery | 1 | 3 | 3 | 5 | – | 3 | 5 | 12 | 6 | 3 | 2 | 1 |
| Cholera | – | 3 | – | 1 | 2 | 3 | 6 | 15 | 18 | 4 | 2 | 2 |
| Consumption | 277 | 261 | 297 | 318 | 334 | 316 | 238 | 239 | 201 | 246 | 227 | 248 |
| Diseases Respiratory Organs | 700 | 657 | 642 | 606 | 489 | 405 | 318 | 265 | 269 | 524 | 646 | 557 |
| Heart, etc., Diseases | 152 | 114 | 143 | 140 | 151 | 147 | 127 | 105 | 94 | 124 | 163 | 154 |
| Brain, etc., Diseases | 255 | 226 | 307 | 263 | 269 | 249 | 209 | 228 | 201 | 186 | 252 | 229 |
| Premature Births | 69 | 56 | 75 | 76 | 68 | 53 | 50 | 53 | 41 | 52 | 60 | 61 |
| Age | 116 | 85 | 95 | 82 | 92 | 83 | 83 | 82 | 54 | 82 | 85 | 90 |

*July* was characterised by a frequency of east wind, accompanied with extra rainfall; and a mean temperature 56°·7, which was 0·7 below the average of former years. The daily deaths were 184.

*August* was characterised by high barometric pressure, little rain, little wind, and remarkably high mean temperature amounting to 59·4. The general direction of the wind was E.S.E. The daily deaths were 186.

*September*, like the month immediately preceding it, had the same meteorological characteristics. The mean temperature was 55°·2. The daily deaths were 186.

*October* was dry, cold, with a mean temperature of 52°·4; high barometric pressure; only half the usual rainfall; preponderance of N. and E. winds; and daily deaths amounting to 182.

*November* was cold, wet, and stormy, with the wind generally from the W.N.W. The mean temperature was 38°·5, and the daily deaths were 217.

*December* was on the whole an average specimen of that month. Its mean temperature was 36°·6; the barometric pressure was rather low, the rainfall rather scanty, strength of wind considerable, and, upon the whole, preponderance of W. winds. The daily deaths were 197.

Tables XL. and XLI. afford information as to the meteorological changes during the successive months of 1880, and with them we have presented the more prominent points respecting the mean monthly temperature and the monthly mortality in Scotland during the same period. Thus we find January and December to be the two coldest months, 36°·8 and 36°·6 being their respective mean temperatures. February and March had improved, the mean temperature of the former being 41°·7, and of the latter 41°·2.

The warmest month was August, July being next. As usual, we

---

TABLE XLIII.—Deaths, Temperatures, and Fall of Rain in the Eight Principal Towns of Scotland during each Week of the Year 1880.

| No. of Week. | Week ending | | Deaths. | Temperature. | | | Rain, in inches | No. of Week. | Week ending | | Deaths. | Temperature. | | | Rain, in inches |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | | Mean. | Highest | Lowest | | | | | | Mean. | Highest | Lowest | |
| | | | | ° | ° | ° | | | | | | ° | ° | ° | |
| 1 | January | 3 | 555 | 42·6 | 57·0 | 29·0 | 1·69 | 27 | July | 3 | 520 | 59·1 | 74·0 | 44·0 | 1·24 |
| 2 | | 10 | 550 | 42·6 | 51·0 | 26·5 | 0·11 | 28 | | 10 | 507 | 57·8 | 71·0 | 44·2 | 0·87 |
| 3 | | 17 | 540 | 33·6 | 49·0 | 22·0 | 0·25 | 29 | | 17 | 463 | 58·0 | 75·0 | 42·0 | 0·30 |
| 4 | | 24 | 625 | 32·3 | 44·0 | 19·0 | 0·02 | 30 | | 24 | 511 | 58·2 | 73·5 | 43·0 | 0·73 |
| 5 | | 31 | 666 | 40·3 | 50·0 | 24·9 | 0·72 | 31 | | 31 | 456 | 57·3 | 76·0 | 46·0 | 1·08 |
| 6 | February | 7 | 591 | 45·1 | 55·2 | 35·2 | 0·68 | 32 | August | 7 | 491 | 58·3 | 73·0 | 42·0 | 0·87 |
| 7 | | 14 | 577 | 39·3 | 50·0 | 27·0 | 0·55 | 33 | | 14 | 499 | 63·0 | 80·5 | 41·0 | 0·03 |
| 8 | | 21 | 633 | 43·7 | 52·5 | 33·0 | 0·99 | 34 | | 21 | 463 | 59·0 | 76·2 | 43·0 | 0·02 |
| 9 | | 28 | 548 | 42·4 | 56·0 | 30·7 | 0·41 | 35 | | 28 | 458 | 59 2 | 75·0 | 46·0 | 0·07 |
| 10 | March | 6 | 607 | 42·8 | 55·0 | 31·2 | 1·24 | 36 | September | 4 | 479 | 62·1 | 81·0 | 40·0 | 0·07 |
| 11 | | 13 | 589 | 42·4 | 59·0 | 29·0 | 0·90 | 37 | | 11 | 451 | 57·1 | 78·5 | 33·0 | 0·99 |
| 12 | | 20 | 601 | 40·8 | 57·0 | 27·3 | 0·02 | 38 | | 18 | 505 | 54·5 | 66·4 | 40·0 | 1·64 |
| 13 | | 27 | 601 | 3·94 | 51·5 | 28·0 | 0·00 | 39 | | 25 | 469 | 52·7 | 66·0 | 35·0 | 0·53 |
| 14 | April | 3 | 657 | 44·8 | 59·0 | 27·0 | 0·77 | 40 | October | 2 | 468 | 54·9 | 70·0 | 28·5 | 0·04 |
| 15 | | 10 | 594 | 44·4 | 57·0 | 28·0 | 0·52 | 41 | | 9 | 488 | 45·7 | 65·0 | 26·0 | 0·79 |
| 16 | | 17 | 619 | 44·1 | 60·0 | 33·0 | 0·65 | 42 | | 16 | 557 | 46·5 | 59·0 | 25·0 | 0·02 |
| 17 | | 24 | 623 | 48·8 | 61·0 | 37·2 | 1·56 | 43 | | 23 | 488 | 39·3 | 58·4 | 18·0 | 0·40 |
| 18 | May | 1 | 580 | 45·8 | 63·0 | 31·0 | 0·18 | 44 | | 30 | 601 | 39·0 | 53·0 | 21·0 | 0·60 |
| 19 | | 8 | 632 | 47·0 | 64·0 | 30·0 | 0·08 | 45 | November | 6 | 602 | 39·6 | 55·5 | 15·0 | 0·14 |
| 20 | | 15 | 615 | 47·8 | 61·3 | 30·0 | 0·13 | 46 | | 13 | 591 | 45·6 | 56·6 | 30·0 | 1·31 |
| 21 | | 22 | 589 | 53·6 | 75·0 | 35·0 | 0·11 | 47 | | 20 | 518 | 32·4 | 56·0 | 8·5 | 1·10 |
| 22 | | 29 | 566 | 50·9 | 64·2 | 34·2 | 0·36 | 48 | | 27 | 614 | 37·4 | 53·5 | 11·0 | 1·01 |
| 23 | June | 5 | 542 | 52·4 | 72·6 | 38·9 | 0·35 | 49 | December | 4 | 549 | 43·7 | 54·0 | 30·0 | 1·00 |
| 24 | | 12 | 617 | 50·9 | 69·5 | 32·0 | 0·46 | 50 | | 11 | 540 | 47·5 | 57·0 | 32·0 | 0·34 |
| 25 | | 19 | 512 | 57·4 | 73·0 | 41·0 | 0·26 | 51 | | 18 | 493 | 33·5 | 59·0 | 7·0 | 0·90 |
| 26 | | 26 | 510 | 57·4 | 74·2 | 45·0 | 0·28 | 52 | | 25 | 516 | 34·1 | 46·0 | 22·0 | 2·29 |
| | | | | | | | | 53 | January | 1 | 560 | 32·6 | 48·3 | 15·0 | 0·35 |

find the columns showing the death-rate to be affected more or less in accordance with the variations in temperature.

From Table XLII. some information may be obtained in the case of the Eight Principal Towns, as to the effects of temperature and other meteorological phenomena upon the death-rate from various diseases, and during each month of the year.

Bearing in mind that the weather of December 1879 was severe, the mean temperature being 34°·7, we are prepared to expect a high rate of mortality in January 1880, when the total deaths amounted to 2594, a daily average of 84. In March, April, and May the deaths were even more numerous than in January, after which they fell off until November, when with the advent of cold weather there was a considerable rise.

We find that 5 cases of Small-pox occurred in these towns, 2 in March, 2 in July, and 1 in December.

Measles was most fatal in April, but in March and May the mortality from it was also high, January showing the minimum. Scarlet Fever caused most deaths during November, but in September, October, and December they bulked largely; in March and April they were fewest. Diphtheria and Croup were most fatal in September and October. Deaths from Hooping-cough attained their maximum in April and May, and were also numerous during the first three months of the year; their minimum being in November.

Deaths from all Fevers were most numerous in May, least so in February. Diarrhœa, as usual, is found to be most fatal and prevalent during the autumnal months August and September, while December and January are those in which they are fewest.

Consumption presents a heavy roll for each month, May, April, and June showing the largest number of deaths. September the fewest, but even then 201.

The various diseases of the Respiratory Organs are especially prone to be affected by changes of temperature and weather, in fact they are quite like a barometer. In January they bulk largest, the month

---

TABLE XLIV.—Monthly Mortality at Four Periods of Life in the Eight Principal Towns of Scotland during the Year 1880, and Proportion at each Age in every Hundred Deaths per Month.

| MONTHS. | Actual Number of Deaths in 1880. | | | | | Proportion at each Age in every Hundred Deaths per Month. | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total Deaths. | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total. |
| January . . | 1078 | 238 | 808 | 470 | 2594 | 41·6 | 9·2 | 31·1 | 18·1 | 100 |
| February . | 1052 | 212 | 643 | 442 | 2349 | 44·8 | 9·0 | 27·4 | 18·8 | 100 |
| March . . | 1304 | 269 | 753 | 475 | 2801 | 46·5 | 9·6 | 26·9 | 17·0 | 100 |
| April . . . | 1253 | 267 | 689 | 407 | 2616 | 47·9 | 10·2 | 26·3 | 15·6 | 100 |
| May . . . | 1145 | 337 | 745 | 408 | 2635 | 43·4 | 12·8 | 28·3 | 15·5 | 100 |
| June . . . | 943 | 311 | 649 | 381 | 2284 | 41·3 | 13·6 | 28·4 | 16·7 | 100 |
| July . . . | 942 | 281 | 579 | 373 | 2175 | 43·3 | 12·9 | 26·6 | 17·2 | 100 |
| August . . | 969 | 257 | 586 | 331 | 2143 | 45·2 | 12·0 | 27·4 | 15·4 | 100 |
| September . | 940 | 245 | 543 | 282 | 2010 | 46·8 | 12·2 | 27·0 | 14·0 | 100 |
| October . | 978 | 283 | 634 | 367 | 2262 | 43·3 | 12·5 | 28·0 | 16·2 | 100 |
| November . | 1068 | 300 | 719 | 498 | 2585 | 41·3 | 11·6 | 27·8 | 19·3 | 100 |
| December . | 956 | 281 | 716 | 436 | 2389 | 40·0 | 11·8 | 30·0 | 18·2 | 100 |
| YEAR . | 12,628 | 3,281 | 8,064 | 4,870 | 28,843 | 43·7 | 11·4 | 28·0 | 16·9 | 100 |

following a very cold one, inasmuch as it is usual for a little time to elapse between the action of the inclemency of the weather, &c., upon the system of the sufferers and the occurrence of its fatal effect. February, March, November, and December are also heavily burdened with deaths from these causes; August and September have the lightest roll.

From Heart Disease, and for much the same reason as in the case of the Lungs, the greatest mortality is seen to be in November, December, and January; the least in the milder months of September and August.

On Tables XLIV. and XLV. is presented the monthly mortality at four periods of life, as experienced in the Eight Principal Towns of Scotland during the year: in the latter table the months are equalised to a uniform length of 31 days for better comparison sake.

In the case of children under the age of 5 years the greatest mortality occurred during the months of March and April, those months when several of the so-called children's diseases, as also affections of the Respiratory Organs, *e.g.*, Bronchitis, were most rife. The minimum of deaths at this early age were during July. Adolescents, or those between the ages of 5 and 20 years, died in greatest number during May, June, and November; and on referring to Table XLII., it is seen that in the two former months, Phthisis was most fatal, whilst in November Lung diseases of a more acute nature come to the front as a frequent cause of death. February and January are apparently the months in which the smallest number of adolescents die. Adults, including those between 20 and 60, died in largest numbers during January, March, May, and November; the fewest deaths among them being during September. At these ages, 20 to 60, no fewer than 8064 deaths occurred in the Eight Towns, to be partly accounted for by remembering that it is during these years, in the case of the male sex at least, that most exposure to vicissitudes of temperature and climate occurs, as also to accidents, inasmuch as men are then in the heyday of manhood, and as heads of families most able and wishful to work.

Aged persons, or those over 60 years, died in greatest number during

---

TABLE XLV.—Months equalized to 31 Days, and Deaths at each Age corrected thereto, in order to show the relative Mortality at each Age in the Eight Principal Towns during each Month of the Year 1880.

| MONTHS. | Relative Number of Deaths in 1880. | | | | | Monthly Deaths, proportioned to 1000 per Month, or 12,000 per annum. |
|---|---|---|---|---|---|---|
| | 0–5 years. | 5–20. | 20–60. | 60 and above. | Total. | |
| January . . . | 1078 | 238 | 808 | 470 | 2594 | 1062 |
| February . . . | 1125 | 227 | 687 | 472 | 2511 | 1028 |
| March . . . | 1304 | 269 | 753 | 475 | 2801 | 1146 |
| April . . . | 1295 | 276 | 712 | 420 | 2703 | 1106 |
| May . . . | 1145 | 337 | 745 | 408 | 2635 | 1078 |
| June . . . | 974 | 321 | 671 | 394 | 2360 | 966 |
| July . . . | 942 | 281 | 579 | 373 | 2175 | 890 |
| August . . . | 969 | 257 | 586 | 331 | 2143 | 877 |
| September . . | 971 | 253 | 561 | 292 | 2077 | 850 |
| October . . . | 978 | 283 | 634 | 367 | 2262 | 926 |
| November . . | 1104 | 310 | 743 | 514 | 2671 | 1093 |
| December . . | 956 | 281 | 716 | 436 | 2389 | 978 |
| YEAR . . | 12,841 | 3,333 | 8,195 | 4,952 | 29,321 | 12,000 |

November, March, February, and January, those months when the highest mortality occurred from Diseases of Heart and Brain, which so often cut off the old. The smallest mortality among those at advanced years was in September and August.

Among the whole inhabitants of the Eight Principal Towns in Scotland, the deaths during each month ranked as follows in order of frequency:—March, April, November, May, January, February, December, June, October, July, August, September.

I have the honour to be,

SIR,

Your most obedient Servant,

R. J. BLAIR CUNYNGHAME, M.D.

GENERAL REGISTRY OFFICE OF BIRTHS, &c.,
EDINBURGH, 16*th January*, 1884.

# VACCINATIONS IN SCOTLAND—1880.

| REGISTRATION GROUPS, DIVISIONS, AND COUNTIES. | Successfully Vaccinated. | Vaccination Postponed. | Insusceptible of Vaccine Disease: On the ground of Constitutional Insusceptibility. | Insusceptible of Vaccine Disease: In respect of the Children having already had Small-pox. | Insusceptible of Vaccine Disease: On the ground of previous Successful Vaccination. | Died before Vaccination. | Removed from District before Vaccination, or otherwise unaccounted for. | Total Births for 1879. |
|---|---|---|---|---|---|---|---|---|
| **SCOTLAND, - -** | 109381 | 1404 | 155 | 0 | 359 | 11016 | 2359 | 124674 |
| GROUPS OF DISTRICTS. | | | | | | | | |
| PRINCIPAL TOWNS, - - | 37078 | 209 | 55 | 0 | 201 | 4391 | 946 | 42880 |
| LARGE TOWNS, - - - | 13792 | 112 | 16 | 0 | 45 | 1494 | 296 | 15755 |
| SMALL TOWNS, - - - | 26334 | 395 | 31 | 0 | 84 | 2590 | 428 | 29862 |
| MAINLAND-RURAL, - - | 29638 | 459 | 39 | 0 | 28 | 2305 | 398 | 32867 |
| INSULAR-RURAL, - - | 2539 | 229 | 14 | 0 | 1 | 236 | 291 | 3310 |
| DIVISIONS. | | | | | | | | |
| NORTHERN, - - - | 2567 | 146 | 8 | 0 | 0 | 213 | 77 | 3011 |
| NORTH-WESTERN, - - | 3490 | 250 | 11 | 0 | 6 | 352 | 302 | 4411 |
| NORTH-EASTERN, - - | 12413 | 120 | 15 | 0 | 1 | 1076 | 84 | 13709 |
| EAST-MIDLAND, - - - | 16623 | 170 | 25 | 0 | 16 | 1732 | 235 | 18801 |
| WEST-MIDLAND, - - - | 7961 | 262 | 10 | 0 | 9 | 705 | 168 | 9115 |
| SOUTH-WESTERN, - - | 44388 | 246 | 52 | 0 | 265 | 4732 | 1056 | 50739 |
| SOUTH-EASTERN, - - - | 16317 | 145 | 24 | 0 | 16 | 1678 | 363 | 18543 |
| SOUTHERN, - - - - | 5622 | 65 | 10 | 0 | 46 | 528 | 74 | 6345 |
| COUNTIES. | | | | | | | | |
| I. NORTHERN. | | | | | | | | |
| Shetland, - - - - - - | 529 | 43 | 3 | 0 | 0 | 51 | 43 | 669 |
| Orkney, - - - - - - | 684 | 23 | 5 | 0 | 0 | 37 | 8 | 757 |
| Caithness, - - - - - | 906 | 61 | 0 | 0 | 0 | 81 | 11 | 1059 |
| Sutherland, - - - - - | 448 | 19 | 0 | 0 | 0 | 44 | 15 | 526 |
| II. NORTH-WESTERN. | | | | | | | | |
| Ross and Cromarty, - - | 1789 | 85 | 7 | 0 | 4 | 170 | 38 | 2093 |
| Inverness, - - - - - | 1701 | 165 | 4 | 0 | 2 | 182 | 264 | 2318 |
| III. NORTH-EASTERN. | | | | | | | | |
| Nairn, - - - - - - | 238 | 2 | 1 | 0 | 0 | 18 | 3 | 262 |
| Elgin (or Moray), - - - | 1226 | 32 | 0 | 0 | 0 | 123 | 11 | 1392 |
| Banff, - - - - - - | 1697 | 14 | 1 | 0 | 0 | 159 | 4 | 1875 |
| Aberdeen, - - - - - | 8251 | 66 | 13 | 0 | 1 | 715 | 59 | 9105 |
| Kincardine, - - - - - | 1001 | 6 | 0 | 0 | 0 | 61 | 7 | 1075 |
| IV. EAST-MIDLAND. | | | | | | | | |
| Forfar, - - - - - - | 7763 | 48 | 16 | 1 | 12 | 932 | 91 | 8862 |
| Perth, - - - - - - | 3163 | 50 | 5 | 0 | 1 | 319 | 64 | 3602 |
| Fife, - - - - - - | 4777 | 59 | 3 | 0 | 1 | 400 | 71 | 5311 |
| Kinross, - - - - - - | 189 | 3 | 1 | 0 | 0 | 10 | 1 | 204 |
| Clackmannan, - - - - | 731 | 10 | 0 | 0 | 2 | 71 | 8 | 822 |
| V. WEST-MIDLAND. | | | | | | | | |
| Stirling, - - - - - - | 3554 | 80 | 3 | 0 | 8 | 324 | 43 | 4012 |
| Dumbarton, - - - - - | 2235 | 43 | 3 | 0 | 1 | 207 | 29 | 2518 |
| Argyll, - - - - - - | 1783 | 117 | 2 | 0 | 0 | 139 | 71 | 2112 |
| Bute, - - - - - - | 389 | 22 | 2 | 0 | 0 | 35 | 25 | 473 |
| VI. SOUTH-WESTERN. | | | | | | | | |
| Renfrew, - - - - - | 6603 | 63 | 17 | 0 | 55 | 771 | 226 | 7735 |
| Ayr, - - - - - - | 6991 | 38 | 8 | 0 | 4 | 645 | 93 | 7779 |
| Lanark, - - - - - - | 30794 | 145 | 27 | 0 | 206 | 3316 | 737 | 35225 |
| VII. SOUTH-EASTERN. | | | | | | | | |
| Linlithgow, - - - - - | 1559 | 18 | 1 | 0 | 1 | 136 | 32 | 1747 |
| Edinburgh, - - - - - | 11612 | 94 | 18 | 0 | 4 | 1237 | 288 | 13253 |
| Haddington, - - - - - | 1020 | 17 | 5 | 0 | 11 | 97 | 19 | 1169 |
| Berwick, - - - - - - | 915 | 8 | 0 | 0 | 0 | 92 | 8 | 1023 |
| Peebles, - - - - - - | 391 | 1 | 0 | 0 | 0 | 28 | 3 | 423 |
| Selkirk, - - - - - - | 820 | 7 | 0 | 0 | 0 | 88 | 13 | 928 |
| VIII. SOUTHERN. | | | | | | | | |
| Roxburgh, - - - - - | 1468 | 9 | 2 | 0 | 2 | 139 | 6 | 1626 |
| Dumfries, - - - - - | 1942 | 29 | 4 | 0 | 42 | 196 | 39 | 2252 |
| Kirkcudbright, - - - | 1160 | 16 | 3 | 0 | 2 | 99 | 14 | 1294 |
| Wigtown, - - - - - - | 1052 | 11 | 1 | 0 | 0 | 94 | 15 | 1173 |

# Births, Deaths, and Marriages registered in Scotland during the Year 1880.

| 1880. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. | Excess of Births over Deaths. | Area in Square Miles.* |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1871. | 1881. | Male. | Fem. | Total. | Mal. | Fem | Total. | Male. | Fem. | Total. | | | |
| SCOTLAND, - - | 3,360,018 | 3,735,573 | 63786 | 60784 | 124570 | 5547 | 5042 | 10589 | 38055 | 37748 | 75803 | 24505 | 48767 | 29819·8 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | |
| 1 PRINCIPAL TOWNS . | 1,078,609 | 1,203,139 | 21994 | 20909 | 42903 | 1792 | 1698 | 3490 | 14578 | 14295 | 28873 | 9763 | 14030 | |
| 2 LARGE TOWNS . . | 327,119 | 449,382 | 7956 | 7778 | 15734 | 523 | 514 | 1037 | 5019 | 4821 | 9840 | 3091 | 5894 | |
| 3 SMALL TOWNS . . | 770,022 | 873,087 | 15398 | 14445 | 29843 | 1325 | 1100 | 2425 | 8635 | 8847 | 17482 | 5562 | 12361 | |
| 4 MAINLAND-RURAL . | 1,052,264 | 1,079,577 | 16709 | 16081 | 32790 | 1793 | 1630 | 3423 | 8800 | 8757 | 17557 | 5554 | 15233 | |
| 5 INSULAR-RURAL . . | 132,004 | 130,388 | 1729 | 1571 | 3300 | 114 | 100 | 214 | 1023 | 1028 | 2051 | 535 | 1249 | |
| DIVISIONS. | | | | | | | | | | | | | | |
| 1 NORTHERN . . . | 127,191 | 123,984 | 1497 | 1503 | 3000 | 110 | 127 | 237 | 953 | 1050 | 2003 | 545 | 997 | 3640·6 |
| 2 NORTH-WESTERN . . | 166,351 | 165,856 | 2289 | 2111 | 4400 | 159 | 137 | 296 | 1337 | 1282 | 2619 | 729 | 1781 | 7218·1 |
| 3 NORTH-EASTERN . . | 393,199 | 418,250 | 6999 | 6699 | 13698 | 1050 | 955 | 2005 | 3446 | 3510 | 6956 | 2552 | 6742 | 3634·2 |
| 4 EAST-MIDLAND . . | 559,676 | 602,421 | 9610 | 9172 | 18782 | 877 | 798 | 1675 | 5778 | 5957 | 11735 | 3720 | 7047 | 4015·3 |
| 5 WEST-MIDLAND . . | 251,088 | 283,460 | 4746 | 4354 | 9100 | 330 | 278 | 608 | 2739 | 2747 | 5486 | 1568 | 3614 | 4119·9 |
| 6 SOUTH-WESTERN . . | 1,183,218 | 1,385,447 | 25945 | 24778 | 50723 | 1821 | 1639 | 3460 | 16348 | 15771 | 32119 | 10333 | 18604 | 2255·2 |
| 7 SOUTH-EASTERN . . | 475,523 | 546,658 | 9447 | 9085 | 18532 | 719 | 684 | 1403 | 5622 | 5602 | 11224 | 3900 | 7308 | 1825·1 |
| 8 SOUTHERN . . . | 203,772 | 209,497 | 3253 | 3082 | 6335 | 481 | 424 | 905 | 1832 | 1829 | 3661 | 1158 | 2674 | 3111·3 |
| COUNTIES. | | | | | | | | | | | | | | |
| I. NORTHERN. | | | | | | | | | | | | | | |
| Shetland . . . . | 31,608 | 29,705 | 342 | 329 | 671 | 19 | 21 | 40 | 215 | 285 | 500 | 111 | 171 | 551·4 |
| Orkney . . . . | 31,274 | 32,044 | 375 | 380 | 755 | 20 | 26 | 46 | 230 | 236 | 466 | 174 | 289 | 375·7 |
| Caithness . . . . | 41,011 | 39,859 | 522 | 534 | 1056 | 62 | 60 | 122 | 341 | 336 | 677 | 175 | 379 | 685·7 |
| Sutherland . . . . | 23,298 | 22,376 | 258 | 260 | 518 | 9 | 20 | 29 | 167 | 193 | 360 | 85 | 158 | 2027·9 |
| II. NORTH-WESTERN. | | | | | | | | | | | | | | |
| Ross and Cromarty . . | 82,093 | 79,467 | 1072 | 1015 | 2087 | 50 | 48 | 98 | 592 | 605 | 1197 | 363 | 890 | 3129·8 |
| Inverness . . . . | 84,258 | 86,389 | 1217 | 1096 | 2313 | 109 | 89 | 198 | 745 | 677 | 1422 | 366 | 891 | 4088·3 |
| III. NORTH-EASTERN. | | | | | | | | | | | | | | |
| Nairn . . . . | 8,372 | 8,847 | 134 | 128 | 262 | 17 | 11 | 28 | 65 | 65 | 130 | 37 | 132 | 178·8 |
| Elgin (or Moray) . . | 44,549 | 45,108 | 705 | 686 | 1391 | 126 | 109 | 235 | 409 | 403 | 812 | 274 | 579 | 475·9 |
| Banff . . . . | 58,883 | 59,783 | 967 | 906 | 1873 | 166 | 135 | 301 | 479 | 521 | 1000 | 337 | 873 | 640·8 |
| Aberdeen . . . . | 246,298 | 269,047 | 4641 | 4458 | 9099 | 681 | 632 | 1313 | 2220 | 2252 | 4472 | 1700 | 4627 | 1955·4 |
| Kincardine . . . | 35,097 | 35,465 | 552 | 521 | 1073 | 60 | 68 | 128 | 273 | 269 | 542 | 204 | 531 | 383·4 |
| IV. EAST-MIDLAND. | | | | | | | | | | | | | | |
| Forfar . . . . | 240,049 | 268,653 | 4534 | 4328 | 8862 | 459 | 422 | 881 | 2775 | 2930 | 5705 | 1818 | 3157 | 875·1 |
| Perth . . . . . | 128,550 | 130,282 | 1832 | 1765 | 3597 | 164 | 163 | 327 | 1170 | 1200 | 2370 | 738 | 1227 | 2527·8 |
| Fife . . . . . | 160,924 | 172,131 | 2727 | 2572 | 5299 | 208 | 169 | 377 | 1559 | 1541 | 3100 | 990 | 2199 | 492·1 |
| Kinross . . . . | 7,918 | 7,330 | 97 | 107 | 204 | 7 | 16 | 23 | 67 | 76 | 143 | 36 | 61 | 72·6 |
| Clackmannan . . . | 22,235 | 24,025 | 420 | 400 | 820 | 39 | 28 | 67 | 207 | 210 | 417 | 138 | 403 | 47·6 |
| V. WEST-MIDLAND. | | | | | | | | | | | | | | |
| Stirling . . . . | 93,345 | 106,883 | 2032 | 1976 | 4008 | 146 | 134 | 280 | 1037 | 1039 | 2076 | 701 | 1932 | 447·4 |
| Dumbarton . . . | 61,116 | 78,182 | 1314 | 1199 | 2513 | 65 | 62 | 127 | 739 | 761 | 1500 | 475 | 1013 | 241·5 |
| Argyll . . . . | 79,661 | 80,761 | 1153 | 955 | 2108 | 101 | 67 | 168 | 803 | 754 | 1557 | 299 | 551 | 3213·1 |
| Bute . . . . . | 16,966 | 17,634 | 247 | 224 | 471 | 18 | 15 | 33 | 160 | 193 | 353 | 93 | 118 | 217·9 |
| VI. SOUTH-WESTERN. | | | | | | | | | | | | | | |
| Renfrew . . . . | 195,305 | 225,611 | 4001 | 3729 | 7730 | 273 | 212 | 485 | 2585 | 2654 | 5239 | 1636 | 2491 | 245·0 |
| Ayr . . . . . | 206,908 | 217,630 | 3969 | 3797 | 7766 | 339 | 273 | 612 | 2240 | 2174 | 4414 | 1456 | 3352 | 1128·5 |
| Lanark . . . . | 787,005 | 942,206 | 17975 | 17252 | 35227 | 1209 | 1154 | 2363 | 11523 | 10943 | 22466 | 7241 | 12761 | 881·7 |
| VII. SOUTH-EASTERN. | | | | | | | | | | | | | | |
| Linlithgow . . . . | 41,379 | 44,005 | 879 | 862 | 1741 | 76 | 55 | 131 | 429 | 409 | 838 | 293 | 903 | 120·0 |
| Edinburgh . . . . | 328,138 | 388,836 | 6792 | 6463 | 13255 | 474 | 500 | 974 | 4355 | 4203 | 8558 | 3016 | 4697 | 362·1 |
| Haddington . . . | 37,755 | 38,510 | 600 | 566 | 1166 | 38 | 34 | 72 | 296 | 331 | 627 | 175 | 539 | 270·8 |
| Berwick . . . . | 36,382 | 35,273 | 500 | 520 | 1020 | 64 | 38 | 102 | 261 | 296 | 557 | 182 | 463 | 460·6 |
| Peebles . . . . | 12,218 | 13,688 | 213 | 210 | 423 | 23 | 21 | 44 | 79 | 115 | 194 | 71 | 229 | 354·5 |
| Selkirk . . . . | 19,651 | 26,346 | 463 | 464 | 927 | 44 | 36 | 80 | 202 | 248 | 450 | 163 | 477 | 257·1 |
| VIII. SOUTHERN. | | | | | | | | | | | | | | |
| Roxburgh . . . . | 48,241 | 52,592 | 805 | 818 | 1623 | 92 | 88 | 180 | 416 | 422 | 838 | 297 | 785 | 665·1 |
| Dumfries . . . . | 74,842 | 76,167 | 1169 | 1083 | 2252 | 179 | 146 | 325 | 694 | 723 | 1417 | 469 | 836 | 1062·8 |
| Kirkcudbright . . . | 42,087 | 42,290 | 682 | 609 | 1291 | 108 | 94 | 202 | 361 | 346 | 707 | 207 | 584 | 897·8 |
| Wigtown . . . . | 38,602 | 38,448 | 597 | 572 | 1169 | 102 | 96 | 198 | 361 | 338 | 699 | 185 | 470 | 485·5 |

* The acreage of Scotland, excluding inland waters and foreshore, as furnished by the Ordnance Survey Department, Southampton, is 19,084,659 acres.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | NORTHERN. | | | | | | | | | | | | |
| | 1. Shetland. | | | | | | | | | | | | |
| 1 | Bressay, etc. (1) Bressay, | 902 | 850 | 14 | 14 | 28 | – | – | – | 5 | 5 | 10 | 3 |
| | (2) Burra and Quarff | 952 | 918 | 13 | 11 | 24 | – | – | – | 5 | 11 | 16 | 4 |
| 2 | Delting, . . . . | 1862 | 1654 | 21 | 16 | 37 | 3 | – | 3 | 14 | 21 | 35 | 2 |
| 3 | Dunrossness, etc.— | | | | | | | | | | | | |
| | (1) Dunrossness, . . | 1970 | 1604 | 23 | 16 | 39 | – | 1 | 1 | 12 | 14 | 26 | 3 |
| | (2) Sandwick and Cunningsburgh, . . | 2326 | 2308 | 31 | 22 | 53 | – | 2 | 2 | 26 | 14 | 40 | 5 |
| | (3) Fair Isle, . . | 226 | 214 | 7 | 5 | 12 | – | – | – | 1 | 4 | 5 | – |
| 4 | Fetlar, etc.— | | | | | | | | | | | | |
| | (1) Fetlar, . . . | 517 | 431 | 4 | 6 | 10 | 1 | 1 | 2 | 7 | 4 | 11 | 1 |
| | (2) North Yell, . . | 893 | 821 | 9 | 9 | 18 | – | – | – | 2 | 8 | 10 | 1 |
| 5 | Lerwick, . . . . | 4180 | 4772 | 44 | 56 | 100 | 1 | 1 | 2 | 35 | 54 | 89 | 46 |
| 6 | Mid and South Yell, . | 1843 | 1708 | 19 | 23 | 42 | 1 | 1 | 2 | 13 | 16 | 29 | 2 |
| 7 | Nesting, etc.— | | | | | | | | | | | | |
| | (1) Nesting, . . | 868 | 816 | 6 | 13 | 19 | 1 | 1 | 2 | 5 | 14 | 19 | 3 |
| | (2) Lunnasting, . . | 822 | 783 | 11 | 6 | 17 | 2 | 1 | 3 | 4 | 3 | 7 | – |
| | (3) Whalsay & Skerries, | 989 | 1027 | 13 | 15 | 28 | 1 | – | 1 | 14 | 11 | 25 | 3 |
| 8 | Northmavine, . . | 2602 | 2269 | 22 | 19 | 41 | – | 3 | 3 | 14 | 24 | 38 | 6 |
| 9 | Sandsting and Aithsting, | 2806 | 2702 | 34 | 29 | 63 | 4 | 3 | 7 | 12 | 24 | 36 | 9 |
| 10 | Tingwall, etc.— . . | | | | | | | | | | | | |
| | (1) Tingwall, . . | 1442 | 1484 | 11 | 13 | 24 | 2 | – | 2 | 7 | 13 | 20 | 4 |
| | (2) Whiteness & Weisdale | 1049 | 901 | 11 | 6 | 17 | – | 2 | 2 | 11 | 9 | 20 | 1 |
| 11 | Unst, . . . . | 2780 | 2181 | 20 | 18 | 38 | 2 | 1 | 3 | 10 | 14 | 24 | 12 |
| 12 | Walls, etc.—(1) Walls, . | 1325 | 1166 | 16 | 13 | 29 | – | 3 | 3 | 7 | 12 | 19 | 5 |
| | (2) Sandness, . | 646 | 575 | 8 | 9 | 17 | 1 | 1 | 2 | 7 | 9 | 16 | 1 |
| | (3) Papa-Stour, . | 351 | 254 | 2 | 7 | 9 | – | – | – | 1 | 1 | 2 | – |
| | (4) Foula, . . | 257 | 267 | 3 | 3 | 6 | – | – | – | 3 | 0 | 3 | – |
| | Total, | 31608 | 29705 | 342 | 329 | 671 | 19 | 21 | 40 | 215 | 285 | 500 | 111 |
| | 2. Orkney. | | | | | | | | | | | | |
| †13 | Birsay (part of Harray & Birsay) | 1597 | 1581 | 18 | 13 | 31 | 2 | – | 2 | 17 | 11 | 28 | 4 |
| *14 | Deerness, . . . . | 863 | 867 | 5 | 10 | 15 | – | – | – | 4 | 6 | 10 | 2 |
| *15 | Eday and Pharay, . . | 905 | 802 | 9 | 6 | 15 | – | – | – | 4 | 5 | 9 | 4 |
| 16 | Evie and Rendall, . . | 1340 | 1351 | 14 | 14 | 28 | – | 2 | 2 | 9 | 5 | 14 | 6 |
| 17 | Firth and Stennes, . | 1434 | 1362 | 17 | 22 | 39 | 1 | 1 | 2 | 15 | 10 | 25 | 14 |
| †18 | Harray (part of Harray & Birsay) | 727 | 745 | 12 | 12 | 24 | – | – | – | 5 | 5 | 10 | 2 |
| 19 | Holm and Paplay, . . | 935 | 1090 | 11 | 11 | 22 | – | – | – | 6 | 6 | 12 | 4 |
| 20 | Hoy and Græmsay, . | 581 | 603 | 6 | 9 | 15 | 2 | – | 2 | 4 | 6 | 10 | 1 |
| 21 | KIRKWALL and St Ola, | 4261 | 4801 | 63 | 68 | 131 | 5 | 6 | 11 | 47 | 51 | 98 | 35 |
| *22 | North Ronaldshay, . | 539 | 547 | 3 | 2 | 5 | – | – | – | 5 | 3 | 8 | 1 |
| 23 | Orphir, . . . . | 1040 | 1015 | 19 | 15 | 34 | 1 | – | 1 | 7 | 3 | 10 | 8 |
| 24 | Rousay and Egilshay, . | 1101 | 1118 | 15 | 17 | 32 | 1 | 1 | 2 | 3 | 11 | 14 | 9 |
| †25 | St Andrews, . . . | 870 | 828 | 7 | 7 | 14 | 1 | – | 1 | 5 | 5 | 10 | 5 |
| *26 | Sanday, . . . . | 2053 | 2082 | 27 | 20 | 47 | – | – | – | 10 | 14 | 24 | 7 |
| 27 | Sandwick, . . . | 1153 | 1198 | 12 | 15 | 27 | – | 1 | 1 | 7 | 8 | 15 | 10 |
| 28 | Shapinshay, . . . | 949 | 974 | 14 | 11 | 25 | 1 | – | 1 | 9 | 7 | 16 | 6 |
| | South Ronaldshay and Burray, . . . | 3228 | 3314 | 34 | 35 | 69 | 4 | 8 | 12 | 23 | 23 | 46 | 15 |
| | Stromness, . . . | 2403 | 2410 | 24 | 27 | 51 | – | 4 | 4 | 18 | 20 | 38 | 12 |
| | Stronsay, . . . | 1305 | 1305 | 10 | 10 | 20 | – | – | – | 9 | 14 | 23 | 9 |
| | Walls, etc.—(1) Walls, . | 1054 | 1013 | 16 | 18 | 34 | – | – | – | 7 | 8 | 15 | 5 |
| | (2) Flotta, . | 476 | 493 | 6 | 5 | 11 | – | – | – | 3 | 5 | 8 | – |
| 33 | Westray, etc.—(1) Westray | 2090 | 2200 | 25 | 31 | 56 | 2 | 3 | 5 | 11 | 10 | 21 | 11 |
| | (2) Papa-Westray, | 370 | 345 | 8 | 2 | 10 | – | – | – | 2 | 0 | 2 | 4 |
| | Total, | 31274 | 32044 | 375 | 380 | 755 | 20 | 26 | 46 | 230 | 236 | 466 | 174 |

Districts containing Parliamentary and Royal Burghs are printed in capitals, thus:—EDINBURGH. Districts containing Towns of 2000 Inhabitants and upwards are printed in small capitals, thus:—Carluke.

*N.B.*—An asterisk "*" is prefixed to those Districts which comprise one or more Parishes or parts of Parishes, and the component parts of these Districts will be found at page 341.

A dagger "†" is prefixed to those Districts which consist of only a part of the Parish of the same name.

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | 3. Caithness. | | | | | | | | | | | | |
| 34 | Bower, | 1700 | 1608 | 16 | 19 | 35 | 1 | 1 | 2 | 10 | 15 | 25 | 3 |
| 35 | Canisbay, | 2729 | 2626 | 31 | 28 | 59 | 6 | 2 | 8 | 13 | 21 | 34 | 13 |
| 36 | Dunnet, | 1661 | 1607 | 14 | 22 | 36 | 2 | 2 | 4 | 16 | 17 | 33 | 11 |
| 37 | Halkirk, | 2664 | 2705 | 39 | 39 | 78 | 3 | 3 | 6 | 29 | 22 | 51 | 8 |
| 38 | Latheron, | 7400 | 6675 | 86 | 69 | 155 | 11 | 9 | 20 | 71 | 61 | 132 | 22 |
| 39 | Olrig, | 2028 | 2002 | 30 | 30 | 60 | 5 | 4 | 9 | 19 | 16 | 35 | 5 |
| 40 | Reay, | 2331 | 2191 | 23 | 20 | 43 | 1 | 5 | 6 | 19 | 16 | 35 | 1 |
| 41 | Thurso, | 5754 | 6217 | 87 | 98 | 185 | 7 | 12 | 19 | 49 | 58 | 107 | 39 |
| 42 | Watten, | 1453 | 1406 | 18 | 19 | 37 | 5 | – | 5 | 12 | 9 | 21 | 4 |
| 43 | WICK, | 13291 | 12822 | 178 | 190 | 368 | 21 | 22 | 43 | 103 | 101 | 204 | 69 |
| | Total, | 41011 | 39859 | 522 | 534 | 1056 | 62 | 60 | 122 | 341 | 336 | 677 | 175 |
| | 4. Sutherland. | | | | | | | | | | | | |
| 44 | Assynt—(1) Kirkton, | 487 | 498 | 6 | 5 | 11 | – | – | – | 2 | 6 | 8 | 1 |
| | (2) Stoer, | 2519 | 2283 | 18 | 21 | 39 | 1 | 1 | 2 | 20 | 18 | 38 | 6 |
| 45 | Clyne, | 1733 | 1812 | 27 | 17 | 44 | – | 1 | 1 | 12 | 17 | 29 | 4 |
| 46 | Creich—(1) Bonar, | 1854 | 1571 | 12 | 10 | 22 | 2 | 1 | 3 | 17 | 17 | 34 | 8 |
| | (2) Rosehall, | 670 | 652 | 9 | 12 | 21 | – | 3 | 3 | 5 | 6 | 11 | 2 |
| 47 | DORNOCH, | 2764 | 2525 | 25 | 33 | 58 | 1 | 2 | 3 | 20 | 19 | 39 | 13 |
| 48 | Durness, | 1049 | 987 | 8 | 8 | 16 | 1 | 2 | 3 | 8 | 8 | 16 | 2 |
| 49 | Eddrachillis—(1) Scourie, | 648 | 605 | 3 | 10 | 13 | – | – | – | 5 | 2 | 7 | 5 |
| | (2) Kinlochbervie, | 882 | 920 | 13 | 14 | 27 | – | 1 | 1 | 11 | 9 | 20 | 2 |
| 50 | Farr—(1) Kirkton, | 1190 | 1140 | 16 | 9 | 25 | – | 1 | 1 | 7 | 14 | 21 | 1 |
| | (2) Strathy, | 829 | 790 | 7 | 6 | 13 | – | – | – | 4 | 5 | 9 | 3 |
| 51 | Golspie, | 1804 | 1556 | 16 | 20 | 36 | – | 2 | 2 | 9 | 8 | 17 | 8 |
| 52 | Kildonan, | 1916 | 1942 | 27 | 29 | 56 | 1 | 3 | 4 | 13 | 18 | 31 | 8 |
| 53 | Lairg, | 978 | 1355 | 29 | 19 | 48 | 3 | – | 3 | 15 | 8 | 23 | 9 |
| 54 | Loth, | 583 | 584 | 7 | 9 | 16 | – | – | – | 0 | 6 | 6 | 2 |
| 55 | Rogart, | 1341 | 1227 | 10 | 19 | 29 | – | 1 | 1 | 9 | 18 | 27 | 5 |
| 56 | Tongue, | 2051 | 1929 | 25 | 19 | 44 | – | 2 | 2 | 10 | 14 | 24 | 6 |
| | Total, | 23298 | 22376 | 258 | 260 | 518 | 9 | 20 | 29 | 167 | 193 | 360 | 85 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | |
| | 5. Ross and Cromarty. *Mainland.* | | | | | | | | | | | | |
| 57 | Alness, | 1053 | 1033 | 13 | 16 | 29 | – | 3 | 3 | 3 | 10 | 13 | 5 |
| *58 | Applecross— | | | | | | | | | | | | |
| | (1) Applecross, | 1129 | 958 | 6 | 9 | 15 | – | – | – | 13 | 1 | 14 | 6 |
| | (2) Shieldaig, | 1467 | 1396 | 19 | 10 | 29 | 1 | – | 1 | 17 | 9 | 26 | 4 |
| 59*a* | Avoch, | 1828 | 1691 | 26 | 33 | 59 | 4 | – | 4 | 17 | 18 | 35 | 12 |
| 59*b* | Carnoch, | 325 | 296 | 2 | 2 | 4 | – | – | – | 2 | 5 | 7 | – |
| 60 | Contin, | 729 | 708 | 9 | 7 | 16 | – | – | – | 1 | 8 | 9 | 1 |
| 61 | CROMARTY, | 2180 | 2009 | 33 | 28 | 61 | 3 | 2 | 5 | 20 | 18 | 38 | 5 |
| 62 | DINGWALL, | 2443 | 2220 | 28 | 29 | 57 | 2 | – | 2 | 25 | 23 | 48 | 15 |
| 63 | Edderton, | 860 | 789 | 9 | 6 | 15 | – | – | – | 1 | 3 | 4 | 4 |
| 64 | Fearn, | 2135 | 2135 | 23 | 25 | 48 | 3 | 2 | 5 | 12 | 16 | 28 | 4 |
| 65 | Fodderty, | 1943 | 1880 | 19 | 23 | 42 | – | 1 | 1 | 12 | 23 | 35 | 6 |
| 66 | Gairloch—(1) Northern, | 1669 | 1461 | 19 | 19 | 38 | – | – | – | 12 | 14 | 26 | 5 |
| | (2) Southern, | 3253 | 3018 | 39 | 24 | 63 | 3 | 1 | 4 | 13 | 20 | 33 | 13 |
| 67 | Glenshiel, | 463 | 424 | 7 | 5 | 12 | 1 | – | 1 | 6 | 2 | 8 | 1 |
| 68 | Killearnan, | 1272 | 1059 | 15 | 12 | 27 | 1 | – | 1 | 9 | 9 | 18 | 3 |
| 69 | Kilmuir-Easter, | 1281 | 1146 | 14 | 14 | 28 | 1 | 3 | 4 | 10 | 11 | 21 | 2 |
| 70 | Kiltearn, | 1496 | 1182 | 22 | 5 | 27 | 3 | – | 3 | 17 | 7 | 24 | 1 |
| 71*a* | Kincardine— | | | | | | | | | | | | |
| | (1) Kincardine, | 1267 | 1148 | 13 | 10 | 23 | 1 | 3 | 4 | 11 | 10 | 21 | 4 |
| | (2) Strathoykel, | 418 | 324 | 3 | 1 | 4 | – | – | – | 1 | 0 | 1 | 2 |
| 71*b* | Kinlochluichart, | 704 | 632 | 5 | 10 | 15 | – | – | – | 4 | 1 | 5 | 2 |
| 72 | Kintail, | 753 | 688 | 11 | 4 | 15 | 2 | – | 2 | 4 | 6 | 10 | 2 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Ttl. | Mal. | Fem | Total. | |
| 73 | Knockbain, . . . | 2155 | 1866 | 23 | 17 | 40 | 1 | 1 | 2 | 14 | 19 | 33 | 4 |
| 74 | Lochalsh, . . . | 2319 | 2050 | 21 | 24 | 45 | 2 | 2 | 4 | 11 | 13 | 24 | 5 |
| 75 | Lochbroom— | | | | | | | | | | | | |
| | (1) Lochbroom, . | 3167 | 3024 | 43 | 36 | 79 | 2 | 3 | 5 | 19 | 14 | 33 | 10 |
| | (2) Coigach, . . | 1239 | 1167 | 14 | 19 | 33 | 1 | – | 1 | 6 | 7 | 13 | 4 |
| 76 | Lochcarron, . . , | 1629 | 1456 | 16 | 16 | 32 | – | 1 | 1 | 12 | 7 | 19 | 9 |
| 77 | Logie-Easter, . . | 912 | 827 | 12 | 7 | 19 | 1 | – | 1 | 11 | 7 | 18 | 3 |
| 78 | Nigg, . . . . | 1201 | 1000 | 7 | 16 | 23 | – | – | – | 13 | 6 | 19 | 5 |
| 79 | Resolis, . . . | 1527 | 1424 | 14 | 18 | 32 | – | – | – | 8 | 15 | 23 | 7 |
| 80 | ROSEMARKIE, . . | 1441 | 1357 | 23 | 18 | 41 | 2 | – | 2 | 13 | 12 | 25 | 4 |
| 81 | Rosskeen, . . . | 3808 | 3773 | 49 | 40 | 89 | 4 | 4 | 8 | 25 | 26 | 51 | 15 |
| 82 | TAIN, . . . . | 3221 | 3009 | 43 | 29 | 72 | 2 | 5 | 7 | 23 | 30 | 53 | 12 |
| 83 | Tarbat, . . . . | 2182 | 1878 | 21 | 26 | 47 | – | – | – | 12 | 16 | 28 | 6 |
| 84 | Urquhart & Logie-Wester | 2863 | 2525 | 17 | 32 | 49 | – | 6 | 6 | 17 | 18 | 35 | 13 |
| †85 | Urray, . . . . | 2278 | 2427 | 30 | 25 | 55 | 1 | 3 | 4 | 11 | 12 | 23 | 10 |
| | *Insular.* | | | | | | | | | | | | |
| 86*a* | Barvas, . . . . | 4950 | 5325 | 76 | 96 | 172 | 1 | 1 | 2 | 41 | 40 | 81 | 34 |
| *86*b* | Carloway, . . . | 2702 | 2974 | 62 | 41 | 103 | 1 | 1 | 2 | 33 | 15 | 48 | 27 |
| *87 | Lochs, . . . . | 4162 | 4543 | 67 | 79 | 146 | 3 | 1 | 4 | 36 | 32 | 68 | 21 |
| 88 | Stornoway, . . . | 9510 | 10389 | 166 | 155 | 321 | 4 | 4 | 8 | 68 | 88 | 156 | 70 |
| †89 | Uig, . . . . | 2159 | 2256 | 33 | 29 | 62 | – | 1 | 1 | 9 | 14 | 23 | 7 |
| | Total, | 82093 | 79467 | 1072 | 1015 | 2087 | 50 | 48 | 98 | 592 | 605 | 1197 | 363 |
| | 6. Inverness. | | | | | | | | | | | | |
| | *Mainland.* | | | | | | | | | | | | |
| 90*a* | Abernethy & Kincardine, | 1752 | 1530 | 27 | 21 | 48 | 7 | 3 | 10 | 19 | 9 | 28 | 7 |
| 90*b* | Alvie, . . . . | 882 | 707 | 11 | 6 | 17 | – | 2 | 2 | 7 | 2 | 9 | 2 |
| 91 | Ardersier, . . . | 1284 | 2086 | 16 | 21 | 37 | 3 | – | 3 | 11 | 9 | 20 | 9 |
| 92 | Boleskine, etc.— | | | | | | | | | | | | |
| | (1) Boleskine, . . | 681 | 575 | 4 | 4 | 8 | – | – | – | 6 | 3 | 9 | 1 |
| | (2 Fort-Augustus or Abertarff, . | 897 | 873 | 9 | 10 | 19 | 1 | 1 | 2 | 11 | 5 | 16 | 2 |
| 93 | Cromdale and Inverallan. (Now 128*b* *infra.*) | | | | | | | | | | | | |
| 94 | Croy and Dalcross, . | 1841 | 1709 | 20 | 17 | 37 | 1 | 3 | 4 | 11 | 12 | 23 | 4 |
| 95 | Daviot and Dunlichty, . | 1598 | 1252 | 16 | 11 | 27 | 2 | – | 2 | 7 | 12 | 19 | 5 |
| 96*a* | Dores, . . . . | 1401 | 1148 | 10 | 17 | 27 | 1 | – | 1 | 9 | 11 | 20 | 4 |
| 96*b* | Duthil, etc.—(1) Duthil, | 1530 | 1371 | 13 | 16 | 29 | 1 | 7 | 8 | 9 | 4 | 13 | 5 |
| | (2) Rothiemurchus, . | 342 | 293 | 4 | 4 | 8 | 1 | – | 1 | 0 | 2 | 2 | 1 |
| 97 | Glenelg—(1) Glenelg, . | 714 | 658 | 9 | 7 | 16 | – | – | – | 3 | 2 | 5 | – |
| | (2) Knoydart, . | 499 | 458 | 9 | 7 | 16 | 2 | 2 | 4 | 2 | 2 | 4 | – |
| | (3)North Morar, | 440 | 485 | 4 | 5 | 9 | – | – | – | 3 | 9 | 12 | 2 |
| 98 | INVERNESS, . . | 18552 | 21725 | 347 | 308 | 655 | 29 | 19 | 48 | 233 | 227 | 460 | 128 |
| 99 | Kilmonivaig— | | | | | | | | | | | | |
| | (1) Glengarry, . . | 550 | 553 | 3 | 7 | 10 | – | – | – | 3 | – | 3 | 2 |
| | (2) Lochaber, . . | 1417 | 1375 | 18 | 21 | 39 | 1 | 2 | 3 | 11 | 5 | 16 | 2 |
| 100 | Kilmorack, . . . | 2728 | 2618 | 32 | 33 | 65 | 5 | 1 | 6 | 32 | 26 | 58 | 11 |
| 101 | Kiltarlity, . . . | 2537 | 2134 | 19 | 16 | 35 | 3 | – | 3 | 14 | 15 | 29 | 8 |
| 102 | Kingussie and Insh, . | 2101 | 1987 | 25 | 20 | 45 | 2 | 5 | 7 | 9 | 16 | 25 | 7 |
| 103 | Kirkhill, . . . | 1582 | 1480 | 19 | 14 | 33 | – | 4 | 4 | 12 | 18 | 30 | 6 |
| 104 | Laggan, . . . | 950 | 917 | 8 | 12 | 20 | 1 | 3 | 4 | 8 | 5 | 13 | 2 |
| 105 | Moy and Dalarossie, . | 1005 | 822 | 8 | 7 | 15 | – | 1 | 1 | 6 | 5 | 11 | 2 |
| 106 | Petty, . . . . | 1549 | 1531 | 26 | 30 | 56 | 4 | 1 | 5 | 15 | 8 | 23 | 4 |
| 107 | Urquhart, etc.— | | | | | | | | | | | | |
| | (1) Urquhart, . | 2215 | 2013 | 21 | 27 | 48 | 1 | 1 | 2 | 18 | 16 | 34 | 4 |
| | (2) Glenmoriston, | 565 | 425 | 1 | 7 | 8 | – | – | – | 1 | – | 1 | 2 |
| | *Insular.* | | | | | | | | | | | | |
| 108 | Barra, . . . . | 1997 | 2161 | 38 | 23 | 61 | 2 | 1 | 3 | 17 | 12 | 29 | 14 |
| 109 | Bracadale, . . . | 1113 | 929 | 16 | 7 | 23 | 3 | – | 3 | 9 | 5 | 14 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 110 | Duirinish, | 4422 | 4319 | 73 | 43 | 116 | 3 | 3 | 6 | 26 | 24 | 50 | 12 |
| 111 | Harris—(1) North Harris | 2306 | 2844 | 52 | 35 | 87 | 3 | 1 | 4 | 28 | 14 | 42 | 15 |
| | (2) South Harris, | 1362 | 1439 | 25 | 26 | 51 | 1 | 4 | 5 | 11 | 12 | 23 | 8 |
| | (3) Bernera, | 381 | 454 | 4 | 9 | 13 | – | 1 | 1 | 1 | – | 1 | – |
| | (4) St Kilda, | 71 | 77 | 4 | 1 | 5 | – | 1 | 1 | 4 | 2 | 6 | – |
| *112 | Kilmuir—(1) Kilmuir, | 1362 | 1265 | 22 | 15 | 37 | 4 | – | 4 | 12 | 15 | 27 | 8 |
| | (2) Stenscholl, | 1228 | 1314 | 28 | 19 | 47 | 1 | 1 | 2 | 7 | 9 | 16 | 2 |
| 113 | North Uist, | 4107 | 4264 | 50 | 58 | 108 | 5 | 4 | 9 | 33 | 29 | 62 | 21 |
| 114 | Portree—(1) Portree, | 2328 | 2483 | 36 | 33 | 69 | 4 | 3 | 7 | 19 | 18 | 37 | 11 |
| | (2) Raasay, | 600 | 708 | 8 | 15 | 23 | – | 1 | 1 | 7 | 7 | 14 | 1 |
| 115 | Sleat, | 2233 | 2060 | 32 | 24 | 56 | 4 | 1 | 5 | 14 | 12 | 26 | 9 |
| 116 | Small Isles, | 522 | 550 | 5 | 8 | 13 | – | – | – | 8 | 3 | 11 | 1 |
| 117 | Snizort—(1) North, | 803 | 731 | 10 | 5 | 15 | 1 | 2 | 3 | 2 | 4 | 6 | 1 |
| | (2) South, | 1500 | 1372 | 17 | 13 | 30 | 3 | – | 3 | 15 | 13 | 28 | 2 |
| 118 | South Uist— | | | | | | | | | | | | |
| | (1) Benbecula, | 1651 | 1781 | 23 | 27 | 50 | 2 | 4 | 6 | 17 | 16 | 33 | 11 |
| | (2) Howmore, | 1818 | 1968 | 29 | 27 | 56 | 3 | 1 | 4 | 21 | 20 | 41 | 3 |
| | (3) Boisdale, | 2280 | 2329 | 29 | 29 | 58 | 1 | 1 | 2 | 19 | 25 | 44 | 18 |
| 119 | Strath, | 2562 | 2616 | 37 | 31 | 68 | 4 | 5 | 9 | 15 | 14 | 29 | 8 |
| | —— Total, | 84258 | 86389 | 1217 | 1096 | 2313 | 109 | 89 | 198 | 745 | 677 | 1422 | 366 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | |
| | 7. Nairn. | | | | | | | | | | | | |
| 120 | Ardclach, | 1197 | 1117 | 20 | 10 | 30 | 1 | – | 1 | 8 | 4 | 12 | 5 |
| 121 | Auldearn, | 1279 | 1292 | 22 | 19 | 41 | 4 | 4 | 8 | 5 | 6 | 11 | 6 |
| 122 | Cawdor, | 1027 | 1070 | 15 | 15 | 30 | 1 | – | 1 | 8 | 3 | 11 | 4 |
| 123 | NAIRN, | 4869 | 5368 | 77 | 84 | 161 | 11 | 7 | 18 | 44 | 52 | 96 | 22 |
| | Total, | 8372 | 8847 | 134 | 128 | 262 | 17 | 11 | 28 | 65 | 65 | 130 | 37 |
| | 8. Elgin (or Moray). | | | | | | | | | | | | |
| 124 | Abernethy and Kincardine. (Now 90*a supra*). | | | | | | | | | | | | |
| 125 | Alves, | 1018 | 1117 | 11 | 21 | 32 | 2 | – | 2 | 7 | 6 | 13 | 3 |
| 126 | Bellie, | 2013 | 2047 | 31 | 24 | 55 | 5 | 1 | 6 | 15 | 13 | 28 | 12 |
| 127 | Birnie, | 375 | 367 | 3 | 5 | 8 | – | – | – | 3 | – | 3 | 2 |
| 128*a* | Boharm, | 1337 | 1166 | 17 | 17 | 34 | 4 | 2 | 6 | 8 | 5 | 13 | 8 |
| 128*b* | Cromdale, etc.,— | | | | | | | | | | | | |
| | (1) Cromdale & Advie, | 1295 | 1166 | 17 | 9 | 26 | 3 | 2 | 5 | 14 | 8 | 22 | 6 |
| | (2) Inverallan, | 2522 | 2476 | 32 | 44 | 76 | 9 | 11 | 20 | 31 | 28 | 59 | 12 |
| 129 | Dallas, | 1060 | 915 | 13 | 17 | 30 | 7 | 6 | 13 | 9 | 9 | 18 | 7 |
| 130 | Drainie, | 3293 | 3991 | 85 | 94 | 179 | 5 | 12 | 17 | 32 | 37 | 69 | 30 |
| 131 | Duffus, | 3716 | 3985 | 72 | 68 | 140 | 6 | 7 | 13 | 36 | 34 | 70 | 46 |
| 132 | Duthil, etc.–(Now 96*b sup.*) | | | | | | | | | | | | |
| 133 | Dyke, | 1238 | 1236 | 22 | 18 | 40 | 4 | 3 | 7 | 9 | 13 | 22 | 5 |
| 134 | Edinkillie, | 1286 | 1175 | 23 | 16 | 39 | – | 2 | 2 | 10 | 5 | 15 | 9 |
| 135 | ELGIN, | 9703 | 9868 | 142 | 118 | 260 | 35 | 20 | 55 | 91 | 104 | 195 | 48 |
| 136 | New Spynie, | 573 | 544 | 11 | 7 | 18 | 3 | 4 | 7 | 8 | 8 | 16 | 3 |
| 137 | FORRES, | 4562 | 4752 | 67 | 75 | 142 | 13 | 10 | 23 | 49 | 50 | 99 | 36 |
| 138 | Kinloss, | 1112 | 1072 | 12 | 15 | 27 | – | 2 | 2 | 10 | 4 | 14 | 7 |
| 139 | Knockando, | 1909 | 1838 | 26 | 25 | 51 | 6 | 6 | 12 | 17 | 17 | 34 | 7 |
| 140 | Rafford, | 1101 | 1052 | 16 | 12 | 28 | 3 | 2 | 5 | 11 | 5 | 16 | 3 |
| 141 | Rothes, | 2148 | 2201 | 46 | 35 | 81 | 12 | 9 | 21 | 25 | 28 | 53 | 9 |
| 142 | St Andrews-Lhanbryde, | 1286 | 1345 | 20 | 20 | 40 | 1 | 3 | 4 | 6 | 8 | 14 | 6 |
| 143 | Speymouth, | 634 | 656 | 9 | 11 | 20 | 3 | 3 | 6 | 1 | 5 | 6 | 3 |
| 144 | Urquhart, | 2368 | 2139 | 30 | 35 | 65 | 5 | 4 | 9 | 17 | 16 | 33 | 12 |
| | Total, | 44549 | 45108 | 705 | 686 | 1391 | 126 | 109 | 235 | 409 | 403 | 812 | 274 |
| | 9. Banff. | | | | | | | | | | | | |
| 145 | Aberlour, | 1632 | 1794 | 25 | 21 | 46 | 5 | 2 | 7 | 13 | 16 | 29 | 9 |
| 146 | Alvah, | 1436 | 1356 | 21 | 13 | 34 | 4 | 1 | 5 | 2 | 2 | 4 | 6 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| *147 | BANFF, | 8425 | 8868 | 145 | 134 | 279 | 29 | 25 | 54 | 82 | 76 | 158 | 51 |
| 148 | Botriphnie, | 785 | 696 | 13 | 4 | 17 | 1 | 1 | 2 | 3 | 4 | 7 | – |
| 149 | Boyndie, | 1854 | 2004 | 46 | 34 | 80 | 7 | 5 | 12 | 18 | 19 | 37 | 11 |
| †150 | CULLEN, | 2056 | 2033 | 33 | 36 | 69 | 5 | 2 | 7 | 13 | 21 | 34 | 8 |
| 151 | Deskford, | 972 | 849 | 15 | 13 | 28 | 3 | 1 | 4 | 3 | 4 | 7 | 4 |
| *152 | Enzie, | 2251 | 2413 | 44 | 25 | 69 | 8 | 1 | 9 | 20 | 26 | 46 | 14 |
| 153 | Fordyce— | | | | | | | | | | | | |
| | (1) Fordyce, | 2151 | 1976 | 23 | 31 | 54 | 7 | 8 | 15 | 10 | 13 | 23 | 15 |
| | (2) Portsoy, | 2002 | 2313 | 46 | 38 | 84 | 4 | 5 | 9 | 22 | 20 | 42 | 11 |
| 154 | Forglen, | 845 | 744 | 11 | 13 | 24 | 2 | 1 | 3 | 5 | 1 | 6 | 6 |
| †155*a* | Gamrie, | 3151 | 3106 | 51 | 53 | 104 | 10 | 3 | 13 | 24 | 13 | 37 | 18 |
| *155*b* | Glenrinnes, | 466 | 401 | 5 | 3 | 8 | 1 | – | 1 | 1 | 2 | 3 | 2 |
| 156 | Grange, | 1876 | 1754 | 30 | 23 | 53 | 4 | 3 | 7 | 13 | 17 | 30 | 11 |
| 157 | Inveravon—(1) Inveravon, | 890 | 952 | 17 | 12 | 29 | 5 | 1 | 6 | 4 | 5 | 9 | 3 |
| | (2) Glenlivat, | 1718 | 1616 | 19 | 18 | 37 | 3 | 3 | 6 | 15 | 14 | 29 | 4 |
| 158 | Inverkeithny, | 1000 | 909 | 9 | 13 | 22 | – | 2 | 2 | 5 | 6 | 11 | 3 |
| 159 | Keith, | 5891 | 6396 | 93 | 94 | 187 | 17 | 25 | 42 | 72 | 79 | 151 | 38 |
| 160 | Kirkmichael, etc.— | | | | | | | | | | | | |
| | (1) Kirkmichael, | 477 | 387 | 5 | 1 | 6 | 2 | 1 | 3 | 5 | 8 | 13 | 1 |
| | (2) Tomintoul, | 799 | 686 | 11 | 6 | 17 | 4 | 2 | 6 | 7 | 14 | 21 | 3 |
| 161 | Marnoch, | 3294 | 3230 | 47 | 54 | 101 | 9 | 14 | 23 | 25 | 18 | 43 | 7 |
| †162 | Mortlach, | 2737 | 2651 | 48 | 38 | 86 | 10 | 4 | 14 | 15 | 25 | 40 | 14 |
| 163 | Ordiquhill, | 761 | 714 | 9 | 12 | 21 | 1 | 1 | 2 | 4 | 2 | 6 | 6 |
| †164 | Rathven, | 6659 | 7396 | 138 | 151 | 289 | 12 | 14 | 26 | 60 | 77 | 137 | 56 |
| 165 | Rothiemay, | 1370 | 1363 | 21 | 21 | 42 | 3 | 6 | 9 | 13 | 13 | 26 | 8 |
| 166 | St Fergus, | 1633 | 1527 | 24 | 26 | 50 | 9 | 3 | 12 | 12 | 7 | 19 | 8 |
| *167 | SEAFIELD, | 1752 | 1649 | 18 | 19 | 37 | 1 | 1 | 2 | 13 | 19 | 32 | 20 |
| | | 58883 | 59783 | 967 | 906 | 1873 | 166 | 135 | 301 | 479 | 521 | 1000 | 337 |
| | 10. Aberdeen. | | | | | | | | | | | | |
| 168 | ABERDEEN— | | | | | | | | | | | | |
| | (1) St Nicholas, | 47077 | 50525 | 974 | 951 | 1925 | 118 | 120 | 238 | 579 | 550 | 1129 | 426 |
| | (2) Old Machar, | 41104 | 54551 | 855 | 834 | 1689 | 88 | 62 | 150 | 405 | 544 | 949 | 380 |
| | Do. (Landward), | 1373 | 1451 | 27 | 22 | 49 | – | – | – | 9 | 12 | 21 | 5 |
| †169 | Aberdour, | 1945 | 1931 | 30 | 32 | 62 | 5 | 4 | 9 | 18 | 13 | 31 | 11 |
| 170 | Aboyne, | 1351 | 1427 | 16 | 26 | 42 | 4 | 6 | 10 | 8 | 3 | 11 | 9 |
| 171 | Alford, | 1396 | 1472 | 27 | 22 | 49 | 6 | 2 | 8 | 7 | 16 | 23 | 9 |
| 172 | Auchindoir, | 1545 | 1514 | 21 | 27 | 48 | 3 | 5 | 8 | 12 | 13 | 25 | 11 |
| †173 | Auchterless, | 1971 | 1948 | 32 | 31 | 63 | 8 | 4 | 12 | 19 | 15 | 34 | 12 |
| 174 | Belhelvie, | 1833 | 1850 | 32 | 26 | 58 | 5 | 9 | 14 | 10 | 14 | 24 | 7 |
| 175 | Birse, | 1198 | 1093 | 16 | 9 | 25 | 4 | 2 | 6 | 7 | 6 | 13 | 8 |
| 176 | Bourtie, | 499 | 463 | 8 | 8 | 16 | – | – | – | 6 | 1 | 7 | 1 |
| 177 | Cabrach, | 775 | 682 | 8 | 6 | 14 | 3 | 2 | 5 | 6 | 4 | 10 | 3 |
| 178 | Cairney, | 1525 | 1565 | 31 | 12 | 43 | 8 | 3 | 11 | 13 | 12 | 25 | 6 |
| 179 | Chapel of Garioch, | 1928 | 1923 | 34 | 33 | 67 | 3 | 2 | 5 | 10 | 14 | 24 | 7 |
| 180 | Clatt, | 483 | 452 | 4 | 9 | 13 | 1 | – | 1 | 6 | 4 | 10 | 1 |
| 181 | Cluny, | 1366 | 1298 | 14 | 19 | 33 | 3 | 6 | 9 | 12 | 4 | 16 | 8 |
| 182 | Coull, | 824 | 783 | 12 | 17 | 29 | 5 | 6 | 11 | 8 | 6 | 14 | 6 |
| 183 | Crathie and Braemar, | 1566 | 1611 | 10 | 22 | 32 | 1 | 1 | 2 | 6 | 17 | 23 | 4 |
| †184 | Crimond, | 861 | 815 | 16 | 10 | 26 | 1 | 3 | 4 | 4 | 5 | 9 | 3 |
| 185 | Cruden, | 3124 | 3444 | 71 | 61 | 132 | 7 | 11 | 18 | 27 | 18 | 45 | 17 |
| 186 | Culsamond, | 896 | 828 | 14 | 10 | 24 | 5 | 2 | 7 | 3 | 6 | 9 | 7 |
| 187 | Daviot, | 597 | 515 | 10 | 2 | 12 | 2 | 1 | 3 | 4 | 1 | 5 | 2 |
| 188 | Drumblade, | 931 | 943 | 16 | 10 | 26 | 5 | 2 | 7 | 8 | 8 | 16 | 5 |
| 189 | Drumoak, | 1032 | 930 | 13 | 16 | 29 | – | 4 | 4 | 7 | 6 | 13 | 8 |
| 190 | Dyce, | 945 | 1162 | 24 | 20 | 44 | 4 | 1 | 5 | 4 | 10 | 14 | 9 |
| 191 | Echt, | 1259 | 1297 | 14 | 22 | 36 | 4 | 3 | 7 | 4 | 5 | 9 | 4 |
| †192 | Ellon, | 3036 | 3057 | 58 | 60 | 118 | 7 | 7 | 14 | 22 | 19 | 41 | 19 |
| 193 | Fintray, | 1108 | 1032 | 16 | 16 | 32 | 2 | 4 | 6 | 8 | 2 | 10 | 3 |
| †194 | Forgue, | 1332 | 1303 | 19 | 23 | 42 | 3 | 4 | 7 | 6 | 9 | 15 | 7 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 195 | Foveran, | 1859 | 2042 | 36 | 27 | 63 | 4 | 6 | 10 | 20 | 16 | 36 | 8 |
| 196 | Fraserburgh, | 5301 | 7596 | 170 | 168 | 338 | 19 | 17 | 36 | 82 | 65 | 147 | 50 |
| 197 | Fyvie, | 3306 | 3317 | 50 | 38 | 88 | 14 | 8 | 22 | 26 | 22 | 48 | 28 |
| 198 | Gartly, | 972 | 890 | 11 | 11 | 22 | 1 | 1 | 2 | 9 | 11 | 20 | 4 |
| 199 | Glass, | 1061 | 1020 | 10 | 15 | 25 | 3 | 2 | 5 | 10 | 4 | 14 | 3 |
| 200 | Glenbucket, | 570 | 506 | 11 | 2 | 13 | 3 | 1 | 4 | 2 | 2 | 4 | 1 |
| 201 | Glenmuick, Tullich, and Glengairn, | 1992 | 1946 | 27 | 29 | 56 | 2 | 8 | 10 | 11 | 13 | 24 | 7 |
| 202 | Huntly, | 4374 | 4388 | 75 | 71 | 146 | 18 | 14 | 32 | 46 | 29 | 75 | 25 |
| 203 | Insch, | 1596 | 1536 | 27 | 27 | 54 | 11 | 4 | 15 | 19 | 17 | 36 | 10 |
| 204 | INVERURIE, | 2970 | 3038 | 53 | 54 | 107 | 15 | 7 | 22 | 23 | 27 | 50 | 28 |
| 205 | Keig, | 886 | 776 | 17 | 10 | 27 | 1 | – | 1 | 5 | 6 | 11 | 7 |
| 206 | Keithhall, | 874 | 880 | 11 | 10 | 21 | 2 | 3 | 5 | 4 | 5 | 9 | 9 |
| 207 | Kemnay, | 1300 | 1636 | 36 | 22 | 58 | 4 | 2 | 6 | 11 | 13 | 24 | 7 |
| 208 | Kildrummy, | 660 | 656 | 8 | 12 | 20 | 1 | 2 | 3 | 3 | 3 | 6 | 4 |
| 209 | Kincardine O'Neil, | 2000 | 1931 | 19 | 33 | 52 | 3 | 5 | 8 | 19 | 11 | 30 | 6 |
| 210*a* | King Edward— | | | | | | | | | | | | |
| | (1) King-Edward, | 1058 | 1164 | 15 | 23 | 38 | 5 | 1 | 6 | 6 | 11 | 17 | 3 |
| | (2) New Byth, | 2053 | 1904 | 40 | 37 | 77 | 13 | 12 | 25 | 14 | 7 | 21 | 9 |
| 210*b* | Kinninmonth | 1113 | 1116 | 17 | 29 | 46 | 7 | 4 | 11 | 9 | 8 | 17 | 4 |
| 211 | Kinnellar, | 601 | 580 | 12 | 9 | 21 | 1 | 1 | 2 | 1 | 3 | 4 | 7 |
| 212 | Kinnethmont, | 1062 | 999 | 11 | 13 | 24 | 1 | 3 | 4 | 6 | 4 | 10 | 4 |
| 213 | KINTORE, | 2158 | 2327 | 44 | 39 | 83 | 7 | 5 | 12 | 16 | 12 | 28 | 11 |
| 214 | Leochel-Cushnie, | 1232 | 1217 | 15 | 21 | 36 | 3 | 5 | 8 | 14 | 6 | 20 | 5 |
| 215 | Leslie, | 532 | 523 | 11 | 7 | 18 | 3 | – | 3 | 7 | 6 | 13 | 3 |
| 216 | Logie-Buchan, | 808 | 767 | 15 | 16 | 31 | 3 | 5 | 8 | 5 | 6 | 11 | – |
| 217 | Logie Coldstone & Cromar, | 1068 | 1071 | 13 | 16 | 29 | 4 | 1 | 5 | 4 | 10 | 14 | 6 |
| 218 | Longside, | 3312 | 3211 | 72 | 55 | 127 | 14 | 10 | 24 | 30 | 28 | 58 | 19 |
| 219 | Lonmay, | 1653 | 1767 | 29 | 26 | 55 | 1 | – | 1 | 8 | 9 | 17 | 6 |
| 220 | Lumphanan, | 1239 | 1130 | 14 | 16 | 30 | 5 | 2 | 7 | 7 | 6 | 13 | – |
| 221 | Methlic, | 2084 | 2162 | 34 | 25 | 59 | 7 | 6 | 13 | 15 | 12 | 27 | 8 |
| 222*a* | Midmar, | 1127 | 1041 | 11 | 17 | 28 | 2 | 3 | 5 | 5 | 10 | 15 | 1 |
| 222*b* | Millbrex, | 1484 | 1406 | 20 | 24 | 44 | 6 | 6 | 12 | 12 | 9 | 21 | 2 |
| 223 | Monquhitter, | 2670 | 2474 | 47 | 45 | 92 | 11 | 15 | 26 | 15 | 20 | 35 | 14 |
| 224 | Monymusk, | 996 | 1155 | 16 | 11 | 27 | 1 | – | 1 | 10 | 5 | 15 | 2 |
| 225 | New Deer, | 4147 | 4097 | 57 | 73 | 130 | 11 | 16 | 27 | 38 | 31 | 69 | 19 |
| 226 | Newhills, | 4210 | 5480 | 80 | 105 | 185 | 7 | 15 | 22 | 35 | 31 | 66 | 22 |
| 227*a* | New Machar, | 1520 | 1505 | 36 | 14 | 50 | 6 | 2 | 8 | 10 | 5 | 15 | 6 |
| 227*b* | New Pitsligo, | 3090 | 2964 | 54 | 52 | 106 | 18 | 13 | 31 | 23 | 25 | 48 | 18 |
| 228 | Old Deer, | 4261 | 4274 | 75 | 58 | 133 | 19 | 15 | 34 | 26 | 31 | 57 | 23 |
| 229 | Old Meldrum, | 2330 | 2254 | 42 | 35 | 77 | 9 | 4 | 13 | 14 | 21 | 35 | 15 |
| 230 | Oyne, | 1050 | 962 | 12 | 13 | 25 | 2 | 2 | 4 | 9 | 5 | 14 | 6 |
| 231 | Peterculter, | 1668 | 1908 | 34 | 27 | 61 | 3 | 3 | 6 | 10 | 8 | 18 | 13 |
| 232 | PETERHEAD, | 10162 | 12491 | 272 | 258 | 530 | 14 | 22 | 36 | 95 | 102 | 197 | 88 |
| | Boddam, | 1344 | 1766 | 32 | 35 | 67 | 5 | 2 | 7 | 19 | 11 | 30 | 7 |
| 233 | Pitsligo, | 2218 | 2582 | 42 | 48 | 90 | 2 | 7 | 9 | 16 | 31 | 47 | 20 |
| 234 | Premnay, | 997 | 930 | 17 | 26 | 43 | 5 | 7 | 12 | 4 | 6 | 10 | 6 |
| 235 | Rathen,—(1) Rathen, | 1257 | 1248 | 26 | 22 | 48 | 5 | 7 | 12 | 7 | 5 | 12 | 3 |
| | (2) Inverallochy, | 1593 | 1577 | 29 | 31 | 60 | – | 1 | 1 | 23 | 16 | 39 | 14 |
| 236 | Rayne, | 1409 | 1284 | 18 | 23 | 41 | 3 | 6 | 9 | 9 | 10 | 19 | 6 |
| 237*a* | Rhynie, | 1195 | 1126 | 20 | 13 | 33 | 3 | 4 | 7 | 6 | 8 | 14 | 2 |
| 237*b* | Savoch, | 1961 | 2040 | 30 | 31 | 61 | 4 | 11 | 15 | 12 | 8 | 20 | 14 |
| 238 | Skene, | 1842 | 1787 | 27 | 18 | 45 | 6 | 7 | 13 | 16 | 8 | 24 | 11 |
| 239 | Slains, | 1355 | 1256 | 20 | 19 | 39 | 2 | 7 | 9 | 9 | 4 | 13 | 4 |
| 240 | Strathdon, | 1761 | 1542 | 16 | 14 | 30 | 4 | 5 | 9 | 9 | 16 | 25 | 9 |
| 241 | Strichen, | 1941 | 2013 | 42 | 25 | 67 | 12 | 7 | 19 | 20 | 17 | 37 | 11 |
| 242 | Tarland, | 983 | 947 | 11 | 13 | 24 | 1 | 2 | 3 | 6 | 9 | 15 | 4 |
| 243 | Tarves, | 2288 | 2389 | 39 | 32 | 71 | 8 | 7 | 15 | 8 | 12 | 20 | 16 |
| 244 | Tough, | 760 | 681 | 9 | 14 | 23 | – | 3 | 3 | 7 | 9 | 16 | 6 |
| 245 | Towie, | 798 | 759 | 13 | 15 | 28 | 4 | 3 | 7 | 5 | 7 | 12 | 4 |
| 246 | Tullynessle and Forbes, | 970 | 981 | 16 | 13 | 29 | 3 | 2 | 5 | 4 | 7 | 11 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 247 | Turriff, | 4348 | 4343 | 90 | 55 | 145 | 15 | 8 | 23 | 39 | 33 | 72 | 20 |
| †248 | Tyrie, | 869 | 871 | 14 | 12 | 26 | 3 | 1 | 4 | 4 | 4 | 8 | 8 |
| †249*a* | Udny, | 1626 | 1638 | 28 | 30 | 58 | 2 | 3 | 5 | 15 | 12 | 27 | 9 |
| *249*b* | Ythan Wells, | 1494 | 1315 | 21 | 20 | 41 | 5 | 5 | 10 | 10 | 7 | 17 | 12 |
| | Total, | 246298 | 269047 | 4641 | 4458 | 9099 | 681 | 632 | 1313 | 2220 | 2252 | 4472 | 1700 |
| | 11. Kincardine. | | | | | | | | | | | | |
| 250 | Arbuthnott, | 924 | 809 | 8 | 12 | 20 | 1 | – | 1 | 2 | 1 | 3 | 3 |
| | BANCHORY-DEVENICK— | | | | | | | | | | | | |
| | (1) BANCHORY-DEVENICK, | 1263 | 1707 | 28 | 27 | 55 | 2 | 2 | 4 | 16 | 14 | 30 | 9 |
| | (2) Portlethen, | 1789 | 1610 | 15 | 23 | 38 | 1 | 4 | 5 | 11 | 8 | 19 | 18 |
| 252 | Banchory-Ternan, | 2875 | 3066 | 52 | 43 | 95 | 3 | 3 | 6 | 23 | 24 | 47 | 11 |
| 253 | BENHOLM, | 1569 | 1527 | 35 | 19 | 54 | 3 | 2 | 5 | 17 | 15 | 32 | 7 |
| 254 | BERVIE, | 1843 | 2107 | 32 | 33 | 65 | 2 | 2 | 4 | 14 | 19 | 33 | 6 |
| 255 | Dunnottar, | 2102 | 2498 | 50 | 47 | 97 | 4 | 7 | 11 | 15 | 13 | 28 | 21 |
| 256 | Durris, | 1021 | 1014 | 14 | 10 | 24 | 2 | 3 | 5 | 2 | 5 | 7 | 1 |
| 257 | Fettercairn, | 1539 | 1503 | 16 | 14 | 30 | 1 | 1 | 2 | 5 | 12 | 17 | 8 |
| 258 | Fetteresso— | | | | | | | | | | | | |
| | (1) Fetteresso, | 3585 | 3565 | 48 | 51 | 99 | 6 | 4 | 10 | 44 | 35 | 79 | 17 |
| | (2) Cookney, | 2080 | 1976 | 29 | 29 | 58 | 3 | 2 | 5 | 13 | 12 | 25 | 18 |
| 259 | Fordoun, | 2113 | 1992 | 34 | 23 | 57 | 7 | 5 | 12 | 17 | 14 | 31 | 13 |
| 260 | Garvock, | 476 | 428 | 7 | 4 | 11 | – | – | – | – | – | – | – |
| 261 | Glenbervie, | 1073 | 972 | 17 | 19 | 36 | 2 | 2 | 4 | 7 | 5 | 12 | 6 |
| 262 | KINNEFF AND CATTERLINE, | 1062 | 997 | 16 | 11 | 27 | 3 | 2 | 5 | 6 | 5 | 11 | 4 |
| 263 | Laurencekirk, | 2174 | 2045 | 33 | 26 | 59 | 4 | 6 | 10 | 17 | 22 | 39 | 16 |
| 264 | Maryculter, | 1110 | 1072 | 15 | 9 | 24 | 1 | 1 | 2 | 2 | 7 | 9 | 7 |
| 265 | Marykirk, | 1771 | 1461 | 24 | 31 | 55 | 7 | 4 | 11 | 21 | 10 | 31 | 10 |
| 266 | Nigg, | 2348 | 2935 | 50 | 55 | 105 | 6 | 11 | 17 | 29 | 28 | 57 | 18 |
| 267 | St Cyrus, | 1585 | 1487 | 21 | 26 | 47 | 1 | 6 | 7 | 6 | 14 | 20 | 7 |
| 268 | Strachan, | 795 | 694 | 8 | 9 | 17 | 1 | 1 | 2 | 6 | 6 | 12 | 4 |
| | Total, | 35097 | 35465 | 552 | 521 | 1073 | 60 | 68 | 128 | 273 | 269 | 542 | 204 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | |
| | 12. Forfar. | | | | | | | | | | | | |
| 269 | Aberlemno, | 1007 | 993 | 19 | 13 | 32 | 2 | 1 | 3 | 13 | 7 | 20 | 6 |
| 270 | Airlie, | 778 | 844 | 16 | 12 | 28 | – | – | – | 5 | 2 | 7 | 5 |
| 271 | Arbirlot, | 919 | 822 | 14 | 10 | 24 | 1 | – | 1 | 9 | 2 | 11 | 4 |
| *272 | ARBROATH, | 20169 | 21995 | 311 | 348 | 659 | 29 | 30 | 59 | 183 | 217 | 400 | 145 |
| 273 | Auchterhouse, | 721 | 661 | 11 | 7 | 18 | – | – | – | 2 | 3 | 5 | 3 |
| 274 | Barry, | 3008 | 3233 | 41 | 42 | 83 | 5 | 4 | 9 | 35 | 36 | 71 | 17 |
| 275 | BRECHIN, | 9514 | 10499 | 151 | 171 | 322 | 26 | 25 | 51 | 79 | 93 | 172 | 65 |
| 276 | Carmylie, | 1309 | 1137 | 18 | 18 | 36 | 1 | 1 | 2 | 7 | 6 | 13 | 7 |
| 277 | Careston, | 209 | 194 | 2 | 6 | 8 | – | 1 | 1 | – | 1 | 1 | 1 |
| 278 | Cortachy and Clova, | 554 | 442 | 4 | 5 | 9 | – | – | – | 4 | 3 | 7 | 4 |
| †279 | Coupar-Angus, | 2797 | 2546 | 41 | 40 | 81 | 6 | 8 | 14 | 30 | 24 | 54 | 15 |
| 280 | CRAIG, | 2402 | 2589 | 38 | 41 | 79 | 1 | 2 | 3 | 31 | 30 | 61 | 19 |
| †281 | Dun, | 565 | 541 | 12 | 11 | 23 | 3 | – | 3 | 5 | 7 | 12 | 1 |
| *282 | DUNDEE, | | | | | | | | | | | | |
| | (1) St Peter, | 22,894 | 28014 | 480 | 470 | 950 | 41 | 36 | 77 | 240 | 310 | 550 | 194 |
| | (2) St Mary, | 23,582 | 25320 | 434 | 374 | 808 | 62 | 53 | 115 | 429 | 383 | 812 | 213 |
| | (3) St Clement, | 25,090 | 25978 | 528 | 426 | 954 | 63 | 34 | 97 | 305 | 295 | 600 | 171 |
| | (4) St Andrew, | 38,082 | 50773 | 944 | 887 | 1831 | 94 | 82 | 176 | 581 | 646 | 1,227 | 331 |
| | (5) Lochee, | 11,076 | 12370 | 208 | 206 | 414 | 20 | 33 | 53 | 126 | 149 | 275 | 115 |
| 283 | Dunnichen, | 1536 | 1422 | 26 | 30 | 56 | – | 6 | 6 | 16 | 16 | 32 | 10 |
| 284 | Eassie and Nevay, | 586 | 561 | 7 | 8 | 15 | 1 | 1 | 2 | 5 | 3 | 8 | 4 |
| 285 | Edzell, | 976 | 823 | 16 | 7 | 23 | 1 | 2 | 3 | 8 | 7 | 15 | 6 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 286 | Farnell, | 580 | 613 | 8 | 11 | 19 | – | 2 | 2 | – | 2 | 2 | 1 |
| 287 | Fearn, | 348 | 316 | 2 | 4 | 6 | – | – | – | 1 | 1 | 2 | 3 |
| 288 | FORFAR, | 12,585 | 14,470 | 235 | 245 | 480 | 22 | 31 | 53 | 143 | 165 | 308 | 91 |
| 289 | Glamis, | 1813 | 1631 | 24 | 20 | 44 | 4 | 2 | 6 | 10 | 9 | 19 | 9 |
| 290 | Glenisla, | 925 | 791 | 2 | 11 | 13 | – | – | – | 8 | 4 | 12 | 5 |
| 291 | Guthrie, | 404 | 439 | 8 | 9 | 17 | 2 | 1 | 3 | 8 | 1 | 9 | 3 |
| 292 | Inverarity, | 888 | 862 | 16 | 15 | 31 | 1 | 1 | 2 | 3 | 3 | 6 | 6 |
| 293 | Inverkeillor, | 1521 | 1671 | 40 | 36 | 76 | 8 | 1 | 9 | 12 | 15 | 27 | 7 |
| *294 | Kettins, | 855 | 903 | 15 | 15 | 30 | – | – | – | 4 | 10 | 14 | 2 |
| 295 | Kingoldrum, | 409 | 389 | 6 | 5 | 11 | – | – | – | – | 1 | 1 | 2 |
| 296 | Kinnell, | 766 | 696 | 18 | 12 | 30 | 1 | 3 | 4 | – | 2 | 8 | 4 |
| *297 | Kinnettles, | 405 | 418 | 8 | 3 | 11 | 1 | – | 1 | 2 | 1 | 3 | 1 |
| 298 | Kirkden, | 1623 | 1682 | 21 | 27 | 48 | 6 | 4 | 10 | 17 | 18 | 35 | 11 |
| 299 | Kirriemuir, | 6420 | 6616 | 102 | 89 | 191 | 12 | 13 | 25 | 63 | 64 | 127 | 55 |
| 300 | Lethnott and Navar, | 318 | 288 | 7 | 1 | 8 | 1 | – | 1 | 4 | 3 | 7 | 1 |
| †301 | Liff, Benvie, and Invergowrie, | 1357 | 1333 | 18 | 22 | 40 | 1 | 1 | 2 | 12 | 8 | 20 | 9 |
| 302 | Lintrathen, | 756 | 641 | 8 | 7 | 15 | 2 | – | 2 | 3 | 6 | 9 | 5 |
| 303 | Lochlee, | 424 | 359 | 9 | 1 | 10 | 2 | – | 2 | 5 | 2 | 7 | 2 |
| 304 | Logie-Pert, | 1251 | 995 | 13 | 14 | 27 | – | 2 | 2 | 6 | 7 | 13 | 6 |
| 305 | Lunan, | 248 | 243 | 6 | 1 | 7 | 1 | – | 1 | 1 | 1 | 2 | – |
| 306 | Lundie, | 400 | 317 | 4 | 7 | 11 | 1 | – | 1 | 1 | 1 | 2 | 1 |
| 307 | Mains, etc.—(1) Mains, | 1927 | 2292 | 40 | 35 | 75 | – | 3 | 3 | 13 | 23 | 36 | 14 |
| | (2) Strathmartine, | 822 | 1198 | 13 | 21 | 34 | 1 | 1 | 2 | 6 | 5 | 11 | 5 |
| 308 | Marytown, | 396 | 389 | 4 | 5 | 9 | 1 | 1 | 2 | 4 | 1 | 5 | 3 |
| 309 | Menmuir, | 761 | 755 | 7 | 16 | 23 | – | 1 | 1 | 1 | 3 | 4 | 7 |
| 310 | Monifieth, | 7252 | 9521 | 156 | 161 | 317 | 6 | 6 | 12 | 78 | 80 | 158 | 62 |
| 311 | Monikie, | 1397 | 1412 | 16 | 29 | 45 | – | 3 | 3 | 2 | 8 | 10 | 19 |
| 312 | MONTROSE, | 15,783 | 16,303 | 259 | 227 | 486 | 18 | 21 | 39 | 168 | 188 | 356 | 96 |
| 313 | Murroes, | 751 | 749 | 17 | 15 | 32 | – | – | – | 6 | 6 | 12 | 2 |
| 314 | Newtyle, | 931 | 911 | 14 | 12 | 26 | 1 | – | 1 | 9 | 9 | 18 | 3 |
| 315 | Oathlaw, | 452 | 440 | 10 | 5 | 15 | 2 | – | 2 | 6 | 2 | 8 | 2 |
| 316 | Panbride, | 1331 | 1395 | 19 | 18 | 37 | 4 | 2 | 6 | 10 | 10 | 20 | 8 |
| 317 | Rescobie, | 748 | 685 | 10 | 11 | 21 | 1 | – | 1 | 8 | 3 | 11 | 3 |
| 318 | Ruthven, | 247 | 195 | 2 | 2 | 4 | – | – | – | – | 2 | 2 | 4 |
| †319 | St Vigeans, | 2513 | 2480 | 40 | 47 | 87 | 3 | 1 | 4 | 21 | 13 | 34 | 16 |
| 320 | Stracathro, | 503 | 487 | 9 | 7 | 16 | – | – | – | 3 | 2 | 5 | 3 |
| 321 | Tannadice, | 1286 | 1254 | 19 | 19 | 38 | 1 | 1 | 2 | 14 | 6 | 20 | 9 |
| 322 | Tealing, | 879 | 757 | 8 | 11 | 19 | – | 2 | 2 | 4 | 5 | 9 | 2 |
| | Total, | 240049 | 268653 | 4534 | 4328 | 8862 | 459 | 422 | 881 | 2775 | 2930 | 5705 | 1818 |
| | 13. Perth. | | | | | | | | | | | | |
| 323 | Aberdalgie, | 342 | 297 | 10 | 3 | 13 | 2 | – | 2 | 2 | 1 | 3 | 2 |
| *324 | Aberfeldy, | 2286 | 2268 | 27 | 26 | 53 | 3 | 3 | 6 | 21 | 26 | 47 | 13 |
| 325 | Aberfoyle, | 432 | 465 | 2 | 6 | 8 | – | – | – | 2 | 4 | 6 | 3 |
| 326 | Abernethy, | 1744 | 1714 | 26 | 32 | 58 | 2 | 4 | 6 | 17 | 20 | 37 | 12 |
| 327 | Abernyte, | 253 | 275 | 2 | 2 | 4 | – | – | – | – | 3 | 3 | – |
| †328*a* | Alyth, | 3151 | 3372 | 44 | 48 | 92 | 9 | 6 | 15 | 39 | 33 | 72 | 18 |
| 328*b* | Ardoch, | 1316 | 1102 | 16 | 18 | 34 | – | 3 | 3 | 5 | 11 | 16 | 5 |
| 329 | Auchterarder, | 3795 | 3648 | 50 | 47 | 97 | 6 | 7 | 13 | 40 | 33 | 73 | 27 |
| †330 | Auchtergaven, | 1472 | 1339 | 19 | 12 | 31 | 3 | 1 | 4 | 17 | 9 | 26 | 4 |
| *331 | Balquhidder, | 882 | 759 | 9 | 5 | 14 | 1 | – | 1 | 6 | 9 | 15 | 3 |
| †332 | Bendochy, | 474 | 499 | 6 | 6 | 12 | 1 | 1 | 2 | 8 | 5 | 13 | 2 |
| 333 | Blackford, | 1836 | 1595 | 27 | 16 | 43 | 5 | – | 5 | 11 | 8 | 19 | 8 |
| †334 | Blair-Athol, | 1718 | 1687 | 26 | 18 | 44 | 1 | 1 | 2 | 14 | 12 | 26 | 9 |
| †335 | Blairgowrie, | 4832 | 4936 | 70 | 59 | 129 | 9 | 13 | 22 | 50 | 48 | 98 | 25 |
| 336 | Callander, | 1870 | 2167 | 27 | 37 | 64 | 2 | 1 | 3 | 20 | 18 | 38 | 11 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| †337 | Caputh, | 1571 | 1509 | 15 | 19 | 34 | 2 | 1 | 3 | 8 | 4 | 12 | 12 |
| 338 | Cargill, | 1411 | 1348 | 24 | 25 | 49 | – | 3 | 3 | 7 | 10 | 17 | 7 |
| 339 | Clunie, | 603 | 582 | 7 | 9 | 16 | – | 1 | 1 | 5 | 7 | 12 | 4 |
| 340 | Collace, | 456 | 409 | 3 | 3 | 6 | – | – | – | 3 | 2 | 5 | 3 |
| †341 | Comrie, | 1772 | 1726 | 18 | 20 | 38 | 1 | 1 | 2 | 12 | 8 | 20 | 9 |
| 342 | Crieff, | 4598 | 4852 | 67 | 67 | 134 | 9 | 4 | 13 | 47 | 47 | 94 | 27 |
| 343 | CULROSS, | 1354 | 1130 | 16 | 18 | 34 | 2 | 2 | 4 | 11 | 13 | 24 | 7 |
| *344 | Dowally, | 461 | 431 | 6 | 3 | 9 | – | – | – | 4 | 1 | 5 | 1 |
| 345 | Dron, | 343 | 335 | 3 | 5 | 8 | 1 | – | 1 | 1 | 1 | 2 | – |
| †346 | Dull, | 677 | 618 | 6 | 6 | 12 | – | 1 | 1 | 7 | 5 | 12 | 5 |
| 347 | Dunbarney, | 913 | 756 | 11 | 10 | 21 | 1 | 1 | 2 | 9 | 9 | 18 | 1 |
| 348 | Dunblane, | 2765 | 3123 | 43 | 30 | 73 | 3 | 4 | 7 | 28 | 25 | 53 | 12 |
| *349 | Dunkeld, | 881 | 882 | 13 | 11 | 24 | – | – | – | 6 | 8 | 14 | 9 |
| 350 | Dunning, | 1832 | 1635 | 17 | 15 | 32 | 3 | 1 | 4 | 12 | 14 | 26 | 7 |
| 351 | Errol, | 2504 | 2421 | 26 | 34 | 60 | 1 | 1 | 2 | 13 | 16 | 29 | 13 |
| 352 | Findo-Gask, | 369 | 364 | 5 | 6 | 11 | – | 1 | 1 | 1 | – | 1 | 3 |
| 353 | Forgandenny, | 632 | 627 | 12 | 7 | 19 | – | – | – | 4 | 6 | 10 | 4 |
| 354 | Forteviot, | 567 | 618 | 11 | 8 | 19 | 1 | 1 | 2 | 3 | 2 | 5 | 4 |
| *355*a* | Fortingall, | | | | | | | | | | | | |
| | (1) Innerwick in Glenlyon | 393 | 355 | 4 | 4 | 8 | – | 2 | 2 | 1 | – | 1 | 7 |
| | (2) Fortingall, | 621 | 568 | 3 | 3 | 6 | – | – | – | 2 | 3 | 5 | 2 |
| *355*b* | Foss, | 270 | 226 | – | 1 | 1 | – | – | – | 2 | 1 | 3 | – |
| 356 | Fowlis-Easter, | 291 | 311 | 7 | 11 | 18 | – | 1 | 1 | 2 | 3 | 5 | 1 |
| †357 | Fowlis-Wester, | 1028 | 979 | 10 | 19 | 29 | 1 | 1 | 2 | 4 | 6 | 10 | 6 |
| 358 | Glendevon, | 105 | 147 | 3 | 3 | 6 | – | – | – | 2 | – | 2 | 2 |
| 359 | Inchture, | 659 | 650 | 16 | 7 | 23 | 1 | – | 1 | 5 | 3 | 8 | 1 |
| *†360 | Kenmore, | 1215 | 1112 | 17 | 12 | 29 | 3 | 1 | 4 | 10 | 10 | 20 | 8 |
| *†361 | Killin, | 1977 | 1379 | 17 | 9 | 26 | 1 | 2 | 3 | 11 | 14 | 25 | 4 |
| 362 | Kilmadock, | 3170 | 3012 | 25 | 34 | 59 | 4 | 4 | 8 | 27 | 26 | 53 | 29 |
| 363 | Kilspindie, | 679 | 693 | 17 | 17 | 34 | – | 1 | 1 | 5 | 5 | 10 | 4 |
| 364 | Kincardine, | 1484 | 1351 | 20 | 24 | 44 | 5 | 4 | 9 | 18 | 13 | 31 | 13 |
| †365 | Kinclaven, | 528 | 490 | 3 | 4 | 7 | – | – | – | 3 | 3 | 6 | 3 |
| 366 | Kinfauns, | 578 | 583 | 6 | 10 | 16 | – | – | – | 6 | 3 | 9 | 2 |
| *367 | Kinloch-Rannoch, | 921 | 894 | 10 | 8 | 18 | 2 | 1 | 3 | 8 | 4 | 12 | 2 |
| 368 | Kinnaird, | 299 | 260 | 11 | 4 | 15 | 1 | 1 | 2 | 1 | 3 | 4 | – |
| †369 | Kinnoul, | 723 | 734 | 11 | 12 | 23 | 2 | 2 | 4 | 5 | 4 | 9 | 2 |
| †370 | Kirkmichael— | | | | | | | | | | | | |
| | (1) Kirkmichael | 657 | 568 | 5 | 6 | 11 | – | 1 | 1 | 4 | 3 | 7 | 1 |
| | (2) Glenshee, | 241 | 226 | 2 | – | 2 | – | – | – | 1 | 1 | 2 | – |
| 371 | Lecropt, | 535 | 602 | 6 | 10 | 16 | – | 1 | 1 | 8 | 5 | 13 | 4 |
| †372 | Lethendy, etc.— | | | | | | | | | | | | |
| | (1) Lethendy, | 179 | 149 | 4 | 2 | 6 | – | 1 | 1 | 1 | – | 1 | – |
| | (2) Kinloch, | 251 | 252 | 4 | 3 | 7 | 1 | – | 1 | 2 | – | 2 | – |
| †373 | Little Dunkeld, | 2352 | 2149 | 20 | 21 | 41 | 3 | – | 3 | 19 | 17 | 36 | 8 |
| 374 | LOGIE, | 4553 | 4696 | 80 | 50 | 130 | 3 | 2 | 5 | 50 | 38 | 88 | 27 |
| *375 | Logiealmond, | 646 | 623 | 8 | 9 | 17 | 1 | – | 1 | 4 | 6 | 10 | 4 |
| †376 | Logierait, | 1739 | 1697 | 16 | 17 | 33 | 1 | 6 | 7 | 12 | 10 | 22 | 10 |
| 377 | Longforgan, | 1753 | 1854 | 31 | 25 | 56 | 4 | – | 4 | 15 | 12 | 27 | 9 |
| 378 | Madderty, | 523 | 527 | 3 | 8 | 11 | – | 1 | 1 | 2 | 3 | 5 | – |
| *379 | Meigle, | 1003 | 966 | 9 | 12 | 21 | 1 | – | 1 | 10 | 8 | 18 | 4 |
| †380 | Methven, | 2073 | 1848 | 18 | 20 | 38 | 2 | 4 | 6 | 12 | 16 | 28 | 13 |
| 381 | Moneydie, | 244 | 233 | 3 | 3 | 6 | – | 1 | 1 | 5 | 1 | 6 | 3 |
| †382 | Monzie, | 413 | 381 | 4 | 5 | 9 | – | – | – | 3 | 3 | 6 | 2 |
| 383 | Monzievaird and Strowan | 744 | 700 | 7 | 11 | 18 | 1 | – | 1 | 3 | 9 | 12 | – |
| †384 | Moulin, | 1561 | 1836 | 28 | 28 | 56 | 1 | – | – | 17 | 21 | 38 | 7 |
| 385 | Muckart, | 612 | 601 | 6 | 10 | 16 | – | 1 | 1 | 4 | 8 | 12 | 2 |
| 386*a* | Muthill, | 1916 | 1702 | 18 | 20 | 38 | 3 | – | 3 | 15 | 19 | 34 | 2 |
| *386*b* | Persie, | 820 | 715 | 10 | 4 | 14 | – | – | – | 4 | 6 | 10 | 2 |
| *387 | PERTH, | 26382 | 29756 | 498 | 487 | 985 | 40 | 47 | 87 | 315 | 344 | 659 | 203 |
| 388 | Port of Menteith, | 1243 | 1175 | 9 | 13 | 22 | – | 1 | 1 | 9 | 5 | 14 | 5 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 389 | Rattray, | 2586 | 3018 | 26 | 44 | 70 | 3 | 6 | 9 | 18 | 53 | 71 | 11 |
| 390 | Redgorton, | 1046 | 1100 | 15 | 10 | 25 | 1 | – | 1 | 10 | 11 | 21 | 9 |
| 391 | Rhynd, | 327 | 297 | 3 | 2 | 5 | – | 1 | 1 | 2 | 1 | 3 | 1 |
| 392 | St Madoes, | 290 | 316 | 6 | 2 | 8 | – | – | – | 3 | – | 3 | 2 |
| 93*a* | St Martins, | 735 | 741 | 12 | 13 | 25 | 1 | – | 1 | 3 | 9 | 12 | 5 |
| 393*b* | Stanley, | 1103 | 1276 | 22 | 18 | 40 | 2 | 2 | 4 | 15 | 12 | 27 | 9 |
| 394*a* | Scone, | 2185 | 2306 | 37 | 22 | 59 | 3 | 4 | 7 | 21 | 18 | 39 | 14 |
| 394*b* | Strathfillan, | 342 | 327 | 5 | 7 | 12 | 1 | 1 | 2 | 3 | 1 | 4 | 2 |
| 394*c* | Tenandry, | 530 | 497 | 10 | 5 | 15 | 3 | – | 3 | 6 | 2 | 8 | – |
| 395 | Tibbermore, | 1128 | 1131 | 23 | 25 | 48 | 2 | – | 2 | 6 | 9 | 15 | 8 |
| 396 | Trinity-Gask, | 415 | 396 | 5 | 5 | 10 | – | – | – | 2 | 2 | 4 | 2 |
| 397 | Tulliallan, | 2184 | 2207 | 30 | 34 | 64 | – | 1 | 1 | 19 | 26 | 45 | 13 |
| 398 | Weem, | 186 | 181 | 5 | 1 | 6 | – | – | – | 2 | 2 | 4 | – |
| | Total, | 128550 | 130282 | 1832 | 1765 | 3597 | 164 | 163 | 327 | 1170 | 1200 | 2370 | 738 |
| | 14. Fife. | | | | | | | | | | | | |
| 399 | Abbotshall (merged in 442), | | | | | | | | | | | | |
| 400 | Abdie, | 1057 | 862 | 10 | 18 | 28 | – | 3 | 3 | 4 | 7 | 11 | 6 |
| 401 | Aberdour, | 1697 | 1736 | 24 | 32 | 56 | 2 | 2 | 4 | 19 | 12 | 31 | 7 |
| 402 | ANSTRUTHER-EASTER, | 1239 | 1349 | 11 | 18 | 29 | 1 | 2 | 3 | 7 | 10 | 17 | 9 |
| 403 | ANSTRUTHER-WESTER, | 545 | 673 | 8 | 9 | 17 | 1 | – | 1 | 5 | 7 | 12 | 4 |
| 404 | Arngask, | 565 | 547 | 7 | 5 | 12 | 2 | – | 2 | 5 | 3 | 8 | 1 |
| 405 | Auchterderran, | 4017 | 4332 | 89 | 78 | 167 | 7 | 4 | 11 | 43 | 38 | 81 | 25 |
| 406 | AUCHTERMUCHTY, | 2958 | 2322 | 30 | 30 | 60 | 2 | 4 | 6 | 30 | 20 | 50 | 14 |
| 407 | Auchtertool, | 529 | 706 | 13 | 9 | 22 | 1 | – | 1 | 12 | 6 | 18 | 3 |
| 408 | Ballingry, | 982 | 1065 | 21 | 20 | 41 | 1 | 1 | 2 | 7 | 1 | 8 | 7 |
| 409 | Balmerino, | 717 | 664 | 12 | 8 | 20 | 1 | – | 1 | 6 | 5 | 11 | 4 |
| 410 | Beath, | 3534 | 5442 | 109 | 105 | 214 | 9 | 3 | 12 | 44 | 35 | 79 | 26 |
| 411 | BURNTISLAND, | 3872 | 4821 | 90 | 82 | 172 | 7 | 4 | 11 | 45 | 42 | 87 | 20 |
| 412 | Cameron, | 1158 | 1003 | 19 | 18 | 37 | – | – | – | 7 | 6 | 13 | 7 |
| 413 | Carnbee, | 1088 | 1057 | 17 | 17 | 34 | – | 1 | 1 | 6 | 3 | 9 | 3 |
| 414 | Carnock, | 1764 | 1055 | 9 | 11 | 20 | – | 1 | 1 | 9 | 16 | 25 | 3 |
| 415 | Ceres, | 2381 | 2063 | 26 | 27 | 53 | – | 2 | 2 | 15 | 11 | 26 | 12 |
| 416 | Collessie, | 1703 | 1989 | 21 | 25 | 46 | 2 | 1 | 3 | 23 | 17 | 40 | 17 |
| †417 | CRAIL, | 1733 | 1644 | 35 | 27 | 62 | 3 | 1 | 4 | 15 | 25 | 40 | 10 |
| 418 | Creich, | 387 | 386 | 9 | 5 | 14 | – | – | – | 2 | 3 | 5 | 1 |
| 419 | Cults, | 767 | 704 | 9 | 12 | 21 | 1 | 2 | 3 | 5 | 6 | 11 | 4 |
| 420 | CUPAR, | 7102 | 7404 | 88 | 108 | 196 | 8 | 9 | 17 | 78 | 92 | 170 | 56 |
| 421 | Dairsie, | 687 | 693 | 7 | 8 | 15 | 1 | – | 1 | 2 | 7 | 9 | 5 |
| 422 | Dalgetty | 1310 | 1321 | 31 | 19 | 50 | 1 | 1 | 2 | 19 | 11 | 30 | 9 |
| 423 | Dunbog, | 395 | 386 | 5 | 11 | 16 | - | 1 | 1 | 1 | 1 | 2 | 5 |
| †424 | DUNFERMLINE | 23256 | 26346 | 418 | 383 | 801 | 29 | 17 | 46 | 289 | 245 | 534 | 180 |
| 425 | Dunino, | 456 | 415 | 7 | 11 | 18 | 2 | – | 2 | 2 | 3 | 5 | 6 |
| 426 | DYSART, | 9682 | 11601 | 192 | 185 | 377 | 8 | 7 | 15 | 109 | 128 | 237 | 78 |
| 427 | Elie, | 775 | 670 | 5 | 6 | 11 | – | – | – | 4 | 3 | 7 | 3 |
| 428 | FALKLAND, | 3069 | 2698 | 28 | 23 | 51 | 4 | 3 | 7 | 20 | 17 | 37 | 13 |
| 429 | Ferry Port-on-Craig, | 2674 | 2818 | 41 | 33 | 74 | 5 | 5 | 10 | 21 | 35 | 56 | 13 |
| 431 | Flisk, | 212 | 213 | 1 | 1 | 2 | – | – | – | – | – | – | 1 |
| 430 | Forgan, | 2243 | 3308 | 37 | 38 | 75 | 1 | – | 1 | 22 | 24 | 46 | 8 |
| †432 | INVERKEITHING, | 3131 | 2787 | 55 | 47 | 102 | 5 | 3 | 8 | 33 | 31 | 64 | 10 |
| 433 | Kemback, | 1056 | 853 | 12 | 8 | 20 | 3 | 1 | 4 | 8 | 6 | 14 | 6 |
| 434 | Kennoway, | 1703 | 1560 | 20 | 15 | 35 | 2 | – | 2 | 11 | 10 | 21 | 3 |
| 435 | Kettle, | 2323 | 2054 | 33 | 28 | 61 | 4 | 2 | 6 | 18 | 21 | 39 | 17 |
| 436 | KILCONQUHAR, | 2018 | 2053 | 40 | 25 | 65 | 6 | 2 | 8 | 19 | 21 | 40 | 16 |
| 437 | Kilmany, | 651 | 634 | 8 | 11 | 19 | 2 | 2 | 4 | 3 | 6 | 9 | 2 |
| 438 | KILRENNY, | 2945 | 3097 | 75 | 52 | 127 | 6 | 5 | 11 | 30 | 29 | 59 | 15 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| †439 | KINGHORN, | 2602 | 2773 | 32 | 55 | 87 | 2 | 7 | 9 | 27 | 30 | 57 | 23 |
| 440 | Kinglassie, | 1082 | 1292 | 22 | 15 | 37 | 2 | – | 2 | 7 | 4 | 11 | 8 |
| 441 | Kingsbarns, | 922 | 795 | 15 | 20 | 35 | – | 2 | 2 | 9 | 5 | 14 | 4 |
| *442 | KIRKCALDY and ABBOTSHALL, | 13509 | 15840 | 256 | 224 | 480 | 18 | 16 | 34 | 149 | 126 | 275 | 89 |
| 443 | Largo, | 2318 | 2234 | 43 | 35 | 78 | 3 | 2 | 5 | 19 | 27 | 46 | 7 |
| 444 | Leslie, | 4294 | 4345 | 58 | 56 | 114 | 8 | 7 | 15 | 28 | 39 | 67 | 31 |
| 445 | Leuchars, | 1727 | 2185 | 23 | 36 | 59 | 6 | 1 | 7 | 14 | 16 | 30 | 12 |
| 446 | Logie, | 402 | 390 | 2 | 10 | 12 | – | 1 | 1 | – | 4 | 4 | 3 |
| 447 | Markinch, | 5413 | 5863 | 95 | 107 | 202 | 9 | 9 | 18 | 48 | 50 | 98 | 24 |
| 448 | Monimail, | 918 | 834 | 12 | 10 | 22 | 1 | 1 | 2 | 8 | 3 | 11 | 8 |
| 449 | Moonzie, | 154 | 148 | 2 | – | 2 | – | – | – | 1 | 2 | 3 | – |
| 450 | NEWBURGH, | 2529 | 2191 | 37 | 29 | 66 | 4 | 9 | 13 | 28 | 27 | 55 | 11 |
| 451 | Newburn, | 362 | 344 | 3 | 5 | 8 | – | 1 | 1 | 1 | 6 | 7 | 2 |
| 452 | PITTENWEEM, | 1803 | 2119 | 51 | 38 | 89 | 2 | 3 | 5 | 13 | 13 | 26 | 15 |
| 453 | ST ANDREWS and ST LEONARDS, | 8592 | 8604 | 123 | 107 | 230 | 12 | 12 | 24 | 74 | 55 | 129 | 40 |
| 454 | St Monance (or Abercrombie), | 1761 | 2054 | 46 | 33 | 79 | – | 1 | 1 | 20 | 11 | 31 | 7 |
| 455 | Saline, | 1259 | 954 | 16 | 10 | 26 | 1 | – | 1 | 9 | 15 | 24 | 4 |
| 456 | Scoonie, | 3178 | 3730 | 48 | 59 | 107 | 6 | 1 | 7 | 26 | 30 | 56 | 22 |
| 457 | Strathmiglo, | 2267 | 2061 | 35 | 23 | 58 | 3 | – | 3 | 12 | 28 | 40 | 13 |
| 458 | Torryburn, | 1051 | 737 | 10 | 8 | 18 | – | – | – | 12 | 13 | 25 | 1 |
| 459 | Wemyss—(1) Wemyss, | 2587 | 2711 | 37 | 40 | 77 | 2 | 3 | 5 | 26 | 33 | 59 | 11 |
| | (2) Buckhaven, | 3813 | 4596 | 89 | 84 | 173 | 2 | 4 | 6 | 30 | 41 | 71 | 26 |
| | Total, | 160924 | 172131 | 2727 | 2572 | 5299 | 208 | 169 | 377 | 1559 | 1541 | 3100 | 990 |
| | 15. Kinross. | | | | | | | | | | | | |
| 460 | Cleish, | 539 | 498 | 9 | 10 | 19 | – | – | – | 9 | 2 | 11 | 3 |
| 461 | Fossoway and Tulliebole, | 1461 | 1267 | 15 | 17 | 32 | 3 | 3 | 6 | 10 | 7 | 17 | 6 |
| 462 | Kinross, | 2477 | 2492 | 38 | 37 | 75 | 2 | 5 | 7 | 21 | 33 | 54 | 14 |
| 463 | Orwell, | 2248 | 2031 | 20 | 29 | 49 | 2 | 6 | 8 | 17 | 21 | 38 | 9 |
| 464 | Portmoak, | 1193 | 1042 | 15 | 14 | 29 | – | 2 | 2 | 10 | 13 | 23 | 4 |
| | Total, | 7918 | 7330 | 97 | 107 | 204 | 7 | 16 | 23 | 67 | 76 | 143 | 36 |
| | 16. Clackmannan. | | | | | | | | | | | | |
| 465 | Alloa, | 9940 | 11638 | 208 | 224 | 432 | 15 | 12 | 27 | 106 | 103 | 209 | 70 |
| 466 | Clackmannan, | 4653 | 4543 | 99 | 70 | 169 | 10 | 4 | 14 | 46 | 40 | 86 | 29 |
| 467 | Dollar, | 2524 | 2500 | 28 | 29 | 57 | 1 | 3 | 4 | 14 | 16 | 30 | 11 |
| 468 | Tillicoultry, | 5118 | 5344 | 85 | 77 | 162 | 13 | 9 | 22 | 41 | 51 | 92 | 28 |
| | Total, | 22235 | 24025 | 420 | 400 | 820 | 39 | 28 | 67 | 207 | 210 | 417 | 138 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | |
| | 17. Stirling. | | | | | | | | | | | | |
| 469 | Airth, | 1396 | 1362 | 24 | 18 | 42 | 1 | 1 | 2 | 9 | 8 | 17 | 5 |
| 470 | Alva, | 4296 | 5113 | 95 | 92 | 187 | 9 | 6 | 15 | 39 | 38 | 77 | 28 |
| 471 | Baldernock, | 616 | 569 | 7 | 7 | 14 | 3 | 1 | 4 | 4 | 8 | 12 | 4 |
| 472 | Balfron, | 1502 | 1327 | 13 | 12 | 25 | 1 | 1 | 2 | 9 | 13 | 22 | 6 |
| †473 | Bothkennar, | 1726 | 1798 | 48 | 39 | 87 | 1 | 1 | 2 | 16 | 16 | 32 | 14 |
| 474 | Buchanan, | 591 | 550 | 6 | 7 | 13 | – | – | – | 2 | 4 | 6 | – |
| 475 | Campsie, | 6739 | 5873 | 101 | 78 | 179 | 8 | 7 | 15 | 54 | 57 | 111 | 43 |
| 476 | Denny—(1) Denny, | 3530 | 4228 | 99 | 78 | 177 | 6 | 5 | 11 | 45 | 51 | 96 | 32 |
| | (2) Haggs, | 1463 | 1500 | 25 | 23 | 48 | – | 2 | 2 | 15 | 10 | 25 | 7 |
| 477 | Drymen, | 1405 | 1431 | 16 | 16 | 32 | 3 | 1 | 4 | 7 | 13 | 20 | 4 |
| 478 | Dunipace, | 1733 | 1874 | 39 | 36 | 75 | 3 | 4 | 7 | 15 | 18 | 33 | 8 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| †479 | FALKIRK—(1) BURGH, | 9547 | 13170 | 250 | 261 | 511 | 14 | 18 | 32 | 145 | 150 | 295 | 90 |
| | (2) Landward, | 6726 | 8980 | 197 | 185 | 382 | 16 | 10 | 26 | 81 | 63 | 144 | 78 |
| 480 | Fintry, . . . . | 499 | 414 | 9 | 7 | 16 | 3 | 1 | 4 | 2 | 3 | 5 | 1 |
| 481*a* | Gargunnock, . . . | 675 | 698 | 17 | 7 | 24 | 2 | 1 | 3 | 4 | 7 | 11 | 4 |
| *481*b* | Grangemouth, . . | 2569 | 4560 | 96 | 96 | 192 | 6 | 5 | 11 | 44 | 34 | 78 | 23 |
| 482 | Killearn, . . . | 1111 | 1131 | 17 | 8 | 25 | 1 | – | 1 | 3 | 8 | 11 | 5 |
| 483 | Kilsyth, . . . | 6313 | 6840 | 150 | 138 | 288 | 10 | 9 | 19 | 104 | 83 | 187 | 54 |
| 484 | Kippen, . . . . | 1568 | 1449 | 19 | 23 | 42 | 4 | 2 | 6 | 14 | 26 | 40 | 11 |
| 485 | Larbert, . . . | 5280 | 6346 | 138 | 107 | 245 | 10 | 5 | 15 | 85 | 82 | 167 | 35 |
| 486 | Muiravonside, . . | 2653 | 2713 | 62 | 63 | 125 | 2 | 6 | 8 | 31 | 14 | 45 | 14 |
| †487 | Polmont, . . . | 3848 | 3861 | 73 | 82 | 155 | 8 | 12 | 20 | 26 | 27 | 53 | 24 |
| †488 | ST NINIANS— | | | | | | | | | | | | |
| | (1) ST NINIANS, . | 5287 | 5465 | 107 | 90 | 197 | 8 | 7 | 15 | 41 | 59 | 100 | 35 |
| | (2) Bannockburn, . | 4332 | 4331 | 69 | 86 | 155 | 4 | 4 | 8 | 41 | 42 | 83 | 23 |
| 489 | Slamannan, . . . | 4164 | 5850 | 117 | 144 | 261 | 8 | 5 | 13 | 49 | 45 | 94 | 43 |
| *490 | STIRLING, . . . | 12541 | 14107 | 218 | 254 | 472 | 12 | 18 | 30 | 142 | 149 | 291 | 100 |
| 491 | Strathblane, . . . | 1235 | 1343 | 20 | 19 | 39 | 3 | 2 | 5 | 10 | 11 | 21 | 10 |
| | Total, | 93345 | 106883 | 2032 | 1976 | 4008 | 146 | 134 | 280 | 1037 | 1039 | 2076 | 701 |
| | 18. Dumbarton. | | | | | | | | | | | | |
| 492 | Arrochar, . . . | 525 | 517 | 8 | 6 | 14 | – | – | – | 5 | 6 | 11 | 2 |
| *493 | BONHILL, . . . | 9593 | 13122 | 197 | 187 | 384 | 12 | 7 | 19 | 121 | 131 | 252 | 119 |
| †494 | Cardross, . . . | 4405 | 5883 | 97 | 86 | 183 | 3 | 7 | 10 | 55 | 50 | 105 | 29 |
| 495 | Cumbernauld, . . | 3602 | 4270 | 90 | 65 | 155 | 7 | 4 | 11 | 48 | 53 | 101 | 25 |
| *†496 | DUMBARTON, . . | 11423 | 13786 | 249 | 230 | 479 | 10 | 14 | 24 | 151 | 160 | 311 | 86 |
| *497 | Kilmaronock, . . | 978 | 927 | 11 | 7 | 18 | – | – | – | 5 | 3 | 8 | 8 |
| 498 | Kirkintilloch, . . | 8257 | 10591 | 199 | 181 | 380 | 10 | 9 | 19 | 121 | 120 | 241 | 52 |
| 499 | Luss, . . . . | 730 | 719 | 7 | 13 | 20 | – | – | – | 3 | 7 | 10 | 2 |
| 500 | New or East Kilpatrick, | 6038 | 7414 | 135 | 135 | 270 | 10 | 5 | 15 | 64 | 50 | 114 | 41 |
| 501 | Old or West Kilpatrick, . | 5346 | 8862 | 145 | 147 | 292 | 4 | 6 | 10 | 69 | 73 | 142 | 39 |
| 502 | Roseneath—(1) Roseneath | 677 | 858 | 9 | 16 | 25 | – | – | – | 6 | 8 | 14 | 3 |
| | (2) Kilcreggan and Cove, | 1103 | 1136 | 12 | 14 | 26 | – | 1 | 1 | 5 | 12 | 17 | 6 |
| 503 | Row, . . . . | 8439 | 10097 | 155 | 112 | 267 | 9 | 9 | 18 | 86 | 88 | 174 | 63 |
| | Total, | 61116 | 78182 | 1314 | 1199 | 2513 | 65 | 62 | 127 | 739 | 761 | 1500 | 475 |
| | 19. Argyll. | | | | | | | | | | | | |
| | *Mainland.* | | | | | | | | | | | | |
| †504 | Ardchattan, . . . | 1172 | 1390 | 17 | 17 | 34 | 2 | 1 | 3 | 11 | 4 | 15 | 2 |
| 505 | Ardnamurchan— | | | | | | | | | | | | |
| | (1) Aharacle, . . | 1414 | 1425 | 20 | 16 | 36 | 1 | – | 1 | 5 | 16 | 21 | 2 |
| | (2) Arisaig, . . | 1131 | 1136 | 18 | 9 | 27 | 2 | – | 2 | 8 | 11 | 19 | 4 |
| | (3) Sunart (or Strontian), | 760 | 633 | 6 | 9 | 15 | – | – | – | 8 | 7 | 15 | 5 |
| | (4) Western Ardnamurchan, . . . | 954 | 911 | 10 | 12 | 22 | – | 1 | 1 | 3 | 7 | 10 | 5 |
| *506 | Ballachulish and Corran of Ardgour, . . | 849 | 749 | 9 | 4 | 13 | 1 | – | 1 | 9 | 7 | 16 | 1 |
| 507 | CAMPBELTOWN, . | 8580 | 9755 | 186 | 155 | 341 | 20 | 13 | 33 | 113 | 100 | 213 | 56 |
| 508 | Craignish, . . . | 481 | 451 | 5 | 4 | 9 | 1 | – | 1 | 2 | 2 | 4 | 3 |
| *509 | Cumlodden and Minard, | 1119 | 1142 | 18 | 11 | 29 | 1 | 1 | 2 | 10 | 8 | 18 | 5 |
| 510 | Dunoon and Kilmun, . | 6871 | 8002 | 115 | 94 | 209 | 11 | 4 | 15 | 71 | 87 | 158 | 30 |
| †511 | Glassary, . . . | 1242 | 1234 | 14 | 17 | 31 | 1 | 2 | 3 | 19 | 15 | 34 | 5 |
| †512 | Glenorchy, . . . | 754 | 761 | 12 | 9 | 21 | 1 | – | 1 | 9 | 5 | 14 | 3 |
| *513 | INVERARAY, . . | 1503 | 1407 | 14 | 22 | 36 | – | 2 | 2 | 16 | 15 | 31 | 3 |
| 514 | Inverchaolain, . . | 443 | 407 | 7 | 2 | 9 | – | – | – | 5 | – | 5 | – |
| *515 | Kilbrandon & Kilchattan, | 2107 | 1921 | 16 | 16 | 32 | 2 | 2 | 4 | 20 | 13 | 33 | 3 |
| †516 | Kilcalmonell, etc.— | | | | | | | | | | | | |
| | (1) Kilcalmonell, . | 684 | 583 | 9 | 7 | 16 | – | – | – | 3 | 5 | 8 | 3 |
| | (2) Kilberry, . . | 485 | 460 | 4 | 3 | 7 | 1 | – | 1 | 1 | 2 | 3 | 1 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| *517 | Kilchrenan, etc.— | | | | | | | | | | | | |
| | (1) Kilchrenan, . . | 401 | 406 | 3 | 7 | 10 | – | – | – | 4 | 6 | 10 | 1 |
| | (2) Dalavich, . . | 217 | 226 | 3 | 5 | 8 | – | – | – | – | 2 | 2 | – |
| 518 | Kilfinan, . . . | 2228 | 2153 | 25 | 23 | 48 | 3 | 2 | 5 | 17 | 15 | 32 | 11 |
| 519 | Killean and Kilchenzie, . | 1614 | 1368 | 20 | 19 | 39 | – | – | – | 5 | 7 | 12 | 9 |
| †520 | Kilmalie, . . . | 3217 | 3408 | 49 | 38 | 87 | 4 | 5 | 9 | 33 | 32 | 65 | 9 |
| 521 | Kilmartin, . . . | 869 | 811 | 12 | 6 | 18 | 1 | – | 1 | 12 | 4 | 16 | 1 |
| 522 | Kilmodan, . . . | 358 | 323 | 4 | 12 | 16 | – | – | – | 1 | 1 | 2 | – |
| †523 | KILMORE AND KILBRIDE, . | 3402 | 5142 | 88 | 76 | 164 | 9 | 7 | 16 | 63 | 57 | 120 | 22 |
| 524 | Kilninver, etc.— | | | | | | | | | | | | |
| | (1) Kilninver, . . | 253 | 224 | 1 | 2 | 3 | – | – | – | 1 | 4 | 5 | – |
| | (2) Kilmelford, . . | 506 | 181 | 1 | 2 | 3 | 1 | – | 1 | – | 2 | 2 | – |
| 525 | Lismore, etc.— | | | | | | | | | | | | |
| | (1) Lismore, . . | 908 | 738 | 9 | 12 | 21 | – | 1 | 1 | 8 | 10 | 18 | 2 |
| | (2) Appin, . . . | 728 | 762 | 11 | 7 | 18 | 1 | 1 | 2 | 7 | 3 | 10 | 3 |
| | (3) Glencoe & Ballachulish, . . | 1529 | 1444 | 20 | 16 | 36 | – | – | – | 19 | 22 | 41 | – |
| | (4) Duror, . . . | 370 | 489 | 7 | 8 | 15 | 1 | 1 | 2 | 6 | 3 | 9 | – |
| *526 | Lochgilphead, . . | 3680 | 3605 | 49 | 50 | 99 | 3 | 4 | 7 | 34 | 36 | 70 | 13 |
| 527 | Lochgoilhead, etc.— | | | | | | | | | | | | |
| | (1) Lochgoilhead, . | 436 | 540 | 10 | 4 | 14 | – | – | – | 2 | 2 | 4 | 1 |
| | (2) Kilmorich, . . | 330 | 330 | 2 | 3 | 5 | – | – | – | 4 | 3 | 7 | 3 |
| 528 | Morvern, . . . | 973 | 828 | 9 | 3 | 12 | – | – | – | 13 | 8 | 21 | 2 |
| *529 | Muckairn, . . . | 786 | 831 | 14 | 10 | 24 | 1 | 2 | 3 | 17 | 8 | 25 | 6 |
| 530 | North Knapdale, . . | 1059 | 927 | 10 | 5 | 15 | 1 | – | 1 | 15 | 5 | 20 | 4 |
| †531 | Saddell, etc.— | | | | | | | | | | | | |
| | (1) Saddell, . . | 645 | 686 | 16 | 5 | 21 | – | – | – | 3 | 7 | 10 | 4 |
| | (2) Skipness, . . | 500 | 470 | 8 | 4 | 12 | 1 | – | 1 | 1 | 2 | 3 | 1 |
| 532 | Southend, . . . | 1044 | 955 | 12 | 12 | 24 | 2 | – | 2 | 6 | 7 | 13 | 6 |
| †533 | South Knapdale, . . | 548 | 453 | 5 | 3 | 8 | 1 | – | 1 | 4 | 4 | 8 | 2 |
| 534 | Stralachlan, etc.— | | | | | | | | | | | | |
| | (1) Stralachlan, . . | 340 | 358 | 7 | 5 | 12 | – | – | – | 3 | 1 | 4 | 1 |
| | (2) Strachur, . . | 527 | 574 | 11 | 4 | 15 | – | – | – | 7 | 8 | 15 | 3 |
| *535 | Tarbert, . . . | 1866 | 2017 | 38 | 19 | 57 | 3 | 1 | 4 | 16 | 16 | 32 | 9 |
| | *Insular.* | | | | | | | | | | | | |
| *536 | Bowmore (or Kilarrow), | 2088 | 1875 | 22 | 16 | 38 | 4 | 1 | 5 | 19 | 17 | 36 | 11 |
| 537 | Gigha, . . . . | 390 | 382 | 6 | 5 | 11 | – | 1 | 1 | 13 | 8 | 21 | 1 |
| 538 | Iona (merged in 542), . | | | | | | | | | | | | |
| †539 | Jura, etc.—(1) Jura, . | 775 | 792 | 6 | 10 | 16 | – | 2 | 2 | 6 | 3 | 9 | – |
| | (2) Colonsay, | 456 | 397 | 5 | 9 | 14 | – | 1 | 1 | – | 3 | 3 | 1 |
| †540 | Kilchoman, . . . | 1882 | 1687 | 24 | 16 | 40 | 6 | 3 | 9 | 25 | 19 | 44 | 5 |
| 541 | Kildalton and Oa, . . | 2283 | 2271 | 31 | 28 | 59 | 3 | 6 | 9 | 22 | 26 | 48 | 8 |
| *542 | Kilfinichen & Kilvickeon, | 2461 | 1990 | 32 | 21 | 53 | 1 | | 1 | 16 | 17 | 33 | 6 |
| *†543 | Kilmeny, . . . | 924 | 881 | 11 | 7 | 18 | 3 | – | 3 | 12 | 10 | 22 | – |
| †544 | Kilninian and Kilmore, . | 1189 | 985 | 11 | 9 | 20 | 1 | – | 1 | 8 | 7 | 15 | 2 |
| *545 | Kinlochspelvie, . . | 388 | 311 | – | 5 | 5 | – | – | – | 3 | 3 | 6 | – |
| 546 | Oa (merged in 541), . | | | | | | | | | | | | |
| *547 | Portnahaven, . . | 979 | 860 | 15 | 5 | 20 | 3 | – | 3 | 14 | 7 | 21 | 3 |
| *548 | Salen, . . . . | 605 | 600 | 8 | 4 | 12 | – | – | – | 2 | 4 | 6 | – |
| *549 | Tobermory, . . . | 1344 | 1342 | 16 | 15 | 31 | 2 | – | 2 | 14 | 16 | 30 | 2 |
| †550 | Torosay, . . . | 454 | 396 | 1 | 1 | 2 | – | – | – | 4 | 5 | 9 | 3 |
| 551 | Tyree, etc.—(1) Tyree, . | 2837 | 2733 | 34 | 31 | 65 | 2 | 3 | 5 | 26 | 25 | 51 | 11 |
| | (2) Coll, . | 723 | 643 | 7 | 6 | 13 | – | – | – | 5 | 5 | 10 | 2 |
| | Total, | 79661 | 80761 | 1153 | 955 | 2108 | 101 | 67 | 168 | 803 | 754 | 1557 | 299 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| | 20. Bute. | | | | | | | | | | | | |
| 552 | Cumbrae, | 1613 | 1856 | 36 | 30 | 66 | – | – | – | 15 | 21 | 36 | 7 |
| †553 | Kilbride—(1) Brodick, | 928 | 837 | 10 | 4 | 14 | – | – | – | 7 | 6 | 13 | 7 |
| | (2) Kilbride, | 1276 | 1183 | 10 | 9 | 19 | – | 1 | 1 | 10 | 14 | 24 | 4 |
| †554 | Kilmory, | 2278 | 2028 | 17 | 20 | 37 | 3 | 2 | 5 | 14 | 15 | 29 | 7 |
| 555 | Kingarth, | 901 | 1260 | 14 | 14 | 28 | 2 | – | 2 | 4 | 6 | 10 | 5 |
| *556 | Lochranza, | 777 | 714 | 11 | 5 | 16 | 1 | 1 | 2 | 7 | 7 | 14 | 4 |
| *557 | North Bute, | 1393 | 1427 | 16 | 23 | 39 | 1 | 1 | 2 | 10 | 13 | 23 | 7 |
| †558 | ROTHESAY, | 7800 | 8329 | 133 | 119 | 252 | 11 | 10 | 21 | 93 | 111 | 204 | 52 |
| | Total, | 16966 | 17634 | 247 | 224 | 471 | 18 | 15 | 33 | 160 | 193 | 353 | 93 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | |
| | 21. Renfrew. | | | | | | | | | | | | |
| †559 | Abbey— | | | | | | | | | | | | |
| | (1) Burghal (merged in 573). | | | | | | | | | | | | |
| | (3) Johnstone and Elderslie, | 9573 | 11488 | 231 | 213 | 444 | 10 | 11 | 21 | 120 | 144 | 264 | 88 |
| 560 | Cathcart, | 7231 | 12211 | 203 | 186 | 389 | 7 | 3 | 10 | 91 | 76 | 167 | 80 |
| 561 | Eaglesham, | 1714 | 1385 | 23 | 16 | 39 | – | 1 | 1 | 15 | 11 | 26 | 12 |
| 562 | Eastwood, | 13098 | 13915 | 230 | 203 | 433 | 28 | 11 | 39 | 178 | 213 | 391 | 109 |
| 563 | Erskine, | 1565 | 1653 | 22 | 24 | 46 | 2 | 1 | 3 | 9 | 13 | 22 | 7 |
| 564 | GREENOCK— | | | | | | | | | | | | |
| | (1) New, or Middle, | 20822 | 20302 | 405 | 400 | 805 | 34 | 29 | 63 | 256 | 250 | 506 | 106 |
| | (2) East, | 13662 | 18188 | 398 | 319 | 717 | 17 | 13 | 30 | 225 | 202 | 427 | 129 |
| | (3) Old, or West, | 25310 | 30748 | 591 | 521 | 1112 | 31 | 15 | 46 | 384 | 303 | 687 | 279 |
| 565 | Houstoun and Killellan, | 2167 | 2191 | 35 | 22 | 57 | 3 | – | 3 | 24 | 32 | 56 | 13 |
| 566 | Inchinnan, | 584 | 508 | 5 | 2 | 7 | – | – | – | 3 | 2 | 5 | – |
| 567 | Inverkip—(1) Inverkip, | 1393 | 1295 | 20 | 14 | 34 | 1 | – | 1 | 8 | 9 | 17 | 10 |
| | (2) Gourock, | 3109 | 4064 | 51 | 44 | 95 | 6 | 5 | 11 | 64 | 73 | 137 | 16 |
| 568 | Kilbarchan, | 6093 | 6868 | 126 | 116 | 242 | 8 | 9 | 17 | 69 | 71 | 140 | 37 |
| 569 | Kilmalcolm, | 1716 | 2708 | 32 | 39 | 71 | 2 | 4 | 6 | 18 | 22 | 40 | 14 |
| 570 | Lochwinnoch, | 3816 | 3369 | 43 | 49 | 92 | 3 | 4 | 7 | 22 | 35 | 57 | 24 |
| 571 | Mearns, | 3543 | 3965 | 48 | 53 | 101 | 4 | 4 | 8 | 31 | 30 | 61 | 18 |
| *572 | Neilston—(1) Neilston, | 4633 | 4631 | 64 | 61 | 125 | 9 | 7 | 16 | 42 | 68 | 110 | 28 |
| | (2) Barrhead, | 8784 | 9430 | 135 | 146 | 281 | 13 | 8 | 21 | 95 | 111 | 206 | 70 |
| *573 | PAISLEY—BURGH, | 48257 | 55638 | 970 | 957 | 1927 | 77 | 76 | 153 | 681 | 743 | 1424 | 451 |
| | Landward, | 2415 | 2733 | 48 | 37 | 85 | 1 | 2 | 3 | 26 | 17 | 43 | 10 |
| 574 | PORT-GLASGOW, | 9912 | 10913 | 181 | 185 | 366 | 14 | 5 | 19 | 155 | 156 | 311 | 88 |
| †575 | RENFREW, | 5908 | 7408 | 140 | 122 | 262 | 3 | 4 | 7 | 69 | 73 | 142 | 47 |
| | Total, | 195305 | 225611 | 4001 | 3729 | 7730 | 273 | 212 | 485 | 2585 | 2654 | 5239 | 1636 |
| | 22 Ayr. | | | | | | | | | | | | |
| *576 | Ardrossan— | | | | | | | | | | | | |
| | (1) Old Ardrossan, | 3336 | 3686 | 69 | 64 | 133 | 5 | 5 | 10 | 39 | 48 | 87 | 30 |
| | (2) New Ardrossan, | 3929 | 4098 | 94 | 81 | 175 | 3 | 8 | 11 | 44 | 36 | 80 | 23 |
| 577 | Auchinleck, | 6174 | 6681 | 155 | 159 | 314 | 8 | 13 | 21 | 59 | 71 | 130 | 42 |
| *578 | AYR, | 19172 | 22279 | 355 | 377 | 732 | 30 | 39 | 69 | 257 | 288 | 545 | 140 |
| 579 | Ballantrae, | 1277 | 1442 | 22 | 21 | 43 | 3 | 1 | 4 | 11 | 15 | 26 | 6 |
| 580 | Barr, | 672 | 600 | 8 | 5 | 13 | 1 | – | 1 | 2 | 3 | 5 | 2 |
| 581 | Beith, | 6233 | 6555 | 115 | 105 | 220 | 8 | 5 | 13 | 73 | 71 | 144 | 41 |
| 582 | Colmonell—(1) Colmonell | 1172 | 1132 | 14 | 28 | 42 | 1 | 2 | 3 | 8 | 10 | 18 | 6 |
| | (2) Barrhill, | 1121 | 1059 | 18 | 15 | 33 | 2 | 1 | 3 | 7 | 8 | 15 | 6 |
| 583 | Coylton, | 1440 | 3100 | 54 | 57 | 111 | 5 | 3 | 8 | 20 | 11 | 31 | 17 |
| 584 | Craigie, | 618 | 590 | 6 | 2 | 8 | – | – | – | 2 | 2 | 4 | 6 |
| *584 b. | Crosshill, | 1372 | 1285 | 25 | 24 | 49 | 3 | 3 | 6 | 10 | 17 | 27 | 8 |
| 585 | Dailly, | 1932 | 2226 | 37 | 39 | 76 | 4 | 6 | 10 | 16 | 9 | 25 | 16 |
| 586 | Dalmellington, | 6165 | 6383 | 131 | 129 | 260 | 10 | 9 | 19 | 35 | 52 | 87 | 36 |
| 587 | Dalry, | 10885 | 10215 | 186 | 175 | 361 | 17 | 8 | 25 | 116 | 120 | 236 | 71 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 588 | Dalrymple, | 1412 | 1362 | 23 | 22 | 45 | – | 3 | 3 | 9 | 10 | 19 | 10 |
| 589 | Dreghorn, | 3241 | 3949 | 84 | 72 | 156 | 6 | 7 | 13 | 47 | 29 | 76 | 35 |
| †590 | Dundonald— | | | | | | | | | | | | |
| | (1) Dundonald, | 1507 | 1509 | 28 | 18 | 46 | 2 | 1 | 3 | 17 | 13 | 30 | 10 |
| | (2) Troon, | 2870 | 2587 | 44 | 36 | 80 | 4 | 2 | 6 | 15 | 19 | 34 | 17 |
| 591 | Dunlop, | 1160 | 1363 | 22 | 26 | 48 | – | 2 | 2 | 15 | 10 | 25 | 5 |
| 592 | Fenwick, | 1318 | 1152 | 12 | 15 | 27 | 2 | 1 | 3 | 12 | 10 | 22 | 10 |
| 593 | Galston, | 6331 | 5961 | 125 | 95 | 220 | 13 | 6 | 19 | 65 | 60 | 125 | 38 |
| 594 | Girvan, | 5685 | 5480 | 81 | 79 | 160 | 10 | 9 | 19 | 61 | 67 | 128 | 29 |
| *595 | IRVINE, | 8462 | 10022 | 212 | 169 | 381 | 15 | 14 | 29 | 160 | 126 | 286 | 69 |
| 596 | Kilbirnie, | 4953 | 5243 | 83 | 77 | 160 | 5 | 9 | 14 | 48 | 43 | 91 | 51 |
| 597 | KILMARNOCK, | 24072 | 25864 | 486 | 490 | 976 | 42 | 29 | 71 | 294 | 285 | 579 | 216 |
| 598 | Kilmaurs, | 3449 | 3704 | 90 | 79 | 169 | 7 | 3 | 10 | 37 | 30 | 67 | 32 |
| 599 | Kilwinning, | 7375 | 7037 | 133 | 110 | 243 | 13 | 5 | 18 | 81 | 89 | 170 | 49 |
| †600 | Kirkmichael, | 1125 | 983 | 18 | 11 | 29 | 3 | 1 | 4 | 12 | 7 | 19 | 12 |
| †601 | Kirkoswald, | 1658 | 1540 | 19 | 17 | 36 | 2 | 3 | 5 | 9 | 17 | 26 | 8 |
| 602 | Largs, | 4087 | 5149 | 90 | 49 | 139 | 6 | 1 | 7 | 63 | 36 | 99 | 27 |
| 603 | Loudoun, | 5525 | 5239 | 59 | 82 | 141 | 5 | 3 | 8 | 47 | 48 | 95 | 34 |
| 604 | Mauchline, | 2435 | 2504 | 34 | 43 | 77 | 4 | 1 | 5 | 19 | 30 | 49 | 18 |
| †605 | Maybole, | 5845 | 6590 | 130 | 117 | 247 | 18 | 9 | 27 | 69 | 66 | 135 | 45 |
| 606 | Monkton and Prestwick, | 1744 | 2121 | 33 | 25 | 58 | 4 | 2 | 6 | 20 | 10 | 30 | 9 |
| 607 | Muirkirk, | 3253 | 5123 | 100 | 114 | 214 | 12 | 8 | 20 | 63 | 47 | 110 | 36 |
| 608 | New Cumnock, | 3434 | 3781 | 74 | 78 | 152 | 8 | 5 | 13 | 34 | 20 | 54 | 18 |
| 609 | Ochiltree, | 1656 | 1493 | 23 | 13 | 36 | 1 | 1 | 2 | 12 | 4 | 16 | 11 |
| 610 | Old Cumnock, | 4041 | 4861 | 87 | 90 | 177 | 5 | 5 | 10 | 38 | 46 | 84 | 30 |
| 611 | RICCARTON, | 5845 | 7112 | 150 | 151 | 301 | 9 | 7 | 16 | 60 | 69 | 129 | 38 |
| *†612 | St Quivox and Newton-upon-Ayr, | 1363 | 1766 | 37 | 25 | 62 | 3 | 3 | 6 | 18 | 16 | 34 | 15 |
| 613 | Sorn, | 4032 | 4255 | 60 | 85 | 145 | 5 | 10 | 15 | 42 | 50 | 92 | 25 |
| 614 | Stair, | 734 | 928 | 20 | 18 | 38 | 3 | 1 | 4 | 12 | 5 | 17 | 7 |
| 615 | Stevenston, | 5019 | 5694 | 121 | 90 | 211 | 10 | 2 | 12 | 68 | 67 | 135 | 27 |
| 616 | Stewarton, | 4478 | 4309 | 77 | 54 | 131 | 6 | 4 | 10 | 34 | 30 | 64 | 25 |
| 617 | Straiton, | 1443 | 1241 | 16 | 22 | 38 | 1 | 3 | 4 | 8 | 9 | 17 | 10 |
| 618 | Symington, | 792 | 697 | 8 | 11 | 19 | 1 | 1 | 2 | 5 | 1 | 6 | 5 |
| 619 | Tarbolton, | 3219 | 3599 | 68 | 91 | 159 | 9 | 6 | 15 | 24 | 27 | 51 | 25 |
| †620 | West Kilbride, | 1847 | 2081 | 33 | 42 | 75 | 5 | 3 | 8 | 23 | 17 | 40 | 10 |
| | Total, | 200908 | 217630 | 3969 | 3797 | 7766 | 339 | 273 | 612 | 2240 | 2174 | 4414 | 1456 |
| | 23. Lanark. | | | | | | | | | | | | |
| 621 | Avondale, | 5460 | 5466 | 82 | 85 | 167 | 9 | 6 | 15 | 44 | 65 | 109 | 49 |
| †622 | Barony,— | | | | | | | | | | | | |
| | (1) Maryhill, | 6828 | 18385 | 403 | 402 | 805 | 20 | 15 | 35 | 230 | 176 | 406 | 147 |
| | (2) Shettleston, | 7517 | 9238 | 168 | 148 | 316 | 6 | 9 | 15 | 91 | 91 | 182 | 62 |
| 623 | Biggar, | 2013 | 2128 | 36 | 25 | 61 | 5 | 3 | 8 | 22 | 29 | 51 | 14 |
| 624 | Blantyre, | 3472 | 9760 | 193 | 176 | 369 | 9 | 13 | 22 | 87 | 84 | 171 | 55 |
| 625 | Bothwell— | | | | | | | | | | | | |
| | (1) Bothwell, | 9193 | 15017 | 298 | 256 | 554 | 19 | 9 | 28 | 136 | 129 | 265 | 92 |
| | (2) Holytown, | 10099 | 10449 | 230 | 198 | 428 | 18 | 10 | 28 | 112 | 111 | 223 | 64 |
| 626*a* | Cadder—(1) Western, | 3261 | 3507 | 67 | 69 | 136 | – | 1 | 1 | 35 | 52 | 87 | 16 |
| | (2) Eastern, | 3203 | 3458 | 56 | 51 | 107 | 3 | – | 3 | 35 | 29 | 64 | 8 |
| *626*b* | Calderhead, | 4271 | 4158 | 73 | 85 | 158 | 6 | 4 | 10 | 30 | 35 | 65 | 27 |
| 627 | Cambuslang, | 3740 | 9447 | 206 | 214 | 420 | 6 | 7 | 13 | 96 | 112 | 208 | 61 |
| †628 | Cambusnethan, | 18709 | 19286 | 439 | 363 | 802 | 24 | 22 | 46 | 224 | 224 | 448 | 148 |
| 629 | Carluke, | 7066 | 8552 | 162 | 157 | 319 | 12 | 11 | 23 | 71 | 70 | 141 | 59 |
| 630 | Carmichael, | 708 | 770 | 8 | 21 | 29 | 1 | 3 | 4 | 4 | 4 | 8 | 4 |
| 631 | Carmunnock, | 702 | 722 | 7 | 9 | 16 | – | 1 | 1 | 7 | 2 | 9 | 5 |
| 632 | Carnwath, | 5709 | 5831 | 143 | 104 | 247 | 18 | 11 | 29 | 36 | 46 | 82 | 38 |
| 633 | Carstairs, | 1718 | 1955 | 31 | 43 | 74 | 1 | 2 | 3 | 8 | 11 | 19 | 9 |

| | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| 34 | Covington and Thankerton | 454 | 444 | 3 | 4 | 7 | – | – | – | 3 | 1 | 4 | 2 |
| 35 | Crawford,—(1) Crawford, | 727 | 698 | 8 | 14 | 22 | 1 | 1 | 2 | 1 | 1 | 2 | 3 |
| | (2) Leadhills, | 1102 | 1065 | 21 | 19 | 40 | 1 | 1 | 2 | 12 | 9 | 21 | 3 |
| 36 | Crawfordjohn, . . | 853 | 843 | 7 | 11 | 18 | – | 1 | 1 | 11 | 5 | 16 | 2 |
| 37 | Culter, . . . . | 593 | 574 | 6 | 8 | 14 | – | 2 | 2 | 5 | 3 | 8 | 1 |
| 38 | Dalserf—(1) Larkhall | 5332 | 6703 | 143 | 123 | 266 | 11 | 8 | 19 | 65 | 60 | 125 | 49 |
| | (2) Dalserf, . | 2009 | 2675 | 43 | 46 | 89 | 5 | 4 | 9 | 18 | 17 | 35 | 11 |
| 39 | Dalziel, . . . | 9175 | 13853 | 307 | 298 | 605 | 15 | 14 | 29 | 181 | 149 | 330 | 109 |
| 40 | Dolphinton, . . . | 231 | 292 | 6 | 2 | 8 | – | – | – | 4 | 5 | 9 | 1 |
| 41 | Douglas, . . . | 2624 | 2641 | 43 | 41 | 84 | 4 | 3 | 7 | 19 | 19 | 38 | 17 |
| 42 | Dunsyre, . . . | 302 | 254 | 4 | 3 | 7 | 1 | – | 1 | 2 | – | 2 | – |
| 43 | East Kilbride, . . | 3861 | 3975 | 63 | 59 | 122 | 5 | 4 | 9 | 26 | 35 | 61 | 25 |
| 44 | GLASGOW— | | | | | | | | | | | | |
| | (1) Bridgeton, . . | | 39630 | 822 | 870 | 1692 | 50 | 47 | 97 | 649 | 734 | 1383 | 352 |
| | (2) Camlachie, . . | | 37994 | 841 | 753 | 1594 | 57 | 53 | 110 | 504 | 510 | 1014 | 273 |
| | (3) Dennistoun, . . | | 46118 | 896 | 843 | 1739 | 46 | 44 | 90 | 855 | 640 | 1495 | 478 |
| | Do. (Landward), | | 6009 | 113 | 128 | 241 | 27 | 24 | 51 | 219 | 196 | 415 | 21 |
| | (4) Calton, . . | | 37450 | 667 | 643 | 1310 | 48 | 58 | 106 | 497 | 543 | 1040 | 284 |
| | (5) Blackfriars, . . | | 33961 | 563 | 527 | 1090 | 70 | 59 | 129 | 398 | 414 | 812 | 227 |
| | (6) St Rollox, . . | | 42490 | 959 | 923 | 1882 | 148 | 136 | 284 | 753 | 694 | 1447 | 301 |
| | Do. (Landward), | | 945 | 31 | 12 | 43 | – | – | – | 11 | 5 | 16 | 3 |
| | (7) Blythswood, . . | | 30521 | 419 | 411 | 830 | 47 | 52 | 99 | 318 | 283 | 601 | 367 |
| | (8) Milton, . . . | 508262 | 35572 | 681 | 659 | 1340 | 49 | 48 | 97 | 466 | 468 | 934 | 259 |
| | (9) Kelvin, . . . | | 53794 | 826 | 792 | 1618 | 36 | 30 | 66 | 538 | 463 | 1001 | 536 |
| | (10) Anderston, . . | | 39006 | 753 | 678 | 1431 | 56 | 54 | 110 | 460 | 448 | 908 | 294 |
| | (11) Hutchesontown, . | | 44443 | 1000 | 996 | 1996 | 54 | 58 | 112 | 562 | 556 | 1118 | 244 |
| | Do. (Landward), | | 5951 | 132 | 151 | 283 | 2 | 2 | 4 | 70 | 73 | 143 | 33 |
| | (12) Gorbals, . . | | 39235 | 646 | 623 | 1269 | 53 | 51 | 104 | 466 | 409 | 875 | 559 |
| | Do. (Landward), | | 5011 | 103 | 99 | 202 | 1 | 1 | 2 | 34 | 42 | 76 | 28 |
| | (13) Tradeston, . . | | 18057 | 342 | 304 | 646 | 26 | 21 | 47 | 215 | 195 | 410 | 91 |
| | Do. (Landward), | | 5451 | 94 | 87 | 181 | 2 | 2 | 4 | 32 | 36 | 68 | 55 |
| | (14) Kinning Park, - | | 13144 | 230 | 245 | 475 | 9 | 9 | 18 | 136 | 130 | 266 | 70 |
| | Do. (Landward) | | 15752 | 267 | 279 | 546 | 11 | 19 | 30 | 165 | 161 | 326 | 155 |
| 45 | Glassford, . . . | 1430 | 1452 | 25 | 25 | 50 | – | 2 | 2 | 16 | 14 | 30 | 7 |
| 46 | Govan— | | | | | | | | | | | | |
| | (1) Govan Church, . | 19899 | 51915 | 1091 | 980 | 2071 | 51 | 66 | 117 | 684 | 599 | 1283 | 308 |
| | (2) Partick, . . | 23726 | 39028 | 591 | 640 | 1231 | 21 | 16 | 37 | 314 | 347 | 661 | 270 |
| 47 | HAMILTON, . | 16803 | 26231 | 492 | 490 | 982 | 21 | 21 | 42 | 298 | 251 | 549 | 184 |
| 48 | LANARK, . . . | 7841 | 7580 | 131 | 111 | 242 | 13 | 13 | 26 | 82 | 102 | 184 | 62 |
| 49 | Lesmahagow, . . | 8709 | 9949 | 181 | 174 | 355 | 19 | 15 | 34 | 92 | 84 | 176 | 65 |
| 50 | Libberton, . . . | 691 | 625 | 6 | 8 | 14 | – | 1 | 1 | – | 6 | 6 | 4 |
| 51 | NEW MONKLAND— | | | | | | | | | | | | |
| | (1) AIRDRIE, . . | 13488 | 13363 | 248 | 262 | 510 | 19 | 15 | 34 | 145 | 140 | 285 | 124 |
| | (2) Landward, . . | 9264 | 14453 | 300 | 329 | 629 | 10 | 20 | 30 | 169 | 132 | 301 | 57 |
| 52 | Old Monkland— | | | | | | | | | | | | |
| | (1) Western, . . | 7873 | 8597 | 158 | 146 | 304 | 12 | 4 | 16 | 89 | 87 | 176 | 70 |
| | (2) Middle, . . | 18410 | 19483 | 402 | 361 | 763 | 16 | 16 | 32 | 276 | 237 | 513 | 154 |
| | (3) Eastern, . . | 7790 | 9243 | 210 | 179 | 389 | 6 | 10 | 16 | 105 | 101 | 206 | 44 |
| 53 | Pettinain, . . . | 366 | 360 | 4 | 3 | 7 | – | 1 | 1 | 2 | 3 | 5 | 2 |
| 54 | RUTHERGLEN, . . | 10766 | 13801 | 234 | 242 | 476 | 8 | 7 | 15 | 164 | 156 | 320 | 97 |
| 55 | Shotts,—(1) Middle Dist. | 2523 | 2596 | 46 | 49 | 95 | 4 | 6 | 10 | 34 | 17 | 51 | 13 |
| | (2) Eastern do. | 1852 | 3466 | 87 | 75 | 162 | 7 | 3 | 10 | 33 | 38 | 71 | 16 |
| | (2) Western do. | 1324 | 2531 | 49 | 53 | 102 | 1 | 3 | 4 | 25 | 24 | 49 | 22 |
| 56 | Stonehouse, . . . | 3177 | 3173 | 55 | 50 | 105 | 6 | 1 | 7 | 23 | 20 | 43 | 21 |
| 57 | Symington, . . . | 442 | 462 | 7 | 4 | 11 | 2 | – | 2 | 6 | 1 | 7 | 2 |
| 58 | Walston, . . . | 425 | 340 | 8 | 3 | 11 | 1 | – | 1 | 1 | 5 | 6 | 1 |
| 59 | Wandell and Lamington, | 332 | 316 | 8 | 5 | 13 | – | 1 | 1 | – | 2 | 2 | 3 |
| 60 | Wiston and Roberton, . | 680 | 562 | 1 | 6 | 7 | – | – | – | 2 | 3 | 5 | 4 |
| | Total, | 787005 | 942206 | 17975 | 17252 | 35227 | 1209 | 1154 | 2363 | 11523 | 10943 | 22466 | 7241 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Totl. | Mal. | Fem | Total. | |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | |
| | 24. Linlithgow. | | | | | | | | | | | | |
| 661 | Abercorn, | 933 | 856 | 12 | 13 | 25 | – | 2 | 2 | 7 | 4 | 11 | |
| 662 | Bathgate— | | | | | | | | | | | | |
| | (1) Bathgate, | 6942 | 6425 | 120 | 138 | 258 | 16 | 7 | 23 | 59 | 64 | 123 | 4 |
| | (2) Armadale, | 3187 | 3025 | 80 | 61 | 141 | 6 | 2 | 8 | 47 | 42 | 89 | 2 |
| 663 | Borrowstounness, | 4986 | 6088 | 132 | 102 | 234 | 6 | 4 | 10 | 59 | 55 | 114 | 5 |
| 664 | Carriden, | 1799 | 1989 | 36 | 57 | 93 | 2 | 3 | 5 | 16 | 25 | 41 | 1 |
| †665 | Dalmeny, | 916 | 1048 | 15 | 18 | 33 | 2 | 2 | 4 | 4 | 4 | 8 | |
| 666 | Ecclesmachen, | 329 | 278 | 6 | 6 | 12 | – | 1 | 1 | 4 | 2 | 6 | |
| †667 | Kirkliston, | 2172 | 2563 | 49 | 45 | 94 | 2 | 3 | 5 | 21 | 13 | 34 | 1 |
| 668 | LINLITHGOW, | 5554 | 5619 | 95 | 94 | 189 | 12 | 6 | 18 | 83 | 63 | 146 | 3 |
| 669 | Livingstone, | 1727 | 1484 | 24 | 36 | 60 | 3 | 2 | 5 | 12 | 12 | 24 | |
| *670 | QUEENSFERRY, | 1521 | 1966 | 43 | 32 | 75 | 4 | – | 4 | 15 | 20 | 35 | 1 |
| 671 | Torphichen, | 1630 | 1526 | 27 | 29 | 56 | 3 | 1 | 4 | 14 | 12 | 26 | |
| 672 | Uphall, | 2772 | 4812 | 122 | 104 | 226 | 7 | 7 | 14 | 35 | 26 | 61 | 3 |
| 673 | Whitburn— | | | | | | | | | | | | |
| | (1) Whitburn, | 2801 | 2393 | 37 | 36 | 73 | 5 | 6 | 11 | 26 | 24 | 50 | 1 |
| | (2) Fauldhouse, | 4110 | 3933 | 81 | 91 | 172 | 8 | 9 | 17 | 27 | 43 | 70 | 2 |
| | Total, | 41379 | 44005 | 879 | 862 | 1741 | 76 | 55 | 131 | 429 | 409 | 838 | 29 |
| | 25. Edinburgh. | | | | | | | | | | | | |
| †674 | Borthwick, | 1494 | 1374 | 25 | 25 | 50 | 3 | 1 | 4 | 9 | 8 | 17 | |
| 675 | Carrington, | 712 | 606 | 7 | 12 | 19 | 1 | 3 | 4 | 8 | 7 | 15 | |
| †676 | Cockpen, | 2481 | 3431 | 48 | 58 | 106 | 1 | 1 | 2 | 24 | 24 | 48 | 2 |
| 677 | Colinton, | 3644 | 4347 | 66 | 76 | 142 | 15 | 10 | 25 | 107 | 96 | 203 | 2 |
| 678 | Corstorphine, | 1788 | 2156 | 30 | 29 | 59 | 1 | 2 | 3 | 16 | 14 | 30 | 1 |
| †679 | Cramond, | 3020 | 2960 | 50 | 39 | 89 | 3 | 3 | 6 | 28 | 28 | 56 | 2 |
| 680 | Cranston, | 1036 | 998 | 19 | 15 | 34 | – | 2 | 2 | 11 | 8 | 19 | |
| 681 | Crichton, | 1223 | 1094 | 16 | 17 | 33 | 2 | – | 2 | 9 | 12 | 21 | |
| 682 | Currie, | 2360 | 2390 | 41 | 37 | 78 | 2 | 6 | 8 | 26 | 20 | 46 | |
| 683 | Dalkeith, | 7667 | 7707 | 146 | 123 | 269 | 7 | 16 | 23 | 101 | 98 | 199 | 8 |
| †684 | DUDDINGSTON— | | | | | | | | | | | | |
| | (1) PORTOBELLO, | 5481 | 6794 | 107 | 100 | 207 | 7 | 7 | 14 | 57 | 59 | 116 | |
| | (2) Landward, | 970 | 1124 | 22 | 18 | 40 | 2 | – | 2 | 6 | 19 | 25 | |
| *685 | EDINBURGH— | | | | | | | | | | | | |
| | (1) St George, | 50988 | 65446 | 1090 | 1039 | 2129 | 49 | 60 | 109 | 533 | 560 | 1093 | 4 |
| | Do. (Landward), | 4061 | 7960 | 86 | 91 | 177 | 7 | 9 | 16 | 137 | 185 | 322 | |
| | (2) St Andrew, | 39781 | 44537 | 698 | 642 | 1340 | 38 | 31 | 69 | 398 | 381 | 779 | 3 |
| | (3) Canongate, | 33183 | 31339 | 669 | 594 | 1263 | 46 | 45 | 91 | 447 | 414 | 861 | 3 |
| | (4) St Giles, | 31960 | 32833 | 606 | 599 | 1205 | 129 | 113 | 242 | 672 | 520 | 1192 | 3 |
| | (5) Newington, | 41079 | 54218 | 829 | 774 | 1603 | 35 | 48 | 83 | 470 | 551 | 1021 | 5 |
| 686 | Fala and Soutra, | 364 | 312 | 4 | 4 | 8 | – | 1 | 1 | 4 | – | 4 | |
| 687 | Glencorse, | 1153 | 1500 | 25 | 28 | 53 | – | – | – | 11 | 13 | 24 | |
| 688 | Heriot, | 414 | 429 | 5 | 9 | 14 | – | – | – | – | – | – | |
| 689 | INVERESK, | 10068 | 10536 | 190 | 176 | 366 | 20 | 15 | 35 | 131 | 142 | 273 | |
| *690 | Kirknewton and East Calder, | 2213 | 2759 | 68 | 64 | 132 | 1 | 4 | 5 | 28 | 25 | 53 | |
| 691 | Lasswade, | 7098 | 8872 | 156 | 129 | 285 | 9 | 7 | 16 | 79 | 89 | 168 | |
| *†692 | LEITH— | | | | | | | | | | | | |
| | (1) North Leith, | 16582 | 21977 | 421 | 405 | 826 | 18 | 23 | 41 | 227 | 220 | 447 | 1 |
| | (2) South Leith, | 29852 | 39211 | 751 | 757 | 1508 | 43 | 58 | 101 | 488 | 443 | 931 | 3 |
| 693 | Liberton, | 3791 | 5732 | 102 | 122 | 224 | 8 | 5 | 13 | 67 | 73 | 140 | |
| 694 | Mid-Calder, | 1634 | 1695 | 29 | 21 | 50 | – | 2 | 2 | 11 | 9 | 20 | |
| 695 | Newbattle, | 2424 | 2771 | 47 | 45 | 92 | 4 | 8 | 12 | 27 | 14 | 41 | |
| 696 | Newton, | 1181 | 1307 | 18 | 16 | 34 | 1 | – | 1 | 16 | 7 | 23 | |
| 697 | Penicuik, | 3765 | 5309 | 101 | 91 | 192 | 6 | 5 | 11 | 53 | 50 | 103 | |
| 698*a* | Ratho, | 1744 | 1815 | 24 | 38 | 62 | 3 | 3 | 6 | 13 | 11 | 24 | |

| | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Male | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 8 | Stobhill, | 2447 | 3065 | 65 | 67 | 132 | 3 | 6 | 9 | 28 | 19 | 47 | 20 |
| 9 | Stow, | 1957 | 2010 | 36 | 35 | 71 | 2 | 2 | 4 | 25 | 11 | 36 | 8 |
| 0 | Temple, | 658 | 541 | 10 | 10 | 20 | 2 | – | 2 | 5 | 5 | 10 | 3 |
| 1 | West-Calder, | 7865 | 7681 | 185 | 158 | 343 | 6 | 4 | 10 | 83 | 68 | 151 | 41 |
| | Total, | 328138 | 388836 | 6792 | 6463 | 13255 | 474 | 500 | 974 | 4355 | 4203 | 8558 | 3016 |
| | 26. Haddington. | | | | | | | | | | | | |
| 2 | Aberlady, | 1022 | 1000 | 11 | 16 | 27 | 2 | 1 | 3 | 2 | 13 | 15 | 6 |
| 3 | Athelstaneford, | 844 | 762 | 10 | 13 | 23 | – | – | – | 3 | 8 | 11 | 3 |
| 4 | Bolton, | 364 | 337 | 4 | 8 | 12 | – | 1 | 1 | 1 | 5 | 6 | 3 |
| 5 | Dirleton, | 1419 | 1506 | 19 | 18 | 37 | 1 | 2 | 3 | 7 | 11 | 18 | 6 |
| 6 | DUNBAR, | 4982 | 5396 | 81 | 84 | 165 | 6 | 11 | 17 | 41 | 56 | 97 | 21 |
| 7 | Garvald, | 832 | 758 | 13 | 11 | 24 | – | – | – | 7 | 6 | 13 | 2 |
| 8 | Gladsmuir, | 1863 | 1747 | 26 | 23 | 49 | 2 | – | 2 | 15 | 18 | 33 | 5 |
| 9 | HADDINGTON, | 5735 | 5660 | 70 | 72 | 142 | 5 | 4 | 9 | 38 | 50 | 88 | 33 |
| 0 | Humbie, | 967 | 907 | 12 | 12 | 24 | 1 | 1 | 2 | 6 | 5 | 11 | 5 |
| 1 | Innerwick, | 892 | 777 | 7 | 9 | 16 | 1 | – | 1 | 7 | 8 | 15 | 4 |
| 2 | Morham, | 204 | 209 | 2 | 1 | 3 | – | – | – | – | 2 | 2 | 2 |
| 3 | NORTH BERWICK, | 2373 | 2688 | 38 | 44 | 82 | – | 2 | 2 | 27 | 28 | 55 | 10 |
| 4 | Oldhamstocks, | 592 | 568 | 9 | 7 | 16 | 2 | 1 | 3 | 6 | 3 | 9 | 1 |
| 5 | Ormiston, | 911 | 1026 | 24 | 17 | 41 | 1 | 1 | 2 | 12 | 9 | 21 | 4 |
| 6 | Pencaitland, | 1320 | 1107 | 27 | 15 | 42 | – | 1 | 1 | 8 | 6 | 14 | 8 |
| 7 | Prestonkirk, | 1931 | 1929 | 30 | 23 | 53 | 3 | 3 | 6 | 19 | 23 | 42 | 6 |
| 8 | Prestonpans, | 2069 | 2573 | 50 | 48 | 98 | 2 | 4 | 6 | 31 | 17 | 48 | 14 |
| 9 | Salton, | 647 | 575 | 6 | 9 | 15 | 1 | – | 1 | 5 | 6 | 11 | 1 |
| 0 | Spott, | 560 | 579 | 12 | 9 | 21 | 2 | 1 | 3 | 3 | 5 | 8 | 3 |
| 1 | Stenton, | 612 | 594 | 10 | 8 | 18 | 1 | – | 1 | 3 | 5 | 8 | 1 |
| 2 | Tranent, | 4852 | 5198 | 112 | 91 | 203 | 7 | 1 | 8 | 43 | 34 | 77 | 31 |
| 3 | Whitekirk and Tynninghame, | 1073 | 1051 | 9 | 8 | 17 | – | – | – | 6 | 5 | 11 | 4 |
| 4 | Whittinghame | 657 | 639 | 7 | 10 | 17 | – | – | – | 2 | 3 | 5 | 1 |
| 5 | Yester, | 1034 | 924 | 11 | 10 | 21 | 1 | – | 1 | 4 | 5 | 9 | 1 |
| | Total, | 37755 | 38510 | 600 | 566 | 1166 | 38 | 34 | 72 | 296 | 331 | 627 | 175 |
| | 27. Berwick. | | | | | | | | | | | | |
| 6 | Abbey St Bathans, | 195 | 250 | 5 | 2 | 7 | – | – | – | 2 | – | 2 | 2 |
| 7 | Ayton, | 1983 | 2040 | 37 | 36 | 73 | 2 | 1 | 3 | 18 | 20 | 38 | 14 |
| 8 | Bunkle and Preston, | 764 | 726 | 9 | 10 | 19 | – | 1 | 1 | 5 | 5 | 10 | 5 |
| 9 | Channelkirk, | 705 | 607 | 13 | 9 | 22 | 1 | 1 | 2 | 5 | 7 | 12 | 3 |
| 0 | Chirnside, | 1413 | 1516 | 23 | 28 | 51 | 5 | 3 | 8 | 13 | 17 | 30 | 3 |
| 1 | Cockburnspath, | 1133 | 1130 | 23 | 25 | 48 | 3 | 5 | 8 | 10 | 9 | 19 | 12 |
| 2 | Coldingham— | | | | | | | | | | | | |
| | (1) Coldingham, | 2582 | 2676 | 38 | 42 | 80 | 7 | 2 | 9 | 19 | 19 | 38 | 19 |
| | (2) Grantshouse, | 511 | 497 | 7 | 5 | 12 | – | – | – | 3 | 1 | 4 | 1 |
| 3 | Coldstream, | 2619 | 2561 | 23 | 24 | 47 | 2 | 3 | 5 | 21 | 28 | 49 | 18 |
| 4 | Cranshaws, | 142 | 106 | 1 | 1 | 2 | – | – | – | 2 | – | 2 | 1 |
| 5 | Dunse, | 3602 | 3353 | 42 | 49 | 91 | 5 | 2 | 7 | 24 | 29 | 53 | 16 |
| 6 | Earlston, | 1977 | 1767 | 26 | 26 | 52 | 5 | 2 | 7 | 10 | 9 | 19 | 12 |
| 7 | Eccles, | 1780 | 1546 | 20 | 15 | 35 | 3 | 1 | 4 | 9 | 12 | 21 | 5 |
| 8 | Edrom, | 1513 | 1514 | 21 | 13 | 34 | 1 | 1 | 2 | 14 | 15 | 29 | 3 |
| 9 | Eyemouth, | 2372 | 2935 | 48 | 76 | 124 | 3 | 4 | 7 | 32 | 25 | 57 | 12 |
| 0 | Fogo, | 502 | 468 | 5 | 7 | 12 | 2 | 1 | 3 | 5 | – | 5 | 1 |
| 1 | Foulden, | 425 | 393 | 7 | 2 | 9 | 1 | 1 | 2 | – | 4 | 4 | 2 |
| 2 | Gordon, | 876 | 832 | 9 | 7 | 16 | – | – | – | 4 | 4 | 8 | 6 |
| 3 | Greenlaw, | 1381 | 1245 | 21 | 24 | 45 | 7 | 2 | 9 | 11 | 17 | 28 | 6 |
| 4 | Hume, | 460 | 407 | 4 | 5 | 9 | 1 | – | 1 | 1 | 2 | 3 | 2 |
| 5 | Hutton, | 1077 | 962 | 18 | 8 | 26 | 3 | 1 | 4 | 6 | 7 | 13 | 6 |
| 6 | Ladykirk, | 518 | 438 | 2 | 8 | 10 | – | – | – | 4 | 3 | 7 | 4 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 747 | Langton, . . . | 548 | 505 | 13 | 2 | 15 | 5 | – | 5 | 4 | 5 | 9 | |
| 748 | LAUDER, . . . | 2120 | 1940 | 22 | 29 | 51 | 3 | 4 | 7 | 10 | 22 | 32 | |
| 749 | Legerwood, . . . | 525 | 549 | 9 | 10 | 19 | 1 | 1 | 2 | 1 | 3 | 4 | |
| 750 | Longformacus, . . | 452 | 385 | 6 | 7 | 13 | 1 | – | 1 | 1 | 3 | 4 | |
| 751 | Merton, . . . | 734 | 682 | 16 | 5 | 21 | 1 | 1 | 2 | 9 | 4 | 13 | |
| 752 | Mordington, . . . | 402 | 367 | 4 | 5 | 9 | 1 | – | 1 | 3 | 5 | 8 | |
| 753 | Nenthorn, . . . | 434 | 454 | 5 | 7 | 12 | – | – | – | 2 | 3 | 5 | |
| 754 | Polwarth, . . . | 249 | 227 | 3 | 3 | 6 | – | – | – | – | 3 | 3 | |
| 755 | Swinton, . . . | 996 | 964 | 11 | 14 | 25 | 1 | 1 | 2 | 4 | 6 | 10 | |
| 756 | Westruther, . . . | 784 | 671 | 2 | 8 | 10 | – | – | – | 2 | 2 | 4 | |
| 757 | Whitsome, . . . | 608 | 560 | 7 | 8 | 15 | – | – | – | 7 | 7 | 14 | |
| | Total, | 36382 | 35273 | 500 | 520 | 1020 | 64 | 38 | 102 | 261 | 296 | 557 | 18 |
| | 28. Peebles. | | | | | | | | | | | | |
| 758 | Broughton (merged in 763), . . . . | | | | | | | | | | | | |
| 759 | Drumelzier, . . . | 221 | 208 | 3 | 2 | 5 | – | – | – | – | – | – | |
| 760 | Eddlestone, . . . | 700 | 711 | 12 | 8 | 20 | – | – | – | 5 | 5 | 10 | |
| 761 | Glenholm (merged in 763). | | | | | | | | | | | | |
| †762 | Innerleithen, . . | 2776 | 3636 | 65 | 70 | 135 | 7 | 9 | 16 | 17 | 36 | 53 | 2 |
| 763 | Kilbucho, Broughton, and Glenholm, . . | 729 | 665 | 12 | 7 | 19 | 3 | 1 | 4 | 4 | 5 | 9 | |
| 764 | Kirkurd, . . . | 294 | 282 | 2 | 4 | 6 | 1 | – | 1 | 1 | 2 | 3 | |
| 765 | Lyne, etc.—(1) Lyne, . | 104 | 114 | 2 | 1 | 3 | – | – | – | 1 | – | 1 | |
| | (2) Megget, | 70 | 90 | – | 2 | 2 | – | – | – | – | – | – | |
| 766 | Manor, . . . . | 271 | 277 | 1 | 5 | 6 | – | – | – | 1 | 2 | 3 | |
| 767 | Newlands, . . . | 851 | 819 | 9 | 10 | 19 | 1 | 1 | 2 | 2 | 1 | 3 | |
| 768 | PEEBLES, . . . | 3172 | 4059 | 67 | 64 | 131 | 7 | 7 | 14 | 29 | 43 | 72 | 2 |
| 769 | Skirling, . . . | 325 | 274 | 4 | 3 | 7 | – | 1 | 1 | 2 | – | 2 | |
| 770 | Stobo, . . . . | 459 | 467 | 12 | 8 | 20 | – | – | – | 1 | 5 | 6 | |
| 771 | Traquair, . . . | 669 | 754 | 10 | 11 | 21 | 1 | 1 | 2 | 5 | 3 | 8 | |
| 772 | Tweedsmuir, . . | 190 | 215 | 1 | 4 | 5 | 1 | – | 1 | 1 | – | 1 | |
| 773 | West Linton, . . | 1387 | 1117 | 13 | 11 | 24 | 2 | 1 | 3 | 10 | 13 | 23 | |
| | Total, | 12218 | 13688 | 213 | 210 | 423 | 23 | 21 | 44 | 79 | 115 | 194 | 7 |
| | 29. Selkirk. | | | | | | | | | | | | |
| *774*a* | Caddonfoot, . . . | 699 | 693 | 8 | 7 | 15 | – | – | – | 3 | 1 | 4 | |
| 774*b* | Ettrick, . . . . | 434 | 397 | 4 | 6 | 10 | – | – | – | 1 | 4 | 5 | |
| †775 | GALASHIELS, . . | 5921 | 9599 | 187 | 190 | 377 | 13 | 16 | 29 | 74 | 90 | 164 | 5 |
| 776*a* | Kirkhope, . . . | 565 | 547 | 9 | 5 | 14 | 1 | 1 | 2 | 4 | 2 | 6 | |
| *776*b* | LADHOPE, . . . | 5317 | 6612 | 125 | 113 | 238 | 14 | 5 | 19 | 57 | 62 | 119 | 4 |
| 777 | Roberton, . . . | 593 | 567 | 5 | 6 | 11 | – | – | – | 2 | 3 | 5 | |
| †778 | SELKIRK, . . . | 5555 | 7369 | 118 | 126 | 244 | 16 | 13 | 29 | 60 | 83 | 143 | 4 |
| †779 | Yarrow, . . . . | 567 | 562 | 7 | 11 | 18 | – | 1 | 1 | 1 | 3 | 4 | |
| | Total, | 19651 | 26346 | 463 | 464 | 927 | 44 | 36 | 80 | 202 | 248 | 450 | 16 |
| | VIII. SOUTHERN. | | | | | | | | | | | | |
| | 30. Roxburgh. | | | | | | | | | | | | |
| 780 | Ancrum, . . . | 1391 | 1360 | 18 | 28 | 46 | – | 3 | 3 | 8 | 7 | 15 | |
| 781 | Ashkirk, . . . | 550 | 500 | 10 | 3 | 13 | 1 | 1 | 2 | 2 | 2 | 4 | |
| 782 | Bedrule, . . . | 292 | 269 | 7 | 4 | 11 | 3 | 1 | 4 | 2 | – | 2 | |
| 783 | Bowden, . . . | 842 | 769 | 10 | 11 | 21 | – | 1 | 1 | 9 | 10 | 19 | |
| 784 | Castleton, . . . | 2202 | 2256 | 35 | 32 | 67 | 5 | 4 | 9 | 13 | 22 | 35 | |
| †785 | Cavers, . . . . | 922 | 842 | 11 | 16 | 27 | 3 | 1 | 4 | 8 | 8 | 16 | |
| 876 | Crailing, . . . | 657 | 638 | 4 | 8 | 12 | – | 1 | 1 | 2 | 4 | 6 | |
| 787*a* | Eckford, . . . | 931 | 912 | 15 | 12 | 27 | 2 | 5 | 7 | 4 | 2 | 6 | |
| *787*b* | Edgerston, . . . | 365 | 358 | 10 | 5 | 15 | 3 | 1 | 4 | 3 | – | 3 | |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1871 | 1881 | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| Ednam, | 613 | 613 | 10 | 6 | 16 | 2 | – | 2 | 6 | 1 | 7 | 2 |
| HAWICK, | 8733 | 11758 | 210 | 194 | 404 | 18 | 19 | 37 | 124 | 123 | 247 | 70 |
| Hobkirk, | 718 | 662 | 9 | 6 | 15 | 1 | – | 1 | 3 | 1 | 4 | 2 |
| Hownam, | 238 | 263 | 4 | 1 | 5 | 1 | – | 1 | 2 | 4 | 6 | 2 |
| JEDBURGH, | 4971 | 4917 | 81 | 87 | 168 | 8 | 7 | 15 | 33 | 39 | 72 | 22 |
| Kelso, | 5124 | 5235 | 79 | 71 | 150 | 6 | 10 | 16 | 55 | 45 | 100 | 31 |
| Kirkton, | 841 | 810 | 7 | 13 | 20 | 1 | 1 | 2 | 3 | 10 | 13 | 4 |
| Lilliesleaf, | 788 | 718 | 9 | 13 | 22 | 1 | 2 | 3 | 7 | 6 | 13 | 5 |
| Linton, | 570 | 543 | 4 | 11 | 15 | 2 | 1 | 3 | 2 | 4 | 6 | 6 |
| Makerston, | 361 | 381 | 2 | 5 | 7 | – | – | – | 2 | 2 | 4 | 2 |
| Maxton, | 481 | 456 | 6 | 9 | 15 | – | 4 | 4 | 1 | – | 1 | 3 |
| Melrose, | 4115 | 4519 | 62 | 59 | 121 | 7 | – | 7 | 41 | 39 | 80 | 20 |
| Minto, | 431 | 433 | 6 | 5 | 11 | – | 1 | 1 | 3 | 2 | 5 | 4 |
| Morebattle, | 986 | 1003 | 16 | 14 | 30 | 3 | 2 | 5 | 0 | 4 | 4 | 1 |
| Oxnam, | 652 | 638 | 11 | 11 | 22 | 1 | 2 | 3 | 4 | 1 | 5 | 2 |
| Roxburgh, | 1053 | 1012 | 16 | 12 | 28 | 1 | 1 | 2 | 3 | 7 | 10 | 5 |
| St Boswells, | 973 | 959 | 14 | 12 | 26 | – | 2 | 2 | 6 | 10 | 16 | 6 |
| Smailholm, | 534 | 446 | 12 | 6 | 18 | 4 | 2 | 6 | 4 | 5 | 9 | 3 |
| Southdean, | 674 | 641 | 6 | 11 | 17 | 1 | 2 | 3 | 3 | 5 | 8 | 6 |
| Sprouston, | 1294 | 1026 | 13 | 15 | 28 | 2 | 2 | 4 | 7 | 2 | 9 | 2 |
| Stitchel, | 388 | 342 | 3 | 5 | 8 | – | 1 | 1 | 1 | 2 | 3 | 1 |
| Teviothead, | 515 | 486 | 2 | 5 | 7 | – | – | – | 2 | 1 | 3 | 1 |
| WILTON, | 3936 | 5782 | 93 | 113 | 206 | 11 | 11 | 22 | 46 | 49 | 95 | 37 |
| Yetholm, | 1100 | 1045 | 10 | 15 | 25 | 5 | – | 5 | 7 | 5 | 12 | 6 |
| Total, | 48241 | 52592 | 805 | 818 | 1623 | 92 | 88 | 180 | 416 | 422 | 838 | 297 |
| 31. Dumfries. | | | | | | | | | | | | |
| ANNAN, | 4631 | 4943 | 77 | 80 | 157 | 14 | 11 | 25 | 41 | 45 | 86 | 22 |
| Applegarth, | 902 | 969 | 14 | 16 | 30 | 4 | 3 | 7 | 6 | 4 | 10 | 5 |
| BRYDEKIRK, | 731 | 702 | 13 | 11 | 24 | 2 | 2 | 4 | 4 | 3 | 7 | 3 |
| Canonbie, | 3055 | 2723 | 42 | 38 | 80 | 6 | 1 | 7 | 25 | 23 | 48 | 11 |
| Carlaverock, | 1151 | 1051 | 14 | 16 | 30 | 3 | 4 | 7 | 7 | 10 | 17 | 5 |
| Closeburn, | 1612 | 1505 | 23 | 19 | 42 | 2 | 5 | 7 | 14 | 18 | 32 | 6 |
| Cummertrees, | 1072 | 1068 | 16 | 11 | 27 | 4 | – | 4 | 9 | 7 | 16 | 3 |
| Dalton, | 577 | 579 | 10 | 5 | 15 | 2 | 1 | 3 | 2 | 3 | 5 | 6 |
| Dornock, | 826 | 814 | 11 | 12 | 23 | 4 | 3 | 7 | 1 | 4 | 5 | 7 |
| Dryfesdale, | 2825 | 2971 | 45 | 53 | 98 | 3 | 5 | 8 | 36 | 26 | 62 | 12 |
| DUMFRIES, | 14841 | 16841 | 286 | 256 | 542 | 46 | 31 | 77 | 205 | 185 | 390 | 139 |
| Dunscore, | 1504 | 1405 | 17 | 13 | 30 | – | – | – | 8 | 9 | 17 | 14 |
| Durrisdeer, | 1189 | 1107 | 17 | 19 | 36 | 2 | 3 | 5 | 4 | 15 | 19 | 11 |
| Eskdalemuir, | 551 | 543 | 8 | 7 | 15 | 2 | 1 | 3 | 2 | 2 | 4 | 4 |
| Ewes, | 338 | 337 | 5 | 3 | 8 | – | – | – | 2 | 2 | 4 | 1 |
| Glencairn, | 1749 | 1737 | 15 | 22 | 37 | 2 | 3 | 5 | 15 | 16 | 31 | 9 |
| Graitney (or Gretna), | 1395 | 1212 | 18 | 16 | 34 | 7 | 5 | 12 | 11 | 12 | 23 | 9 |
| Halfmorton, | 611 | 497 | 10 | 3 | 13 | – | – | – | 3 | 3 | 6 | 4 |
| Hoddom, | 1520 | 1445 | 27 | 16 | 43 | 4 | – | 4 | 13 | 18 | 31 | 7 |
| Holywood, | 1069 | 1078 | 12 | 15 | 27 | 2 | 1 | 3 | 4 | 11 | 15 | 5 |
| Hutton, | 842 | 814 | 17 | 5 | 22 | – | 1 | 1 | 3 | 2 | 5 | 4 |
| Johnstone, | 1089 | 1002 | 10 | 10 | 20 | 2 | – | 2 | 7 | 5 | 12 | 6 |
| Keir, | 828 | 745 | 9 | 14 | 23 | – | 2 | 2 | 5 | 7 | 12 | 6 |
| Kirkconnel, | 952 | 1019 | 21 | 18 | 39 | – | 1 | 1 | 6 | 4 | 10 | 8 |
| Kirkmahoe, | 1332 | 1250 | 21 | 16 | 37 | 4 | 2 | 6 | 9 | 8 | 17 | 10 |
| Kirkmichael, | 903 | 849 | 14 | 20 | 34 | 5 | 3 | 8 | 11 | 11 | 22 | 3 |
| Kirkpatrick-Fleming— | | | | | | | | | | | | |
| (1) Northern District, | 393 | 393 | 11 | 4 | 15 | 2 | 1 | 3 | 6 | 4 | 10 | – |
| (2) Southern District, | 1136 | 1071 | 15 | 17 | 32 | 4 | 3 | 7 | 9 | 14 | 23 | 7 |
| Kirkpatrick-Juxta, | 1091 | 1064 | 7 | 14 | 21 | – | 1 | 1 | 10 | 10 | 20 | 8 |
| Langholm, | 3735 | 4612 | 64 | 71 | 135 | 8 | 5 | 13 | 36 | 44 | 80 | 14 |

| No. of District. | Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| 840 | LOCHMABEN, | 3085 | 2816 | 47 | 30 | 77 | 8 | 6 | 14 | 32 | 20 | 52 | 13 |
| 841 | Middlebie, | 2000 | 1927 | 31 | 25 | 56 | 7 | 7 | 14 | 21 | 10 | 31 | 8 |
| 842 | Moffat, | 2543 | 2930 | 30 | 49 | 79 | 4 | 5 | 9 | 24 | 29 | 53 | 11 |
| 843 | Morton, | 2099 | 2118 | 29 | 29 | 58 | 4 | 9 | 13 | 23 | 20 | 43 | 15 |
| 844 | Mouswald, | 647 | 558 | 7 | 9 | 16 | 2 | 1 | 3 | 2 | 6 | 8 | 4 |
| 845 | Penpont, | 1323 | 1176 | 25 | 13 | 38 | 2 | 4 | 6 | 6 | 10 | 16 | 10 |
| 846 | Ruthwell, | 972 | 868 | 17 | 10 | 27 | 5 | 2 | 7 | 7 | 12 | 19 | 8 |
| 847 | St Mungo, | 658 | 653 | 12 | 6 | 18 | – | 1 | 1 | 3 | 17 | 20 | 6 |
| †848 | SANQUHAR, | 2201 | 2255 | 36 | 33 | 69 | 2 | 3 | 5 | 22 | 28 | 50 | 13 |
| 849 | Tinwald, | 993 | 861 | 12 | 4 | 16 | 1 | 1 | 2 | 1 | 6 | 7 | 4 |
| 850 | Torthorwald, | 1098 | 990 | 17 | 14 | 31 | 6 | 5 | 11 | 9 | 10 | 19 | 12 |
| 851 | Tundergarth, | 510 | 466 | 6 | 4 | 10 | 1 | 2 | 3 | 7 | 5 | 12 | 3 |
| 852 | Tynron, | 381 | 416 | 4 | 7 | 11 | – | 1 | 1 | 3 | 3 | 6 | – |
| 853*a* | Wamphray, | 505 | 455 | 11 | 7 | 18 | 2 | – | 2 | 9 | 10 | 19 | 4 |
| *853*b* | Wanlockhead, | 837 | 854 | 10 | 17 | 27 | 1 | – | 1 | 9 | 9 | 18 | 6 |
| 854 | Westerkirk, | 540 | 478 | 6 | 6 | 12 | – | 1 | 1 | 2 | 3 | 5 | 3 |
| | Total, | 74842 | 76167 | 1169 | 1083 | 2252 | 179 | 146 | 325 | 694 | 723 | 1417 | 469 |
| | 32. Kirkcudbright. | | | | | | | | | | | | |
| 855 | Anwoth, | 827 | 728 | 7 | 10 | 17 | 1 | 1 | 2 | 10 | 5 | 15 | 8 |
| †856 | Balmaclellan, | 861 | 787 | 10 | 5 | 15 | 1 | 1 | 2 | 2 | 3 | 5 | 1 |
| 857*a* | Balmaghie, | 1085 | 924 | 14 | 7 | 21 | 3 | 1 | 4 | 7 | 3 | 10 | 4 |
| *857*b* | Bargrennan, | 428 | 366 | 8 | 2 | 10 | 1 | – | 1 | – | 3 | 3 | 4 |
| 858 | Borgue, | 1087 | 1129 | 17 | 18 | 35 | 3 | 4 | 7 | 5 | 7 | 12 | 7 |
| 859 | Buittle, | 1026 | 991 | 9 | 25 | 34 | 1 | 3 | 4 | 4 | 14 | 18 | 3 |
| 860 | Carsphairn, | 545 | 484 | 8 | 7 | 15 | – | – | – | 4 | 4 | 8 | 1 |
| 861 | Colvend, | 1318 | 1281 | 20 | 24 | 44 | 1 | 1 | 2 | 10 | 8 | 18 | 4 |
| *862 | Corsock Bridge, | 563 | 551 | 7 | 5 | 12 | 2 | 1 | 3 | 8 | 2 | 10 | 2 |
| 863 | Crossmichael, | 1492 | 1333 | 15 | 12 | 27 | 2 | 2 | 4 | 12 | 11 | 23 | 8 |
| *864 | Dalbeattie, | 3163 | 4140 | 88 | 53 | 141 | 13 | 5 | 18 | 39 | 43 | 82 | 22 |
| 865 | Dalry, | 1074 | 988 | 16 | 15 | 31 | 5 | 4 | 9 | 5 | 14 | 19 | 2 |
| 866 | Girthon, | 1586 | 1415 | 15 | 17 | 32 | 5 | 2 | 7 | 13 | 15 | 28 | 6 |
| 867 | Irongray, | 815 | 784 | 11 | 16 | 27 | 2 | 3 | 5 | 7 | 3 | 10 | 7 |
| 868 | KELLS, | 1007 | 970 | 18 | 7 | 25 | 1 | – | 1 | 7 | 6 | 13 | 2 |
| 869 | Kelton, | 3222 | 3458 | 62 | 58 | 120 | 11 | 8 | 19 | 34 | 33 | 67 | 20 |
| 870 | Kirkbean, | 825 | 794 | 12 | 18 | 30 | 2 | 2 | 4 | 6 | 1 | 7 | 2 |
| 871 | KIRKCUDBRIGHT, | 3346 | 3479 | 71 | 48 | 119 | 12 | 9 | 21 | 34 | 37 | 71 | 15 |
| 872 | Kirkgunzeon, | 661 | 656 | 6 | 9 | 15 | – | 1 | 1 | 4 | 2 | 6 | 2 |
| 873 | Kirkmabreck, | 1568 | 1834 | 25 | 26 | 51 | 6 | 5 | 11 | 16 | 9 | 25 | 1 |
| †874 | Kirkpatrick-Durham, | 1218 | 1113 | 18 | 14 | 32 | 3 | 5 | 8 | 4 | 12 | 16 | |
| 875 | Lochrutton, | 656 | 614 | 11 | 13 | 24 | 2 | 4 | 6 | 2 | 2 | 4 | |
| †876 | Minnigaff, | 1329 | 1384 | 18 | 18 | 36 | 3 | – | 3 | 9 | 11 | 20 | |
| 877 | New Abbey, | 931 | 906 | 11 | 13 | 24 | 1 | 5 | 6 | 7 | 7 | 14 | |
| †878 | Parton, | 526 | 519 | 6 | 8 | 14 | 2 | 2 | 4 | 3 | 1 | 4 | |
| 879 | Rerrick, | 1911 | 1807 | 32 | 25 | 57 | 4 | 5 | 9 | 15 | 9 | 24 | |
| 880 | TERREGLES, | 547 | 471 | 4 | 4 | 8 | 1 | – | 1 | 3 | 4 | 7 | |
| 881 | Tongland, | 908 | 829 | 11 | 11 | 22 | 2 | 3 | 5 | 9 | 3 | 12 | |
| 882 | TROQUEER, | 5402 | 5524 | 98 | 90 | 188 | 12 | 13 | 25 | 66 | 60 | 126 | 3 |
| 883 | Twynholm, | 717 | 681 | 8 | 9 | 17 | 2 | – | 2 | 7 | 2 | 9 | |
| †884 | Urr, | 1443 | 1350 | 26 | 22 | 48 | 4 | 4 | 8 | 9 | 12 | 21 | |
| | Total, | 42087 | 42290 | 682 | 609 | 1291 | 108 | 94 | 202 | 361 | 346 | 707 | 20 |
| | 33. Wigtown. | | | | | | | | | | | | |
| 885 | Glasserton, | 1196 | 1203 | 29 | 24 | 53 | 5 | 4 | 9 | 6 | 6 | 12 | |
| †886 | Inch, | 2189 | 2260 | 29 | 30 | 59 | 7 | 3 | 10 | 13 | 16 | 29 | 1 |
| 887 | Kirkcolm, | 1948 | 1847 | 30 | 29 | 59 | 3 | 5 | 8 | 12 | 10 | 22 | |

| Registration Districts. | Population. | | Total Births, including the Illegitimate. | | | Illegitimate Births. | | | Deaths. | | | Marriages. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 1871. | 1881. | Males. | Fem. | Total. | Mal. | Fem | Tot. | Mal. | Fem | Total. | |
| Kirkcowan, . . . | 1352 | 1307 | 27 | 18 | 45 | 7 | 4 | 11 | 10 | 10 | 20 | 6 |
| Kirkinner, . . . | 1548 | 1597 | 21 | 22 | 43 | 4 | 3 | 7 | 12 | 8 | 20 | 12 |
| Kirkmaiden, . . . | 2507 | 2446 | 33 | 41 | 74 | 3 | 6 | 9 | 19 | 22 | 41 | 8 |
| Leswalt, . . . | 1249 | 1254 | 23 | 17 | 40 | 5 | 1 | 6 | 13 | 9 | 22 | 7 |
| Mochrum, . . . | 2450 | 2315 | 35 | 47 | 82 | 8 | 12 | 20 | 18 | 19 | 37 | 9 |
| New Luce, . . . | 661 | 706 | 14 | 10 | 24 | 4 | – | 4 | 9 | 4 | 13 | 7 |
| Old Luce (or Glenluce), . | 2449 | 2447 | 40 | 25 | 65 | 6 | 5 | 11 | 31 | 25 | 56 | 12 |
| Penninghame, . . | 3712 | 3777 | 50 | 43 | 93 | 6 | 9 | 15 | 40 | 36 | 76 | 16 |
| Portpatrick, . . . | 1492 | 1285 | 16 | 22 | 38 | 6 | 3 | 9 | 14 | 16 | 30 | 4 |
| Sorbie, . . . . | 1667 | 1696 | 21 | 30 | 51 | 3 | 6 | 9 | 14 | 17 | 31 | 7 |
| Stoneykirk, . . . | 2993 | 2766 | 45 | 43 | 88 | 10 | 8 | 18 | 17 | 18 | 35 | 13 |
| STRANRAER, . . | 5977 | 6415 | 117 | 101 | 218 | 16 | 17 | 33 | 76 | 69 | 145 | 42 |
| WHITHORN, . . | 2906 | 2929 | 42 | 35 | 77 | 6 | 3 | 9 | 34 | 29 | 63 | 9 |
| WIGTOWN, . . | 2306 | 2198 | 25 | 35 | 60 | 3 | 7 | 10 | 23 | 24 | 47 | 9 |
| Total, | 38602 | 38448 | 597 | 572 | 1169 | 102 | 96 | 198 | 361 | 338 | 699 | 185 |

MARRIAGES registered in SCOTLAND in 1880, according to the Rites of the several Religious Denomination with the Conditions of Parties, and the Number of Men and Women who signed the Register with Marks.

| DISTRICTS, DIVISIONS, AND COUNTIES. | Total Marriages. | Regular Marriages according to the Rites of | | | | | | | Irregular Marriages. | Condition of Parties. | | | | | Signed the Register by Marks | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Established Church. | Free Church. | United Presbyterian Church. | Episcopalians. | Roman Catholic Church. | Other Denominations. | Not stated. | | Bachelors and Spinsters. | Bachelors and Widows. | Widowers and Spinsters. | Widowers and Widows. | Not stated. | Men. | Women. |
| SCOTLAND | 24505 | 11275 | 5287 | 2981 | 700 | 2337 | 1529 | 33 | 363 | 20848 | 764 | 2122 | 750 | 21 | 1809 | 372 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | | |
| PRINCIPAL TOWNS | 9763 | 3756 | 1950 | 1222 | 440 | 1212 | 835 | 21 | 327 | 8088 | 382 | 914 | 372 | 7 | 753 | 174 |
| LARGE TOWNS | 3091 | 1314 | 599 | 424 | 94 | 417 | 219 | 2 | 22 | 2586 | 109 | 273 | 122 | 1 | 299 | 55 |
| SMALL TOWNS | 5562 | 2657 | 1101 | 800 | 112 | 529 | 344 | 7 | 12 | 4765 | 164 | 479 | 151 | 3 | 427 | 82 |
| MAINLAND-RURAL | 5554 | 3337 | 1408 | 488 | 53 | 142 | 122 | 3 | 1 | 4946 | 104 | 400 | 95 | 9 | 224 | 38 |
| INSULAR-RURAL | 535 | 211 | 229 | 47 | 1 | 37 | 9 | – | 1 | 463 | 5 | 56 | 10 | 1 | 106 | 21 |
| DIVISIONS. | | | | | | | | | | | | | | | | |
| I. NORTHERN | 545 | 206 | 259 | 52 | 1 | – | 25 | – | 2 | 485 | 5 | 46 | 9 | – | 24 | 5 |
| II. NORTH-WESTERN | 729 | 152 | 509 | 8 | 3 | 47 | 6 | – | 4 | 652 | 10 | 59 | 8 | – | 149 | 32 |
| III. NORTH-EASTERN | 2552 | 1438 | 642 | 110 | 109 | 51 | 182 | – | 20 | 2263 | 51 | 191 | 43 | 4 | 53 | 15 |
| IV. EAST MIDLAND | 3720 | 1854 | 703 | 533 | 164 | 177 | 226 | 7 | 56 | 3197 | 64 | 346 | 112 | 1 | 133 | 33 |
| V. WEST MIDLAND | 1568 | 762 | 346 | 190 | 15 | 189 | 63 | – | 3 | 1343 | 53 | 131 | 39 | 2 | 155 | 24 |
| VI. SOUTH-WESTERN | 10333 | 4369 | 1803 | 1383 | 218 | 1559 | 812 | 22 | 167 | 8592 | 432 | 904 | 403 | 2 | 1097 | 228 |
| VII. SOUTH-EASTERN | 3900 | 1790 | 817 | 555 | 171 | 274 | 180 | 4 | 109 | 3327 | 113 | 339 | 109 | 12 | 153 | 26 |
| VIII. SOUTHERN | 1158 | 704 | 208 | 150 | 19 | 40 | 35 | – | 2 | 989 | 36 | 106 | 27 | – | 33 | 6 |
| COUNTIES. | | | | | | | | | | | | | | | | |
| 1 Shetland | 111 | 79 | 19 | 7 | 1 | – | 5 | – | – | 98 | 1 | 10 | 2 | – | 7 | [illegible] |
| 2 Orkney | 174 | 64 | 54 | 43 | – | – | 11 | – | 2 | 146 | 3 | 21 | 4 | – | 2 | [illegible] |
| 3 Caithness | 175 | 52 | 112 | 2 | – | – | 9 | – | – | 162 | 1 | 12 | – | – | 8 | [illegible] |
| 4 Sutherland | 85 | 11 | 74 | – | – | – | – | – | – | 79 | – | 3 | 3 | – | 7 | [illegible] |
| 5 Ross and Cromarty | 363 | 42 | 309 | 6 | – | – | 6 | – | – | 327 | 2 | 26 | 8 | – | 81 | 1[illegible] |
| 6 Inverness | 366 | 110 | 200 | 2 | 3 | 47 | – | – | 4 | 325 | 8 | 33 | – | – | 68 | 1[illegible] |
| 7 Nairn | 37 | 18 | 10 | 3 | – | 2 | 4 | – | – | 36 | 1 | – | – | – | 2 | [illegible] |
| 8 Elgin | 274 | 125 | 119 | 18 | 3 | 1 | 8 | – | – | 238 | 7 | 22 | 7 | – | 8 | [illegible] |
| 9 Banff | 337 | 182 | 89 | 18 | 9 | 23 | 15 | – | 1 | 299 | 3 | 30 | 5 | – | 11 | [illegible] |
| 10 Aberdeen | 1700 | 963 | 394 | 64 | 82 | 23 | 155 | – | 19 | 1503 | 40 | 127 | 26 | 4 | 29 | [illegible] |
| 11 Kincardine | 204 | 150 | 30 | 7 | 15 | 2 | – | – | – | 187 | – | 12 | 5 | – | 3 | [illegible] |
| 12 Forfar | 1818 | 800 | 347 | 207 | 135 | 131 | 145 | 7 | 46 | 1535 | 28 | 184 | 71 | – | 94 | 2[illegible] |
| 13 Perth | 738 | 408 | 168 | 87 | 19 | 27 | 23 | – | 6 | 641 | 15 | 70 | 11 | 1 | 8 | [illegible] |
| 14 Fife | 990 | 566 | 165 | 196 | 7 | 11 | 42 | – | 3 | 868 | 15 | 85 | 22 | – | 21 | [illegible] |
| 15 Kinross | 36 | 21 | 3 | 12 | – | – | – | – | – | 34 | – | 1 | 1 | – | 1 | [illegible] |
| 16 Clackmannan | 138 | 59 | 20 | 31 | 3 | 8 | 16 | – | 1 | 119 | 6 | 6 | 7 | – | 9 | [illegible] |
| 17 Stirling | 701 | 340 | 142 | 106 | 9 | 62 | 40 | – | 2 | 604 | 26 | 47 | 24 | – | 54 | [illegible] |
| 18 Dumbarton | 475 | 205 | 77 | 60 | 2 | 111 | 20 | – | – | 415 | 16 | 36 | 8 | – | 69 | 1[illegible] |
| 19 Argyll | 299 | 175 | 92 | 17 | 1 | 10 | 3 | – | 1 | 252 | 9 | 31 | 6 | 1 | 29 | [illegible] |
| 20 Bute | 93 | 42 | 35 | 7 | 3 | 6 | – | – | – | 72 | 2 | 17 | 1 | 1 | 13 | [illegible] |
| 21 Renfrew | 1636 | 654 | 307 | 196 | 53 | 281 | 126 | – | 19 | 1357 | 61 | 150 | 68 | – | 159 | 3[illegible] |
| 22 Ayr | 1456 | 823 | 256 | 185 | 17 | 105 | 66 | – | 4 | 1214 | 40 | 134 | 68 | – | 118 | 2[illegible] |
| 23 Lanark | 7241 | 2892 | 1240 | 1002 | 148 | 1173 | 620 | 22 | 144 | 6021 | 331 | 620 | 267 | 2 | 820 | 16[illegible] |
| 24 Linlithgow | 293 | 159 | 55 | 34 | 3 | 27 | 12 | – | 3 | 249 | 8 | 26 | 5 | 5 | 25 | [illegible] |
| 25 Edinburgh | 3016 | 1306 | 672 | 418 | 158 | 214 | 140 | 4 | 104 | 2552 | 99 | 263 | 96 | 6 | 114 | 2[illegible] |
| 26 Haddington | 175 | 103 | 25 | 28 | 4 | 11 | 3 | – | 1 | 156 | 2 | 13 | 4 | – | 7 | [illegible] |
| 27 Berwick | 182 | 100 | 35 | 33 | – | 2 | 12 | – | – | 163 | 2 | 15 | 1 | 1 | 4 | [illegible] |
| 28 Peebles | 71 | 40 | 6 | 15 | 1 | 7 | 2 | – | – | 63 | – | 8 | – | – | 2 | [illegible] |
| 29 Selkirk | 163 | 82 | 24 | 27 | 5 | 13 | 11 | – | 1 | 144 | 2 | 14 | 3 | – | 1 | [illegible] |
| 30 Roxburgh | 297 | 163 | 53 | 61 | 7 | 8 | 5 | – | – | 253 | 9 | 30 | 5 | – | 4 | [illegible] |
| 31 Dumfries | 469 | 280 | 89 | 52 | 9 | 19 | 18 | – | 2 | 398 | 13 | 44 | 14 | – | 12 | [illegible] |
| 32 Kirkcudbright | 207 | 152 | 28 | 15 | 2 | 7 | 3 | – | – | 178 | 10 | 13 | 6 | – | 5 | [illegible] |
| 33 Wigtown | 185 | 109 | 38 | 22 | 1 | 6 | 9 | – | – | 160 | 4 | 19 | 2 | – | 12 | [illegible] |

CONDITION and AGE of PERSONS married in SCOTLAND in 1880.

CONDITION AND AGE OF PERSONS MARRIED IN SCOTLAND IN 1880.

| CONDITION. | Total Marriages. | AGES AT MARRIAGE. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| Bachelors with Spinsters. | 20848 | – | – | 1 | 21 | 143 | 516 | 1074 | 8324 | 6857 | 2364 | 919 | 366 | 158 | 64 | 26 | 10 | 4 | 1 | – | – | – | – |
| | 20848 | – | 4 | 62 | 351 | 1016 | 1750 | 2085 | 8823 | 4851 | 1230 | 471 | 129 | 44 | 23 | 5 | 1 | 1 | – | – | – | – | 2 |
| Bachelors with Widows. | 764 | – | – | – | – | 1 | 2 | 8 | 77 | 191 | 175 | 126 | 113 | 34 | 19 | 14 | 1 | 3 | – | – | – | – | – |
| | 764 | – | – | – | – | – | 1 | 3 | 41 | 171 | 208 | 156 | 102 | 49 | 16 | 12 | 3 | 2 | – | – | – | – | – |
| Widowers with Spinsters. | 2122 | – | – | – | – | – | 1 | 2 | 44 | 307 | 398 | 443 | 343 | 209 | 184 | 95 | 57 | 21 | 10 | 7 | 1 | – | – |
| | 2122 | 1 | 1 | 1 | 4 | 19 | 39 | 52 | 353 | 512 | 399 | 355 | 203 | 111 | 48 | 15 | 7 | 1 | 1 | – | – | – | – |
| Widowers with Widows. | 750 | – | – | – | – | – | – | – | 2 | 31 | 81 | 142 | 130 | 135 | 90 | 66 | 44 | 17 | 10 | 2 | – | – | – |
| | 750 | – | – | – | – | – | – | – | 12 | 58 | 124 | 159 | 180 | 118 | 51 | 25 | 18 | 3 | 2 | – | – | – | – |
| Condition not stated. Men. | 21 | – | – | – | – | – | – | – | 4 | 5 | 5 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | 4 |
| Condition not stated. Women. | 21 | – | – | – | 1 | 1 | – | 2 | 6 | 3 | – | 3 | 1 | – | – | – | – | – | – | – | – | – | 4 |
| Total Men..... | 24505 | – | – | 1 | 21 | 144 | 519 | 1084 | 8451 | 7391 | 3023 | 1631 | 953 | 536 | 357 | 201 | 113 | 45 | 21 | 9 | 1 | – | 4 |
| Total Women... | 24505 | 1 | 5 | 63 | 356 | 1036 | 1790 | 2142 | 9235 | 5595 | 1961 | 1144 | 615 | 322 | 138 | 57 | 29 | 7 | 3 | – | – | – | 6 |

AGES of MALES married in Scotland in 1880.

| | Total Males. | AGES OF MALES MARRIED IN SCOTLAND IN 1880. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** . . . | 24505 | – | – | 1 | 21 | 144 | 519 | 1084 | 8451 | 7391 | 3023 | 1631 | 953 | 536 | 357 | 201 | 113 | 45 | 21 | 9 | 1 | – | 4 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Principal Towns . | 9763 | – | – | 1 | 11 | 73 | 231 | 468 | 3265 | 2933 | 1173 | 683 | 389 | 207 | 151 | 82 | 58 | 22 | 7 | 4 | 1 | – | 4 |
| Large Towns . . | 3091 | – | – | – | 1 | 14 | 81 | 156 | 1135 | 858 | 364 | 190 | 110 | 75 | 51 | 38 | 10 | 6 | 2 | – | – | – | – |
| Small Towns . . | 5562 | – | – | – | 4 | 32 | 114 | 239 | 2088 | 1682 | 617 | 320 | 223 | 103 | 66 | 37 | 22 | 8 | 6 | 1 | – | – | – |
| Mainland-Rural . | 5554 | – | – | – | 4 | 25 | 91 | 211 | 1855 | 1729 | 763 | 384 | 209 | 133 | 74 | 37 | 22 | 9 | 4 | 4 | – | – | – |
| Insular-Rural . | 535 | – | – | – | 1 | – | 2 | 10 | 108 | 189 | 106 | 54 | 22 | 18 | 15 | 7 | 1 | – | 2 | – | – | – | – |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern . . | 545 | – | – | – | 1 | – | 4 | 12 | 145 | 197 | 79 | 47 | 22 | 17 | 11 | 7 | – | – | 2 | 1 | – | – | – |
| 2. North-Western . | 729 | – | – | – | – | 2 | 1 | 6 | 134 | 263 | 169 | 82 | 30 | 20 | 14 | 3 | 4 | – | 1 | – | – | – | – |
| 3. North-Eastern . | 2552 | – | – | – | 5 | 14 | 42 | 105 | 815 | 814 | 318 | 180 | 108 | 51 | 53 | 17 | 14 | 9 | 2 | 1 | – | – | 4 |
| 4. East Midland . | 3720 | – | – | – | 2 | 24 | 85 | 174 | 1353 | 1091 | 398 | 236 | 150 | 87 | 54 | 27 | 25 | 10 | 3 | 1 | – | – | – |
| 5. West Midland . | 1568 | – | – | – | 1 | 6 | 26 | 65 | 537 | 455 | 221 | 111 | 79 | 37 | 15 | 12 | 2 | 1 | – | – | – | – | – |
| 6. South-Western . | 10333 | – | – | 1 | 7 | 72 | 256 | 556 | 3802 | 2995 | 1164 | 639 | 348 | 208 | 138 | 73 | 48 | 14 | 11 | 1 | – | – | – |
| 7. South-Eastern . | 3900 | – | – | – | 4 | 21 | 85 | 118 | 1272 | 1225 | 536 | 265 | 158 | 89 | 58 | 41 | 15 | 9 | – | 3 | 1 | – | – |
| 8. Southern . . | 1158 | – | – | – | 1 | 5 | 20 | 48 | 393 | 351 | 138 | 71 | 58 | 27 | 14 | 21 | 5 | 2 | 2 | 2 | – | – | – |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland . . . | 111 | – | – | – | – | – | 1 | 2 | 33 | 45 | 18 | 6 | 1 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| Orkney . . . | 174 | – | – | – | 1 | – | – | 8 | 50 | 53 | 25 | 14 | 7 | 5 | 6 | 3 | – | – | 2 | – | – | – | – |
| Caithness . . . | 175 | – | – | – | – | – | 3 | 2 | 46 | 73 | 18 | 16 | 10 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| Sutherland . . | 85 | – | – | – | – | – | – | – | 16 | 26 | 18 | 11 | 4 | 5 | 2 | 2 | – | – | – | 1 | – | – | – |
| Ross and Cromarty . | 363 | – | – | – | – | 1 | 1 | 2 | 65 | 139 | 88 | 33 | 12 | 11 | 7 | 2 | 2 | – | – | – | – | – | – |
| Inverness . . . | 366 | – | – | – | – | 1 | – | 4 | 69 | 124 | 81 | 49 | 18 | 9 | 7 | 1 | 2 | – | 1 | – | – | – | – |

AGES of MALES married in Scotland in 1880.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Nairn** . . . | 37 | – | – | – | – | – | 1 | 2 | 7 | 17 | 8 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| Elgin . . . | 274 | – | – | – | 2 | 3 | 6 | 11 | 68 | 93 | 27 | 25 | 16 | 6 | 8 | 3 | 4 | 2 | – | – | – | – | – |
| Banff . . . | 337 | – | – | – | – | – | 4 | 14 | 113 | 123 | 33 | 21 | 13 | 6 | 6 | 2 | 1 | – | 1 | – | – | – | – |
| Aberdeen . . . | 1700 | – | – | – | 3 | 11 | 29 | 73 | 564 | 500 | 228 | 124 | 66 | 35 | 38 | 9 | 8 | 7 | – | 1 | – | – | 4 |
| Kincardine . . | 204 | – | – | – | – | – | 2 | 5 | 63 | 81 | 22 | 8 | 13 | 4 | 1 | 3 | 1 | – | 1 | – | – | – | – |
| Forfar . . . | 1818 | – | – | – | 1 | 16 | 50 | 93 | 676 | 502 | 188 | 112 | 73 | 48 | 20 | 15 | 14 | 8 | 1 | 1 | – | – | – |
| Perth . . . | 738 | – | – | – | – | 3 | 6 | 19 | 210 | 253 | 99 | 61 | 43 | 17 | 16 | 4 | 6 | – | 1 | – | – | – | – |
| Fife . . . . | 990 | – | – | – | 1 | 5 | 27 | 55 | 398 | 282 | 93 | 53 | 29 | 19 | 15 | 8 | 3 | 1 | 1 | – | – | – | – |
| Kinross . . . | 36 | – | – | – | – | – | – | 1 | 16 | 11 | 2 | 4 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| Clackmannan . . | 138 | – | – | – | – | – | 2 | 6 | 53 | 43 | 16 | 6 | 5 | 2 | 3 | – | 1 | 1 | – | – | – | – | – |
| Stirling . . . | 701 | – | – | – | 1 | 4 | 12 | 39 | 270 | 206 | 72 | 36 | 31 | 16 | 9 | 4 | 1 | – | – | – | – | – | – |
| Dumbarton . . | 475 | – | – | – | – | – | 11 | 17 | 180 | 130 | 73 | 35 | 18 | 7 | 1 | 3 | – | – | – | – | – | – | – |
| Argyll . . . | 299 | – | – | – | – | 1 | 2 | 5 | 65 | 97 | 55 | 35 | 23 | 8 | 3 | 3 | 1 | 1 | – | – | – | – | – |
| Bute . . . . | 93 | – | – | – | – | 1 | 1 | 4 | 22 | 22 | 21 | 5 | 7 | 6 | 2 | 2 | – | – | – | – | – | – | – |
| Renfrew . . . | 1636 | – | – | – | 1 | 11 | 34 | 73 | 593 | 505 | 184 | 112 | 49 | 28 | 21 | 10 | 13 | – | 1 | 1 | – | – | – |
| Ayr . . . . | 1456 | – | – | – | 1 | 10 | 37 | 79 | 549 | 388 | 167 | 85 | 58 | 39 | 22 | 11 | 5 | 2 | 3 | – | – | – | – |
| Lanark . . . | 7241 | – | – | 1 | 5 | 51 | 185 | 404 | 2660 | 2102 | 813 | 442 | 241 | 141 | 95 | 52 | 30 | 12 | 7 | – | – | – | – |
| Linlithgow . . | 293 | – | – | – | – | – | 15 | 12 | 120 | 84 | 33 | 12 | 7 | 6 | 2 | 2 | – | – | – | – | – | – | – |
| Edinburgh . . | 3016 | – | – | – | 4 | 19 | 64 | 93 | 932 | 948 | 427 | 222 | 128 | 67 | 52 | 35 | 13 | 9 | – | 2 | 1 | – | – |
| Haddington . . | 175 | – | – | – | – | 1 | 1 | 3 | 69 | 54 | 23 | 5 | 9 | 6 | 3 | 1 | – | – | – | – | – | – | – |
| Berwick . . . | 182 | – | – | – | – | – | 3 | 3 | 56 | 66 | 27 | 12 | 6 | 7 | – | 1 | 1 | – | – | – | – | – | – |
| Peebles . . . | 71 | – | – | – | – | – | – | 4 | 27 | 22 | 8 | 5 | 2 | 1 | – | 1 | – | – | – | 1 | – | – | – |
| Selkirk . . . | 163 | – | – | – | – | 1 | 2 | 3 | 68 | 51 | 18 | 9 | 6 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| Roxburgh . . . | 297 | – | – | – | 1 | – | 4 | 11 | 110 | 88 | 31 | 17 | 14 | 8 | 1 | 9 | 1 | 1 | – | 1 | – | – | – |
| Dumfries . . . | 469 | – | – | – | – | 3 | 9 | 17 | 155 | 152 | 61 | 22 | 21 | 9 | 8 | 8 | 2 | 1 | 1 | – | – | – | – |
| Kirkcudbright . . | 207 | – | – | – | – | – | 5 | 10 | 64 | 63 | 24 | 11 | 15 | 4 | 4 | 3 | 2 | – | 1 | 1 | – | – | – |
| Wigtown . . . | 185 | – | – | – | – | 2 | 2 | 10 | 64 | 48 | 22 | 21 | 8 | 6 | 1 | 1 | – | – | – | – | – | – | – |

AGES of FEMALES married in Scotland in 1880.

| | Total Females | AGES OF FEMALES MARRIED IN SCOTLAND IN 1880. | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Under 15 | 16 | 17 | 18 | 19 | 20 | 21 | 25 | 30 | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | Age not stated. |
| **Scotland** . . . | 24505 | 1 | 5 | 63 | 356 | 1036 | 1790 | 2142 | 9235 | 5595 | 1961 | 1144 | 615 | 322 | 138 | 57 | 29 | 7 | 3 | – | – | – | 6 |
| GROUPS OF DISTRICTS. | | | | | | | | | | | | | | | | | | | | | | | |
| Principal Towns . | 9763 | 1 | 2 | 19 | 170 | 457 | 725 | 898 | 3605 | 2177 | 744 | 478 | 239 | 138 | 62 | 26 | 13 | 5 | – | – | – | – | 4 |
| Large Towns . . | 3091 | – | 2 | 18 | 48 | 141 | 267 | 283 | 1144 | 636 | 231 | 151 | 85 | 42 | 24 | 10 | 8 | – | 1 | – | – | – | – |
| Small Towns . . | 5562 | – | – | 12 | 79 | 243 | 398 | 485 | 2201 | 1235 | 419 | 236 | 144 | 65 | 20 | 14 | 6 | 2 | 2 | – | – | – | 1 |
| Mainland-Rural . | 5554 | – | – | 14 | 54 | 186 | 378 | 446 | 2105 | 1366 | 515 | 250 | 136 | 69 | 25 | 7 | 2 | – | – | – | – | – | 1 |
| Insular-Rural . | 535 | – | 1 | – | 5 | 9 | 22 | 30 | 180 | 181 | 52 | 29 | 11 | 8 | 7 | – | – | – | – | – | – | – | – |
| DIVISIONS. | | | | | | | | | | | | | | | | | | | | | | | |
| 1. Northern . . | 545 | – | 1 | – | 7 | 13 | 26 | 30 | 180 | 166 | 58 | 35 | 15 | 7 | 6 | – | 1 | – | – | – | – | – | – |
| 2. North-Western . | 729 | – | – | – | 6 | 13 | 35 | 38 | 252 | 257 | 66 | 42 | 10 | 5 | 4 | 1 | – | – | – | – | – | – | – |
| 3. North-Eastern . | 2552 | – | – | 8 | 39 | 89 | 192 | 216 | 929 | 615 | 218 | 118 | 68 | 30 | 16 | 9 | 1 | – | – | – | – | – | 4 |
| 4. East Midland . | 3720 | – | – | 4 | 44 | 101 | 213 | 268 | 1463 | 915 | 328 | 172 | 112 | 64 | 19 | 9 | 3 | 4 | – | – | – | – | 1 |
| 5. West Midland . | 1568 | – | – | 5 | 18 | 70 | 113 | 154 | 563 | 378 | 134 | 71 | 32 | 19 | 7 | 3 | 1 | – | – | – | – | – | – |
| 6. South-Western . | 10333 | 1 | 3 | 35 | 183 | 573 | 899 | 1025 | 3951 | 2035 | 692 | 452 | 254 | 133 | 53 | 21 | 18 | 2 | 3 | – | – | – | – |
| 7. South-Eastern . | 3900 | – | 1 | 9 | 53 | 144 | 235 | 312 | 1484 | 939 | 356 | 194 | 92 | 42 | 24 | 11 | 2 | 1 | – | – | – | – | 1 |
| 8. Southern . . | 1158 | – | – | 2 | 6 | 33 | 77 | 99 | 413 | 290 | 109 | 60 | 32 | 22 | 9 | 3 | 3 | – | – | – | – | – | – |
| COUNTIES. | | | | | | | | | | | | | | | | | | | | | | | |
| Shetland . . . | 111 | – | 1 | – | 1 | – | 4 | 1 | 45 | 37 | 11 | 6 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Orkney . . . | 174 | – | – | – | 2 | 6 | 11 | 12 | 55 | 46 | 17 | 12 | 5 | 4 | 4 | – | – | – | – | – | – | – | – |
| Caithness . . | 175 | – | – | – | 3 | 5 | 9 | 15 | 54 | 57 | 15 | 13 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| Sutherland . . | 85 | – | – | – | 1 | 2 | 2 | 2 | 26 | 26 | 15 | 4 | 5 | 1 | – | – | 1 | – | – | – | – | – | – |
| Ross and Cromarty . | 363 | – | – | – | 3 | 7 | 12 | 20 | 130 | 132 | 32 | 14 | 6 | 4 | 3 | – | – | – | – | – | – | – | – |
| Inverness . . . | 366 | – | – | – | 3 | 6 | 23 | 18 | 122 | 125 | 34 | 28 | 4 | 1 | 1 | 1 | – | – | – | – | – | – | – |

AGES of FEMALES married in Scotland in 1880.

| | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Nairn . . . | 37 | – | – | – | – | – | 1 | 4 | 16 | 14 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| Elgin . . . | 274 | – | – | – | 3 | 7 | 18 | 17 | 91 | 65 | 34 | 18 | 9 | 7 | 2 | 3 | – | – | – | – | – | – | – |
| Banff . . . | 337 | – | – | – | 2 | 7 | 31 | 27 | 138 | 74 | 28 | 15 | 12 | 2 | 1 | – | – | – | – | – | – | – | – |
| Aberdeen . . | 1700 | – | – | 7 | 32 | 70 | 133 | 153 | 606 | 404 | 137 | 77 | 41 | 20 | 10 | 5 | 1 | – | – | – | – | – | 4 |
| Kincardine . . | 204 | – | – | 1 | 2 | 5 | 9 | 15 | 78 | 58 | 17 | 8 | 6 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| Forfar . . . | 1818 | – | – | 3 | 29 | 55 | 119 | 129 | 717 | 429 | 144 | 84 | 53 | 38 | 12 | 2 | 2 | 2 | – | – | – | – | – |
| Perth . . . | 738 | – | – | – | – | 18 | 29 | 47 | 269 | 199 | 87 | 46 | 28 | 11 | 3 | 1 | – | – | – | – | – | – | – |
| Fife . . . | 990 | – | – | 1 | 11 | 26 | 56 | 76 | 409 | 242 | 80 | 37 | 28 | 13 | 4 | 5 | 1 | – | – | – | – | – | 1 |
| Kinross . . . | 36 | – | – | – | – | – | 2 | 4 | 13 | 11 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| Clackmannan . . | 138 | – | – | – | 4 | 2 | 7 | 12 | 55 | 34 | 13 | 4 | 3 | 1 | – | 1 | – | 2 | – | – | – | – | – |
| Stirling . . . | 701 | – | – | 3 | 6 | 40 | 65 | 78 | 262 | 139 | 44 | 36 | 12 | 10 | 3 | 2 | 1 | – | – | – | – | – | – |
| Dumbarton . . | 475 | – | – | 2 | 7 | 15 | 33 | 48 | 186 | 116 | 40 | 11 | 12 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| Argyll . . . | 299 | – | – | – | 2 | 12 | 10 | 25 | 91 | 94 | 35 | 18 | 6 | 5 | 1 | – | – | – | – | – | – | – | – |
| Bute . . . | 93 | – | – | – | 3 | 3 | 5 | 3 | 24 | 29 | 15 | 6 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| Renfrew . . . | 1636 | – | – | 1 | 17 | 69 | 124 | 167 | 674 | 328 | 108 | 70 | 41 | 17 | 15 | – | 3 | 2 | – | – | – | – | – |
| Ayr . . . | 1456 | – | – | 6 | 27 | 79 | 117 | 136 | 557 | 274 | 104 | 64 | 54 | 27 | 3 | 4 | 1 | – | 3 | – | – | – | – |
| Lanark . . . | 7241 | 1 | 3 | 28 | 139 | 425 | 658 | 722 | 2720 | 1433 | 480 | 318 | 159 | 89 | 35 | 17 | 14 | – | – | – | – | – | – |
| Linlithgow . . | 293 | – | – | 2 | 3 | 9 | 28 | 37 | 134 | 40 | 23 | 7 | 6 | 1 | 1 | 2 | – | – | – | – | – | – | – |
| Edinburgh . . | 3016 | – | 1 | 6 | 46 | 123 | 179 | 231 | 1090 | 762 | 272 | 157 | 79 | 37 | 22 | 8 | 2 | 1 | – | – | – | – | – |
| Haddington . . | 175 | – | – | – | 2 | 5 | 6 | 11 | 81 | 37 | 19 | 9 | 2 | 1 | 1 | – | – | – | – | – | – | – | 1 |
| Berwick . . . | 182 | – | – | – | 1 | 1 | 7 | 11 | 75 | 48 | 22 | 14 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| Peebles . . . | 71 | – | – | – | – | 1 | 5 | 3 | 34 | 20 | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| Selkirk . . . | 163 | – | – | 1 | 1 | 5 | 10 | 19 | 70 | 32 | 16 | 4 | 2 | 2 | – | 1 | – | – | – | – | – | – | – |
| Roxburgh . . | 297 | – | – | – | 2 | 11 | 19 | 27 | 100 | 76 | 31 | 15 | 4 | 5 | 4 | 1 | 2 | – | – | – | – | – | – |
| Dumfries . . | 469 | – | – | – | 2 | 15 | 29 | 31 | 168 | 123 | 42 | 30 | 15 | 8 | 4 | 2 | – | – | – | – | – | – | – |
| Kirkcudbright . | 207 | – | – | 2 | 1 | 4 | 13 | 24 | 75 | 48 | 16 | 8 | 7 | 7 | 1 | – | 1 | – | – | – | – | – | – |
| Wigtown . . | 185 | – | – | – | 1 | 3 | 16 | 17 | 70 | 43 | 20 | 7 | 6 | 2 | – | – | – | – | – | – | – | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1880.—BOTH SEXES.

| | POPULATION. | | BOTH SEXES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | | | | | | | | | | |
| | 1871. | 1881. | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| SCOTLAND . | 3360018 | 3735573 | 75803 | 7571 | 2797 | 5155 | 6683 | 3011 | 1941 | 1376 | 3667 | 1930 | 2491 | 2625 | 2446 |
| Principal Towns | 1078609 | 1203139 | 28873 | 2957 | 1073 | 2358 | 3190 | 1483 | 914 | 662 | 1611 | 688 | 990 | 1024 | 955 |
| Large Towns . | 327119 | 449382 | 9840 | 1002 | 399 | 726 | 1014 | 418 | 261 | 135 | 447 | 260 | 270 | 337 | 342 |
| Small Towns . | 770022 | 873087 | 17482 | 1783 | 738 | 1166 | 1448 | 653 | 459 | 331 | 874 | 492 | 607 | 627 | 511 |
| Mainland-Rural | 1052264 | 1079577 | 17557 | 1672 | 548 | 832 | 952 | 420 | 282 | 227 | 666 | 434 | 567 | 575 | 563 |
| Insular-Rural . | 132004 | 130388 | 2051 | 157 | 39 | 73 | 79 | 37 | 25 | 21 | 69 | 56 | 57 | 62 | 75 |
| Shetland . . | 31608 | 29705 | 500 | 20 | 14 | 9 | 9 | 7 | 8 | 7 | 22 | 12 | 14 | 14 | 22 |
| Orkney . . | 31274 | 32044 | 466 | 29 | 3 | 15 | 12 | 6 | 3 | 3 | 11 | 12 | 17 | 20 | 23 |
| Caithness . | 41011 | 39859 | 677 | 50 | 12 | 21 | 25 | 10 | 5 | 6 | 32 | 14 | 28 | 24 | 26 |
| Sutherland . | 23298 | 22376 | 360 | 26 | 10 | 9 | 6 | 5 | 3 | 4 | 6 | 10 | 8 | 12 | 14 |
| Ross & Cromarty | 82093 | 79467 | 1197 | 107 | 32 | 50 | 65 | 31 | 18 | 15 | 26 | 18 | 19 | 31 | 34 |
| Inverness . | 84258 | 86389 | 1422 | 136 | 30 | 51 | 56 | 33 | 25 | 15 | 45 | 27 | 38 | 38 | 45 |
| Nairn . . | 8372 | 8847 | 130 | 11 | 7 | 8 | 6 | 3 | 1 | 2 | 3 | – | 4 | 2 | 3 |
| Elgin . . | 44549 | 45108 | 812 | 90 | 37 | 48 | 41 | 17 | 7 | 12 | 23 | 15 | 22 | 33 | 33 |
| Banff . . | 58883 | 59783 | 1000 | 116 | 44 | 65 | 49 | 29 | 9 | 18 | 31 | 20 | 29 | 30 | 28 |
| Aberdeen . | 246298 | 269047 | 4472 | 534 | 191 | 286 | 228 | 105 | 74 | 49 | 164 | 102 | 155 | 172 | 152 |
| Kincardine . | 35097 | 35465 | 542 | 52 | 19 | 28 | 31 | 11 | 5 | 8 | 18 | 17 | 11 | 19 | 10 |
| Forfar . . | 240049 | 268653 | 5705 | 638 | 265 | 429 | 520 | 234 | 136 | 81 | 221 | 102 | 178 | 169 | 175 |
| Perth . . | 128550 | 130282 | 2370 | 217 | 74 | 107 | 114 | 43 | 41 | 18 | 69 | 51 | 81 | 73 | 73 |
| Fife . . . | 160924 | 172131 | 3100 | 313 | 109 | 190 | 211 | 84 | 59 | 42 | 115 | 96 | 104 | 93 | 84 |
| Kinross . . | 7918 | 7330 | 143 | 8 | 5 | 6 | 5 | 1 | 1 | – | 4 | – | 7 | 3 | 6 |
| Clackmannan . | 22235 | 24025 | 417 | 49 | 23 | 21 | 33 | 10 | 7 | 5 | 22 | 20 | 21 | 11 | 17 |
| Stirling . . | 93345 | 106883 | 2076 | 228 | 91 | 134 | 165 | 60 | 49 | 39 | 98 | 58 | 63 | 69 | 66 |
| Dumbarton . | 61116 | 78182 | 1500 | 147 | 46 | 107 | 138 | 58 | 33 | 20 | 71 | 44 | 49 | 55 | 43 |
| Argyll . . | 79661 | 80761 | 1557 | 87 | 29 | 58 | 56 | 26 | 20 | 15 | 59 | 45 | 61 | 58 | 52 |
| Bute . . | 16966 | 17634 | 353 | 25 | 8 | 11 | 15 | 7 | 8 | 5 | 14 | 9 | 12 | 17 | 10 |
| Renfrew . . | 195305 | 225611 | 5239 | 507 | 192 | 370 | 551 | 257 | 155 | 114 | 305 | 161 | 212 | 206 | 142 |
| Ayr . . | 200908 | 217630 | 4414 | 443 | 173 | 311 | 406 | 166 | 110 | 82 | 230 | 141 | 184 | 167 | 143 |
| Lanark . . | 787005 | 942206 | 22466 | 2199 | 828 | 1874 | 2720 | 1254 | 772 | 544 | 1363 | 642 | 758 | 841 | 751 |
| Linlithgow . | 41379 | 44005 | 838 | 93 | 49 | 52 | 92 | 40 | 27 | 15 | 48 | 14 | 21 | 26 | 22 |
| Edinburgh . | 328138 | 388836 | 8558 | 869 | 325 | 644 | 838 | 395 | 278 | 193 | 480 | 181 | 214 | 260 | 267 |
| Haddington . | 37755 | 38510 | 627 | 82 | 16 | 34 | 40 | 15 | 11 | 6 | 18 | 14 | 18 | 17 | 22 |
| Berwick . . | 36382 | 35273 | 557 | 67 | 24 | 20 | 27 | 11 | 10 | 2 | 17 | 10 | 21 | 18 | 25 |
| Peebles . . | 12218 | 13688 | 194 | 22 | 5 | 5 | 6 | 2 | 3 | 3 | 9 | 3 | 5 | 9 | 6 |
| Selkirk . . | 19651 | 26346 | 450 | 60 | 21 | 35 | 26 | 11 | 7 | 8 | 11 | 9 | 22 | 22 | 15 |
| Roxburgh . | 48241 | 52592 | 838 | 103 | 29 | 34 | 38 | 23 | 16 | 8 | 36 | 21 | 19 | 20 | 29 |
| Dumfries . | 74842 | 76167 | 1417 | 128 | 43 | 61 | 85 | 28 | 26 | 19 | 50 | 30 | 44 | 40 | 58 |
| Kirkcudbright | 42087 | 42290 | 707 | 59 | 28 | 24 | 34 | 14 | 7 | 6 | 21 | 14 | 29 | 24 | 34 |
| Wigtown . | 38602 | 38448 | 699 | 56 | 15 | 38 | 35 | 15 | 7 | 12 | 25 | 18 | 23 | 32 | 16 |
| DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1880.—BOTH SEXES. | | | | | | | | | | | | | | | | |
| Glasgow . . | 491846 | 511415 | 13304 | 1256 | 437 | 1149 | 1617 | 772 | 457 | 354 | 825 | 354 | 498 | 494 | 463 |
| Edinburgh . | 196991 | 228373 | 4946 | 507 | 181 | 388 | 503 | 253 | 171 | 115 | 290 | 103 | 124 | 150 | 163 |
| Dundee . . | 120724 | 142455 | 3464 | 401 | 182 | 294 | 403 | 183 | 97 | 55 | 143 | 56 | 117 | 114 | 104 |
| Aberdeen . | 88181 | 105076 | 2078 | 245 | 85 | 146 | 133 | 47 | 42 | 21 | 75 | 56 | 75 | 84 | 83 |
| Greenock . | 59794 | 69238 | 1620 | 196 | 55 | 138 | 191 | 87 | 48 | 39 | 75 | 38 | 50 | 58 | 39 |
| Paisley . . | 48257 | 55638 | 1424 | 121 | 49 | 106 | 152 | 60 | 29 | 20 | 81 | 42 | 65 | 62 | 43 |
| Leith . . | 46434 | 61188 | 1378 | 153 | 54 | 102 | 156 | 68 | 61 | 51 | 103 | 24 | 37 | 41 | 38 |
| Perth . . | 26382 | 29756 | 659 | 78 | 30 | 35 | 35 | 13 | 9 | 7 | 19 | 15 | 24 | 21 | 22 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1880.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 8 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . | 2256 | 2308 | 2403 | 2423 | 2733 | 2776 | 3504 | 3628 | 3839 | 3537 | 2722 | 1357 | 451 | 132 | 28 | 13 |
| Principal Towns . | 893 | 951 | 1051 | 1045 | 1099 | 1054 | 1229 | 1109 | 955 | 768 | 503 | 236 | 57 | 16 | 2 | – |
| Large Towns . . | 301 | 315 | 341 | 299 | 377 | 386 | 486 | 432 | 444 | 387 | 305 | 107 | 36 | 12 | 1 | – |
| Small Towns . . | 496 | 493 | 523 | 496 | 617 | 607 | 786 | 886 | 927 | 877 | 652 | 308 | 97 | 24 | 3 | 1 |
| Mainland-Rural . | 503 | 493 | 437 | 527 | 575 | 654 | 896 | 1076 | 1355 | 1337 | 1074 | 596 | 207 | 65 | 15 | 9 |
| Insular-Rural . . | 63 | 56 | 51 | 56 | 65 | 75 | 107 | 125 | 158 | 168 | 188 | 110 | 54 | 15 | 7 | 3 |
| Shetland . . . | 17 | 23 | 10 | 15 | 8 | 16 | 23 | 35 | 33 | 53 | 53 | 29 | 21 | 4 | 2 | – |
| Orkney . . . | 13 | 9 | 13 | 11 | 18 | 14 | 22 | 27 | 48 | 49 | 51 | 25 | 7 | 5 | – | – |
| Caithness . . | 14 | 23 | 14 | 20 | 19 | 24 | 29 | 40 | 68 | 64 | 55 | 42 | 9 | 2 | 1 | – |
| Sutherland . . | 7 | 6 | 2 | 12 | 10 | 16 | 13 | 25 | 33 | 42 | 47 | 20 | 9 | 4 | 1 | – |
| Ross and Cromarty . | 37 | 30 | 27 | 25 | 31 | 40 | 66 | 75 | 116 | 96 | 103 | 56 | 29 | 13 | 6 | 1 |
| Inverness . . . | 50 | 41 | 44 | 39 | 53 | 50 | 96 | 78 | 120 | 105 | 113 | 45 | 37 | 4 | 5 | 3 |
| Nairn . . . | 6 | 1 | 4 | 3 | 4 | 5 | 8 | 12 | 13 | 11 | 7 | 5 | 1 | – | – | – |
| Elgin . . . | 21 | 20 | 19 | 32 | 27 | 33 | 36 | 54 | 59 | 66 | 36 | 20 | 8 | 1 | 2 | – |
| Banff . . . | 22 | 28 | 22 | 24 | 35 | 37 | 42 | 56 | 66 | 80 | 69 | 35 | 12 | 4 | – | – |
| Aberdeen . . . | 111 | 122 | 120 | 128 | 154 | 153 | 225 | 264 | 264 | 289 | 237 | 147 | 33 | 9 | – | 4 |
| Kincardine . . | 12 | 19 | 10 | 16 | 16 | 17 | 16 | 37 | 49 | 50 | 35 | 22 | 12 | 2 | – | – |
| Forfar . . . | 171 | 174 | 196 | 196 | 229 | 206 | 274 | 232 | 305 | 254 | 196 | 85 | 31 | 8 | – | – |
| Perth . . . | 70 | 80 | 71 | 67 | 78 | 114 | 129 | 164 | 197 | 166 | 162 | 82 | 20 | 8 | 1 | – |
| Fife . . . . | 90 | 82 | 98 | 85 | 108 | 125 | 156 | 189 | 182 | 212 | 158 | 89 | 21 | 5 | – | – |
| Kinross . . . | 3 | 4 | 4 | – | 7 | 8 | 11 | 9 | 10 | 18 | 17 | 5 | 1 | – | – | – |
| Clackmannan . . | 12 | 9 | 12 | 8 | 15 | 15 | 24 | 13 | 23 | 26 | 11 | 3 | 6 | 1 | – | – |
| Stirling . . . | 57 | 63 | 56 | 50 | 63 | 97 | 110 | 100 | 128 | 101 | 89 | 34 | 5 | 2 | – | 1 |
| Dumbarton . . | 61 | 45 | 49 | 47 | 66 | 64 | 71 | 70 | 62 | 80 | 50 | 14 | 8 | 2 | – | – |
| Argyll . . . | 61 | 51 | 52 | 54 | 47 | 75 | 78 | 109 | 102 | 121 | 117 | 87 | 25 | 10 | 2 | – |
| Bute . . . . | 11 | 13 | 7 | 19 | 16 | 15 | 25 | 27 | 26 | 18 | 19 | 15 | 1 | – | – | – |
| Renfrew . . . | 184 | 181 | 203 | 156 | 199 | 177 | 219 | 241 | 188 | 157 | 104 | 43 | 11 | 3 | – | 1 |
| Ayr . . . . | 108 | 132 | 143 | 117 | 166 | 149 | 178 | 194 | 212 | 211 | 154 | 68 | 18 | 8 | – | – |
| Lanark . . . | 692 | 698 | 740 | 732 | 827 | 813 | 939 | 743 | 672 | 519 | 337 | 144 | 42 | 19 | 3 | – |
| Linlithgow . . | 22 | 17 | 35 | 21 | 29 | 24 | 39 | 42 | 34 | 38 | 21 | 10 | 5 | 1 | – | 1 |
| Edinburgh . . | 232 | 268 | 296 | 344 | 319 | 294 | 371 | 412 | 398 | 337 | 215 | 98 | 24 | 4 | 1 | 1 |
| Haddington . . | 20 | 21 | 23 | 18 | 26 | 24 | 37 | 38 | 46 | 41 | 21 | 10 | 8 | 1 | – | – |
| Berwick . . . | 14 | 10 | 13 | 18 | 20 | 26 | 30 | 46 | 46 | 42 | 22 | 8 | 9 | 1 | – | – |
| Peebles . . | 7 | 8 | 5 | 6 | 7 | 10 | 8 | 19 | 17 | 18 | 8 | 2 | 1 | – | – | – |
| Selkirk . . . | 14 | 13 | 10 | 18 | 16 | 17 | 28 | 22 | 22 | 22 | 12 | 8 | 1 | – | – | – |
| Roxburgh . . . | 23 | 31 | 35 | 28 | 22 | 31 | 51 | 52 | 54 | 58 | 41 | 27 | 5 | 4 | – | – |
| Dumfries . . . | 46 | 43 | 36 | 56 | 52 | 52 | 67 | 86 | 125 | 102 | 75 | 42 | 18 | 3 | 2 | – |
| Kirkcudbright . . | 27 | 18 | 13 | 31 | 25 | 18 | 48 | 58 | 58 | 49 | 44 | 17 | 5 | 1 | 1 | – |
| Wigtown . . . | 21 | 25 | 21 | 27 | 21 | 17 | 35 | 59 | 63 | 42 | 43 | 20 | 8 | 3 | 1 | 1 |

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1880.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . . | 417 | 446 | 473 | 487 | 506 | 501 | 551 | 428 | 330 | 246 | 145 | 68 | 20 | 8 | 2 | – |
| Edinburgh . . | 145 | 157 | 194 | 206 | 173 | 171 | 183 | 202 | 204 | 175 | 122 | 54 | 9 | 3 | – | – |
| Dundee . . . | 113 | 116 | 126 | 119 | 148 | 122 | 154 | 117 | 121 | 90 | 52 | 25 | 9 | 3 | – | – |
| Aberdeen . . . | 60 | 60 | 70 | 65 | 79 | 74 | 118 | 120 | 105 | 107 | 74 | 45 | 8 | 1 | – | – |
| Greenock . . . | 72 | 61 | 72 | 45 | 60 | 61 | 57 | 56 | 44 | 37 | 26 | 10 | 4 | 1 | – | – |
| Paisley . . . | 43 | 41 | 54 | 49 | 59 | 49 | 71 | 81 | 58 | 40 | 30 | 16 | 3 | – | – | – |
| Leith . . . | 22 | 44 | 46 | 46 | 52 | 39 | 62 | 61 | 52 | 38 | 20 | 8 | – | – | – | – |
| Perth . . . | 21 | 26 | 16 | 28 | 22 | 37 | 33 | 44 | 41 | 35 | 34 | 10 | 4 | – | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1880.—MALES.

| | MALE POPULATION. | | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | 1871. | 1881. | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . | 1603143 | 1799475 | 38055 | 4264 | 1559 | 2789 | 3456 | 1510 | 962 | 688 | 1962 | 939 | 1276 | 1308 | 1162 |
| Principal Towns | 507761 | 569008 | 14578 | 1690 | 582 | 1267 | 1641 | 757 | 466 | 323 | 882 | 328 | 491 | 528 | 447 |
| Large Towns . | 156031 | 217792 | 5019 | 553 | 231 | 393 | 535 | 213 | 128 | 74 | 242 | 137 | 153 | 146 | 155 |
| Small Towns . | 368041 | 420742 | 8635 | 1008 | 414 | 624 | 724 | 306 | 213 | 161 | 460 | 239 | 301 | 298 | 245 |
| Mainland-Rural | 510269 | 530754 | 8800 | 920 | 317 | 466 | 516 | 213 | 138 | 118 | 340 | 208 | 299 | 297 | 279 |
| Insular-Rural . | 61041 | 61179 | 1023 | 93 | 15 | 39 | 40 | 21 | 17 | 12 | 38 | 27 | 32 | 39 | 36 |
| Shetland . . | 13103 | 12656 | 215 | 11 | 6 | 4 | 6 | 3 | 3 | 2 | 13 | 5 | 10 | 8 | 8 |
| Orkney . . | 14355 | 14982 | 230 | 16 | 1 | 10 | 7 | 3 | 3 | 1 | 6 | 8 | 9 | 11 | 11 |
| Caithness . | 19403 | 18861 | 341 | 23 | 5 | 7 | 14 | 4 | 2 | 3 | 19 | 7 | 17 | 16 | 17 |
| Sutherland . | 10942 | 10749 | 167 | 15 | 7 | 5 | 3 | 2 | – | 4 | 4 | 3 | 3 | 6 | 9 |
| Ross & Cromarty | 38558 | 37444 | 592 | 61 | 21 | 26 | 35 | 15 | 5 | 10 | 14 | 7 | 10 | 18 | 18 |
| Inverness . | 39360 | 41911 | 745 | 81 | 16 | 26 | 25 | 18 | 18 | 10 | 26 | 16 | 21 | 27 | 26 |
| Nairn . . | 3925 | 4201 | 65 | 8 | 5 | 3 | 4 | 2 | – | 1 | 3 | – | – | – | 2 |
| Elgin . . | 20738 | 21337 | 409 | 56 | 20 | 25 | 19 | 6 | 4 | 5 | 9 | 7 | 12 | 21 | 22 |
| Banff . . | 27826 | 28372 | 479 | 62 | 23 | 38 | 20 | 12 | 4 | 7 | 15 | 9 | 15 | 18 | 14 |
| Aberdeen . | 116768 | 128682 | 2220 | 307 | 117 | 152 | 125 | 59 | 46 | 27 | 90 | 47 | 67 | 85 | 70 |
| Kincardine . | 17002 | 17399 | 273 | 24 | 12 | 18 | 20 | 8 | 3 | 6 | 8 | 6 | 5 | 11 | 5 |
| Forfar . . | 107416 | 121127 | 2775 | 345 | 157 | 235 | 291 | 121 | 67 | 41 | 107 | 51 | 85 | 78 | 79 |
| Perth . . | 60812 | 61963 | 1170 | 125 | 37 | 55 | 59 | 22 | 23 | 11 | 34 | 26 | 42 | 38 | 33 |
| Fife . . . | 75206 | 80968 | 1559 | 192 | 65 | 97 | 113 | 42 | 26 | 22 | 60 | 51 | 53 | 44 | 42 |
| Kinross . . | 3748 | 3449 | 67 | 2 | 4 | 4 | 2 | – | 1 | – | 2 | – | 4 | – | 3 |
| Clackmannan . | 10819 | 11397 | 207 | 32 | 15 | 15 | 15 | 2 | 1 | 2 | 10 | 7 | 11 | 6 | 9 |
| Stirling . . | 46193 | 53688 | 1037 | 132 | 51 | 75 | 76 | 28 | 26 | 19 | 51 | 34 | 30 | 35 | 28 |
| Dumbarton . | 29957 | 38751 | 739 | 80 | 23 | 54 | 72 | 35 | 14 | 10 | 34 | 22 | 27 | 23 | 19 |
| Argyll . . | 38796 | 39974 | 803 | 45 | 16 | 44 | 28 | 15 | 16 | 8 | 30 | 21 | 34 | 33 | 29 |
| Bute . . | 7616 | 8090 | 160 | 16 | 6 | 7 | 4 | 4 | 3 | 3 | 5 | 5 | 7 | 8 | 5 |
| Renfrew . . | 93167 | 108763 | 2585 | 286 | 105 | 202 | 279 | 129 | 86 | 55 | 170 | 73 | 92 | 97 | 62 |
| Ayr . . | 98244 | 106868 | 2240 | 250 | 97 | 155 | 215 | 78 | 45 | 38 | 114 | 67 | 103 | 91 | 66 |
| Lanark . . | 388392 | 467293 | 11523 | 1240 | 459 | 1012 | 1410 | 606 | 369 | 262 | 748 | 331 | 406 | 413 | 348 |
| Linlithgow . | 21049 | 22979 | 429 | 51 | 22 | 23 | 45 | 20 | 13 | 5 | 25 | 6 | 8 | 10 | 11 |
| Edinburgh . | 153784 | 183769 | 4355 | 488 | 165 | 367 | 411 | 212 | 145 | 102 | 264 | 79 | 122 | 137 | 136 |
| Haddington . | 18069 | 18812 | 296 | 43 | 7 | 17 | 22 | 4 | 5 | 3 | 10 | 2 | 8 | 7 | 10 |
| Berwick . . | 17361 | 16880 | 261 | 29 | 16 | 11 | 14 | 7 | 5 | 2 | 8 | 3 | 9 | 5 | 10 |
| Peebles . . | 5902 | 6562 | 79 | 10 | – | 4 | 3 | 2 | – | 2 | 5 | – | 2 | 4 | 2 |
| Selkirk . . | 9476 | 12524 | 202 | 35 | 11 | 18 | 11 | 3 | – | 2 | 5 | 2 | 8 | 10 | 9 |
| Roxburgh . | 22949 | 25034 | 416 | 60 | 17 | 17 | 18 | 13 | 11 | 4 | 17 | 14 | 5 | 9 | 10 |
| Dumfries . . | 34831 | 36040 | 694 | 68 | 28 | 28 | 44 | 15 | 10 | 10 | 28 | 14 | 22 | 18 | 26 |
| Kirkcudbright. | 19607 | 19886 | 361 | 39 | 15 | 12 | 22 | 9 | 3 | 4 | 14 | 7 | 19 | 10 | 16 |
| Wigtown . . | 17769 | 18064 | 361 | 32 | 10 | 23 | 24 | 11 | 5 | 7 | 14 | 9 | 10 | 11 | |

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1880.—MALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . | 238574 | 248366 | 6817 | 735 | 235 | 607 | 839 | 371 | 224 | 170 | 456 | 181 | 256 | 258 | 214 |
| Edinburgh . | 89251 | 104254 | 2520 | 294 | 88 | 225 | 240 | 136 | 90 | 59 | 159 | 43 | 68 | 79 | 83 |
| Dundee . . | 52605 | 62347 | 1681 | 218 | 108 | 162 | 225 | 96 | 48 | 24 | 62 | 28 | 52 | 57 | 47 |
| Aberdeen . | 39786 | 48231 | 984 | 139 | 55 | 70 | 65 | 30 | 26 | 11 | 39 | 24 | 31 | 44 | 39 |
| Greenock . | 30298 | 35589 | 865 | 112 | 29 | 80 | 103 | 46 | 28 | 17 | 42 | 20 | 27 | 38 | 22 |
| Paisley . . | 22269 | 25838 | 681 | 68 | 26 | 54 | 69 | 32 | 14 | 9 | 51 | 18 | 25 | 23 | 17 |
| Leith . . | 22976 | 30529 | 715 | 80 | 27 | 52 | 82 | 39 | 30 | 30 | 62 | 8 | 20 | 22 | 18 |
| Perth . . | 12002 | 13854 | 315 | 44 | 14 | 17 | 18 | 7 | 6 | 3 | 11 | 6 | 12 | 7 | 7 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1880.—MALES.

| | MALES. AGE UNDER | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . . | 1043 | 1109 | 1225 | 1274 | 1448 | 1430 | 1684 | 1735 | 1795 | 1537 | 1146 | 550 | 156 | 32 | 7 | 9 |
| Principal Towns . | 410 | 483 | 538 | 533 | 569 | 522 | 576 | 511 | 441 | 282 | 207 | 88 | 13 | 2 | 1 | – |
| Large Towns . . | 139 | 150 | 181 | 165 | 215 | 216 | 241 | 205 | 205 | 162 | 129 | 37 | 11 | 3 | – | – |
| Small Towns . . | 230 | 223 | 254 | 270 | 310 | 317 | 368 | 413 | 421 | 391 | 282 | 129 | 29 | 5 | – | – |
| Mainland-Rural. . | 228 | 227 | 231 | 275 | 318 | 345 | 447 | 540 | 654 | 622 | 445 | 248 | 80 | 19 | 4 | 6 |
| Insular-Rural . . | 36 | 26 | 21 | 31 | 36 | 30 | 52 | 66 | 74 | 80 | 83 | 48 | 23 | 3 | 2 | 3 |
| Shetland . . . | 6 | 10 | 7 | 8 | 4 | 2 | 10 | 15 | 17 | 21 | 18 | 11 | 6 | 1 | – | – |
| Orkney . . . | 8 | 5 | 6 | 6 | 8 | 8 | 10 | 14 | 24 | 22 | 21 | 10 | 2 | – | – | – |
| Caithness . . . | 6 | 9 | 8 | 11 | 9 | 13 | 16 | 23 | 32 | 36 | 22 | 17 | 3 | 1 | 1 | – |
| Sutherland . . | 3 | 3 | – | 7 | 6 | 7 | 6 | 16 | 15 | 18 | 15 | 7 | 1 | 2 | – | – |
| Ross and Cromarty . | 23 | 12 | 10 | 12 | 14 | 19 | 28 | 34 | 61 | 50 | 41 | 29 | 14 | 4 | 1 | – |
| Inverness . . . | 22 | 19 | 22 | 27 | 34 | 28 | 46 | 37 | 49 | 55 | 46 | 25 | 20 | – | 2 | 3 |
| Nairn . . . | 5 | – | 3 | 1 | 1 | 1 | 5 | 6 | 3 | 5 | 5 | 2 | – | – | – | – |
| Elgin . . . | 8 | 9 | 8 | 17 | 12 | 14 | 20 | 19 | 31 | 38 | 14 | 9 | 2 | 1 | 1 | – |
| Banff . . . | 15 | 8 | 15 | 9 | 19 | 14 | 17 | 26 | 37 | 38 | 26 | 12 | 3 | 3 | – | – |
| Aberdeen . . . | 39 | 54 | 59 | 70 | 79 | 85 | 100 | 114 | 130 | 134 | 93 | 51 | 13 | 4 | – | 3 |
| Kincardine . . | 4 | 9 | 6 | 8 | 9 | 6 | 5 | 19 | 22 | 23 | 16 | 12 | 7 | 1 | – | – |
| Forfar . . . | 74 | 74 | 71 | 88 | 110 | 103 | 112 | 111 | 143 | 103 | 83 | 34 | 10 | 2 | – | – |
| Perth . . . | 38 | 46 | 37 | 33 | 42 | 59 | 61 | 78 | 93 | 66 | 76 | 31 | 3 | 2 | – | – |
| Fife . . . . | 33 | 42 | 56 | 41 | 59 | 69 | 77 | 95 | 68 | 97 | 68 | 41 | 6 | – | – | – |
| Kinross . . . | 1 | 2 | 3 | – | 2 | 4 | 5 | 5 | 3 | 9 | 8 | 2 | 1 | – | – | – |
| Clackmannan . . | 6 | – | 3 | 7 | 4 | 6 | 13 | 12 | 11 | 14 | 5 | 1 | – | – | – | – |
| Stirling . . . | 22 | 23 | 29 | 27 | 32 | 56 | 52 | 50 | 67 | 43 | 38 | 12 | – | – | – | 1 |
| Dumbarton . . | 26 | 18 | 20 | 21 | 44 | 36 | 31 | 33 | 29 | 38 | 22 | 4 | 4 | – | – | – |
| Argyll . . . | 38 | 28 | 27 | 31 | 24 | 29 | 37 | 63 | 49 | 51 | 58 | 35 | 11 | 3 | – | – |
| Bute . . . . | 6 | 7 | 3 | 10 | 7 | 4 | 13 | 13 | 4 | 6 | 9 | 5 | – | – | – | – |
| Renfrew . . . | 70 | 89 | 99 | 80 | 109 | 85 | 98 | 110 | 86 | 66 | 44 | 11 | 2 | – | – | – |
| Ayr . . . . | 55 | 56 | 79 | 59 | 93 | 83 | 93 | 99 | 111 | 102 | 58 | 26 | 5 | 2 | – | – |
| Lanark . . . | 325 | 358 | 397 | 401 | 447 | 434 | 472 | 340 | 310 | 207 | 149 | 63 | 12 | 3 | 1 | – |
| Linlithgow . . . | 12 | 9 | 21 | 11 | 16 | 17 | 27 | 28 | 17 | 18 | 6 | 5 | 2 | – | – | 1 |
| Edinburgh . . | 118 | 141 | 158 | 185 | 168 | 147 | 186 | 190 | 170 | 120 | 92 | 42 | 8 | 2 | – | – |
| Haddington . . | 6 | 12 | 12 | 10 | 14 | 12 | 20 | 13 | 22 | 20 | 9 | 5 | 3 | – | – | – |
| Berwick . . . | 9 | 4 | 5 | 9 | 10 | 12 | 14 | 20 | 22 | 21 | 9 | 4 | 3 | – | – | – |
| Peebles . . . | 2 | 3 | 1 | 2 | 3 | 3 | 2 | 8 | 10 | 6 | 5 | – | – | – | – | – |
| Selkirk . . . | 6 | 6 | 4 | 10 | 5 | 7 | 12 | 8 | 15 | 6 | 4 | 4 | 1 | – | – | – |
| Roxburgh . . . | 12 | 15 | 13 | 11 | 8 | 19 | 26 | 29 | 30 | 27 | 17 | 11 | 2 | 1 | – | – |
| Dumfries . . . | 21 | 16 | 22 | 30 | 31 | 27 | 31 | 45 | 58 | 43 | 32 | 17 | 9 | – | 1 | – |
| Kirkcudbright . . | 16 | 10 | 8 | 15 | 12 | 11 | 21 | 27 | 29 | 16 | 19 | 4 | 3 | – | – | – |
| Wigtown . . . | 8 | 12 | 13 | 17 | 13 | 10 | 18 | 35 | 27 | 18 | 18 | 8 | – | – | – | 1 |

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1880.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . . | 196 | 228 | 257 | 261 | 262 | 252 | 270 | 197 | 151 | 99 | 63 | 29 | 5 | – | 1 | – |
| Edinburgh . . | 83 | 79 | 103 | 109 | 95 | 81 | 86 | 98 | 87 | 59 | 49 | 24 | 2 | 1 | – | – |
| Dundee . . . | 48 | 53 | 45 | 49 | 67 | 64 | 62 | 55 | 55 | 26 | 16 | 9 | 5 | – | – | – |
| Aberdeen . . . | 18 | 28 | 36 | 31 | 31 | 40 | 46 | 46 | 49 | 40 | 31 | 14 | – | 1 | – | – |
| Greenock . . . | 32 | 31 | 38 | 23 | 39 | 30 | 29 | 22 | 27 | 16 | 12 | 2 | – | – | – | – |
| Paisley . . . | 15 | 21 | 27 | 25 | 32 | 22 | 32 | 41 | 28 | 17 | 11 | 3 | 1 | – | – | – |
| Leith . . . | 7 | 26 | 21 | 23 | 31 | 16 | 34 | 31 | 24 | 16 | 12 | 4 | – | – | – | – |
| Perth . . . | 11 | 17 | 11 | 12 | 12 | 17 | 17 | 21 | 20 | 9 | 13 | 3 | | – | – | – |

DEATHS at Different Ages in SCOTLAND during the YEAR 1880.—FEMALES.

| | FEMALE POPULATION. | | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | 1871. | 1881. | | 3 | 6 | 12 | | | | | | | | | |
| SCOTLAND . | 1756875 | 1936098 | 37748 | 3307 | 1238 | 2366 | 3227 | 1501 | 979 | 688 | 1705 | 991 | 1215 | 1317 | 1284 |
| Principal Towns | 570848 | 634131 | 14295 | 1267 | 491 | 1091 | 1549 | 726 | 448 | 339 | 729 | 360 | 499 | 496 | 508 |
| Large Towns . | 171088 | 231590 | 4821 | 449 | 168 | 333 | 479 | 205 | 133 | 61 | 205 | 123 | 117 | 191 | 187 |
| Small Towns . | 401981 | 452345 | 8847 | 775 | 324 | 542 | 724 | 347 | 246 | 170 | 414 | 253 | 306 | 329 | 266 |
| Mainland-Rural | 541995 | 548823 | 8757 | 752 | 231 | 366 | 436 | 207 | 144 | 109 | 326 | 226 | 268 | 278 | 284 |
| Insular-Rural . | 70963 | 69209 | 1028 | 64 | 24 | 34 | 39 | 16 | 8 | 9 | 31 | 29 | 25 | 23 | 39 |
| Shetland . . | 18505 | 17049 | 285 | 9 | 8 | 5 | 3 | 4 | 5 | 5 | 9 | 7 | 4 | 6 | 14 |
| Orkney . . | 16919 | 17062 | 236 | 13 | 2 | 5 | 5 | 3 | – | 2 | 5 | 4 | 8 | 9 | 12 |
| Caithness . | 21608 | 20998 | 336 | 27 | 7 | 14 | 11 | 6 | 3 | 3 | 13 | 7 | 11 | 8 | 9 |
| Sutherland . | 12356 | 11627 | 193 | 11 | 3 | 4 | 3 | 3 | 3 | – | 2 | 7 | 5 | 6 | 5 |
| Ross & Cromarty | 43535 | 42023 | 605 | 46 | 11 | 24 | 30 | 16 | 13 | 5 | 12 | 11 | 9 | 13 | 16 |
| Inverness . | 44898 | 44478 | 677 | 55 | 14 | 25 | 31 | 15 | 7 | 5 | 19 | 11 | 17 | 11 | 19 |
| Nairn . . | 4447 | 4646 | 65 | 3 | 2 | 5 | 2 | 1 | 1 | 1 | – | – | 4 | 2 | 1 |
| Elgin . . | 23811 | 23771 | 403 | 34 | 17 | 23 | 22 | 11 | 3 | 7 | 14 | 8 | 10 | 12 | 11 |
| Banff . . | 31057 | 31411 | 521 | 54 | 21 | 27 | 29 | 17 | 5 | 11 | 16 | 11 | 14 | 12 | 14 |
| Aberdeen . | 129530 | 140365 | 2252 | 227 | 74 | 134 | 103 | 46 | 28 | 22 | 74 | 55 | 88 | 87 | 82 |
| Kincardine . | 18095 | 18066 | 269 | 28 | 7 | 10 | 11 | 3 | 2 | 2 | 10 | 11 | 6 | 8 | 5 |
| Forfar . . | 132633 | 147526 | 2930 | 293 | 108 | 194 | 229 | 113 | 69 | 40 | 114 | 51 | 93 | 91 | 96 |
| Perth . . | 67738 | 68319 | 1200 | 92 | 37 | 52 | 55 | 21 | 18 | 7 | 35 | 25 | 39 | 35 | 40 |
| Fife. . . | 85718 | 91163 | 1541 | 121 | 44 | 93 | 98 | 42 | 33 | 20 | 55 | 45 | 51 | 49 | 42 |
| Kinross . . | 4170 | 3881 | 76 | 6 | 1 | 2 | 3 | 1 | – | – | 2 | – | 3 | 3 | 3 |
| Clackmannan . | 11416 | 12628 | 210 | 17 | 8 | 6 | 18 | 8 | 6 | 3 | 12 | 13 | 10 | 5 | 8 |
| Stirling . . | 47152 | 53195 | 1039 | 96 | 40 | 59 | 89 | 32 | 23 | 20 | 47 | 24 | 33 | 34 | 38 |
| Dumbarton . | 31159 | 39431 | 761 | 67 | 23 | 53 | 66 | 23 | 19 | 10 | 37 | 22 | 22 | 32 | 24 |
| Argyll . . | 40865 | 40787 | 754 | 42 | 13 | 14 | 28 | 11 | 4 | 7 | 29 | 24 | 27 | 25 | 23 |
| Bute . . | 9350 | 9544 | 193 | 9 | 2 | 4 | 11 | 3 | 5 | 2 | 9 | 4 | 5 | 9 | 5 |
| Renfrew . . | 102138 | 116848 | 2654 | 221 | 87 | 168 | 272 | 128 | 69 | 59 | 135 | 88 | 120 | 109 | 80 |
| Ayr. . . | 102664 | 110762 | 2174 | 193 | 76 | 156 | 191 | 88 | 65 | 44 | 116 | 74 | 81 | 76 | 77 |
| Lanark . . | 398613 | 474913 | 10943 | 959 | 369 | 862 | 1310 | 648 | 403 | 282 | 615 | 311 | 352 | 428 | 403 |
| Linlithgow . | 20330 | 21026 | 409 | 42 | 27 | 29 | 47 | 20 | 14 | 10 | 23 | 8 | 13 | 16 | 11 |
| Edinburgh . | 174354 | 205067 | 4203 | 381 | 160 | 277 | 427 | 183 | 133 | 91 | 216 | 102 | 92 | 123 | 131 |
| Haddington . | 19686 | 19698 | 331 | 39 | 9 | 17 | 18 | 11 | 6 | 3 | 8 | 12 | 10 | 10 | 12 |
| Berwick . . | 19021 | 18393 | 296 | 38 | 8 | 9 | 13 | 4 | 5 | – | 9 | 7 | 12 | 13 | 15 |
| Peebles . . | 6316 | 7126 | 115 | 12 | 5 | 1 | 3 | – | 3 | 1 | 4 | 3 | 3 | 5 | 4 |
| Selkirk . . | 10175 | 13822 | 248 | 25 | 10 | 17 | 15 | 8 | 7 | 6 | 6 | 7 | 14 | 12 | 6 |
| Roxburgh . | 25292 | 27558 | 422 | 43 | 12 | 17 | 20 | 10 | 5 | 4 | 19 | 7 | 14 | 11 | 19 |
| Dumfries. . | 40011 | 40127 | 723 | 60 | 15 | 33 | 41 | 13 | 16 | 9 | 22 | 16 | 22 | 22 | 32 |
| Kirkcudbright | 22480 | 22404 | 346 | 20 | 13 | 12 | 12 | 5 | 4 | 2 | 7 | 7 | 10 | 14 | 18 |
| Wigtown . | 20833 | 20384 | 338 | 24 | 5 | 15 | 11 | 4 | 2 | 5 | 11 | 9 | 13 | 21 | 9 |

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1880.—FEMALES.

| | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . | 253272 | 263049 | 6487 | 521 | 202 | 542 | 778 | 401 | 233 | 184 | 369 | 173 | 242 | 236 | 249 |
| Edinburgh . | 107740 | 124119 | 2426 | 213 | 93 | 163 | 263 | 117 | 81 | 56 | 131 | 60 | 56 | 71 | 80 |
| Dundee . . | 68119 | 80108 | 1783 | 183 | 74 | 132 | 178 | 87 | 49 | 31 | 81 | 28 | 65 | 57 | 57 |
| Aberdeen . | 48395 | 56845 | 1094 | 106 | 30 | 76 | 68 | 17 | 16 | 10 | 36 | 32 | 44 | 40 | 44 |
| Greenock . | 29496 | 33649 | 755 | 84 | 26 | 58 | 88 | 41 | 20 | 22 | 33 | 18 | 23 | 20 | 17 |
| Paisley . . | 25988 | 29800 | 743 | 53 | 23 | 52 | 83 | 28 | 15 | 11 | 30 | 24 | 40 | 39 | 26 |
| Leith . . | 23458 | 30659 | 663 | 73 | 27 | 50 | 74 | 29 | 31 | 21 | 41 | 16 | 17 | 19 | 20 |
| Perth . | 14380 | 15902 | 344 | 34 | 16 | 18 | 17 | 6 | 3 | 4 | 8 | 9 | 12 | 14 | 15 |

DEATHS at Different Ages in SCOTLAND during the YEAR 1880.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| SCOTLAND . . . | 121[illegible] | 1199 | 1178 | 1149 | 1285 | 1346 | 1820 | 1893 | 2044 | 2000 | 1576 | 807 | 295 | 100 | 21 | 4 |
| Principal Towns . | 483 | 468 | 513 | 512 | 530 | 532 | 653 | 598 | 514 | 486 | 296 | 148 | 44 | 14 | 1 | – |
| Large Towns . . | 162 | 165 | 160 | 134 | 162 | 170 | 245 | 227 | 239 | 225 | 176 | 70 | 25 | 9 | 1 | – |
| Small Towns . . | 266 | 270 | 269 | 226 | 307 | 290 | 418 | 473 | 506 | 486 | 370 | 179 | 68 | 19 | 3 | 1 |
| Mainland-Rural . . | 275 | 266 | 206 | 252 | 257 | 309 | 449 | 536 | 701 | 715 | 629 | 348 | 127 | 46 | 11 | 3 |
| Insular-Rural . . | 27 | 30 | 30 | 25 | 29 | 45 | 55 | 59 | 84 | 88 | 105 | 62 | 31 | 12 | 5 | – |
| Shetland . . . | 11 | 13 | 3 | 7 | 4 | 14 | 13 | 20 | 16 | 32 | 35 | 18 | 15 | 3 | 2 | – |
| Orkney . . . | 5 | 4 | 7 | 5 | 10 | 6 | 12 | 13 | 24 | 27 | 30 | 15 | 5 | 5 | – | – |
| Caithness . . . | 8 | 14 | 6 | 9 | 10 | 11 | 13 | 17 | 36 | 28 | 33 | 25 | 6 | 1 | – | – |
| Sutherland . . | 4 | 3 | 2 | 5 | 4 | 9 | 7 | 9 | 18 | 24 | 32 | 13 | 8 | 2 | 1 | – |
| Ross and Cromarty . | 14 | 18 | 17 | 13 | 17 | 21 | 38 | 41 | 55 | 46 | 62 | 27 | 15 | 9 | 5 | 1 |
| Inverness . . . | 28 | 22 | 22 | 12 | 19 | 22 | 50 | 41 | 71 | 50 | 67 | 20 | 17 | 4 | 3 | – |
| Nairn . . . | 1 | 1 | 1 | 2 | 3 | 4 | 3 | 6 | 10 | 6 | 2 | 3 | 1 | – | – | – |
| Elgin . . . | 13 | 11 | 11 | 15 | 15 | 19 | 16 | 35 | 28 | 28 | 22 | 11 | 6 | – | 1 | – |
| Banff . . . | 7 | 20 | 7 | 15 | 16 | 23 | 25 | 30 | 29 | 42 | 43 | 23 | 9 | 1 | – | – |
| Aberdeen . . . | 72 | 68 | 61 | 58 | 75 | 68 | 125 | 150 | 134 | 155 | 144 | 96 | 20 | 5 | – | 1 |
| Kincardine . . | 8 | 10 | 4 | 8 | 7 | 11 | 11 | 18 | 27 | 27 | 19 | 10 | 5 | 1 | – | – |
| Forfar . . . | 97 | 100 | 125 | 108 | 119 | 103 | 162 | 121 | 162 | 151 | 113 | 51 | 21 | 6 | – | |
| Perth . . . | 32 | 34 | 34 | 34 | 36 | 55 | 68 | 86 | 104 | 100 | 86 | 51 | 17 | 6 | 1 | – |
| Fife . . . . | 57 | 40 | 42 | 44 | 49 | 56 | 79 | 94 | 114 | 115 | 90 | 48 | 15 | 5 | – | – |
| Kinross . . . | 2 | 2 | 1 | – | 5 | 4 | 6 | 4 | 7 | 9 | 9 | 3 | – | – | – | – |
| Clackmannan . . | 6 | 9 | 9 | 1 | 11 | 9 | 11 | 1 | 12 | 12 | 6 | 2 | 6 | 1 | – | – |
| Stirling . . . | 35 | 40 | 27 | 23 | 31 | 41 | 58 | 50 | 61 | 58 | 51 | 22 | 5 | 2 | – | – |
| Dumbarton . . | 35 | 27 | 29 | 26 | 22 | 28 | 40 | 37 | 33 | 42 | 28 | 10 | 4 | 2 | – | – |
| Argyll . . . | 23 | 23 | 25 | 23 | 23 | 46 | 41 | 46 | 53 | 70 | 59 | 52 | 14 | 7 | 2 | – |
| Bute . . . . | 5 | 6 | 4 | 9 | 9 | 11 | 12 | 14 | 22 | 12 | 10 | 10 | 1 | – | – | – |
| Renfrew . . . | 114 | 92 | 104 | 76 | 90 | 92 | 121 | 131 | 102 | 91 | 60 | 32 | 9 | 3 | – | 1 |
| Ayr . . . . | 53 | 76 | 64 | 58 | 73 | 66 | 85 | 95 | 101 | 109 | 96 | 42 | 13 | 6 | – | – |
| Lanark . . . | 367 | 340 | 343 | 331 | 380 | 379 | 467 | 403 | 362 | 312 | 188 | 81 | 30 | 16 | 2 | – |
| Linlithgow . . | 10 | 8 | 14 | 10 | 13 | 7 | 12 | 14 | 17 | 20 | 15 | 5 | 3 | 1 | – | – |
| Edinburgh . . | 114 | 127 | 138 | 159 | 151 | 147 | 185 | 222 | 228 | 217 | 123 | 56 | 16 | 2 | 1 | 1 |
| Haddington . . | 14 | 9 | 11 | 8 | 12 | 12 | 17 | 25 | 24 | 21 | 12 | 5 | 5 | 1 | – | – |
| Berwick . . . | 5 | 6 | 8 | 9 | 10 | 14 | 16 | 26 | 24 | 21 | 13 | 4 | 6 | 1 | – | – |
| Peebles . . . | 5 | 5 | 4 | 4 | 4 | 7 | 6 | 11 | 7 | 12 | 3 | 2 | 1 | – | – | – |
| Selkirk . . . | 8 | 7 | 6 | 8 | 11 | 10 | 16 | 14 | 7 | 16 | 8 | 4 | – | – | – | – |
| Roxburgh . . . | 11 | 16 | 22 | 17 | 14 | 12 | 25 | 23 | 24 | 31 | 24 | 16 | 3 | 3 | – | – |
| Dumfries . . . | 25 | 27 | 14 | 26 | 21 | 25 | 36 | 41 | 67 | 59 | 43 | 25 | 9 | 3 | 1 | – |
| Kirkcudbright . . | 11 | 8 | 5 | 16 | 13 | 7 | 27 | 31 | 29 | 33 | 25 | 13 | 2 | 1 | 1 | – |
| Wigtown . . . | 13 | 13 | 8 | 10 | 8 | 7 | 17 | 24 | 36 | 24 | 25 | 12 | 8 | 3 | 1 | – |

DEATHS at Different Ages in the PRINCIPAL TOWNS of SCOTLAND, 1880.—FEMALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Glasgow . . . | 221 | 218 | 216 | 226 | 244 | 249 | 281 | 231 | 179 | 147 | 82 | 39 | 15 | 8 | 1 | – |
| Edinburgh . . | 62 | 78 | 91 | 97 | 78 | 90 | 97 | 104 | 117 | 116 | 73 | 30 | 7 | 2 | – | – |
| Dundee . . . | 65 | 63 | 81 | 70 | 81 | 58 | 92 | 62 | 66 | 64 | 36 | 16 | 4 | 3 | – | – |
| Aberdeen . . . | 42 | 32 | 34 | 34 | 48 | 34 | 72 | 74 | 56 | 67 | 43 | 31 | 8 | – | – | – |
| Greenock . . . | 40 | 30 | 34 | 22 | 21 | 31 | 28 | 34 | 17 | 21 | 14 | 8 | 4 | 1 | – | – |
| Paisley . . . | 28 | 20 | 27 | 24 | 27 | 27 | 39 | 40 | 30 | 23 | 19 | 13 | 2 | – | – | – |
| Leith . . . | 15 | 18 | 25 | 23 | 21 | 23 | 28 | 30 | 28 | 22 | 8 | 4 | – | – | – | – |
| Perth . . . | 10 | 9 | 5 | 16 | 10 | 20 | 16 | 23 | 21 | 26 | 21 | 7 | 4 | – | – | – |

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1880.—Both Sexes.

| | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 460 | 37 | 18 | 22 | 21 | 11 | 8 | 6 | 17 | 5 | 9 | 15 | 16 |
| Arbroath | 400 | 48 | 11 | 26 | 19 | 10 | 4 | 2 | 12 | 8 | 16 | 8 | 16 |
| Forfar | 308 | 39 | 8 | 33 | 22 | 11 | 6 | 3 | 10 | 6 | 6 | 9 | 9 |
| Montrose | 356 | 27 | 11 | 9 | 21 | 6 | 7 | 2 | 9 | 12 | 5 | 10 | 14 |
| Dunfermline | 534 | 61 | 22 | 46 | 49 | 20 | 11 | 3 | 14 | 14 | 18 | 22 | 14 |
| Kirkcaldy | 275 | 20 | 12 | 24 | 23 | 13 | 9 | 4 | 5 | 8 | 12 | 6 | 5 |
| Stirling | 291 | 30 | 9 | 20 | 17 | 5 | 2 | 3 | 12 | 5 | 6 | 7 | 10 |
| Dumbarton | 311 | 33 | 9 | 32 | 34 | 13 | 6 | 4 | 14 | 11 | 13 | 10 | 10 |
| Ayr | 545 | 49 | 19 | 22 | 48 | 16 | 13 | 7 | 18 | 13 | 19 | 15 | 29 |
| Kilmarnock | 579 | 80 | 23 | 56 | 53 | 15 | 19 | 10 | 38 | 19 | 16 | 29 | 14 |
| Barony | 588 | 64 | 34 | 52 | 61 | 39 | 27 | 10 | 40 | 23 | 23 | 22 | 16 |
| Glasgow (Landward) | 1044 | 82 | 47 | 78 | 136 | 62 | 31 | 15 | 51 | 30 | 18 | 37 | 31 |
| Govan | 1944 | 195 | 80 | 166 | 274 | 107 | 61 | 38 | 95 | 52 | 48 | 72 | 76 |
| Hamilton | 549 | 58 | 25 | 40 | 71 | 29 | 16 | 4 | 24 | 15 | 14 | 20 | 25 |
| Airdrie | 285 | 26 | 11 | 33 | 36 | 11 | 5 | 2 | 18 | 3 | 9 | 8 | 13 |
| Coatbridge | 513 | 58 | 24 | 29 | 61 | 19 | 21 | 10 | 38 | 17 | 13 | 19 | 13 |
| Hawick | 342 | 44 | 15 | 14 | 21 | 14 | 12 | 6 | 17 | 8 | 10 | 15 | 12 |
| Dumfries | 516 | 51 | 21 | 24 | 47 | 17 | 3 | 6 | 15 | 11 | 15 | 13 | 19 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1880.—Both Sexes.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 89 | 2 | 2 | 3 | 1 | 3 | 4 | 2 | 5 | 2 | 3 | 2 | 4 |
| Orkney | 98 | 9 | 2 | 7 | 3 | 2 | 1 | 1 | 1 | 2 | 7 | 9 | 3 |
| Caithness | 311 | 30 | 6 | 15 | 15 | 5 | 2 | 3 | 13 | 6 | 13 | 11 | 8 |
| Ross and Cromarty | 204 | 20 | 8 | 14 | 20 | 9 | 3 | 3 | 7 | 1 | 2 | 6 | 7 |
| Nairn | 96 | 8 | 6 | 5 | 5 | 3 | – | 2 | 3 | – | 4 | 1 | 2 |
| Elgin | 363 | 37 | 16 | 28 | 28 | 8 | 6 | 4 | 11 | 6 | 9 | 13 | 18 |
| Banff | 480 | 63 | 25 | 39 | 31 | 16 | 6 | 8 | 18 | 7 | 13 | 16 | 17 |
| Aberdeen | 619 | 97 | 45 | 59 | 27 | 13 | 15 | 5 | 19 | 5 | 16 | 16 | 18 |
| Kincardine | 107 | 5 | 3 | 7 | 9 | 2 | – | 1 | 3 | 2 | 3 | 2 | 2 |
| Forfar | 582 | 50 | 24 | 38 | 26 | 18 | 10 | 10 | 26 | 8 | 15 | 15 | 17 |
| Perth | 496 | 42 | 16 | 21 | 39 | 8 | 9 | 7 | 18 | 12 | 16 | 19 | 18 |
| Fife | 1147 | 115 | 41 | 67 | 67 | 35 | 25 | 14 | 48 | 36 | 33 | 38 | 33 |
| Clackmannan | 331 | 36 | 21 | 15 | 24 | 8 | 6 | 3 | 20 | 17 | 17 | 8 | 17 |
| Stirling | 1085 | 116 | 50 | 76 | 87 | 31 | 38 | 23 | 51 | 40 | 34 | 36 | 33 |
| Dumbarton | 886 | 94 | 28 | 62 | 75 | 33 | 19 | 12 | 33 | 23 | 31 | 30 | 26 |
| Argyll | 491 | 32 | 8 | 27 | 29 | 6 | 10 | 7 | 21 | 9 | 20 | 16 | 10 |
| Bute | 204 | 12 | 6 | 8 | 10 | 6 | 5 | 4 | 8 | 3 | 7 | 9 | 7 |
| Renfrew | 1758 | 146 | 67 | 101 | 179 | 92 | 65 | 49 | 125 | 68 | 79 | 66 | 46 |
| Ayr | 2324 | 212 | 96 | 161 | 237 | 101 | 57 | 50 | 124 | 81 | 106 | 87 | 68 |
| Lanark | 2778 | 329 | 108 | 206 | 305 | 154 | 104 | 77 | 191 | 99 | 96 | 114 | 67 |
| Linlithgow | 542 | 52 | 39 | 38 | 61 | 30 | 20 | 13 | 35 | 8 | 10 | 17 | 14 |
| Edinburgh | 842 | 81 | 43 | 71 | 81 | 33 | 27 | 13 | 47 | 18 | 18 | 34 | 17 |
| Haddington | 262 | 35 | 9 | 20 | 18 | 8 | 7 | 1 | 5 | 8 | 4 | 5 | 11 |
| Berwick | 110 | 15 | 11 | 4 | 7 | 1 | 3 | – | 1 | 1 | 4 | 3 | 2 |
| Peebles | 72 | 10 | 4 | 3 | 2 | – | 1 | 2 | 2 | 1 | – | 2 | 3 |
| Selkirk | 426 | 54 | 21 | 35 | 24 | 10 | 7 | 7 | 11 | 9 | 21 | 22 | 15 |
| Roxburgh | 172 | 28 | 7 | 9 | 6 | 4 | 3 | 1 | 6 | 5 | 2 | 2 | 5 |
| Dumfries | 166 | 13 | 10 | 3 | 7 | 6 | 2 | – | 6 | 5 | 7 | 7 | 5 |
| Kirkcudbright | 220 | 24 | 10 | 7 | 14 | 3 | 2 | 4 | 6 | 2 | 10 | 9 | 12 |
| Wigtown | 221 | 16 | 6 | 17 | 11 | 5 | 2 | 5 | 10 | 8 | 7 | 12 | 6 |

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1880.—Both Sexes.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 20 | 14 | 25 | 14 | 19 | 18 | 36 | 29 | 35 | 32 | 22 | 8 | 3 | – | – | – |
| Arbroath | 12 | 12 | 13 | 11 | 13 | 14 | 25 | 25 | 25 | 26 | 25 | 11 | 4 | 4 | – | – |
| Forfar | 4 | 6 | 9 | 4 | 15 | 9 | 15 | 16 | 28 | 20 | 15 | 5 | – | – | – | – |
| Montrose | 16 | 7 | 20 | 17 | 12 | 22 | 22 | 18 | 35 | 20 | 25 | 5 | 3 | 1 | – | – |
| Dunfermline | 7 | 14 | 12 | 13 | 19 | 27 | 21 | 27 | 36 | 28 | 21 | 12 | 3 | – | – | – |
| Kirkcaldy | 11 | 8 | 9 | 4 | 10 | 15 | 23 | 15 | 10 | 13 | 10 | 4 | 2 | – | – | – |
| Stirling | 10 | 14 | 13 | 9 | 12 | 16 | 20 | 22 | 17 | 16 | 10 | 6 | – | – | – | – |
| Dumbarton | 6 | 10 | 9 | 9 | 14 | 18 | 11 | 13 | 10 | 14 | 6 | 1 | 1 | – | – | – |
| Ayr | 14 | 16 | 24 | 24 | 24 | 18 | 24 | 37 | 29 | 28 | 22 | 11 | 6 | – | – | – |
| Kilmarnock | 15 | 16 | 13 | 11 | 24 | 23 | 22 | 23 | 20 | 17 | 15 | 6 | 1 | 1 | – | – |
| Barony | 21 | 18 | 17 | 18 | 21 | 18 | 19 | 13 | 10 | 12 | 6 | 2 | 2 | – | – | – |
| Glasgow (Landward) | 31 | 37 | 30 | 28 | 49 | 33 | 54 | 44 | 51 | 31 | 28 | 8 | 2 | – | – | – |
| Govan | 64 | 62 | 71 | 56 | 63 | 68 | 86 | 51 | 63 | 53 | 34 | 6 | 1 | 1 | 1 | – |
| Hamilton | 11 | 20 | 13 | 19 | 22 | 20 | 20 | 27 | 17 | 16 | 15 | 5 | 1 | 2 | – | – |
| Airdrie | 8 | 11 | 12 | 5 | 11 | 11 | 19 | 9 | 8 | 6 | 9 | 1 | – | – | – | – |
| Coatbridge | 16 | 15 | 18 | 19 | 19 | 22 | 26 | 14 | 13 | 15 | 10 | 1 | 1 | 2 | – | – |
| Hawick | 11 | 20 | 14 | 12 | 7 | 13 | 16 | 12 | 10 | 16 | 16 | 4 | 3 | – | – | – |
| Dumfries | 24 | 15 | 19 | 26 | 23 | 21 | 27 | 37 | 27 | 24 | 16 | 11 | 3 | 1 | – | – |
| DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1880.—Both Sexes. | | | | | | | | | | | | | | | | |
| Shetland | 5 | 5 | 1 | 5 | 2 | 2 | 3 | 8 | 7 | 7 | 5 | 3 | 2 | 1 | – | – |
| Orkney | 4 | 3 | 2 | 2 | 2 | 6 | 5 | 5 | 6 | 7 | 8 | – | 1 | – | – | – |
| Caithness | 4 | 11 | 6 | 14 | 7 | 13 | 8 | 20 | 33 | 27 | 23 | 16 | 2 | – | – | – |
| Ross and Cromarty | 9 | 7 | 5 | 2 | 2 | 8 | 7 | 15 | 12 | 13 | 13 | 5 | 2 | 4 | – | – |
| Nairn | 5 | 1 | 3 | 3 | 2 | 3 | 5 | 9 | 10 | 8 | 5 | 2 | 1 | – | – | – |
| Elgin | 10 | 10 | 6 | 15 | 12 | 19 | 14 | 22 | 28 | 20 | 13 | 5 | 3 | 1 | 1 | – |
| Banff | 9 | 12 | 12 | 11 | 23 | 18 | 15 | 20 | 27 | 36 | 23 | 12 | 3 | – | – | – |
| Aberdeen | 9 | 23 | 13 | 12 | 20 | 16 | 25 | 44 | 32 | 33 | 34 | 16 | 5 | 1 | – | 1 |
| Kincardine | 1 | 2 | 4 | 4 | 4 | 3 | 2 | 10 | 16 | 9 | 7 | 4 | 2 | – | – | – |
| Forfar | 12 | 16 | 16 | 26 | 21 | 22 | 35 | 31 | 42 | 52 | 31 | 16 | 5 | – | – | – |
| Perth | 16 | 23 | 17 | 13 | 25 | 23 | 24 | 26 | 30 | 30 | 27 | 13 | 3 | – | 1 | – |
| Fife | 38 | 28 | 41 | 39 | 42 | 43 | 54 | 84 | 58 | 67 | 61 | 33 | 6 | 1 | – | – |
| Clackmannan | 9 | 7 | 11 | 6 | 12 | 11 | 17 | 11 | 20 | 19 | 8 | 1 | 6 | 1 | – | – |
| Stirling | 27 | 33 | 29 | 24 | 33 | 43 | 55 | 54 | 67 | 40 | 43 | 19 | 3 | – | – | – |
| Dumbarton | 41 | 27 | 28 | 29 | 41 | 35 | 53 | 40 | 37 | 44 | 33 | 10 | 2 | – | – | – |
| Argyll | 20 | 13 | 21 | 20 | 14 | 24 | 28 | 29 | 21 | 38 | 34 | 25 | 6 | 2 | 1 | – |
| Bute | 9 | 11 | 3 | 11 | 11 | 9 | 17 | 15 | 14 | 8 | 7 | 4 | – | – | – | – |
| Renfrew | 55 | 65 | 59 | 47 | 65 | 53 | 78 | 85 | 55 | 64 | 32 | 15 | 2 | – | – | – |
| Ayr | 56 | 65 | 79 | 56 | 86 | 75 | 93 | 91 | 115 | 101 | 78 | 35 | 9 | 5 | – | – |
| Lanark | 80 | 55 | 83 | 62 | 89 | 92 | 104 | 91 | 106 | 76 | 52 | 25 | 10 | 3 | – | – |
| Linlithgow | 12 | 9 | 25 | 10 | 19 | 15 | 22 | 22 | 24 | 28 | 12 | 3 | 3 | 1 | – | – |
| Edinburgh | 18 | 17 | 12 | 31 | 29 | 22 | 35 | 44 | 51 | 47 | 31 | 15 | 7 | – | – | – |
| Haddington | 6 | 9 | 10 | 5 | 13 | 9 | 12 | 16 | 16 | 15 | 13 | 3 | 3 | 1 | – | – |
| Berwick | 4 | 1 | 3 | 2 | 7 | 2 | 2 | 11 | 11 | 7 | 4 | 2 | 2 | – | – | – |
| Peebles | 4 | 3 | 2 | 3 | 2 | 2 | 4 | 7 | 5 | 5 | 3 | 1 | 1 | – | – | – |
| Selkirk | 12 | 13 | 10 | 18 | 15 | 17 | 27 | 21 | 21 | 20 | 9 | 7 | – | – | – | – |
| Roxburgh | 5 | 5 | 6 | 5 | 1 | 5 | 15 | 12 | 9 | 13 | 8 | 6 | 2 | 2 | – | – |
| Dumfries | 5 | 7 | 4 | 6 | 7 | 6 | 5 | 7 | 18 | 15 | 12 | 2 | 1 | – | – | – |
| Kirkcudbright | 5 | 5 | 4 | 7 | 7 | 4 | 12 | 15 | 19 | 17 | 14 | 6 | 2 | – | – | – |
| Wigtown | 6 | 7 | 8 | 8 | 4 | 7 | 10 | 21 | 17 | 11 | 9 | 4 | 3 | 1 | – | – |

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1880.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 233 | 22 | 12 | 12 | 7 | 6 | 5 | 5 | 11 | 3 | 7 | 11 | 8 |
| Arbroath | 183 | 28 | 7 | 12 | 5 | 4 | 4 | 2 | 6 | 4 | 8 | 2 | 5 |
| Forfar | 143 | 16 | 2 | 21 | 15 | 6 | 2 | 3 | 5 | 3 | 3 | 4 | 3 |
| Montrose | 168 | 15 | 8 | 2 | 13 | 4 | 3 | 2 | 3 | 6 | 3 | 3 | 8 |
| Dunfermline | 289 | 36 | 12 | 30 | 30 | 11 | 7 | 1 | 5 | 6 | 10 | 9 | 8 |
| Kirkcaldy | 149 | 12 | 8 | 15 | 15 | 7 | 1 | 3 | 3 | 5 | 6 | 1 | 2 |
| Stirling | 142 | 15 | 5 | 12 | 8 | 1 | 2 | 1 | 8 | 2 | 4 | 3 | 5 |
| Dumbarton | 151 | 17 | 4 | 14 | 18 | 5 | 2 | 2 | 8 | 6 | 8 | 2 | 3 |
| Ayr | 257 | 24 | 9 | 6 | 26 | 7 | 3 | 4 | 8 | 9 | 11 | 8 | 14 |
| Kilmarnock | 294 | 41 | 18 | 30 | 33 | 5 | 7 | 6 | 20 | 9 | 8 | 12 | 6 |
| Barony | 321 | 43 | 17 | 32 | 31 | 17 | 14 | 6 | 23 | 14 | 16 | 9 | 9 |
| Glasgow (Landward) | 531 | 42 | 27 | 40 | 73 | 35 | 14 | 7 | 26 | 16 | 12 | 11 | 13 |
| Govan | 998 | 103 | 42 | 102 | 149 | 55 | 26 | 18 | 49 | 23 | 25 | 29 | 27 |
| Hamilton | 298 | 35 | 16 | 22 | 33 | 12 | 10 | 3 | 19 | 8 | 7 | 10 | 15 |
| Airdrie | 145 | 15 | 7 | 17 | 18 | 6 | 4 | 1 | 8 | 3 | 3 | 6 | 6 |
| Coatbridge | 276 | 34 | 14 | 10 | 25 | 12 | 12 | 4 | 25 | 9 | 8 | 13 | 11 |
| Hawick | 170 | 26 | 8 | 6 | 9 | 8 | 9 | 2 | 6 | 4 | 4 | 5 | 3 |
| Dumfries | 271 | 29 | 15 | 10 | 27 | 12 | 3 | 4 | 9 | 7 | 10 | 8 | 9 |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1880.—MALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 35 | 1 | 2 | 2 | 1 | 2 | – | 1 | 3 | 1 | – | 1 | 1 |
| Orkney | 47 | 5 | 1 | 3 | 2 | 1 | 1 | – | 1 | 2 | 3 | 5 | 1 |
| Caithness | 152 | 15 | 2 | 3 | 7 | 2 | 2 | 2 | 7 | 4 | 8 | 8 | 5 |
| Ross and Cromarty | 93 | 12 | 5 | 7 | 10 | 5 | – | 1 | 4 | – | 2 | 2 | 3 |
| Nairn | 44 | 5 | 4 | 1 | 3 | 2 | – | 1 | 3 | – | – | – | 2 |
| Elgin | 172 | 18 | 7 | 14 | 14 | 2 | 3 | 1 | 5 | 4 | 4 | 8 | 12 |
| Banff | 227 | 33 | 13 | 22 | 12 | 6 | 3 | 3 | 6 | 3 | 7 | 11 | 8 |
| Aberdeen | 327 | 54 | 22 | 39 | 19 | 6 | 10 | 3 | 12 | 2 | 5 | 4 | 9 |
| Kincardine | 59 | 1 | 1 | 4 | 7 | 1 | – | 1 | 2 | 2 | 2 | 2 | 1 |
| Forfar | 285 | 24 | 19 | 23 | 16 | 8 | 5 | 6 | 15 | 5 | 9 | 5 | 10 |
| Perth | 244 | 28 | 7 | 10 | 18 | 2 | 5 | 6 | 9 | 8 | 8 | 8 | 9 |
| Fife | 554 | 70 | 26 | 31 | 34 | 16 | 14 | 4 | 27 | 20 | 14 | 21 | 17 |
| Clackmannan | 161 | 23 | 13 | 11 | 9 | 2 | 1 | 2 | 10 | 6 | 8 | 6 | 9 |
| Stirling | 543 | 70 | 32 | 34 | 36 | 10 | 18 | 12 | 26 | 22 | 15 | 21 | 13 |
| Dumbarton | 447 | 50 | 14 | 32 | 44 | 21 | 10 | 5 | 17 | 11 | 17 | 13 | 14 |
| Argyll | 247 | 19 | 5 | 22 | 13 | 3 | 8 | 4 | 9 | 4 | 10 | 5 | 5 |
| Bute | 93 | 7 | 4 | 5 | 2 | 4 | 1 | 2 | 2 | 3 | 6 | 3 | 3 |
| Renfrew | 841 | 87 | 35 | 56 | 89 | 44 | 37 | 26 | 67 | 29 | 34 | 28 | 17 |
| Ayr | 1186 | 132 | 55 | 82 | 120 | 52 | 23 | 20 | 61 | 35 | 55 | 50 | 34 |
| Lanark | 1392 | 168 | 63 | 113 | 156 | 69 | 41 | 40 | 108 | 51 | 58 | 49 | 31 |
| Linlithgow | 275 | 32 | 17 | 15 | 27 | 17 | 10 | 5 | 15 | 3 | 4 | 5 | 6 |
| Edinburgh | 425 | 47 | 27 | 40 | 42 | 14 | 14 | 5 | 27 | 9 | 10 | 16 | 9 |
| Haddington | 122 | 19 | 3 | 11 | 8 | 2 | 4 | 1 | 3 | 2 | 3 | 2 | 3 |
| Berwick | 56 | 5 | 8 | 1 | 4 | 1 | 1 | – | 1 | – | 1 | 1 | 1 |
| Peebles | 29 | 5 | – | 3 | 2 | – | – | 2 | 1 | – | – | – | 1 |
| Selkirk | 191 | 33 | 11 | 18 | 10 | 2 | – | 1 | 5 | 2 | 8 | 10 | 9 |
| Roxburgh | 88 | 15 | 3 | 5 | 3 | 2 | 1 | 1 | 3 | 5 | – | 2 | 2 |
| Dumfries | 77 | 7 | 5 | 2 | 2 | 2 | – | – | 3 | 2 | 2 | 3 | 2 |
| Kirkcudbright | 107 | 14 | 6 | 6 | 7 | 3 | – | 2 | 2 | 1 | 4 | 4 | 5 |
| Wigtown | 116 | 9 | 4 | 9 | 7 | 5 | 1 | 4 | 6 | 3 | 4 | 5 | 3 |

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1880.—MALES.

| | MALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 6 | 3 | 15 | 12 | 12 | 9 | 17 | 8 | 12 | 18 | 9 | 2 | 1 | – | – | – |
| Arbroath | 4 | 6 | 3 | 5 | 7 | 5 | 8 | 13 | 12 | 11 | 15 | 6 | – | 1 | – | – |
| Forfar | 2 | 1 | 3 | 1 | 6 | 4 | 5 | 9 | 15 | 8 | 6 | – | – | – | – | – |
| Montrose | 9 | 3 | 10 | 6 | 7 | 12 | 9 | 6 | 15 | 9 | 9 | 1 | 1 | 1 | – | – |
| Dunfermline | 4 | 10 | 7 | 8 | 14 | 17 | 8 | 13 | 15 | 13 | 7 | 7 | 1 | – | – | – |
| Kirkcaldy | 6 | 4 | 5 | 2 | 8 | 9 | 11 | 11 | 2 | 5 | 7 | – | 1 | – | – | – |
| Stirling | 5 | 3 | 8 | 6 | 7 | 10 | 10 | 9 | 5 | 8 | 3 | 2 | – | – | – | – |
| Dumbarton | 3 | 6 | 5 | 4 | 7 | 8 | 6 | 9 | 6 | 4 | 3 | – | 1 | – | – | – |
| Ayr | 9 | 4 | 14 | 12 | 14 | 11 | 14 | 19 | 12 | 8 | 6 | 4 | 1 | – | – | – |
| Kilmarnock | 6 | 6 | 9 | 7 | 12 | 12 | 10 | 12 | 13 | 4 | 6 | 2 | – | – | – | – |
| Barony | 8 | 8 | 9 | 10 | 13 | 6 | 11 | 7 | 5 | 6 | 5 | 1 | 1 | – | – | – |
| Glasgow (Landward) | 11 | 24 | 17 | 14 | 29 | 17 | 30 | 21 | 20 | 15 | 14 | 3 | – | – | – | – |
| Govan | 33 | 31 | 41 | 34 | 35 | 40 | 39 | 21 | 35 | 27 | 12 | 1 | – | 1 | – | – |
| Hamilton | 5 | 12 | 5 | 11 | 12 | 13 | 12 | 13 | 9 | 5 | 7 | 3 | 1 | – | – | – |
| Airdrie | 3 | 6 | 5 | 2 | 6 | 6 | 12 | 4 | 4 | 2 | 1 | – | – | – | – | – |
| Coatbridge | 7 | 9 | 6 | 13 | 11 | 17 | 17 | 4 | 8 | 3 | 4 | – | – | – | – | – |
| Hawick | 5 | 9 | 5 | 4 | 2 | 9 | 9 | 9 | 6 | 8 | 10 | 2 | 2 | – | – | – |
| Dumfries | 13 | 5 | 14 | 14 | 13 | 11 | 13 | 17 | 11 | 8 | 5 | 3 | 1 | – | – | – |

DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1880.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 2 | 2 | – | 2 | 1 | – | 1 | 4 | 5 | 1 | – | 2 | – | – | – | – |
| Orkney | 3 | 3 | 2 | – | 1 | 4 | 1 | 1 | 3 | 2 | 2 | – | – | – | – | – |
| Caithness | 1 | 3 | 3 | 9 | 4 | 8 | 6 | 10 | 13 | 14 | 9 | 6 | 1 | – | – | – |
| Ross and Cromarty | 4 | 3 | 1 | – | 1 | 3 | 3 | 7 | 7 | 4 | 4 | 2 | 1 | 2 | – | – |
| Nairn | 4 | – | 2 | 1 | – | – | 3 | 5 | 1 | 3 | 4 | – | – | – | – | – |
| Elgin | 3 | 5 | 2 | 9 | 4 | 9 | 7 | 7 | 13 | 12 | 5 | 2 | 1 | 1 | – | – |
| Banff | 6 | 2 | 9 | 6 | 14 | 6 | 6 | 9 | 13 | 15 | 9 | 3 | 2 | – | – | – |
| Aberdeen | 5 | 12 | 7 | 9 | 14 | 9 | 7 | 20 | 16 | 19 | 12 | 8 | 4 | – | – | – |
| Kincardine | – | 1 | 1 | 1 | 4 | 1 | 1 | 7 | 7 | 5 | 3 | 2 | 2 | – | – | – |
| Forfar | 4 | 7 | 5 | 18 | 11 | 9 | 13 | 14 | 18 | 21 | 12 | 8 | – | – | – | – |
| Perth | 12 | 13 | 9 | 9 | 9 | 12 | 6 | 9 | 13 | 14 | 13 | 7 | – | – | – | – |
| Fife | 9 | 14 | 20 | 17 | 18 | 21 | 26 | 34 | 24 | 29 | 32 | 15 | 1 | – | – | – |
| Clackmannan | 5 | – | 3 | 6 | 4 | 3 | 7 | 10 | 10 | 9 | 4 | – | – | – | – | – |
| Stirling | 11 | 15 | 15 | 14 | 12 | 27 | 24 | 31 | 37 | 19 | 20 | 9 | – | – | – | – |
| Dumbarton | 18 | 10 | 8 | 12 | 29 | 22 | 23 | 17 | 17 | 24 | 15 | 3 | 1 | – | – | – |
| Argyll | 13 | 6 | 10 | 13 | 10 | 5 | 12 | 16 | 10 | 17 | 14 | 12 | 2 | – | – | – |
| Bute | 6 | 7 | 1 | 5 | 4 | 4 | 8 | 7 | 2 | 3 | 3 | 1 | – | – | – | – |
| Renfrew | 18 | 30 | 28 | 26 | 28 | 26 | 35 | 39 | 20 | 25 | 11 | 6 | – | – | – | – |
| Ayr | 28 | 26 | 42 | 25 | 49 | 41 | 50 | 43 | 60 | 57 | 33 | 10 | 2 | 1 | – | – |
| Lanark | 40 | 24 | 44 | 35 | 44 | 56 | 55 | 39 | 37 | 26 | 28 | 14 | 3 | – | – | – |
| Linlithgow | 6 | 6 | 14 | 5 | 11 | 11 | 16 | 16 | 12 | 13 | 5 | 2 | 2 | – | – | – |
| Edinburgh | 8 | 7 | 6 | 20 | 14 | 14 | 19 | 19 | 22 | 14 | 12 | 7 | 3 | – | – | – |
| Haddington | 1 | 7 | 4 | 2 | 5 | 5 | 7 | 4 | 9 | 8 | 6 | 2 | 1 | – | – | – |
| Berwick | 4 | 1 | 1 | 1 | 4 | – | 2 | 4 | 6 | 3 | 3 | 2 | 1 | – | – | – |
| Peebles | 2 | 1 | – | 1 | 2 | – | 1 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| Selkirk | 5 | 6 | 4 | 10 | 5 | 7 | 11 | 8 | 14 | 5 | 3 | 4 | – | – | – | – |
| Roxburgh | 3 | 2 | 4 | 3 | – | 3 | 8 | 7 | 5 | 7 | 3 | – | – | 1 | – | – |
| Dumfries | 3 | 2 | 2 | 2 | 5 | 3 | 3 | 4 | 7 | 11 | 4 | – | 1 | – | – | – |
| Kirkcudbright | 4 | 4 | 2 | 5 | 1 | 3 | 4 | 7 | 7 | 4 | 9 | 2 | 1 | – | – | – |
| Wigtown | 2 | 4 | 5 | 4 | 2 | 5 | 3 | 13 | 9 | 6 | 3 | – | – | – | – | – |

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1880.—FEMALES.

| | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Inverness | 227 | 15 | 6 | 10 | 14 | 5 | 3 | 1 | 6 | 2 | 2 | 4 | 8 |
| Arbroath | 217 | 20 | 4 | 14 | 14 | 6 | – | – | 6 | 4 | 8 | 6 | 11 |
| Forfar | 165 | 23 | 6 | 12 | 7 | 5 | 4 | – | 5 | 3 | 3 | 5 | 6 |
| Montrose | 188 | 12 | 3 | 7 | 8 | 2 | 4 | – | 6 | 6 | 2 | 7 | 6 |
| Dunfermline | 245 | 25 | 10 | 16 | 19 | 9 | 4 | 2 | 9 | 8 | 8 | 13 | 6 |
| Kirkcaldy | 126 | 8 | 4 | 9 | 8 | 6 | 8 | 1 | 2 | 3 | 6 | 5 | 3 |
| Stirling | 149 | 15 | 4 | 8 | 9 | 4 | – | 2 | 4 | 3 | 2 | 4 | 5 |
| Dumbarton | 160 | 16 | 5 | 18 | 16 | 8 | 4 | 2 | 6 | 5 | 5 | 8 | 7 |
| Ayr | 288 | 25 | 10 | 16 | 22 | 9 | 10 | 3 | 10 | 4 | 8 | 7 | 15 |
| Kilmarnock | 285 | 39 | 5 | 26 | 20 | 10 | 12 | 4 | 18 | 10 | 8 | 17 | 8 |
| Barony | 267 | 21 | 17 | 20 | 30 | 22 | 13 | 4 | 17 | 9 | 7 | 13 | 7 |
| Glasgow (Landward) | 513 | 40 | 20 | 38 | 63 | 27 | 17 | 8 | 25 | 14 | 6 | 26 | 18 |
| Govan | 946 | 92 | 38 | 64 | 125 | 52 | 35 | 20 | 46 | 29 | 23 | 43 | 49 |
| Hamilton | 251 | 23 | 9 | 18 | 38 | 17 | 6 | 1 | 5 | 7 | 7 | 10 | 10 |
| Airdrie | 140 | 11 | 4 | 16 | 18 | 5 | 1 | 1 | 10 | – | 6 | 2 | 7 |
| Coatbridge | 237 | 24 | 10 | 19 | 36 | 7 | 9 | 6 | 13 | 8 | 5 | 6 | 2 |
| Hawick | 172 | 18 | 7 | 8 | 12 | 6 | 3 | 4 | 11 | 4 | 6 | 10 | 9 |
| Dumfries | 245 | 22 | 6 | 14 | 20 | 5 | – | 2 | 6 | 4 | 5 | 5 | 10 |
| DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1880.—FEMALES. | | | | | | | | | | | | | |
| Shetland | 54 | 1 | – | 1 | – | 1 | 4 | 1 | 2 | 1 | 3 | 1 | 3 |
| Orkney | 51 | 4 | 1 | 4 | 1 | 1 | – | 1 | – | – | 4 | 4 | 2 |
| Caithness | 159 | 15 | 4 | 12 | 8 | 3 | – | 1 | 6 | 2 | 5 | 3 | 3 |
| Ross and Cromarty | 111 | 8 | 3 | 7 | 10 | 4 | 3 | 2 | 3 | 1 | – | 4 | 4 |
| Nairn | 52 | 3 | 2 | 4 | 2 | 1 | – | 1 | – | – | 4 | 1 | – |
| Elgin | 191 | 19 | 9 | 14 | 14 | 6 | 3 | 3 | 6 | 2 | 5 | 5 | 6 |
| Banff | 253 | 30 | 12 | 17 | 19 | 10 | 3 | 5 | 12 | 4 | 6 | 5 | 9 |
| Aberdeen | 292 | 43 | 23 | 20 | 8 | 7 | 5 | 2 | 7 | 3 | 11 | 12 | 9 |
| Kincardine | 48 | 4 | 2 | 3 | 2 | 1 | – | – | 1 | – | 1 | – | 1 |
| Forfar | 297 | 26 | 5 | 15 | 10 | 10 | 5 | 4 | 11 | 3 | 6 | 10 | 7 |
| Perth | 252 | 14 | 9 | 11 | 21 | 6 | 4 | 1 | 9 | 4 | 8 | 11 | 9 |
| Fife | 593 | 45 | 15 | 36 | 33 | 19 | 11 | 10 | 21 | 16 | 19 | 17 | 16 |
| Clackmannan | 170 | 13 | 8 | 4 | 15 | 6 | 5 | 1 | 10 | 11 | 9 | 2 | 8 |
| Stirling | 542 | 46 | 18 | 42 | 51 | 21 | 20 | 11 | 25 | 18 | 19 | 15 | 20 |
| Dumbarton | 439 | 44 | 14 | 30 | 31 | 12 | 9 | 7 | 16 | 12 | 14 | 17 | 12 |
| Argyll | 244 | 13 | 3 | 5 | 16 | 3 | 2 | 3 | 12 | 5 | 10 | 11 | 5 |
| Bute | 111 | 5 | 2 | 3 | 8 | 2 | 4 | 2 | 6 | – | 1 | 6 | 4 |
| Renfrew | 917 | 59 | 32 | 45 | 90 | 48 | 28 | 23 | 58 | 39 | 45 | 38 | 29 |
| Ayr | 1138 | 80 | 41 | 79 | 117 | 49 | 34 | 30 | 63 | 46 | 51 | 37 | 34 |
| Lanark | 1386 | 161 | 45 | 93 | 149 | 85 | 63 | 37 | 83 | 48 | 38 | 65 | 36 |
| Linlithgow | 267 | 20 | 22 | 23 | 34 | 13 | 10 | 8 | 20 | 5 | 6 | 12 | 8 |
| Edinburgh | 417 | 34 | 16 | 31 | 39 | 19 | 13 | 8 | 20 | 9 | 8 | 18 | 8 |
| Haddington | 140 | 16 | 6 | 9 | 10 | 6 | 3 | – | 2 | 6 | 1 | 3 | 8 |
| Berwick | 54 | 10 | 3 | 3 | 3 | – | 2 | – | – | 1 | 3 | 2 | 1 |
| Peebles | 43 | 5 | 4 | – | – | – | 1 | – | 1 | 1 | – | 2 | 2 |
| Selkirk | 235 | 21 | 10 | 17 | 14 | 8 | 7 | 6 | 6 | 7 | 13 | 12 | 6 |
| Roxburgh | 84 | 13 | 4 | 4 | 3 | 2 | 2 | – | 3 | – | 2 | – | 3 |
| Dumfries | 89 | 6 | 5 | 1 | 5 | 4 | 2 | – | 3 | 3 | 5 | 4 | 3 |
| Kirkcudbright | 113 | 10 | 4 | 1 | 7 | – | 2 | 2 | 4 | 1 | 6 | 5 | 7 |
| W | 105 | 7 | 2 | 8 | 4 | – | 1 | 1 | 4 | 5 | 3 | 7 | 3 |

DEATHS at Different Ages in the LARGE TOWNS of SCOTLAND, 1880.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Inverness | 14 | 11 | 10 | 2 | 7 | 9 | 19 | 21 | 23 | 14 | 13 | 6 | 2 | – | – | – |
| Arbroath | 8 | 6 | 10 | 6 | 6 | 9 | 17 | 12 | 13 | 15 | 10 | 5 | 4 | 3 | – | – |
| Forfar | 2 | 5 | 6 | 3 | 9 | 5 | 10 | 7 | 13 | 12 | 9 | 5 | – | – | – | – |
| Montrose | 7 | 4 | 10 | 11 | 5 | 10 | 13 | 12 | 20 | 11 | 16 | 4 | 2 | – | – | – |
| Dunfermline | 3 | 4 | 5 | 5 | 5 | 10 | 13 | 14 | 21 | 15 | 14 | 5 | 2 | – | – | – |
| Kirkcaldy | 5 | 4 | 4 | 2 | 2 | 6 | 12 | 4 | 8 | 8 | 3 | 4 | 1 | – | – | – |
| Stirling | 5 | 11 | 5 | 3 | 5 | 6 | 10 | 13 | 12 | 8 | 7 | 4 | – | – | – | – |
| Dumbarton | 3 | 4 | 4 | 5 | 7 | 10 | 5 | 4 | 4 | 10 | 3 | 1 | – | – | – | – |
| Ayr | 5 | 12 | 10 | 12 | 10 | 7 | 10 | 18 | 17 | 20 | 16 | 7 | 5 | – | – | – |
| Kilmarnock | 9 | 10 | 4 | 4 | 12 | 11 | 12 | 11 | 7 | 13 | 9 | 4 | 1 | 1 | – | – |
| Barony | 13 | 10 | 8 | 8 | 8 | 12 | 8 | 6 | 5 | 6 | 1 | 1 | 1 | – | – | – |
| Glasgow (Landward) | 20 | 13 | 13 | 14 | 20 | 16 | 24 | 23 | 31 | 16 | 14 | 5 | 2 | – | – | – |
| Govan | 31 | 31 | 30 | 22 | 28 | 28 | 47 | 30 | 28 | 26 | 22 | 5 | 1 | – | 1 | – |
| Hamilton | 6 | 8 | 8 | 8 | 10 | 7 | 8 | 14 | 8 | 11 | 8 | 2 | – | 2 | – | – |
| Airdrie | 5 | 5 | 7 | 3 | 5 | 5 | 7 | 5 | 4 | 4 | 8 | 1 | – | – | – | – |
| Coatbridge | 9 | 6 | 12 | 6 | 8 | 5 | 9 | 10 | 5 | 12 | 6 | 1 | 1 | 2 | – | – |
| Hawick | 6 | 11 | 9 | 8 | 5 | 4 | 7 | 3 | 4 | 8 | 6 | 2 | 1 | – | – | – |
| Dumfries | 11 | 10 | 5 | 12 | 10 | 10 | 14 | 20 | 16 | 16 | 11 | 8 | 2 | 1 | – | – |
| DEATHS at Different Ages in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND, 1880.—FEMALES. | | | | | | | | | | | | | | | | |
| Shetland | 3 | 3 | 1 | 3 | 1 | 2 | 2 | 4 | 2 | 6 | 5 | 1 | 2 | 1 | – | – |
| Orkney | 1 | – | – | 2 | 1 | 2 | 4 | 4 | 3 | 5 | 6 | – | 1 | – | – | – |
| Caithness | 3 | 8 | 3 | 5 | 3 | 5 | 2 | 10 | 20 | 13 | 14 | 10 | 1 | – | – | – |
| Ross and Cromarty | 5 | 4 | 4 | 2 | 1 | 5 | 4 | 8 | 5 | 9 | 9 | 3 | 1 | 2 | – | – |
| Nairn | 1 | 1 | 1 | 2 | 2 | 3 | 2 | 4 | 9 | 5 | 1 | 2 | 1 | – | – | – |
| Elgin | 7 | 5 | 4 | 6 | 8 | 10 | 7 | 15 | 15 | 8 | 8 | 3 | 2 | – | 1 | – |
| Banff | 3 | 10 | 3 | 5 | 9 | 12 | 9 | 11 | 14 | 21 | 14 | 9 | 1 | – | – | – |
| Aberdeen | 4 | 11 | 6 | 3 | 6 | 7 | 18 | 24 | 16 | 14 | 22 | 8 | 1 | 1 | – | 1 |
| Kincardine | 1 | 1 | 3 | 3 | – | 2 | 1 | 3 | 9 | 4 | 4 | 2 | – | – | – | – |
| Forfar | 8 | 9 | 11 | 8 | 10 | 13 | 22 | 17 | 24 | 31 | 19 | 8 | 5 | – | – | – |
| Perth | 4 | 10 | 8 | 4 | 16 | 11 | 18 | 17 | 17 | 16 | 14 | 6 | 3 | – | 1 | – |
| Fife | 29 | 14 | 21 | 22 | 24 | 22 | 28 | 50 | 34 | 38 | 29 | 18 | 5 | 1 | – | – |
| Clackmannan | 4 | 7 | 8 | – | 8 | 8 | 10 | 1 | 10 | 10 | 4 | 1 | 6 | 1 | – | – |
| Stirling | 16 | 18 | 14 | 10 | 21 | 16 | 31 | 23 | 30 | 21 | 23 | 10 | 3 | – | – | – |
| Dumbarton | 23 | 17 | 20 | 17 | 12 | 13 | 30 | 23 | 20 | 20 | 18 | 7 | 1 | – | – | – |
| Argyll | 7 | 7 | 11 | 7 | 4 | 19 | 16 | 13 | 11 | 21 | 20 | 13 | 4 | 2 | 1 | – |
| Bute | 3 | 4 | 2 | 6 | 7 | 5 | 9 | 8 | 12 | 5 | 4 | 3 | – | – | – | – |
| Renfrew | 37 | 35 | 31 | 21 | 37 | 27 | 43 | 46 | 35 | 39 | 21 | 9 | 2 | – | – | – |
| Ayr | 28 | 39 | 37 | 31 | 37 | 34 | 43 | 48 | 55 | 44 | 45 | 25 | 7 | 4 | – | – |
| Lanark | 40 | 31 | 39 | 27 | 45 | 36 | 49 | 52 | 69 | 50 | 24 | 11 | 7 | 3 | – | – |
| Linlithgow | 6 | 3 | 11 | 5 | 8 | 4 | 6 | 6 | 12 | 15 | 7 | 1 | 1 | 1 | – | – |
| Edinburgh | 10 | 10 | 6 | 11 | 15 | 8 | 16 | 25 | 29 | 33 | 19 | 8 | 4 | – | – | – |
| Haddington | 5 | 2 | 6 | 3 | 8 | 4 | 5 | 12 | 7 | 7 | 7 | 1 | 2 | 1 | – | – |
| Berwick | – | – | 2 | 1 | 3 | 2 | – | 7 | 5 | 4 | 1 | – | 1 | – | – | – |
| Peebles | 2 | 2 | 2 | 2 | – | 2 | 3 | 5 | 1 | 4 | 2 | 1 | 1 | – | – | – |
| Selkirk | 7 | 7 | 6 | 8 | 10 | 10 | 16 | 13 | 7 | 15 | 6 | 3 | – | – | – | – |
| Roxburgh | 2 | 3 | 2 | 2 | 1 | 2 | 7 | 5 | 4 | 6 | 5 | 6 | 2 | 1 | – | – |
| Dumfries | 2 | 5 | 2 | 4 | 2 | 3 | 2 | 3 | 11 | 4 | 8 | 2 | – | – | – | – |
| Kirkcudbright | 1 | 1 | 2 | 2 | 6 | 1 | 8 | 8 | 12 | 13 | 5 | 4 | 1 | – | – | – |
| Wigtown | 4 | 3 | 3 | 4 | 2 | 2 | 7 | 8 | 8 | 5 | 6 | 4 | 3 | 1 | – | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1880.—Both Sexes.

| | BOTH SEXES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 366 | 20 | 6 | 6 | 10 | 5 | 3 | 3 | 19 | 8 | 15 | 13 | 18 |
| Sutherland | 360 | 26 | 10 | 9 | 6 | 5 | 3 | 4 | 6 | 10 | 8 | 12 | 14 |
| Ross and Cromarty | 773 | 61 | 13 | 15 | 18 | 12 | 10 | 8 | 11 | 14 | 15 | 20 | 21 |
| Inverness | 423 | 31 | 6 | 9 | 14 | 13 | 7 | 2 | 14 | 15 | 14 | 10 | 14 |
| Nairn | 34 | 3 | 1 | 3 | 1 | – | 1 | – | – | – | – | 1 | 1 |
| Elgin | 449 | 53 | 21 | 20 | 13 | 9 | 1 | 8 | 12 | 9 | 13 | 20 | 15 |
| Banff | 520 | 53 | 19 | 26 | 18 | 13 | 3 | 10 | 13 | 13 | 16 | 14 | 11 |
| Aberdeen | 1775 | 192 | 61 | 81 | 68 | 45 | 17 | 23 | 70 | 41 | 64 | 72 | 51 |
| Kincardine | 435 | 47 | 16 | 21 | 22 | 9 | 5 | 7 | 15 | 15 | 8 | 17 | 8 |
| Forfar | 595 | 73 | 29 | 29 | 29 | 6 | 12 | 9 | 21 | 12 | 19 | 13 | 15 |
| Perth | 1215 | 97 | 28 | 51 | 40 | 22 | 23 | 4 | 32 | 24 | 41 | 33 | 33 |
| Fife | 1144 | 117 | 34 | 53 | 72 | 16 | 14 | 21 | 48 | 38 | 41 | 27 | 32 |
| Kinross | 143 | 8 | 5 | 6 | 5 | 1 | 1 | – | 4 | – | 7 | 3 | 6 |
| Clackmannan | 86 | 13 | 2 | 6 | 9 | 2 | 1 | 2 | 2 | 3 | 4 | 3 | – |
| Stirling | 700 | 82 | 32 | 38 | 61 | 24 | 9 | 13 | 35 | 13 | 23 | 26 | 23 |
| Dumbarton | 303 | 20 | 9 | 13 | 29 | 12 | 8 | 4 | 24 | 10 | 5 | 15 | 7 |
| Argyll | 702 | 43 | 14 | 16 | 18 | 11 | 9 | 6 | 24 | 16 | 27 | 29 | 29 |
| Renfrew | 437 | 44 | 21 | 25 | 29 | 18 | 13 | 6 | 24 | 13 | 18 | 20 | 14 |
| Ayr | 966 | 102 | 35 | 72 | 68 | 34 | 21 | 15 | 50 | 28 | 43 | 36 | 32 |
| Lanark | 1461 | 131 | 62 | 121 | 159 | 61 | 50 | 34 | 81 | 49 | 39 | 55 | 47 |
| Linlithgow | 296 | 41 | 10 | 14 | 31 | 10 | 7 | 2 | 13 | 6 | 11 | 9 | 8 |
| Edinburgh | 1392 | 128 | 47 | 83 | 98 | 41 | 19 | 14 | 40 | 36 | 35 | 35 | 49 |
| Haddington | 365 | 47 | 7 | 14 | 22 | 7 | 4 | 5 | 13 | 6 | 14 | 12 | 11 |
| Berwick | 447 | 52 | 13 | 16 | 20 | 10 | 7 | 2 | 16 | 9 | 17 | 15 | 23 |
| Peebles | 122 | 12 | 1 | 2 | 4 | 2 | 2 | 1 | 7 | 2 | 5 | 7 | 3 |
| Selkirk | 24 | 6 | – | – | 2 | 1 | – | 1 | – | – | 1 | – | – |
| Roxburgh | 324 | 31 | 7 | 11 | 11 | 5 | 1 | 1 | 13 | 8 | 7 | 3 | 12 |
| Dumfries | 861 | 76 | 17 | 37 | 38 | 11 | 22 | 13 | 33 | 16 | 26 | 24 | 37 |
| Kirkcudbright | 361 | 23 | 13 | 14 | 13 | 5 | 4 | 2 | 11 | 10 | 15 | 11 | 19 |
| Wigtown | 478 | 40 | 9 | 21 | 24 | 10 | 5 | 7 | 15 | 10 | 16 | 20 | 10 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1880.—Both Sexes.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 411 | 18 | 12 | 6 | 8 | 4 | 4 | 5 | 17 | 10 | 11 | 12 | 18 |
| Orkney | 368 | 20 | 1 | 8 | 9 | 4 | 2 | 2 | 10 | 10 | 10 | 11 | 20 |
| Ross and Cromarty | 220 | 26 | 11 | 21 | 27 | 10 | 5 | 4 | 8 | 3 | 2 | 5 | 6 |
| Inverness | 539 | 68 | 6 | 20 | 21 | 9 | 10 | 7 | 14 | 7 | 15 | 13 | 15 |
| Argyll | 364 | 12 | 7 | 15 | 9 | 9 | 1 | 2 | 14 | 20 | 14 | 13 | 13 |
| Bute | 149 | 13 | 2 | 3 | 5 | 1 | 3 | 1 | 6 | 6 | 5 | 8 | 3 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1880.—BOTH SEXES.

| | BOTH SEXES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 10 | 12 | 8 | 6 | 12 | 11 | 21 | 20 | 35 | 37 | 32 | 26 | 7 | 2 | 1 | – |
| Sutherland | 7 | 6 | 2 | 12 | 10 | 16 | 13 | 25 | 33 | 42 | 47 | 20 | 9 | 4 | 1 | – |
| Ross and Cromarty | 24 | 20 | 20 | 18 | 24 | 24 | 48 | 53 | 89 | 73 | 82 | 45 | 24 | 5 | 5 | 1 |
| Inverness | 7 | 11 | 9 | 13 | 12 | 10 | 25 | 22 | 44 | 43 | 46 | 13 | 16 | 2 | 1 | – |
| Nairn | 1 | – | 1 | – | 2 | 2 | 3 | 3 | 3 | 3 | 2 | 3 | – | – | – | – |
| Elgin | 11 | 10 | 13 | 17 | 15 | 14 | 22 | 32 | 31 | 46 | 23 | 15 | 5 | – | 1 | – |
| Banff | 13 | 16 | 10 | 13 | 12 | 19 | 27 | 36 | 39 | 44 | 46 | 23 | 9 | 4 | – | – |
| Aberdeen | 42 | 39 | 37 | 51 | 55 | 63 | 82 | 100 | 127 | 149 | 129 | 86 | 20 | 7 | – | 3 |
| Kincardine | 11 | 17 | 6 | 12 | 12 | 14 | 14 | 27 | 33 | 41 | 28 | 18 | 10 | 2 | – | – |
| Forfar | 14 | 17 | 12 | 19 | 20 | 17 | 23 | 25 | 54 | 46 | 48 | 23 | 10 | – | – | – |
| Perth | 33 | 31 | 38 | 26 | 31 | 54 | 72 | 94 | 126 | 101 | 101 | 59 | 13 | 8 | – | – |
| Fife | 34 | 32 | 36 | 29 | 37 | 40 | 58 | 63 | 78 | 104 | 66 | 40 | 10 | 4 | – | – |
| Kinross | 3 | 4 | 4 | – | 7 | 8 | 11 | 9 | 10 | 18 | 17 | 5 | 1 | – | – | – |
| Clackmannan | 3 | 2 | 1 | 2 | 3 | 4 | 7 | 2 | 3 | 7 | 3 | 2 | – | – | – | – |
| Stirling | 20 | 16 | 14 | 17 | 18 | 38 | 35 | 24 | 44 | 45 | 36 | 9 | 2 | 2 | – | 1 |
| Dumbarton | 14 | 8 | 12 | 9 | 11 | 11 | 7 | 17 | 15 | 22 | 11 | 3 | 5 | 2 | – | – |
| Argyll | 28 | 27 | 16 | 22 | 22 | 34 | 34 | 50 | 59 | 53 | 51 | 44 | 12 | 7 | 1 | – |
| Renfrew | 14 | 14 | 18 | 15 | 15 | 14 | 13 | 19 | 31 | 16 | 16 | 2 | 2 | 2 | – | 1 |
| Ayr | 23 | 35 | 27 | 26 | 32 | 33 | 39 | 43 | 48 | 65 | 39 | 16 | 2 | 2 | – | – |
| Lanark | 44 | 34 | 23 | 38 | 47 | 48 | 60 | 66 | 74 | 64 | 88 | 28 | 5 | 3 | – | – |
| Linlithgow | 10 | 8 | 10 | 11 | 10 | 9 | 17 | 20 | 10 | 10 | 9 | 7 | 2 | – | – | 1 |
| Edinburgh | 47 | 50 | 44 | 61 | 65 | 62 | 91 | 105 | 91 | 77 | 42 | 21 | 8 | 1 | 1 | 1 |
| Haddington | 14 | 12 | 13 | 13 | 13 | 15 | 25 | 22 | 30 | 26 | 8 | 7 | 5 | – | – | – |
| Berwick | 10 | 9 | 10 | 16 | 13 | 24 | 28 | 35 | 35 | 35 | 18 | 6 | 7 | 1 | – | – |
| Peebles | 3 | 5 | 3 | 3 | 5 | 8 | 4 | 12 | 12 | 13 | 5 | 1 | – | – | – | – |
| Selkirk | 2 | – | – | – | 1 | – | 1 | 1 | 1 | 2 | 3 | 1 | 1 | – | – | – |
| Roxburgh | 7 | 6 | 15 | 11 | 14 | 13 | 20 | 28 | 35 | 29 | 17 | 17 | – | 2 | – | – |
| Dumfries | 27 | 27 | 18 | 31 | 25 | 30 | 44 | 54 | 88 | 66 | 52 | 30 | 14 | 3 | 2 | – |
| Kirkcudbright | 12 | 7 | 4 | 17 | 15 | 9 | 27 | 31 | 31 | 29 | 25 | 10 | 3 | – | 1 | – |
| Wigtown | 15 | 18 | 13 | 19 | 17 | 10 | 25 | 38 | 46 | 31 | 34 | 16 | 5 | 2 | 1 | 1 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND 1880.—BOTH SEXES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 12 | 18 | 9 | 10 | 6 | 14 | 20 | 27 | 26 | 46 | 48 | 26 | 19 | 3 | 2 | – |
| Orkney | 9 | 6 | 11 | 9 | 16 | 8 | 17 | 22 | 42 | 42 | 43 | 25 | 6 | 5 | – | – |
| Ross and Cromarty | 4 | 3 | 2 | 5 | 5 | 8 | 11 | 7 | 15 | 10 | 8 | 6 | 3 | 4 | 1 | – |
| Inverness | 23 | 16 | 10 | 12 | 22 | 22 | 35 | 27 | 41 | 30 | 45 | 24 | 18 | 2 | 4 | 3 |
| Argyll | 13 | 11 | 15 | 12 | 11 | 17 | 16 | 30 | 22 | 30 | 32 | 18 | 7 | 1 | – | – |
| Bute | 2 | 2 | 4 | 8 | 5 | 6 | 8 | 12 | 12 | 10 | 12 | 11 | 1 | – | – | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1880.—MALES.

| | MALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 189 | 8 | 3 | 4 | 7 | 2 | – | 1 | 12 | 3 | 9 | 8 | 12 |
| Sutherland | 167 | 15 | 7 | 5 | 3 | 2 | – | 4 | 4 | 3 | 3 | 6 | 9 |
| Ross and Cromarty | 380 | 32 | 10 | 9 | 11 | 3 | 3 | 6 | 8 | 6 | 8 | 12 | 12 |
| Inverness | 227 | 17 | 2 | 5 | 7 | 7 | 6 | 1 | 7 | 11 | 8 | 7 | 10 |
| Nairn | 21 | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| Elgin | 237 | 38 | 13 | 11 | 5 | 4 | 1 | 4 | 4 | 3 | 8 | 13 | 10 |
| Banff | 252 | 29 | 10 | 16 | 8 | 6 | 1 | 4 | 9 | 6 | 8 | 7 | 6 |
| Aberdeen | 909 | 114 | 40 | 43 | 41 | 23 | 10 | 13 | 39 | 21 | 31 | 37 | 22 |
| Kincardine | 214 | 23 | 11 | 14 | 13 | 7 | 3 | 5 | 6 | 4 | 3 | 9 | 4 |
| Forfar | 315 | 44 | 13 | 15 | 17 | 3 | 5 | 4 | 16 | 5 | 10 | 7 | 6 |
| Perth | 611 | 53 | 16 | 28 | 23 | 13 | 12 | 2 | 14 | 12 | 22 | 23 | 17 |
| Fife | 567 | 74 | 19 | 21 | 34 | 8 | 4 | 14 | 25 | 20 | 23 | 13 | 15 |
| Kinross | 67 | 2 | 4 | 4 | 2 | – | 1 | – | 2 | – | 4 | – | 3 |
| Clackmannan | 46 | 9 | 2 | 4 | 6 | – | – | – | – | 1 | 3 | – | – |
| Stirling | 352 | 47 | 14 | 29 | 32 | 17 | 6 | 6 | 17 | 10 | 11 | 11 | 10 |
| Dumbarton | 141 | 13 | 5 | 8 | 10 | 9 | 2 | 3 | 9 | 5 | 2 | 8 | 2 |
| Argyll | 367 | 22 | 10 | 13 | 12 | 6 | 7 | 2 | 11 | 5 | 15 | 20 | 18 |
| Renfrew | 198 | 19 | 15 | 12 | 18 | 7 | 7 | 3 | 10 | 6 | 6 | 8 | 6 |
| Ayr | 503 | 53 | 15 | 37 | 36 | 14 | 12 | 8 | 25 | 14 | 29 | 21 | 12 |
| Lanark | 745 | 65 | 38 | 69 | 86 | 29 | 24 | 13 | 34 | 26 | 21 | 28 | 22 |
| Linlithgow | 154 | 19 | 5 | 8 | 18 | 3 | 3 | – | 10 | 3 | 4 | 5 | 5 |
| Edinburgh | 695 | 67 | 23 | 50 | 47 | 23 | 11 | 8 | 16 | 19 | 24 | 20 | 26 |
| Haddington | 174 | 24 | 4 | 6 | 14 | 2 | 1 | 2 | 7 | – | 5 | 5 | 7 |
| Berwick | 205 | 24 | 8 | 10 | 10 | 6 | 4 | 2 | 7 | 3 | 8 | 4 | 9 |
| Peebles | 50 | 5 | – | 1 | 1 | 2 | – | – | 4 | – | 2 | 4 | 1 |
| Selkirk | 11 | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| Roxburgh | 158 | 19 | 6 | 6 | 6 | 3 | 1 | 1 | 8 | 5 | 1 | 2 | 5 |
| Dumfries | 412 | 40 | 11 | 17 | 21 | 5 | 8 | 6 | 20 | 7 | 13 | 9 | 16 |
| Kirkcudbright | 188 | 17 | 6 | 5 | 9 | 2 | 2 | 2 | 8 | 4 | 12 | 4 | 10 |
| Wigtown | 245 | 23 | 6 | 14 | 17 | 6 | 4 | 3 | 8 | 6 | 6 | 6 | 4 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1880.—MALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland, | 180 | 10 | 4 | 2 | 5 | 1 | 3 | 1 | 10 | 4 | 10 | 7 | 7 |
| Orkney, | 183 | 11 | – | 7 | 5 | 2 | 2 | 1 | 5 | 6 | 6 | 6 | 10 |
| Ross and Cromarty | 119 | 17 | 6 | 10 | 14 | 7 | 2 | 3 | 2 | 1 | – | 4 | 3 |
| Inverness | 285 | 42 | 2 | 9 | 11 | 5 | 7 | 4 | 8 | 2 | 6 | 9 | 8 |
| Argyll | 189 | 4 | 1 | 9 | 3 | 6 | 1 | 2 | 10 | 12 | 9 | 8 | 6 |
| Bute | 67 | 9 | 2 | 2 | 2 | – | 2 | 1 | 3 | 2 | 1 | 5 | 2 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1880.—MALES.

| | MALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 5 | 6 | 5 | 2 | 5 | 5 | 10 | 13 | 19 | 22 | 13 | 11 | 2 | 1 | 1 | – |
| Sutherland | 3 | 3 | – | 7 | 6 | 7 | 6 | 16 | 15 | 18 | 15 | 7 | 1 | 2 | – | – |
| Ross and Cromarty | 15 | 8 | 9 | 9 | 10 | 12 | 19 | 23 | 44 | 40 | 34 | 23 | 12 | 1 | 1 | – |
| Inverness | 2 | 8 | 5 | 10 | 6 | 8 | 15 | 14 | 18 | 21 | 17 | 7 | 8 | – | – | – |
| Nairn | 1 | – | 1 | – | 1 | 1 | 2 | 1 | 2 | 2 | 1 | 2 | – | – | – | – |
| Elgin | 5 | 4 | 6 | 8 | 8 | 5 | 13 | 12 | 18 | 26 | 9 | 7 | 1 | – | 1 | – |
| Banff | 9 | 6 | 6 | 3 | 5 | 8 | 11 | 17 | 24 | 23 | 17 | 9 | 1 | 3 | – | – |
| Aberdeen | 16 | 14 | 16 | 30 | 34 | 36 | 47 | 48 | 65 | 75 | 50 | 29 | 9 | 3 | – | 3 |
| Kincardine | 4 | 8 | 5 | 7 | 5 | 5 | 4 | 12 | 15 | 18 | 13 | 10 | 5 | 1 | – | – |
| Forfar | 7 | 4 | 5 | 9 | 12 | 9 | 15 | 14 | 28 | 28 | 25 | 10 | 4 | – | – | – |
| Perth | 15 | 16 | 17 | 12 | 21 | 30 | 38 | 48 | 60 | 43 | 50 | 21 | 3 | 2 | – | – |
| Fife | 14 | 14 | 24 | 14 | 19 | 22 | 32 | 37 | 27 | 50 | 22 | 19 | 3 | – | – | – |
| Kinross | 1 | 2 | 3 | – | 2 | 4 | 5 | 5 | 3 | 9 | 8 | 2 | 1 | – | – | – |
| Clackmannan | 1 | – | – | 1 | – | 3 | 6 | 2 | 1 | 5 | 1 | 1 | – | – | – | – |
| Stirling | 6 | 5 | 6 | 7 | 13 | 19 | 18 | 10 | 25 | 16 | 15 | 1 | – | – | – | 1 |
| Dumbarton | 5 | 2 | 7 | 5 | 8 | 6 | 2 | 7 | 6 | 10 | 4 | 1 | 2 | – | – | – |
| Argyll | 16 | 15 | 11 | 12 | 10 | 15 | 16 | 30 | 29 | 19 | 27 | 18 | 6 | 2 | – | – |
| Renfrew | 5 | 7 | 6 | 6 | 10 | 7 | 2 | 8 | 11 | 8 | 10 | – | 1 | – | – | – |
| Ayr | 12 | 20 | 14 | 15 | 18 | 19 | 19 | 25 | 26 | 33 | 13 | 10 | 2 | 1 | – | – |
| Lanark | 22 | 16 | 13 | 21 | 35 | 27 | 26 | 34 | 41 | 24 | 15 | 12 | 2 | 2 | – | – |
| Linlithgow | 6 | 3 | 7 | 6 | 5 | 6 | 11 | 12 | 5 | 5 | 1 | 3 | – | – | – | 1 |
| Edinburgh | 20 | 29 | 28 | 33 | 28 | 36 | 47 | 42 | 37 | 31 | 19 | 7 | 3 | 1 | – | – |
| Haddington | 5 | 5 | 8 | 8 | 9 | 7 | 13 | 9 | 13 | 12 | 3 | 3 | 2 | – | – | – |
| Berwick | 5 | 3 | 4 | 8 | 6 | 12 | 12 | 16 | 16 | 18 | 6 | 2 | 2 | – | – | – |
| Peebles | – | 2 | 1 | 1 | 1 | 3 | 1 | 6 | 6 | 5 | 4 | – | – | – | – | – |
| Selkirk | 1 | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | – | – | – |
| Roxburgh | 4 | 4 | 4 | 4 | 6 | 7 | 9 | 13 | 19 | 12 | 4 | 9 | – | – | – | – |
| Dumfries | 11 | 11 | 9 | 17 | 14 | 16 | 18 | 29 | 44 | 24 | 24 | 14 | 7 | – | 1 | – |
| Kirkcudbright | 6 | 4 | 3 | 7 | 10 | 5 | 14 | 15 | 18 | 12 | 9 | 2 | 2 | – | – | – |
| Wigtown | 6 | 8 | 8 | 13 | 11 | 5 | 15 | 22 | 18 | 12 | 15 | 8 | – | – | – | 1 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1880.—MALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 4 | 8 | 7 | 6 | 3 | 2 | 9 | 11 | 12 | 20 | 18 | 9 | 6 | 1 | – | – |
| Orkney | 5 | 2 | 4 | 6 | 7 | 4 | 9 | 13 | 21 | 20 | 19 | 10 | 2 | – | – | – |
| Ross and Cromarty | 4 | 1 | – | 3 | 3 | 4 | 6 | 4 | 10 | 6 | 3 | 4 | 1 | 1 | – | – |
| Inverness | 14 | 8 | 2 | 5 | 16 | 11 | 14 | 15 | 19 | 16 | 20 | 16 | 11 | – | 2 | 3 |
| Argyll | 9 | 7 | 6 | 6 | 4 | 9 | 9 | 17 | 10 | 15 | 17 | 5 | 3 | 1 | – | – |
| Bute | – | – | 2 | 5 | 3 | – | 5 | 6 | 2 | 3 | 6 | 4 | – | – | – | – |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1880.—FEMALES.

| | FEMALES. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ALL AGES. | AGE UNDER | | | | | | | | | | | |
| | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 |
| | | 3 | 6 | 12 | | | | | | | | | |
| Caithness | 177 | 12 | 3 | 2 | 3 | 3 | 3 | 2 | 7 | 5 | 6 | 5 | 6 |
| Sutherland | 193 | 11 | 3 | 4 | 3 | 3 | 3 | – | 2 | 7 | 5 | 6 | 5 |
| Ross and Cromarty | 393 | 29 | 3 | 6 | 7 | 9 | 7 | 2 | 3 | 8 | 7 | 8 | 9 |
| Inverness | 196 | 14 | 4 | 4 | 7 | 6 | 1 | 1 | 7 | 4 | 6 | 3 | 4 |
| Nairn | 13 | – | – | 1 | – | – | 1 | – | – | – | – | 1 | 1 |
| Elgin | 212 | 15 | 8 | 9 | 8 | 5 | – | 4 | 8 | 6 | 5 | 7 | 5 |
| Banff | 268 | 24 | 9 | 10 | 10 | 7 | 2 | 6 | 4 | 7 | 8 | 7 | 5 |
| Aberdeen | 866 | 78 | 21 | 38 | 27 | 22 | 7 | 10 | 31 | 20 | 33 | 35 | 29 |
| Kincardine | 221 | 24 | 5 | 7 | 9 | 2 | 2 | 2 | 9 | 11 | 5 | 8 | 4 |
| Forfar | 280 | 29 | 16 | 14 | 12 | 3 | 7 | 5 | 5 | 7 | 9 | 6 | 9 |
| Perth | 604 | 44 | 12 | 23 | 17 | 9 | 11 | 2 | 18 | 12 | 19 | 10 | 16 |
| Fife | 577 | 43 | 15 | 32 | 38 | 8 | 10 | 7 | 23 | 18 | 18 | 14 | 17 |
| Kinross | 76 | 6 | 1 | 2 | 3 | 1 | – | – | 2 | – | 3 | 3 | 3 |
| Clackmannan | 40 | 4 | – | 2 | 3 | 2 | 1 | 2 | 2 | 2 | 1 | 3 | – |
| Stirling | 348 | 35 | 18 | 9 | 29 | 7 | 3 | 7 | 18 | 3 | 12 | 15 | 13 |
| Dumbarton | 162 | 7 | 4 | 5 | 19 | 3 | 6 | 1 | 15 | 5 | 3 | 7 | 5 |
| Argyll | 335 | 21 | 4 | 3 | 6 | 5 | 2 | 4 | 13 | 11 | 12 | 9 | 11 |
| Renfrew | 239 | 25 | 6 | 13 | 11 | 11 | 6 | 3 | 14 | 7 | 12 | 12 | 8 |
| Ayr | 463 | 49 | 20 | 35 | 32 | 20 | 9 | 7 | 25 | 14 | 14 | 15 | 20 |
| Lanark | 716 | 66 | 24 | 52 | 73 | 32 | 26 | 21 | 47 | 23 | 18 | 27 | 25 |
| Linlithgow | 142 | 22 | 5 | 6 | 13 | 7 | 4 | 2 | 3 | 3 | 7 | 4 | 3 |
| Edinburgh | 697 | 61 | 24 | 33 | 51 | 18 | 8 | 6 | 24 | 17 | 11 | 15 | 23 |
| Haddington | 191 | 23 | 3 | 8 | 8 | 5 | 3 | 3 | 6 | 6 | 9 | 7 | 4 |
| Berwick | 242 | 28 | 5 | 6 | 10 | 4 | 3 | – | 9 | 6 | 9 | 11 | 14 |
| Peebles | 72 | 7 | 1 | 1 | 3 | – | 2 | 1 | 3 | 2 | 3 | 3 | 2 |
| Selkirk | 13 | 4 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| Roxburgh | 166 | 12 | 1 | 5 | 5 | 2 | – | – | 5 | 3 | 6 | 1 | 7 |
| Dumfries | 449 | 36 | 6 | 20 | 17 | 6 | 14 | 7 | 13 | 9 | 13 | 15 | 21 |
| Kirkcudbright | 173 | 6 | 7 | 9 | 4 | 3 | 2 | – | 3 | 6 | 3 | 7 | 9 |
| Wigtown | 233 | 17 | 3 | 7 | 7 | 4 | 1 | 4 | 7 | 4 | 10 | 14 | 6 |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1880.—FEMALES.

| | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 231 | 8 | 8 | 4 | 3 | 3 | 1 | 4 | 7 | 6 | 1 | 5 | 11 |
| Orkney | 185 | 9 | 1 | 1 | 4 | 2 | – | 1 | 5 | 4 | 4 | 5 | 10 |
| Ross and Cromarty | 101 | 9 | 5 | 11 | 13 | 3 | 3 | 1 | 6 | 2 | 2 | 1 | 3 |
| Inverness | 254 | 26 | 4 | 11 | 10 | 4 | 3 | 3 | 6 | 5 | 9 | 4 | 7 |
| Argyll | 175 | 8 | 6 | 6 | 6 | 3 | – | – | 4 | 8 | 5 | 5 | 7 |
| Bute | 82 | 4 | – | 1 | 3 | 1 | 1 | – | 3 | 4 | 4 | 3 | 1 |

DEATHS at Different Ages in the MAINLAND-RURAL DISTRICTS of SCOTLAND, 1880.—FEMALES.

| | FEMALES. | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | AGE UNDER | | | | | | | | | | | | | | | |
| | 35 | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| Caithness | 5 | 6 | 3 | 4 | 7 | 6 | 11 | 7 | 16 | 15 | 19 | 15 | 5 | 1 | – | – |
| Sutherland | 4 | 3 | 2 | 5 | 4 | 9 | 7 | 9 | 18 | 24 | 32 | 13 | 8 | 2 | 1 | – |
| Ross and Cromarty | 9 | 12 | 11 | 9 | 14 | 12 | 29 | 30 | 45 | 33 | 48 | 22 | 12 | 4 | 4 | 1 |
| Inverness | 5 | 3 | 4 | 3 | 6 | 2 | 10 | 8 | 26 | 22 | 29 | 6 | 8 | 2 | 1 | – |
| Nairn | – | – | – | – | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – |
| Elgin | 6 | 6 | 7 | 9 | 7 | 9 | 9 | 20 | 13 | 20 | 14 | 8 | 4 | – | – | – |
| Banff | 4 | 10 | 4 | 10 | 7 | 11 | 16 | 19 | 15 | 21 | 29 | 14 | 8 | 1 | – | – |
| Aberdeen | 26 | 25 | 21 | 21 | 21 | 27 | 35 | 52 | 62 | 74 | 79 | 57 | 11 | 4 | – | – |
| Kincardine | 7 | 9 | 1 | 5 | 7 | 9 | 10 | 15 | 18 | 23 | 15 | 8 | 5 | 1 | – | – |
| Forfar | 7 | 13 | 7 | 10 | 8 | 8 | 8 | 11 | 26 | 18 | 23 | 13 | 6 | – | – | – |
| Perth | 18 | 15 | 21 | 14 | 10 | 24 | 34 | 46 | 66 | 58 | 51 | 38 | 10 | 6 | – | – |
| Fife | 20 | 18 | 12 | 15 | 18 | 18 | 26 | 26 | 51 | 54 | 44 | 21 | 7 | 4 | – | – |
| Kinross | 2 | 2 | 1 | – | 5 | 4 | 6 | 4 | 7 | 9 | 9 | 3 | – | – | – | – |
| Clackmannan | 2 | 2 | 1 | 1 | 3 | 1 | 1 | – | 2 | 2 | 2 | 1 | – | – | – | – |
| Stirling | 14 | 11 | 8 | 10 | 5 | 19 | 17 | 14 | 19 | 29 | 21 | 8 | 2 | 2 | – | – |
| Dumbarton | 9 | 6 | 5 | 4 | 3 | 5 | 5 | 10 | 9 | 12 | 7 | 2 | 3 | 2 | – | – |
| Argyll | 12 | 12 | 5 | 10 | 12 | 19 | 18 | 20 | 30 | 34 | 24 | 26 | 6 | 5 | 1 | – |
| Renfrew | 9 | 7 | 12 | 9 | 5 | 7 | 11 | 11 | 20 | 8 | 6 | 2 | 1 | 2 | – | 1 |
| Ayr | 11 | 15 | 13 | 11 | 14 | 14 | 20 | 18 | 22 | 32 | 26 | 6 | – | 1 | – | – |
| Lanark | 22 | 18 | 10 | 17 | 12 | 21 | 34 | 32 | 33 | 40 | 23 | 16 | 3 | 1 | – | – |
| Linlithgow | 4 | 5 | 3 | 5 | 5 | 3 | 6 | 8 | 5 | 5 | 8 | 4 | 2 | – | – | – |
| Edinburgh | 27 | 21 | 16 | 28 | 37 | 26 | 44 | 63 | 54 | 46 | 23 | 14 | 5 | – | 1 | 1 |
| Haddington | 9 | 7 | 5 | 5 | 4 | 8 | 12 | 13 | 17 | 14 | 5 | 4 | 3 | – | – | – |
| Berwick | 5 | 6 | 6 | 8 | 7 | 12 | 16 | 19 | 19 | 17 | 12 | 4 | 5 | 1 | – | – |
| Peebles | 3 | 3 | 2 | 2 | 4 | 5 | 3 | 6 | 6 | 8 | 1 | 1 | – | – | – | – |
| Selkirk | 1 | – | – | – | 1 | – | – | 1 | – | 1 | 2 | 1 | – | – | – | – |
| Roxburgh | 3 | 2 | 11 | 7 | 8 | 6 | 11 | 15 | 16 | 17 | 13 | 8 | – | 2 | – | – |
| Dumfries | 16 | 16 | 9 | 14 | 11 | 14 | 26 | 25 | 44 | 42 | 28 | 16 | 7 | 3 | 1 | – |
| Kirkcudbright | 6 | 3 | 1 | 10 | 5 | 4 | 13 | 16 | 13 | 17 | 16 | 8 | 1 | – | 1 | – |
| Wigtown | 9 | 10 | 5 | 6 | 6 | 5 | 10 | 16 | 28 | 19 | 19 | 8 | 5 | 2 | 1 | – |

DEATHS at Different Ages in the INSULAR-RURAL DISTRICTS of SCOTLAND, 1880.—FEMALES.

| | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Shetland | 8 | 10 | 2 | 4 | 3 | 12 | 11 | 16 | 14 | 26 | 30 | 17 | 13 | 2 | 2 | – |
| Orkney | 4 | 4 | 7 | 3 | 9 | 4 | 8 | 9 | 21 | 22 | 24 | 15 | 4 | 5 | – | – |
| Ross and Cromarty | – | 2 | 2 | 2 | 2 | 4 | 5 | 3 | 5 | 4 | 5 | 2 | 2 | 3 | 1 | – |
| Inverness | 9 | 8 | 8 | 7 | 6 | 11 | 21 | 12 | 22 | 14 | 25 | 8 | 7 | 2 | 2 | – |
| Argyll | 4 | 4 | 9 | 6 | 7 | 8 | 7 | 13 | 12 | 15 | 15 | 13 | 4 | – | – | – |
| Bute | 2 | 2 | 2 | 3 | 2 | 6 | 3 | 6 | 10 | 7 | 6 | 7 | 1 | – | – | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES.

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 38055 | 215 | 230 | 341 | 167 | 592 | 745 | 65 | 409 | 479 | 2220 | 273 | 2775 | 1170 | 1559 | 67 |
| | **Specified Causes** . . | 37482 | 178 | 222 | 334 | 151 | 533 | 696 | 64 | 398 | 474 | 2192 | 262 | 2764 | 1146 | 1526 | 67 |
| | (CLASSES.) | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 6940 | 31 | 21 | 37 | 14 | 99 | 88 | 5 | 47 | 82 | 354 | 39 | 494 | 155 | 272 | 9 |
| II. | CONSTITUTIONAL ,, | 6765 | 25 | 47 | 65 | 32 | 88 | 117 | 14 | 63 | 62 | 347 | 35 | 437 | 209 | 229 | 14 |
| III. | LOCAL ,, | 17223 | 58 | 98 | 161 | 58 | 204 | 316 | 30 | 195 | 234 | 1088 | 125 | 1321 | 529 | 697 | 36 |
| IV. | DEVELOPMENTAL ,, | 4669 | 44 | 48 | 55 | 40 | 116 | 135 | 12 | 79 | 65 | 315 | 44 | 337 | 187 | 238 | 8 |
| V. | VIOLENT DEATHS . . | 1885 | 20 | 8 | 16 | 7 | 26 | 40 | 3 | 14 | 31 | 88 | 19 | 175 | 66 | 90 | – |
| | (ORDERS.) | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 6498 | 31 | 19 | 34 | 13 | 95 | 83 | 5 | 42 | 77 | 328 | 38 | 461 | 140 | 253 | 9 |
| | 2. ENTHETIC ,, . . | 156 | – | – | 2 | – | 1 | – | – | 1 | 1 | 9 | – | 14 | 2 | 4 | – |
| | 3. DIETIC ,, . . | 266 | – | 1 | 1 | 1 | 3 | 5 | – | 4 | 4 | 17 | 1 | 15 | 12 | 14 | – |
| | 4. PARASITIC ,, . . | 20 | – | 1 | – | – | – | – | – | – | – | – | – | 4 | 1 | 1 | – |
| II. | 1. DIATHETIC ,, . . | 966 | 5 | 8 | 15 | 11 | 25 | 21 | 6 | 6 | 16 | 66 | 12 | 65 | 36 | 45 | 6 |
| | 2. TUBERCULAR ,, . . | 5799 | 20 | 39 | 50 | 21 | 63 | 96 | 8 | 57 | 46 | 281 | 23 | 372 | 173 | 184 | 8 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . | 4015 | 13 | 21 | 34 | 15 | 54 | 81 | 12 | 58 | 55 | 249 | 23 | 320 | 137 | 159 | 10 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 2402 | 6 | 12 | 15 | 6 | 31 | 32 | – | 29 | 25 | 153 | 25 | 172 | 101 | 102 | 6 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 7277 | 25 | 33 | 65 | 19 | 70 | 125 | 15 | 67 | 97 | 418 | 54 | 620 | 172 | 283 | 5 |
| | 4. ,, OF DIGESTIVE ORGANS | 2130 | 8 | 22 | 21 | 12 | 32 | 42 | 2 | 23 | 20 | 148 | 16 | 116 | 68 | 88 | 9 |
| | 5. ,, OF URINARY ORGANS | 1025 | 6 | 7 | 23 | 5 | 15 | 30 | 1 | 14 | 26 | 100 | 7 | 63 | 30 | 47 | 6 |
| | 6. ,, OF ORGANS OF GENERATION . | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 237 | – | 3 | – | 1 | 1 | 4 | – | 4 | 3 | 11 | – | 16 | 10 | 14 | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 132 | – | – | 3 | – | 1 | 2 | – | – | 8 | 9 | – | 14 | 10 | 4 | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 1407 | 2 | 1 | 4 | 2 | 8 | 12 | 4 | 23 | 21 | 114 | 9 | 109 | 41 | 49 | 2 |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 1818 | 41 | 37 | 40 | 36 | 100 | 103 | 6 | 35 | 29 | 116 | 29 | 119 | 101 | 117 | 6 |
| | 4. DISEASES OF NUTRITION . | 1444 | 1 | 10 | 11 | 2 | 8 | 20 | 2 | 21 | 15 | 85 | 6 | 109 | 45 | 72 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 37748 | 285 | 236 | 336 | 193 | 605 | 677 | 65 | 403 | 521 | 2252 | 269 | 2930 | 1200 | 1541 | 76 |
| | **Specified Causes** . . | 37165 | 250 | 226 | 325 | 178 | 555 | 618 | 63 | 400 | 517 | 2215 | 260 | 2916 | 1178 | 1509 | 74 |
| | (CLASSES.) | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 7027 | 32 | 22 | 34 | 20 | 111 | 79 | 5 | 67 | 93 | 320 | 33 | 496 | 164 | 265 | 11 |
| II. | CONSTITUTIONAL ,, | 7743 | 40 | 42 | 68 | 32 | 95 | 88 | 16 | 77 | 81 | 456 | 43 | 549 | 224 | 289 | 12 |
| III. | LOCAL ,, | 15866 | 70 | 81 | 142 | 50 | 199 | 262 | 28 | 187 | 246 | 1021 | 132 | 1367 | 512 | 650 | 35 |
| IV. | DEVELOPMENTAL ,, | 5877 | 104 | 77 | 73 | 70 | 139 | 180 | 12 | 65 | 86 | 377 | 44 | 436 | 251 | 285 | 15 |
| V. | VIOLENT DEATHS . . | 652 | 4 | 4 | 8 | 6 | 11 | 9 | 2 | 4 | 11 | 41 | 8 | 68 | 27 | 20 | 1 |
| | (ORDERS.) | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 6731 | 32 | 22 | 30 | 17 | 110 | 77 | 5 | 66 | 91 | 296 | 32 | 467 | 155 | 253 | 11 |
| | 2. ENTHETIC ,, . . | 97 | – | – | 4 | 1 | 1 | – | – | – | – | 7 | 1 | 14 | 2 | 1 | – |
| | 3. DIETIC ,, . . | 165 | – | – | – | 2 | – | 1 | – | 1 | 2 | 11 | – | 13 | 5 | 11 | – |
| | 4. PARASITIC ,, . . | 34 | – | – | – | – | – | 1 | – | – | – | 6 | – | 2 | 2 | – | – |
| II. | 1. DIATHETIC ,, . . | 1553 | 8 | 14 | 23 | 10 | 35 | 26 | 8 | 20 | 20 | 115 | 13 | 118 | 62 | 69 | 3 |
| | 2. TUBERCULAR ,, . . | 6190 | 32 | 28 | 45 | 22 | 60 | 62 | 8 | 57 | 61 | 341 | 30 | 431 | 162 | 220 | 9 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 3686 | 19 | 22 | 32 | 15 | 45 | 61 | 6 | 41 | 51 | 234 | 36 | 318 | 149 | 166 | 10 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 2377 | 4 | 11 | 17 | 7 | 23 | 34 | 1 | 33 | 37 | 164 | 19 | 227 | 110 | 110 | 12 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 6547 | 29 | 26 | 64 | 17 | 83 | 109 | 13 | 76 | 104 | 397 | 44 | 596 | 156 | 230 | 7 |
| | 4. ,, OF DIGESTIVE ORGANS | 2205 | 14 | 15 | 17 | 5 | 38 | 41 | 5 | 23 | 31 | 141 | 22 | 156 | 69 | 99 | 6 |
| | 5. ,, OF URINARY ORGANS | 578 | 3 | 3 | 4 | 1 | 8 | 12 | 3 | 7 | 10 | 46 | 8 | 42 | 19 | 29 | – |
| | 6. ,, OF ORGANS OF GENERATION . | 184 | 1 | 4 | 5 | 2 | 1 | 3 | – | 1 | 8 | 15 | – | 16 | 4 | 9 | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 153 | – | – | 1 | 1 | 1 | 1 | – | 1 | – | 13 | 2 | 8 | 4 | 2 | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 136 | – | – | 2 | 2 | – | 1 | – | 5 | 5 | 11 | 1 | 4 | 1 | 5 | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 1201 | 3 | 3 | 5 | 2 | 4 | 12 | 1 | 23 | 17 | 87 | 4 | 106 | 24 | 43 | 4 |
| | 2. ,, OF ADULTS . . | 435 | 8 | 4 | 5 | 3 | 6 | 8 | – | 3 | 6 | 32 | 3 | 34 | 13 | 17 | 1 |
| | 3. ,, OF OLD PEOPLE . | 2977 | 88 | 62 | 52 | 61 | 116 | 138 | 10 | 33 | 52 | 202 | 31 | 196 | 179 | 172 | 9 |
| | 4. DISEASES OF NUTRITION . | 1264 | 5 | 8 | 11 | 4 | 13 | 22 | 1 | 6 | 11 | 56 | 6 | 100 | 35 | 53 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 207 | 1037 | 739 | 803 | 160 | 2585 | 2240 | 11523 | 429 | 4355 | 296 | 261 | 79 | 202 | 416 | 694 | 361 | 361 |
| | **Specified Causes** . . | 205 | 1015 | 729 | 757 | 158 | 2569 | 2221 | 11431 | 424 | 4342 | 288 | 260 | 78 | 199 | 410 | 681 | 355 | 353 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 23 | 187 | 131 | 116 | 21 | 478 | 430 | 2387 | 87 | 1009 | 49 | 49 | 12 | 25 | 39 | 81 | 28 | 41 |
| II. | CONSTITUTIONAL ,, | 47 | 146 | 122 | 138 | 49 | 526 | 390 | 2218 | 70 | 747 | 38 | 47 | 16 | 40 | 78 | 149 | 84 | 76 |
| III. | LOCAL ,, | 92 | 480 | 340 | 318 | 66 | 1141 | 992 | 5190 | 196 | 1981 | 137 | 128 | 35 | 99 | 220 | 308 | 186 | 164 |
| IV. | DEVELOPMENTAL ,, | 29 | 149 | 87 | 131 | 13 | 285 | 273 | 1121 | 43 | 428 | 49 | 29 | 11 | 30 | 59 | 110 | 42 | 57 |
| V. | VIOLENT DEATHS . | 14 | 53 | 49 | 54 | 9 | 139 | 136 | 515 | 28 | 177 | 15 | 7 | 4 | 5 | 14 | 33 | 15 | 15 |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 17 | 179 | 126 | 107 | 18 | 450 | 408 | 2250 | 77 | 935 | 45 | 45 | 12 | 23 | 37 | 75 | 27 | 39 |
| | 2. ENTHETIC ,, . | 1 | 1 | 2 | 4 | – | 11 | 7 | 62 | 1 | 28 | 1 | – | – | – | – | 2 | 1 | 1 |
| | 3. DIETIC ,, . | 4 | 6 | 3 | 5 | 3 | 14 | 15 | 68 | 9 | 45 | 3 | 4 | – | 2 | 2 | 4 | – | 1 |
| | 4. PARASITIC ,, . | 1 | 1 | – | – | – | 3 | – | 7 | – | 1 | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 5 | 20 | 16 | 25 | 6 | 45 | 42 | 221 | 16 | 116 | 10 | 12 | 5 | 9 | 17 | 31 | 13 | 14 |
| | 2. TUBERCULAR ,, . | 42 | 126 | 106 | 113 | 43 | 481 | 348 | 1997 | 54 | 631 | 28 | 35 | 11 | 31 | 61 | 118 | 71 | 62 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . | 24 | 99 | 68 | 84 | 20 | 293 | 233 | 1118 | 47 | 482 | 29 | 35 | 7 | 24 | 57 | 79 | 34 | 41 |
| | 2. ,, OF ORGANS OF CIRCULATION | 11 | 91 | 60 | 54 | 15 | 130 | 141 | 560 | 37 | 329 | 34 | 28 | 11 | 13 | 52 | 59 | 34 | 28 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 40 | 189 | 154 | 104 | 18 | 494 | 373 | 2531 | 75 | 807 | 49 | 34 | 10 | 32 | 65 | 102 | 70 | 62 |
| | 4 ,, OF DIGESTIVE ORGANS . | 10 | 69 | 37 | 51 | 9 | 149 | 155 | 625 | 21 | 203 | 14 | 15 | 4 | 21 | 31 | 43 | 24 | 22 |
| | 5. ,, OF URINARY ORGANS . . | 4 | 21 | 13 | 18 | 4 | 47 | 67 | 236 | 13 | 130 | 9 | 12 | 3 | 7 | 11 | 21 | 21 | 8 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . | 3 | 8 | 7 | 5 | – | 13 | 16 | 81 | – | 23 | – | 1 | – | 1 | 4 | 3 | 3 | 2 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . | – | 3 | 1 | – | – | 14 | 7 | 38 | 3 | 7 | 2 | 3 | – | 1 | – | 1 | – | 1 |
| IV. | 1. DEV. DIS. OF CHILDREN | 12 | 34 | 19 | 9 | 4 | 101 | 98 | 447 | 14 | 169 | 14 | 7 | 3 | 11 | 14 | 20 | 7 | 23 |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 6 | 54 | 40 | 108 | 7 | 66 | 78 | 252 | 8 | 122 | 18 | 19 | 5 | 6 | 19 | 54 | 20 | 21 |
| | 4. DISEASES OF NUTRITION | 11 | 61 | 28 | 14 | 2 | 118 | 97 | 422 | 21 | 137 | 17 | 3 | 3 | 13 | 26 | 36 | 15 | 13 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| | CAUSES OF DEATH. | Clackmannan | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . | 210 | 1039 | 761 | 754 | 193 | 2654 | 2174 | 10943 | 409 | 4203 | 331 | 296 | 115 | 248 | 422 | 723 | 346 | 338 |
| | **Specified Causes** . . | 209 | 1023 | 751 | 698 | 187 | 2631 | 2161 | 10854 | 398 | 4185 | 323 | 292 | 115 | 246 | 420 | 717 | 340 | 331 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 33 | 172 | 135 | 80 | 29 | 496 | 448 | 2470 | 111 | 973 | 45 | 45 | 17 | 36 | 47 | 74 | 28 | 36 |
| II. | CONSTITUTIONAL ,, | 53 | 225 | 157 | 158 | 48 | 617 | 540 | 2335 | 75 | 789 | 61 | 53 | 25 | 57 | 96 | 157 | 98 | 87 |
| III. | LOCAL ,, | 84 | 417 | 323 | 268 | 83 | 1069 | 810 | 4530 | 154 | 1864 | 151 | 134 | 52 | 104 | 200 | 346 | 161 | 134 |
| V. | DEVELOPMENTAL ,, | 37 | 194 | 118 | 177 | 27 | 407 | 328 | 1356 | 54 | 483 | 59 | 54 | 17 | 43 | 67 | 122 | 49 | 71 |
| V. | VIOLENT DEATHS . | 2 | 15 | 18 | 15 | – | 42 | 35 | 163 | 4 | 76 | 7 | 6 | 4 | 6 | 10 | 18 | 4 | 3 |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 31 | 168 | 132 | 79 | 29 | 472 | 436 | 2378 | 107 | 930 | 41 | 42 | 16 | 34 | 44 | 70 | 27 | 31 |
| | 2. ENTHETIC ,, . | – | 1 | 1 | – | – | 11 | 2 | 28 | 2 | 13 | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 |
| | 3. DIETIC ,, . | 2 | 3 | 2 | 1 | – | 12 | 9 | 51 | 1 | 26 | 2 | 1 | – | 1 | 2 | 3 | 1 | 2 |
| | 4. PARASITIC ,, . | – | – | – | – | – | 1 | 1 | 13 | 1 | 4 | – | 1 | – | – | – | – | – | 2 |
| II. | 1. DIATHETIC ,, . | 10 | 40 | 29 | 53 | 10 | 74 | 78 | 344 | 10 | 219 | 15 | 16 | 6 | 12 | 21 | 39 | 18 | 15 |
| | 2. TUBERCULAR ,, . | 43 | 185 | 128 | 105 | 38 | 543 | 462 | 1991 | 65 | 570 | 46 | 37 | 19 | 45 | 75 | 118 | 80 | 72 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 19 | 95 | 77 | 64 | 28 | 246 | 198 | 969 | 38 | 422 | 46 | 39 | 11 | 20 | 43 | 88 | 41 | 37 |
| | 2. ,, OF ORGANS OF CIRCULATION | 15 | 67 | 42 | 43 | 12 | 129 | 143 | 517 | 17 | 327 | 34 | 31 | 8 | 18 | 50 | 59 | 36 | 20 |
| | 3. ,, OF RESPIRATORY ORGANS . | 29 | 157 | 135 | 85 | 25 | 481 | 296 | 2120 | 56 | 763 | 49 | 41 | 16 | 42 | 60 | 137 | 51 | 53 |
| | 4. ,, OF DIGESTIVE ORGANS . | 13 | 77 | 43 | 47 | 10 | 155 | 118 | 622 | 24 | 229 | 16 | 14 | 9 | 16 | 40 | 50 | 25 | 15 |
| | 5. ,, OF URINARY ORGANS . . | 5 | 12 | 9 | 18 | 6 | 23 | 25 | 163 | 9 | 74 | 5 | 4 | 4 | 4 | 4 | 7 | 6 | 5 |
| | 6. ,, OF ORGANS OF GENERATION . | 3 | 3 | 4 | 3 | 1 | 11 | 13 | 42 | 5 | 18 | – | 4 | 2 | 1 | – | 2 | – | 3 |
| | 7. ,, OF ORGANS OF LOCOMOTION . | – | 2 | 6 | 6 | 1 | 14 | 11 | 45 | 2 | 21 | 1 | 1 | – | 2 | 2 | 2 | 2 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM | – | 4 | 7 | 2 | – | 10 | 6 | 52 | 3 | 10 | – | – | 2 | 1 | 1 | 1 | – | – |
| IV | 1. DEV. DIS. OF CHILDREN | 9 | 35 | 19 | 12 | 5 | 96 | 85 | 377 | 12 | 123 | 10 | 13 | 4 | 16 | 16 | 17 | 6 | 8 |
| | 2. ,, OF ADULTS . | 2 | 10 | 8 | 8 | 2 | 39 | 21 | 126 | 6 | 41 | 3 | 5 | 2 | 8 | 4 | 3 | 1 | 3 |
| | 3. ,, OF OLD PEOPLE | 17 | 100 | 53 | 145 | 19 | 169 | 147 | 445 | 25 | 201 | 31 | 20 | 8 | 15 | 34 | 69 | 34 | 44 |
| | 4. DISEASES OF NUTRITION | 9 | 49 | 38 | 12 | 1 | 103 | 75 | 408 | 11 | 118 | 15 | 16 | 3 | 4 | 13 | 33 | 8 | 16 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 1764 | 19 | 8 | 16 | 7 | 25 | 40 | 3 | 13 | 30 | 82 | 16 | 160 | 60 | 82 | – |
| | * | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 6 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| | 4. SUICIDE | 115 | 1 | – | – | – | 1 | – | – | 1 | – | 6 | 3 | 14 | 6 | 7 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 54 | – | – | – | 1 | – | – | – | 2 | 1 | 7 | 1 | 1 | 2 | 7 | – |
| | CAUSES NOT SPECIFIED | 519 | 37 | 8 | 7 | 15 | 59 | 49 | 1 | 9 | 4 | 21 | 10 | 10 | 22 | 26 | – |
| I | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Small-pox | 5 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | – | – |
| | 2. Measles | 751 | 2 | – | – | – | 4 | 7 | 1 | 3 | 5 | 23 | 12 | 104 | 6 | 37 | – |
| | 3. Scarlatina | 1120 | 16 | 1 | 9 | – | 1 | 2 | – | 2 | 2 | 23 | 2 | 26 | 9 | 23 | – |
| | 4. Diphtheria | 425 | 1 | – | 3 | – | 3 | 12 | – | 1 | 7 | 38 | 1 | 30 | 11 | 17 | – |
| | 5. Quinsy | 26 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 2 | 5 | – |
| | 6. Croup | 424 | – | – | 2 | – | 13 | 14 | – | 5 | 8 | 23 | 1 | 24 | 10 | 24 | 1 |
| | 7. Hooping-cough | 1195 | 3 | – | 2 | – | 39 | 3 | – | 10 | 15 | 62 | – | 64 | 11 | 40 | 5 |
| | 8. Typhus Fever | 97 | – | – | – | – | 4 | 7 | – | – | – | 4 | – | 10 | 3 | 2 | – |
| | 8. Enteric or Typhoid Fever | 680 | 1 | 7 | 7 | 3 | 2 | 4 | 1 | 5 | 12 | 27 | 8 | 37 | 27 | 31 | 1 |
| | 8. Relapsing Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 68 | – | 1 | – | 1 | – | 2 | – | 3 | – | 1 | 1 | 4 | 2 | 2 | 1 |
| | 9. Erysipelas | 181 | 1 | 1 | – | 2 | 2 | 1 | – | 1 | 2 | 23 | 5 | 13 | 5 | 13 | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 17 | – | – | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 | – |
| | 12. Influenza | 47 | 1 | 1 | – | 1 | – | – | – | – | 3 | 3 | – | 3 | – | 1 | – |
| | 13. Dysentery | 83 | 1 | – | – | – | 1 | 2 | – | 1 | 3 | 9 | 1 | 7 | 3 | 4 | – |
| | 14. Diarrhœa | 1046 | 1 | 7 | 3 | 4 | 15 | 17 | 3 | 9 | 17 | 73 | 4 | 123 | 46 | 37 | 1 |
| | 15. Cholera | 104 | – | 1 | 2 | – | – | – | – | – | – | 1 | – | 2 | – | 4 | – |
| | 16. Ague | 10 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| | 17. Remittent Fever | 26 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 2 | – |
| | 18. Rheumatism | 179 | 4 | – | 5 | 2 | 8 | 10 | – | 1 | 3 | 13 | 2 | 10 | 2 | 10 | – |
| | 19. Other *Miasmatic* Diseases | 12 | – | – | 1 | – | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Syphilis | 131 | – | – | 2 | – | – | – | – | 1 | 1 | 8 | – | 14 | 1 | 4 | – |
| | 2. Stricture of Urethra | 13 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Hydrophobia | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Privation | 8 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| | 2. Want of Breast Milk | 65 | – | – | – | – | – | 1 | – | – | 2 | 5 | – | – | 7 | 4 | – |
| | 3. Purpura and Scurvy | 39 | – | 1 | – | 1 | 1 | 1 | – | – | – | 4 | – | 4 | – | 3 | – |
| | 4. Alcoholism *a* Del. Tremens | 42 | – | – | – | – | – | 3 | – | – | – | 2 | 1 | 3 | 2 | 1 | – |
| | 4. Alcoholism *b* Intemperance | 112 | – | – | 1 | – | 2 | – | – | 4 | 2 | 4 | – | 8 | 3 | 6 | – |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Thrush | 15 | – | 1 | – | – | – | – | – | – | – | – | – | 4 | 1 | 1 | – |
| | 2. Worms, etc. | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Gout | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. Dropsy | 185 | 2 | – | 2 | 4 | 7 | 7 | 1 | – | 2 | 7 | 2 | 14 | 4 | 7 | – |
| | 3. Cancer | 683 | 2 | 7 | 11 | 7 | 15 | 12 | 4 | 5 | 14 | 52 | 9 | 47 | 31 | 33 | 6 |
| | 4. Cancrum Oris (Noma) | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 5. Mortification | 85 | 1 | – | 2 | – | 3 | 2 | 1 | 1 | – | 7 | 1 | 4 | – | 4 | – |

* Order 2, comprising Violent Deaths in Battle, is omitted as in applicable to the civil population.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE . | 594 | 2 | 4 | 8 | 5 | 11 | 9 | 2 | 4 | 10 | 40 | 8 | 62 | 22 | 19 | – |
| | * | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE . . . . | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . . | 55 | 2 | – | – | 1 | – | – | – | – | 1 | 1 | – | 6 | 5 | 1 | 1 |
| | 5. EXECUTION . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | 33 | – | – | 1 | – | – | – | – | 1 | – | 8 | 1 | 1 | 1 | 2 | – |
| | CAUSES NOT SPECIFIED . . . | 550 | 35 | 10 | 10 | 15 | 50 | 59 | 2 | 2 | 4 | 29 | 8 | 13 | 21 | 30 | 2 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Small-pox . . . | 5 | – | – | – | – | – | – | – | – | – | – | – | 3 | – | – | – |
| | 2. Measles . . . . | 676 | 2 | – | – | – | 5 | 6 | 1 | 4 | 3 | 24 | 7 | 97 | 8 | 39 | – |
| | 3. Scarlatina . . . | 1045 | 16 | 2 | 4 | – | 3 | – | – | 2 | 8 | 10 | 1 | 26 | 8 | 19 | – |
| | 4. Diphtheria . . . | 413 | – | 2 | 7 | 1 | – | 16 | 1 | 4 | 3 | 26 | 3 | 19 | 9 | 21 | – |
| | 5. Quinsy . . . . | 29 | – | – | – | – | – | 1 | – | – | – | – | – | 2 | – | 3 | – |
| | 6. Croup . . . . | 377 | 1 | – | 1 | 1 | 11 | 14 | – | 9 | 8 | 11 | – | 23 | 9 | 27 | – |
| | 7. Hooping-cough . . | 1446 | 2 | 3 | 3 | – | 47 | 4 | – | 21 | 26 | 49 | 5 | 89 | 18 | 44 | 6 |
| | 8. Typhus Fever . . . | 73 | – | – | – | – | 5 | 4 | – | – | – | 2 | – | 9 | – | 2 | – |
| | 8. Enteric or Typhoid Fever | 658 | – | 4 | 5 | 2 | 2 | 2 | – | 3 | 9 | 34 | 5 | 38 | 28 | 30 | 1 |
| | 8. Relapsing Fever . . | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 8. Simple Continued Fever . | 87 | – | 1 | 1 | – | – | 4 | – | 1 | 1 | 4 | 2 | 5 | 5 | 2 | – |
| | 9. Erysipelas . . . | 182 | 1 | – | 1 | – | 7 | 1 | – | 3 | 5 | 20 | 1 | 14 | 4 | 10 | – |
| | 10. Puerperal Fever (Metria) . | 185 | 3 | – | – | – | 5 | 3 | – | 6 | 2 | 15 | 2 | 9 | 2 | 11 | 1 |
| | 11. Carbuncle . . . | 11 | 1 | – | – | – | 2 | – | – | – | 1 | – | – | – | – | 1 | 1 |
| | 12. Influenza . . . . | 51 | 1 | – | – | 3 | 1 | – | – | – | 2 | 7 | – | 6 | – | 1 | – |
| | 13. Dysentery . . . | 94 | – | 1 | – | – | 1 | – | – | 4 | 2 | 13 | – | 3 | 2 | 5 | – |
| | 14. Diarrhœa . . | 1090 | – | 5 | 2 | 1 | 9 | 9 | 3 | 6 | 20 | 67 | 2 | 109 | 55 | 33 | 1 |
| | 15. Cholera . . . . | 74 | – | – | – | – | 1 | – | – | – | – | 1 | 1 | 2 | 3 | – | – |
| | 16. Ague . . . . | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever . . | 26 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 18. Rheumatism . . . | 181 | 5 | 3 | 5 | 6 | 11 | 12 | – | 3 | 1 | 10 | 3 | 11 | 3 | 5 | 1 |
| | 19. Other *Miasmatic* Diseases | 18 | – | 1 | – | 3 | – | 1 | – | – | – | 2 | – | 1 | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Syphilis . . . . | 97 | – | – | 4 | 1 | 1 | – | – | – | – | 7 | 1 | 14 | 2 | 1 | – |
| | 2. Stricture of Urethra . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Privation . . . . | 6 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Want of Breast Milk . | 47 | – | – | – | – | – | – | – | 1 | 2 | 6 | – | – | 4 | 3 | – |
| | 3. Purpura and Scurvy . . | 30 | – | – | – | 1 | – | – | – | – | – | 3 | – | 4 | 1 | 3 | – |
| | 4. Alcoholism *a* Del. Tremens . | 12 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| | 4. Alcoholism *b* Intemperance . | 70 | – | – | – | – | – | 1 | – | – | – | 2 | – | 7 | – | 3 | – |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Thrush . . . . | 26 | – | – | – | – | – | 1 | – | – | – | 6 | – | 2 | 2 | – | – |
| | 2. Worms, etc. . . . | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Gout . . . . . | 5 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Dropsy . . . . | 251 | 3 | 4 | 2 | 2 | 8 | 10 | 2 | 2 | 4 | 8 | 3 | 16 | 8 | 6 | – |
| | 3. Cancer . . | 1190 | 3 | 9 | 21 | 6 | 22 | 14 | 4 | 16 | 15 | 98 | 10 | 97 | 50 | 57 | 2 |
| | 4. Cancrum Oris (Noma) . | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification . . . | 102 | 1 | 1 | – | 2 | 5 | 2 | 2 | 2 | 1 | 8 | – | 5 | 4 | 6 | 1 |

* See note on opposite page.

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 12 | 51 | 46 | 53 | 9 | 130 | 127 | 494 | 22 | 163 | 13 | 6 | 4 | 5 | 13 | 28 | 13 | 14 |
| | * | | | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 4. SUICIDE | 2 | 2 | 3 | 1 | – | 8 | 9 | 21 | 6 | 14 | 2 | 1 | – | – | – | 5 | 2 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | 1 | – | – | 1 | – | 28 | – | 1 | – | – | – | – | – | – | 1 | – |
| | CAUSES NOT SPECIFIED | 2 | 22 | 9 | 46 | 2 | 15 | 19 | 64 | 5 | 12 | 8 | 1 | 1 | 3 | 6 | 13 | 5 | 8 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | 17 | 11 | – | 1 | 32 | 35 | 257 | 2 | 158 | 1 | 7 | – | 3 | 3 | 12 | 8 | – |
| | 3. Scarlatina | 1 | 26 | 20 | 3 | – | 102 | 37 | 434 | 28 | 310 | 10 | 6 | 1 | 1 | 3 | 17 | 2 | 3 |
| | 4. Diphtheria | 1 | 14 | 5 | 17 | – | 27 | 24 | 150 | 7 | 34 | 3 | 2 | – | 3 | 4 | 6 | 1 | 3 |
| | 5. Quinsy | – | 1 | 1 | 2 | – | 1 | 1 | 7 | – | 2 | – | – | – | – | – | – | – | 1 |
| | 6. Croup | 2 | 16 | 8 | 8 | 3 | 37 | 26 | 127 | 5 | 47 | 7 | 2 | 3 | – | 4 | 2 | 1 | 1 |
| | 7. Hooping-cough | 5 | 16 | 20 | 34 | 1 | 91 | 73 | 525 | 6 | 140 | 4 | 9 | 1 | 1 | 2 | 4 | 2 | 7 |
| | 8. Typhus Fever | – | 1 | 2 | 3 | – | 14 | 5 | 29 | 1 | 7 | – | 1 | – | – | 2 | 2 | – | – |
| | 8. Enteric or Typhoid Fever | 2 | 16 | 9 | 11 | 6 | 34 | 69 | 238 | 12 | 61 | 9 | 7 | – | 5 | 8 | 10 | 5 | 5 |
| | 8. Relapsing Fever | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 4 | 4 | 2 | – | 4 | 8 | 14 | – | 8 | 1 | – | – | – | 1 | 2 | – | 2 |
| | 9. Erysipelas | – | 6 | 5 | 5 | – | 10 | 14 | 39 | 1 | 17 | 1 | – | 1 | 4 | 1 | 7 | – | 1 |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | 1 | 1 | 1 | 1 | 1 | 1 | 4 | – | 2 | – | 1 | – | – | – | – | – | – |
| | 12. Influenza | 1 | 7 | 3 | 2 | 1 | 2 | 2 | 10 | – | 3 | – | 1 | – | – | 1 | – | 1 | – |
| | 13. Dysentery | – | 5 | 3 | 3 | 1 | 3 | 8 | 19 | 1 | 3 | 1 | – | 1 | – | 1 | – | – | 2 |
| | 14. Diarrhœa | 4 | 31 | 24 | 9 | 4 | 68 | 66 | 310 | 13 | 111 | 7 | 6 | 5 | 1 | 4 | 8 | 5 | 10 |
| | 15. Cholera | – | 1 | 9 | – | – | 8 | 19 | 41 | – | 11 | – | 2 | – | 1 | 1 | – | 1 | – |
| | 16. Ague | – | 1 | – | – | – | 2 | 2 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| | 17. Remittent Fever | 1 | 6 | – | 1 | – | 4 | – | 4 | – | 4 | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | 10 | 1 | 5 | – | 8 | 16 | 36 | 1 | 16 | 1 | – | – | 4 | 2 | 5 | 1 | 3 |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | 2 | 3 | – | 1 | – | 1 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | 1 | 1 | 2 | – | 10 | 5 | 52 | 1 | 23 | 1 | – | – | – | – | 2 | 1 | 1 |
| | 2. Stricture of Urethra | 1 | – | – | 2 | – | – | – | 6 | – | 2 | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | 1 | – | – | 1 | 2 | 4 | – | 3 | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Privation | 1 | 1 | 1 | – | – | – | – | 2 | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Want of Breast Milk | 3 | 1 | – | 1 | 2 | 6 | 1 | 11 | 4 | 15 | – | 2 | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | 1 | – | 1 | – | – | 2 | 16 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | 1 | – | 2 | 3 | 12 | 1 | 8 | 1 | – | – | – | – | 1 | – | 1 |
| | 4. Alcoholism *b* Intemperance | – | 3 | 2 | 2 | 1 | 6 | 9 | 27 | 3 | 20 | 2 | 1 | – | 2 | 1 | 3 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Thrush | 1 | – | – | – | – | 1 | – | 6 | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | 1 | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – | 1 |
| | 2. Dropsy | 2 | 2 | 4 | 3 | – | 14 | 12 | 59 | 2 | 15 | – | 2 | – | 1 | 1 | 6 | 1 | 2 |
| | 3. Cancer | 2 | 15 | 10 | 17 | 6 | 25 | 27 | 137 | 13 | 92 | 7 | 9 | 5 | 7 | 13 | 21 | 12 | 10 |
| | 4. Cancrum Oris (Noma) | – | – | 1 | – | – | 1 | – | 3 | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Mortification | 1 | 3 | 1 | 5 | – | 5 | 3 | 22 | 1 | 7 | 3 | – | – | – | 3 | 4 | – | 1 |

* See page 52, note

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 2 | 14 | 16 | 13 | - | 38 | 33 | 153 | 4 | 69 | 4 | 5 | 2 | 6 | 9 | 14 | 3 | 3 |
| | * | | | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE . . . . | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . . | – | 1 | 2 | 2 | – | 3 | 2 | 8 | – | 7 | 3 | 1 | 2 | – | 1 | 4 | 1 | – |
| | 5 EXECUTION . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | – | – | – | – | – | 2 | 1 | 13 | 1 | 1 | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED . . . | 1 | 16 | 10 | 56 | 6 | 21 | 12 | 76 | 10 | 17 | 8 | 4 | – | 2 | 2 | 6 | 6 | 7 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Small-pox . . . . | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles . . . . | – | 10 | 10 | – | – | 27 | 28 | 234 | 4 | 137 | 3 | 5 | – | 2 | 7 | 7 | 6 | – |
| | 3. Scarlatina . . . . | – | 24 | 16 | 5 | – | 97 | 50 | 426 | 33 | 264 | 6 | 3 | 1 | 1 | 4 | 15 | – | 1 |
| | 4. Diphtheria . . . . | 8 | 10 | 7 | 13 | 4 | 19 | 23 | 146 | 14 | 33 | 5 | 3 | – | 8 | 1 | 3 | 2 | 2 |
| | 5. Quinsy . . . . . | - | 1 | 1 | – | – | 3 | 1 | 10 | – | 5 | – | – | – | – | 1 | – | 1 | – |
| | 6. Croup . . . . . | 3 | 13 | 5 | 4 | 2 | 25 | 32 | 114 | 7 | 36 | 1 | 3 | 3 | 3 | 2 | 5 | 2 | 2 |
| | 7. Hooping-cough . . | 5 | 21 | 28 | 23 | 2 | 102 | 95 | 642 | 17 | 166 | 4 | – | – | 7 | 5 | 4 | 1 | 7 |
| | 8. Typhus Fever . . | – | 3 | 3 | 3 | 1 | 7 | 2 | 26 | – | 4 | – | 1 | – | – | – | 1 | – | – |
| | 8. Enteric or Typhod Fever | 4 | 18 | 12 | 10 | 8 | 55 | 71 | 202 | 5 | 66 | 7 | 8 | 4 | 3 | 11 | 4 | 2 | 5 |
| | 8. Relapsing Fever. . . | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 6 | 5 | – | 2 | 8 | 9 | 21 | 1 | 3 | 2 | 1 | 1 | – | – | 1 | 1 | – |
| | 9. Erysipelas . . . . | 1 | 3 | 4 | 1 | - | 18 | 11 | 46 | 1 | 14 | 1 | 5 | 2 | – | 3 | 3 | 1 | 1 |
| | 10. Puerperal Fever (Metria) | 2 | 8 | 5 | 4 | 1 | 6 | 13 | 50 | – | 22 | – | 2 | 1 | 1 | 2 | 6 | 3 | – |
| | 11. Carbuncle . . . . | – | 1 | – | – | – | – | – | 3 | – | 1 | – | – | – | – | – | – | – | – |
| | 12. Influenza . . . . | – | 6 | 1 | 1 | – | – | 5 | 10 | – | 5 | – | – | – | – | 1 | – | – | 1 |
| | 13. Dysentery . . . . | – | 3 | 1 | – | 1 | 4 | 8 | 21 | 1 | 10 | – | 3 | 1 | 3 | 2 | 3 | – | 2 |
| | 14. Diarrhœa . . . . | 6 | 25 | 28 | 11 | 6 | 82 | 57 | 353 | 22 | 122 | 8 | 8 | 3 | 5 | 3 | 14 | 6 | 9 |
| | 15. Cholera . . . . | – | 3 | 2 | – | 1 | 4 | 16 | 23 | 1 | 13 | 1 | – | – | – | – | 1 | 1 | – |
| | 16. Ague . . . . . | 1 | 1 | – | – | – | – | 2 | 1 | – | 3 | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever . . | – | 6 | 3 | 1 | – | 1 | – | 7 | – | 5 | – | – | – | – | – | – | – | – |
| | 18. Rheumatism . . | 1 | 6 | – | 3 | 1 | 14 | 13 | 34 | 1 | 19 | 2 | – | – | 1 | 2 | 3 | 1 | 1 |
| | 19. Other *Miasmatic* Diseases | – | – | 1 | – | – | – | – | 6 | – | 2 | 1 | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis . . . . . | – | 1 | 1 | – | – | 11 | 2 | 28 | 2 | 13 | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 |
| | 2. Stricture of Urethra . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Privation . . . . . | – | 1 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk . | – | 1 | – | 1 | – | 4 | 1 | 14 | 1 | 5 | 2 | – | – | – | 1 | 1 | – | – |
| | 3. Purpura and Scurvy . | – | – | – | – | – | 4 | – | 10 | – | 2 | – | 1 | – | – | – | – | 1 | – |
| | 4. Alcoholism { *a* Del. Tremens | – | 1 | – | – | – | 2 | – | 6 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism { *b* Intemperance | 2 | – | 2 | – | – | 2 | 8 | 19 | – | 18 | – | – | – | 1 | 1 | 2 | – | 2 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Thrush . . . . . | – | – | – | – | – | – | 1 | 10 | – | 4 | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. . . . | – | – | – | – | – | 1 | – | 3 | 1 | – | – | 1 | – | – | – | – | – | 2 |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Gout . . . . . | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| | 2. Dropsy . . . . . | 1 | 6 | 2 | 13 | 1 | 16 | 19 | 81 | – | 24 | 2 | 2 | – | – | 2 | 3 | – | 1 |
| | 3. Cancer . . . . . | 9 | 30 | 26 | 38 | 7 | 54 | 48 | 245 | 9 | 175 | 12 | 14 | 5 | 12 | 18 | 34 | 16 | 14 |
| | 4. Cancrum Oris (Noma) . | – | – | – | – | – | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification . . . | – | 4 | 1 | 2 | 2 | 3 | 10 | 15 | 1 | 18 | 1 | – | – | – | 1 | 2 | 2 | – |

* See page 52, note

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 427 | 1 | – | 3 | 1 | 3 | 2 | – | 2 | 5 | 28 | 1 | 27 | 11 | 16 | – |
| | 2. Tabes Mesenterica | 666 | – | 1 | 1 | – | 4 | 9 | – | 1 | 2 | 14 | 4 | 51 | 11 | 8 | 1 |
| | 3. Phthisis | 3677 | 18 | 32 | 42 | 15 | 53 | 77 | 4 | 46 | 28 | 185 | 16 | 234 | 126 | 125 | 7 |
| | 4. Hydrocephalus | 1029 | 1 | 6 | 4 | 5 | 3 | 8 | 4 | 8 | 11 | 54 | 2 | 60 | 25 | 35 | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 667 | 2 | 3 | 3 | 1 | 8 | 5 | – | 6 | 7 | 36 | 6 | 57 | 12 | 20 | 1 |
| | 2. Apoplexy | 1031 | 3 | 7 | 7 | – | 13 | 16 | 5 | 7 | 20 | 66 | 5 | 78 | 34 | 42 | 5 |
| | 3. Paralysis | 998 | 5 | 7 | 14 | 6 | 19 | 20 | 3 | 23 | 13 | 63 | 4 | 78 | 52 | 49 | 3 |
| | 4. Insanity | 50 | – | – | – | – | – | 21 | – | – | 2 | 2 | 1 | – | – | 3 | 1 |
| | 5. Chorea | 3 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 6. Epilepsy | 130 | 2 | – | 1 | – | 2 | – | – | 3 | 1 | 10 | 1 | 8 | 8 | 8 | – |
| | 7. Convulsions | 604 | – | 2 | 3 | 5 | 7 | 16 | 4 | 7 | 6 | 39 | 1 | 63 | 8 | 20 | – |
| | 8. *Brain Disease, etc.* | 532 | 1 | 2 | 6 | 3 | 4 | 3 | – | 12 | 6 | 32 | 5 | 36 | 23 | 17 | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 63 | 1 | – | – | – | 1 | – | – | – | – | 3 | – | 6 | – | 3 | 1 |
| | 2. Aneurism | 114 | – | – | – | – | 1 | 2 | – | 1 | – | 16 | 1 | 7 | 2 | 8 | – |
| | 3. *Heart Disease, etc.* | 2225 | 5 | 12 | 15 | 6 | 29 | 30 | – | 28 | 25 | 134 | 24 | 159 | 99 | 91 | 5 |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 146 | – | – | – | – | 2 | 2 | – | 3 | 3 | 7 | – | 10 | 5 | 4 | 1 |
| | 2. Bronchitis | 4236 | 18 | 18 | 37 | 11 | 39 | 54 | 3 | 42 | 45 | 362 | 37 | 412 | 101 | 167 | – |
| | 3. Pleurisy | 176 | 1 | 1 | 4 | – | 1 | 16 | 1 | 1 | 2 | 12 | – | 6 | 3 | 5 | 1 |
| | 4. Pneumonia | 1891 | 3 | 10 | 17 | 5 | 18 | 30 | 4 | 16 | 34 | 111 | 9 | 149 | 40 | 81 | 2 |
| | 5. Asthma | 157 | 2 | 4 | – | 1 | 8 | 4 | 1 | 1 | 1 | 1 | 1 | 6 | 2 | 5 | – |
| | 6. *Lung Disease, etc.* | 671 | 1 | – | 7 | 2 | 2 | 19 | 6 | 4 | 12 | 25 | 7 | 37 | 21 | 21 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 136 | 3 | 1 | – | – | 3 | 7 | – | 1 | 3 | 10 | 2 | 7 | 5 | 5 | – |
| | 2. Enteritis | 458 | 1 | 2 | – | 2 | 4 | 4 | – | 4 | 2 | 21 | 3 | 25 | 15 | 20 | 2 |
| | 3. Peritonitis | 223 | 1 | 1 | 3 | 1 | 3 | 2 | – | 1 | 3 | 21 | 1 | 10 | 6 | 9 | 1 |
| | 4. Ascites | 28 | – | – | – | – | – | 1 | – | – | – | 1 | – | 3 | 2 | – | – |
| | 5. Ulceration of Intestines | 86 | 1 | 1 | 2 | 1 | 2 | 1 | – | 1 | 1 | 9 | – | 4 | 1 | 4 | – |
| | 6. Hernia | 69 | 1 | 1 | 1 | – | – | 3 | – | 1 | – | 8 | – | 2 | 3 | 5 | – |
| | 7. Ileus | 149 | – | 5 | 3 | 3 | 3 | 5 | – | 3 | 1 | 13 | 4 | 12 | 6 | 3 | – |
| | 8. Intussusception | 44 | – | – | 2 | – | – | – | – | 1 | 1 | 7 | – | 2 | 2 | 2 | – |
| | 9. Stricture of Intestines | 20 | – | 1 | – | – | – | 1 | – | – | – | 4 | – | 1 | – | 1 | – |
| | 10. Fistula | 14 | – | – | – | – | – | – | – | 1 | 2 | – | – | 1 | – | 1 | – |
| | 11. *Stomach Disease, etc.* | 308 | 1 | 4 | 2 | 2 | 11 | 8 | – | 3 | 1 | 19 | 1 | 14 | 4 | 11 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 114 | – | 2 | 1 | – | – | 2 | 1 | – | 1 | 2 | – | 3 | 4 | 5 | 4 |
| | 14. Jaundice | 116 | – | 1 | 1 | 3 | 1 | 1 | – | – | 2 | 9 | 3 | 10 | 6 | 4 | – |
| | 15. *Liver Disease, etc* | 337 | – | 3 | 5 | – | 4 | 6 | 1 | 7 | 3 | 24 | 2 | 18 | 14 | 15 | 1 |
| | 16. *Spleen Disease, etc.* | 28 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | 4 | – | 3 | |
| | ORDER 5. | | | | | | | | | | | | | | | | |
| | 1. Nephritis | 119 | – | 3 | 6 | – | 3 | – | – | – | 3 | 7 | – | 3 | 3 | 4 | – |
| | 2. Ischuria | 39 | – | 1 | 1 | – | – | 2 | – | 3 | 2 | 6 | – | 5 | 2 | 2 | – |
| | 3. Bright's Disease (Nephria) | 261 | 1 | – | 3 | 1 | 5 | 7 | – | 2 | 10 | 25 | 1 | 15 | 5 | 8 | 2 |
| | 4. Diabetes | 91 | – | – | 2 | – | 3 | 4 | – | 4 | 1 | 9 | 2 | 6 | 2 | 5 | 1 |
| | 5. Calculus (Stone) | 28 | 2 | – | 3 | 1 | – | 6 | – | 2 | 1 | 1 | – | 1 | 2 | – | – |
| | 6. Cystitis | 132 | 1 | 1 | 2 | – | 1 | – | – | 1 | 4 | 15 | – | 16 | 6 | 6 | 2 |
| | 7. *Kidney Disease, etc.* | 355 | 2 | 2 | 6 | 3 | 3 | 11 | 1 | 2 | 5 | 37 | 4 | 17 | 10 | 22 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 5 | – | – | – | – | – | | – | – | – | – | – | – | 1 | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 25 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 3 | |
| | 2. *Joint Disease, etc.* | 212 | – | 3 | – | 1 | 1 | 4 | – | 4 | 2 | 10 | – | 16 | 10 | 11 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 358 | – | 1 | 1 | – | 6 | 3 | – | 2 | 4 | 23 | 2 | 22 | 8 | 18 | – |
| | 2. Tabes Mesenterica | 564 | – | 2 | 2 | – | 1 | 3 | – | 3 | 7 | 19 | 1 | 35 | 10 | 19 | – |
| | 3. Phthisis | 4397 | 28 | 21 | 31 | 18 | 49 | 51 | 8 | 49 | 45 | 250 | 23 | 316 | 126 | 156 | 9 |
| | 4. Hydrocephalus | 871 | 4 | 4 | 11 | 4 | 4 | 5 | – | 3 | 5 | 49 | 4 | 58 | 18 | 27 | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 509 | 2 | 2 | 6 | – | 7 | 8 | – | 3 | 5 | 31 | 4 | 40 | 20 | 13 | 3 |
| | 2. Apoplexy | 975 | 8 | 8 | 6 | 5 | 3 | 9 | 3 | 14 | 16 | 48 | 11 | 100 | 32 | 51 | 3 |
| | 3. Paralysis | 1050 | 5 | 7 | 13 | 5 | 21 | 19 | 3 | 12 | 15 | 74 | 13 | 94 | 55 | 55 | 3 |
| | 4. Insanity | 69 | 1 | – | 2 | – | 1 | 9 | – | 1 | – | 2 | 1 | 2 | 5 | 4 | – |
| | 5. Chorea | 8 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 | – |
| | 6. Epilepsy | 123 | 2 | 1 | 1 | 2 | 1 | 3 | – | 2 | – | 9 | 1 | 7 | 3 | 5 | – |
| | 7. Convulsions | 480 | 1 | 2 | 1 | 2 | 6 | 7 | – | 5 | 7 | 26 | 2 | 45 | 8 | 12 | 1 |
| | 8. *Brain Disease, etc.* | 472 | – | 2 | 3 | 1 | 6 | 6 | – | 4 | 8 | 42 | 4 | 29 | 26 | 25 | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 46 | – | 1 | – | – | – | – | 1 | – | – | 3 | 1 | 2 | – | 2 | – |
| | 2. Aneurism | 42 | – | – | – | 1 | – | – | – | – | 1 | 8 | 2 | 3 | 4 | – | – |
| | 3. *Heart Disease, etc.* | 2289 | 4 | 10 | 17 | 6 | 23 | 34 | – | 33 | 36 | 153 | 16 | 222 | 106 | 108 | 12 |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 84 | – | – | – | 1 | 1 | 3 | – | 2 | 2 | 8 | 1 | 6 | – | 2 | – |
| | 2. Bronchitis | 4326 | 19 | 18 | 47 | 7 | 50 | 56 | 6 | 58 | 67 | 267 | 32 | 418 | 113 | 145 | 5 |
| | 3. Pleurisy | 118 | 5 | – | 2 | – | 2 | 16 | – | 1 | 1 | 8 | 1 | 7 | 1 | 4 | – |
| | 4. Pneumonia | 1312 | 2 | 6 | 10 | 3 | 9 | 16 | 3 | 13 | 25 | 76 | 8 | 123 | 25 | 57 | 1 |
| | 5. Asthma | 143 | 3 | 2 | 2 | 6 | 16 | 15 | 2 | – | – | 9 | 2 | 9 | – | 6 | – |
| | 6. *Lung Disease, etc.* | 564 | – | – | 3 | – | 5 | 3 | 2 | 2 | 9 | 29 | – | 33 | 17 | 16 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 138 | – | – | – | – | 4 | 4 | – | 2 | 6 | 4 | – | 4 | 4 | 4 | – |
| | 2. Enteritis | 418 | 3 | – | – | 2 | 3 | 5 | – | – | 6 | 17 | 3 | 34 | 17 | 19 | – |
| | 3. Peritonitis | 274 | 1 | 1 | 4 | 1 | 4 | 7 | – | 4 | 1 | 19 | 1 | 17 | 7 | 11 | – |
| | 4. Ascites | 45 | – | 2 | – | – | – | 1 | – | – | 2 | 5 | – | 5 | 1 | 2 | – |
| | 5. Ulceration of Intestines | 129 | – | – | 4 | – | 1 | 1 | 1 | 2 | 5 | 10 | 5 | 15 | – | 5 | – |
| | 6. Hernia | 64 | – | 1 | – | – | – | 2 | – | 2 | 1 | 5 | – | 3 | 8 | 2 | – |
| | 7. Ileus | 131 | 1 | 3 | 1 | 1 | 3 | 2 | 1 | 4 | 4 | 9 | 4 | 15 | 3 | 7 | 1 |
| | 8. Intussusception | 19 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 | – |
| | 9. Stricture of Intestines | 19 | – | – | – | – | 1 | 2 | – | – | – | 2 | – | 2 | – | 1 | 1 |
| | 10. Fistula | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 339 | 5 | – | 2 | 1 | 15 | 8 | 1 | 3 | 2 | 29 | 4 | 24 | 14 | 10 | 1 |
| | 12. *Pancreas Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 131 | 1 | 1 | 2 | – | – | 2 | – | 1 | 1 | 1 | 1 | 5 | 1 | 5 | 2 |
| | 14. Jaundice | 117 | 1 | – | – | – | 4 | – | – | 1 | 2 | 7 | 2 | 8 | 4 | 5 | – |
| | 15. *Liver Disease, etc.* | 358 | 2 | 7 | 3 | – | 3 | 7 | 2 | 4 | 1 | 30 | 2 | 21 | 9 | 23 | 1 |
| | 16. *Spleen Disease, etc.* | 20 | – | – | 1 | – | – | – | – | – | – | 1 | – | 2 | 1 | 4 | – |
| | ORDER 5. | | | | | | | | | | | | | | | | |
| | 1. Nephritis | 88 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | 7 | 2 | 9 | – |
| | 2. Ischuria | 8 | 1 | – | – | – | 1 | – | – | – | – | 2 | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 230 | 1 | 1 | 2 | – | 3 | 7 | 2 | 2 | 3 | 19 | – | 28 | 5 | 9 | – |
| | 4. Diabetes | 56 | – | 1 | – | – | 2 | 1 | 1 | 1 | 1 | 7 | 1 | – | 3 | 3 | – |
| | 5. Calculus (Stone) | 6 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 6. Cystitis | 36 | – | – | 2 | – | – | 1 | – | – | – | 1 | 3 | 1 | 1 | 2 | – |
| | 7. *Kidney Disease, etc.* | 154 | 1 | 1 | – | 1 | – | 3 | – | 4 | 5 | 15 | 4 | 6 | 8 | 6 | – |
| | ORDER 6. | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 82 | 1 | 2 | 2 | 1 | 1 | – | – | 1 | 6 | 7 | – | 8 | 2 | 6 | – |
| | 2. *Uterus Disease, etc.* | 102 | – | 2 | 3 | 1 | – | 3 | – | – | 2 | 8 | – | 8 | 2 | 3 | – |
| | ORDER 7. | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 21 | – | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 132 | – | – | 1 | 1 | 1 | 1 | – | 1 | – | 10 | 2 | 8 | 4 | 2 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 2 | 7 | 6 | 11 | 4 | 45 | 34 | 133 | 12 | 34 | 2 | 4 | 1 | – | 5 | 13 | 4 | 10 |
| | 2. Tabes Mesenterica | 3 | 17 | 6 | 3 | 5 | 57 | 37 | 323 | 5 | 72 | 4 | 3 | 1 | – | 5 | 8 | 7 | 3 |
| | 3. Phthisis | 24 | 76 | 64 | 89 | 29 | 276 | 206 | 1200 | 27 | 402 | 19 | 20 | 7 | 25 | 37 | 76 | 50 | 42 |
| | 4. Hydrocephalus | 13 | 26 | 30 | 10 | 5 | 103 | 71 | 341 | 10 | 123 | 3 | 8 | 2 | 6 | 14 | 21 | 10 | 7 |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 2 | 20 | 10 | 14 | 2 | 39 | 30 | 262 | 10 | 77 | 6 | 4 | – | 5 | 4 | 7 | 5 | 3 |
| | 2. Apoplexy | 6 | 24 | 25 | 19 | 6 | 90 | 73 | 269 | 11 | 112 | 5 | 9 | 4 | 8 | 19 | 17 | 12 | 14 |
| | 3. Paralysis | 4 | 23 | 15 | 25 | 3 | 68 | 51 | 227 | 10 | 125 | 9 | 10 | 2 | 4 | 16 | 27 | 6 | 14 |
| | 4. Insanity | 1 | – | – | – | – | 1 | 3 | 1 | 1 | 11 | – | – | – | – | 2 | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 6. Epilepsy | 1 | 5 | 3 | 5 | 2 | 11 | 8 | 31 | – | 12 | – | 1 | – | – | 1 | 4 | 2 | – |
| | 7. Convulsions | 7 | 15 | 6 | 12 | – | 38 | 22 | 197 | 8 | 83 | 4 | 3 | – | 1 | 9 | 12 | 3 | 3 |
| | 8. *Brain Disease, etc.* | 3 | 12 | 9 | 9 | 7 | 46 | 46 | 131 | 7 | 62 | 5 | 8 | 1 | 6 | 6 | 11 | 6 | 7 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | 1 | 2 | 1 | – | 2 | 3 | 18 | 2 | 10 | 2 | – | 1 | – | 2 | 2 | 1 | – |
| | 2. Aneurism | 1 | 5 | 2 | 4 | 1 | 3 | 3 | 23 | 2 | 24 | 2 | 1 | – | – | – | 2 | 1 | 2 |
| | 3. *Heart Disease, etc.* | 9 | 85 | 56 | 49 | 14 | 125 | 135 | 519 | 33 | 295 | 30 | 27 | 10 | 13 | 50 | 55 | 32 | 26 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 1 | 5 | 1 | 4 | – | 18 | 7 | 50 | 1 | 14 | 2 | – | – | – | – | 4 | 1 | 1 |
| | 2. Bronchitis | 30 | 119 | 91 | 46 | 9 | 282 | 212 | 1512 | 41 | 444 | 23 | 12 | 5 | 22 | 36 | 57 | 27 | 22 |
| | 3. Pleurisy | 2 | 7 | 3 | 3 | 1 | 7 | 11 | 44 | 5 | 26 | 1 | 1 | 1 | – | 3 | 2 | 3 | 2 |
| | 4. Pneumonia | 3 | 38 | 39 | 31 | 6 | 130 | 87 | 629 | 19 | 236 | 17 | 13 | 3 | 9 | 20 | 27 | 34 | 21 |
| | 5. Asthma | 3 | 8 | 1 | 5 | – | 9 | 21 | 47 | 4 | 15 | – | 2 | – | – | 1 | 1 | – | 3 |
| | 6. *Lung Disease, etc.* | 1 | 12 | 19 | 15 | 2 | 48 | 35 | 249 | 5 | 72 | 6 | 6 | 1 | 1 | 5 | 11 | 5 | 13 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | 6 | 1 | – | 11 | 12 | 45 | – | 8 | 2 | – | – | – | 1 | 2 | 1 | – |
| | 2. Enteritis | 2 | 14 | 7 | 2 | 2 | 36 | 44 | 147 | 11 | 48 | – | 5 | 3 | 11 | 4 | 10 | 4 | 3 |
| | 3. Peritonitis | – | 3 | 3 | 4 | – | 13 | 20 | 61 | 6 | 28 | – | 3 | – | 2 | 6 | 7 | 4 | – |
| | 4. Ascites | – | 2 | – | – | – | 2 | – | 12 | – | 2 | – | – | – | 2 | 1 | – | – | – |
| | 5. Ulceration of Intestines | 1 | 4 | – | 4 | 1 | 4 | 9 | 18 | – | 7 | 1 | 2 | – | 1 | 2 | 1 | 1 | 2 |
| | 6. Hernia | 1 | – | – | – | 1 | 4 | 4 | 21 | – | 10 | – | 1 | – | – | 1 | – | – | 1 |
| | 7. Ileus | 1 | 6 | 3 | 6 | – | 11 | 10 | 28 | – | 13 | 1 | 1 | – | 1 | – | 3 | 1 | 3 |
| | 8. Intussusception | 1 | 1 | – | 1 | – | 2 | 3 | 12 | – | 5 | – | – | – | – | 1 | – | 1 | – |
| | 9. Stricture of Intestines | – | 1 | – | 1 | – | – | 1 | 3 | – | 2 | – | 1 | – | 1 | 1 | – | – | 1 |
| | 10. Fistula | 1 | – | – | – | – | 2 | – | 5 | – | 1 | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 1 | 16 | 5 | 18 | – | 20 | 14 | 105 | 2 | 21 | 1 | – | – | 1 | 2 | 10 | 7 | 3 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 2 | 4 | 2 | 4 | 2 | 15 | 8 | 38 | – | 5 | – | 1 | – | – | 3 | 3 | – | 2 |
| | 14. Jaundice | – | 6 | 2 | 2 | 1 | 6 | 9 | 36 | – | 9 | 3 | – | – | – | – | – | – | 1 |
| | 15. *Liver Disease, etc.* | – | 10 | 9 | 6 | 1 | 22 | 19 | 90 | 2 | 41 | 5 | – | 1 | 2 | 9 | 6 | 5 | 6 |
| | 16. *Spleen Disease, etc.* | – | 2 | – | 2 | 1 | 1 | 2 | 4 | – | 3 | 1 | 1 | – | – | – | 1 | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 4 | 2 | 1 | 1 | 14 | 7 | 26 | 1 | 25 | – | – | – | 1 | 2 | 2 | 1 | – |
| | 2. Ischuria | – | – | – | 2 | – | 1 | 3 | 5 | – | 2 | – | – | – | – | – | – | 2 | – |
| | 3. Bright's Disease (Nephria) | 2 | 9 | 3 | – | – | 5 | 15 | 79 | 8 | 38 | 1 | 3 | 1 | 1 | 2 | 2 | 6 | 1 |
| | 4. Diabetes | – | 2 | 1 | 3 | 1 | 2 | 8 | 10 | – | 15 | – | 2 | – | 1 | – | 1 | 4 | 2 |
| | 5. Calculus (Stone) | – | – | – | – | – | 1 | 1 | 1 | – | 4 | – | – | – | – | – | 1 | 1 | – |
| | 6. Cystitis | – | 3 | 3 | 2 | 1 | 10 | 7 | 16 | 1 | 11 | 4 | 3 | 2 | 2 | 4 | 6 | 2 | – |
| | 7. *Kidney Disease, etc.* | 2 | 3 | 4 | 10 | 1 | 14 | 26 | 99 | 3 | 35 | 4 | 4 | – | 2 | 3 | 9 | 5 | 5 |
| | ORDER 6. | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | 1 | 1 | – | – | 2 | 4 | 6 | – | 2 | – | 1 | – | 1 | 2 | – | – | – |
| | 2. *Joint Disease, etc.* | 3 | 7 | 6 | 5 | – | 11 | 12 | 75 | – | 21 | – | – | – | – | 2 | 3 | 3 | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 6 | 6 | 4 | 5 | 4 | 29 | 26 | 102 | 8 | 40 | 4 | 3 | 2 | 1 | 3 | 9 | 7 | 9 |
| | 2. Tabes Mesenterica | 4 | 21 | 13 | 4 | 5 | 51 | 48 | 224 | 7 | 56 | 2 | 2 | 1 | 4 | 12 | 4 | 3 | 1 |
| | 3. Phthisis | 28 | 124 | 88 | 91 | 24 | 392 | 312 | 1381 | 38 | 374 | 32 | 27 | 15 | 29 | 48 | 90 | 63 | 61 |
| | 4. Hydrocephalus | 5 | 34 | 23 | 5 | 5 | 71 | 76 | 284 | 12 | 100 | 8 | 5 | 1 | 11 | 12 | 15 | 7 | 1 |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 7 | 15 | 7 | 7 | – | 29 | 20 | 184 | 5 | 58 | 6 | 3 | 1 | 6 | 3 | 9 | 1 | 4 |
| | 2. Apoplexy | 3 | 23 | 25 | 14 | 15 | 56 | 59 | 258 | 10 | 102 | 8 | 13 | 4 | 8 | 7 | 30 | 10 | 13 |
| | 3. Paralysis | 6 | 30 | 20 | 27 | 6 | 60 | 44 | 238 | 10 | 115 | 13 | 9 | 3 | 1 | 15 | 30 | 15 | 14 |
| | 4. Insanity | – | – | 6 | 4 | – | 4 | 5 | 7 | – | 6 | – | 1 | – | – | 5 | 2 | 1 | – |
| | 5. Chorea | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – |
| | 6. Epilepsy | – | 2 | 3 | – | 1 | 14 | 13 | 25 | 2 | 12 | 1 | 1 | 1 | 1 | 1 | 3 | 3 | 3 |
| | 7. Convulsions | 1 | 12 | 10 | 8 | – | 31 | 23 | 156 | 10 | 65 | 8 | 7 | 1 | 1 | 8 | 8 | 4 | 2 |
| | 8. *Brain Disease, etc.* | 2 | 13 | 6 | 4 | 6 | 51 | 33 | 101 | 1 | 63 | 10 | 5 | 1 | 2 | 4 | 6 | 7 | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | 2 | 2 | 1 | 2 | 1 | 15 | 1 | 8 | 1 | – | – | – | 2 | – | – | – |
| | 2. Aneurism | – | 1 | 1 | – | – | 2 | – | 7 | – | 6 | 1 | – | – | 1 | 1 | 2 | 1 | – |
| | 3. *Heart Disease, etc.* | 14 | 66 | 39 | 41 | 11 | 125 | 142 | 495 | 16 | 313 | 32 | 31 | 8 | 17 | 47 | 57 | 35 | 20 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | – | 1 | – | 2 | 6 | 31 | – | 11 | 1 | – | – | 1 | 1 | 2 | – | 1 |
| | 2. Bronchitis | 26 | 107 | 98 | 51 | 15 | 327 | 205 | 1403 | 39 | 463 | 29 | 20 | 11 | 26 | 42 | 88 | 30 | 38 |
| | 3. Pleurisy | – | 5 | 1 | 1 | 1 | 1 | 6 | 21 | 1 | 22 | – | 1 | – | 1 | 4 | 3 | 2 | – |
| | 4. Pneumonia | 3 | 28 | 22 | 14 | 7 | 108 | 47 | 422 | 12 | 171 | 13 | 12 | 3 | 12 | 9 | 31 | 13 | 8 |
| | 5. Asthma | – | 4 | 3 | 6 | – | 9 | 6 | 24 | – | 13 | 2 | – | – | – | – | 3 | 1 | – |
| | 6. *Lung Disease, etc.* | – | 12 | 11 | 12 | 2 | 34 | 26 | 219 | 4 | 83 | 4 | 8 | 2 | 2 | 4 | 10 | 5 | 6 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 2 | 7 | 4 | 2 | – | 5 | 8 | 58 | 1 | 9 | – | – | – | 1 | 5 | 3 | 1 | – |
| | 2. Enteritis | 1 | 18 | 6 | 9 | – | 31 | 36 | 135 | 7 | 36 | 2 | 1 | – | 3 | 10 | 8 | 3 | 3 |
| | 3. Peritonitis | – | 11 | 3 | 5 | 1 | 22 | 11 | 77 | 2 | 37 | 3 | 1 | 1 | – | 4 | 11 | 5 | 2 |
| | 4. Ascites | – | – | – | 2 | – | 5 | 3 | 14 | – | – | 1 | – | – | – | 1 | 1 | – | – |
| | 5. Ulceration of Intestines | 1 | 5 | 3 | 2 | 1 | 8 | 6 | 28 | 1 | 11 | 3 | 2 | – | – | 4 | 2 | 1 | 2 |
| | 6. Hernia | – | 2 | 1 | 2 | 1 | 3 | 3 | 15 | 1 | 9 | – | – | – | 1 | 1 | – | 1 | – |
| | 7. Ileus | – | 2 | 2 | 5 | 1 | 8 | 5 | 25 | – | 18 | 1 | 1 | 1 | – | – | 2 | – | 1 |
| | 8. Intussusception | 1 | 1 | – | – | – | 2 | 1 | 5 | – | 2 | – | 1 | – | – | – | 1 | 1 | – |
| | 9. Stricture of Intestines | – | 2 | – | 1 | – | – | – | 4 | – | 2 | – | – | – | – | – | – | 1 | – |
| | 10. Fistula | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 3 | 8 | 10 | 6 | 2 | 18 | 16 | 86 | 3 | 32 | 1 | 3 | 2 | 7 | 7 | 8 | 5 | 3 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | 3 | 4 | 8 | 1 | 20 | 9 | 44 | – | 10 | – | – | 2 | 1 | 3 | 2 | – | – |
| | 14. Jaundice | 1 | 8 | 2 | – | – | 6 | 7 | 21 | 4 | 20 | 1 | 4 | 1 | 1 | 1 | 4 | – | 2 |
| | 15. *Liver Disease, etc.* | 3 | 9 | 8 | 5 | 3 | 25 | 13 | 104 | 5 | 41 | 4 | 1 | 2 | 2 | 2 | 8 | 6 | 2 |
| | 16. *Spleen Disease, etc.* | – | 1 | – | – | – | – | – | 5 | – | 2 | – | – | – | – | 2 | – | 1 | – |
| | ORDER 5. | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | 1 | 1 | – | 6 | 2 | 32 | – | 19 | 1 | 1 | 1 | – | – | – | 2 | – |
| | 2. Ischuria | – | – | – | – | – | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 2 | 5 | 2 | 5 | 3 | 4 | 15 | 56 | 5 | 29 | 3 | 1 | 2 | 2 | 4 | 4 | 3 | 3 |
| | 4. Diabetes | – | 3 | 3 | 2 | 1 | 2 | 3 | 12 | – | 6 | – | – | 1 | 1 | – | 1 | – | – |
| | 5. Calculus (Stone) | – | – | – | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | 3 | 1 | 10 | 2 | 5 | 1 | – | – | – | – | 2 | 1 | – |
| | 7. *Kidney Disease, etc.* | 3 | 3 | 3 | 8 | 2 | 8 | 4 | 50 | 1 | 13 | – | 2 | – | 1 | – | – | – | 2 |
| | ORDER 6. | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | 3 | 1 | 1 | 1 | 4 | 3 | 15 | – | 9 | – | 2 | 1 | 1 | – | 1 | – | 2 |
| | 2. *Uterus Disease, etc.* | 2 | – | 3 | 2 | – | 7 | 10 | 27 | 5 | 9 | – | 2 | 1 | – | – | 1 | – | 1 |
| | ORDER 7. | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | 1 | 2 | 2 | – | 1 | – | 7 | – | 5 | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | 1 | 4 | 4 | 1 | 13 | 11 | 38 | 2 | 16 | 1 | 1 | – | 2 | 2 | 2 | 2 | 1 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 64 | – | – | 1 | – | – | – | – | – | 4 | 2 | – | 8 | 5 | 1 | – |
| | 2. Ulcer | 27 | – | – | 1 | – | 1 | – | – | – | 1 | 2 | – | 3 | 3 | 2 | – |
| | 3. *Skin Disease, etc.* | 41 | – | – | 1 | – | – | 2 | – | – | 3 | 5 | – | 3 | 2 | 1 | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 890 | 1 | – | 2 | 1 | 5 | 7 | 2 | 16 | 12 | 77 | 4 | 71 | 29 | 27 | 2 |
| | 2. Cyanosis | 39 | – | – | 1 | – | – | – | – | – | – | 1 | – | 2 | 1 | 4 | – |
| | 3. Spina Bifida | 29 | – | – | – | – | – | 2 | – | – | – | 1 | – | 3 | – | 2 | – |
| | 4. Other Malformations | 79 | 1 | – | – | – | – | – | – | 2 | 5 | 10 | 1 | 7 | 3 | 1 | – |
| | 5. Teething | 370 | – | 1 | 1 | 1 | 3 | 3 | 2 | 5 | 4 | 25 | 4 | 26 | 8 | 15 | – |
| | ORDER . | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Old Age | 1818 | 41 | 37 | 40 | 36 | 100 | 103 | 6 | 35 | 29 | 116 | 29 | 119 | 101 | 117 | 6 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1444 | 1 | 10 | 11 | 2 | 8 | 20 | 2 | 21 | 15 | 85 | 6 | 109 | 45 | 72 | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 751 | 3 | 3 | 8 | 2 | 10 | 5 | – | 5 | 12 | 30 | 1 | 45 | 32 | 38 | – |
| | 2. Gunshot Wounds | 10 | – | – | – | – | 2 | – | – | – | – | 2 | – | – | 1 | – | – |
| | 3. Cut, Stab | 19 | – | – | – | – | 1 | 2 | – | 1 | 1 | 3 | – | 1 | – | 1 | – |
| | 4. Burns and Scalds | 148 | 1 | 1 | – | – | 5 | 1 | 1 | – | – | 7 | – | 12 | 2 | 9 | – |
| | 5. Poison | 27 | – | – | – | – | – | – | – | – | – | 1 | 1 | 3 | – | 2 | – |
| | 6. Drowning | 506 | 12 | 4 | 4 | 3 | 2 | 28 | 2 | 4 | 16 | 26 | 11 | 72 | 18 | 28 | – |
| | 7. Suffocation | 135 | – | – | 3 | 1 | 3 | 1 | – | 1 | – | 7 | 3 | 24 | 2 | – | – |
| | 8. Otherwise | 168 | 3 | – | 1 | 1 | 2 | 3 | – | 2 | 1 | 6 | – | 3 | 5 | 4 | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 6 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – | 1 | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Cut, Stab | 29 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | 2 | 1 | – |
| | 3. Poison | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| | 4. Drowning | 24 | – | – | – | – | – | – | – | – | – | 1 | – | 4 | 1 | 1 | – |
| | 5. Hanging | 50 | 1 | – | – | – | 1 | – | – | 1 | – | 3 | 1 | 8 | 1 | 5 | – |
| | 6. Otherwise and undefined | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 54 | – | – | – | 1 | – | – | – | 2 | 1 | 7 | 1 | 1 | 2 | 7 | – |
| | Causes not specified or ill-defined | 519 | 37 | 8 | 7 | 15 | 59 | 49 | 1 | 9 | 4 | 21 | 10 | 10 | 22 | 26 | – |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued*).

| Class. | CAUSES OF DEATH. | SCOTLAND. | Shetland. | Orkney. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth | Fife | Kinross. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 69 | – | – | 1 | 1 | – | 1 | – | 2 | 5 | 7 | – | 1 | – | 2 | – |
| | 2. Ulcer | 38 | – | – | 1 | – | – | – | – | 3 | – | 2 | – | 2 | 1 | 2 | – |
| | 3. *Skin Disease, etc.* | 29 | – | – | – | 1 | – | – | – | – | – | 2 | 1 | 1 | – | 1 | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 742 | 1 | 2 | 3 | – | 2 | 7 | – | 8 | 13 | 48 | 3 | 69 | 14 | 22 | 2 |
| | 2. Cyanosis | 28 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – |
| | 3. Spina Bifida | 42 | – | – | – | – | – | – | – | 3 | – | 1 | – | 6 | 1 | 2 | 2 |
| | 4. Other Malformations | 68 | – | – | – | – | – | 3 | – | 1 | 1 | 6 | – | 9 | 1 | 4 | – |
| | 5. Teething | 321 | 2 | 1 | 2 | 2 | 2 | 2 | 1 | 11 | 3 | 31 | 1 | 21 | 8 | 13 | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Paramenia | 19 | – | – | – | – | 2 | – | – | 2 | – | 2 | – | – | – | – | 1 |
| | 2. Childbirth (*see* Puerperal Fever) | 416 | 8 | 4 | 5 | 3 | 4 | 8 | – | 1 | 6 | 30 | 3 | 34 | 13 | 17 | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Old Age | 2977 | 88 | 62 | 52 | 61 | 116 | 138 | 10 | 33 | 52 | 202 | 31 | 196 | 179 | 172 | 9 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1264 | 5 | 8 | 11 | 4 | 13 | 22 | 1 | 6 | 11 | 56 | 6 | 100 | 35 | 53 | 1 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 175 | – | 1 | – | – | 4 | 3 | 1 | – | 3 | 7 | 4 | 14 | 8 | 7 | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 140 | 1 | 1 | 3 | 3 | 3 | 4 | 1 | 2 | 3 | 13 | – | 9 | 5 | 1 | – |
| | 5. Poison | 22 | – | – | 1 | – | – | – | – | – | – | 5 | 1 | 1 | – | – | – |
| | 6, Drowning | 79 | 1 | 1 | – | – | 2 | 1 | – | 1 | – | 3 | 1 | 15 | 5 | 1 | – |
| | 7. Suffocation | 116 | – | – | 4 | 1 | 1 | – | – | – | 3 | 9 | 2 | 18 | 2 | 5 | – |
| | 8. Otherwise | 61 | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 | 3 | – | 5 | 2 | 5 | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 3. Poison | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| | 4. Drowning | 22 | 2 | – | – | 1 | – | – | – | – | 1 | 1 | – | 1 | 3 | – | – |
| | 5. Hanging | 15 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – |
| | 6. Otherwise and undefined | 5 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 33 | – | – | 1 | – | – | – | – | 1 | – | 8 | 1 | 1 | 1 | 2 | – |
| | Causes not specified or ill-defined | 550 | 35 | 10 | 10 | 15 | 50 | 59 | 2 | 2 | 4 | 29 | 8 | 13 | 21 | 30 | 2 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | 1 | 1 | – | – | 9 | 4 | 18 | 2 | 5 | 1 | 1 | – | – | – | – | – | 1 |
| | 2. Ulcer | – | – | – | – | – | 3 | – | 7 | – | 1 | 1 | 2 | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | 2 | – | – | – | 2 | 3 | 13 | 1 | 1 | – | – | – | 1 | – | 1 | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 10 | 13 | 12 | 5 | 4 | 46 | 53 | 313 | 7 | 104 | 7 | 5 | 2 | 11 | 11 | 16 | 7 | 8 |
| | 2. Cyanosis | – | 4 | 3 | – | – | 2 | 3 | 8 | 2 | 4 | 3 | – | – | – | – | 1 | – | – |
| | 3. Spina Bifida | 1 | 1 | – | – | – | 5 | 3 | 6 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | 1 | 1 | 1 | – | 2 | 7 | 14 | 1 | 17 | 1 | 1 | – | – | 1 | – | – | 2 |
| | 5. Teething | 1 | 15 | 3 | 3 | – | 46 | 32 | 106 | 3 | 41 | 2 | 1 | 1 | – | 2 | 3 | – | 13 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Old Age | 6 | 54 | 40 | 108 | 7 | 66 | 78 | 252 | 8 | 122 | 18 | 19 | 5 | 6 | 19 | 54 | 20 | 21 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 11 | 61 | 28 | 14 | 2 | 118 | 97 | 422 | 21 | 137 | 17 | 3 | 3 | 13 | 26 | 36 | 15 | 13 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 9 | 17 | 17 | 9 | 4 | 63 | 64 | 251 | 14 | 87 | 3 | – | 1 | – | 4 | 9 | 3 | 2 |
| | 2. Gunshot Wounds | – | – | 1 | – | – | – | 2 | – | – | 1 | – | – | – | – | 1 | – | – | – |
| | 3. Cut, Stab | – | 1 | – | – | – | – | – | 3 | – | 4 | – | – | – | – | 1 | – | – | – |
| | 4. Burns and Scalds | – | 8 | 2 | 1 | – | 5 | 12 | 62 | – | 6 | 2 | – | – | 2 | 2 | – | 3 | 4 |
| | 5. Poison | – | – | – | – | – | 2 | – | 8 | – | 7 | – | – | – | – | – | 3 | – | – |
| | 6. Drowning | 2 | 11 | 20 | 38 | 4 | 35 | 26 | 83 | 2 | 23 | 6 | 2 | 2 | – | 2 | 8 | 6 | 6 |
| | 7. Suffocation | 1 | – | – | 2 | 1 | 11 | 8 | 35 | 1 | 22 | 1 | 3 | – | 2 | – | 3 | – | – |
| | 8. Otherwise | – | 14 | 6 | 3 | – | 14 | 15 | 52 | 5 | 13 | 1 | 1 | 1 | 1 | 3 | 5 | 1 | 2 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. Cut, Stab | – | 1 | 1 | – | – | 3 | 3 | 5 | 2 | 2 | 1 | – | – | – | – | 2 | 1 | – |
| | 3. Poison | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | 2 | – | – | – | 2 | 4 | 2 | 4 | – | – | – | – | – | 1 | 1 | – |
| | 5. Hanging | – | 1 | – | 1 | – | 4 | 3 | 10 | 2 | 7 | – | – | – | – | – | 1 | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | 1 | – | – | 1 | – | 28 | – | 1 | – | – | – | – | – | – | 1 | – |
| | Causes not specified or ill-defined | 2 | 22 | 9 | 46 | 2 | 15 | 19 | 64 | 5 | 12 | 8 | 1 | 1 | 3 | 6 | 13 | 5 | 8 |

CAUSES of DEATH in the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Clackmannan. | Stirling. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | 2 | 4 | 1 | – | 7 | 3 | 24 | 1 | 6 | – | – | 1 | – | – | – | – | – |
| | 2. Ulcer | – | 2 | 1 | – | – | 2 | 1 | 18 | 1 | 1 | – | – | – | – | 1 | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | 2 | 1 | – | 1 | 2 | 10 | 1 | 3 | – | – | 1 | 1 | – | 1 | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 6 | 21 | 12 | 9 | 4 | 54 | 55 | 234 | 6 | 86 | 7 | 8 | 3 | 11 | 13 | 10 | 5 | 4 |
| | 2. Cyanosis | – | 2 | 1 | – | 1 | 1 | 3 | 7 | – | 2 | 1 | 3 | 1 | 1 | – | 1 | – | – |
| | 3. Spina Bifida | – | – | – | 1 | – | 4 | 5 | 12 | – | 2 | 1 | 2 | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | 2 | – | – | 1 | 1 | 23 | – | 9 | 1 | – | – | 2 | 1 | 2 | – | 1 |
| | 5. Teething | 3 | 12 | 4 | 2 | – | 36 | 21 | 101 | 6 | 24 | – | – | – | 2 | 2 | 4 | 1 | 3 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | 1 | – | – | – | 1 | 3 | 3 | – | 3 | 1 | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 2 | 9 | 8 | 8 | 2 | 38 | 18 | 123 | 6 | 38 | 2 | 5 | 2 | 8 | 4 | 3 | 1 | 3 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | |
| | 1. Old Age | 17 | 100 | 53 | 145 | 19 | 169 | 147 | 445 | 25 | 201 | 31 | 20 | 8 | 15 | 34 | 69 | 34 | 44 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 9 | 49 | 38 | 12 | 1 | 103 | 75 | 408 | 11 | 118 | 15 | 16 | 3 | 4 | 13 | 33 | 8 | 16 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 1 | 5 | 5 | 4 | – | 10 | 9 | 50 | 1 | 24 | 1 | 2 | 1 | 1 | 2 | 5 | 1 | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. Burns and Scalds | – | 4 | 3 | 2 | – | 9 | 9 | 43 | 2 | 13 | 1 | 1 | – | – | 1 | 3 | – | – |
| | 5. Poison | – | – | – | – | – | 2 | 3 | 4 | – | 1 | – | – | – | – | 1 | 2 | – | 1 |
| | 6. Drowning | 1 | 2 | 2 | 4 | – | 8 | 4 | 18 | – | 5 | 1 | – | – | 1 | 1 | 1 | – | – |
| | 7. Suffocation | – | 1 | 5 | 2 | – | 8 | 4 | 23 | – | 20 | 1 | 1 | 1 | 2 | – | 1 | 2 | – |
| | 8. Otherwise | – | 2 | 1 | 1 | – | 1 | 4 | 15 | 1 | 6 | – | 1 | – | 2 | 3 | 2 | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Poison | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| | 4. Drowning | – | 1 | 1 | – | – | – | – | 5 | – | 1 | 1 | – | – | – | – | 4 | – | – |
| | 5. Hanging | – | – | 1 | 1 | – | 2 | 1 | 1 | – | 2 | 2 | – | – | – | 1 | – | 1 | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | 3 | – | – | 1 | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | 2 | 1 | 13 | 1 | 1 | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 1 | 16 | 10 | 56 | 6 | 21 | 12 | 76 | 10 | 17 | 8 | 4 | – | 2 | 2 | 6 | 6 | 7 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—MALES.

| Class. | CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 14578 | 6817 | 2520 | 1681 | 984 | 865 | 681 | 715 | 315 |
| | **Specified Causes** . . . | 14490 | 6759 | 2514 | 1674 | 980 | 860 | 677 | 713 | 313 |
| | (CLASSES.) | | | | | | | | | |
| I. | ZYMOTIC DISEASES . . | 2974 | 1418 | 614 | 316 | 150 | 129 | 105 | 189 | 53 |
| II. | CONSTITUTIONAL ,, . . | 2726 | 1351 | 466 | 268 | 179 | 173 | 128 | 110 | 51 |
| III. | LOCAL ,, . . | 6689 | 3085 | 1124 | 801 | 483 | 409 | 333 | 319 | 135 |
| IV. | DEVELOPMENTAL ,, . . | 1434 | 607 | 225 | 177 | 130 | 93 | 84 | 61 | 57 |
| V. | VIOLENT DEATHS . . . | 667 | 298 | 85 | 112 | 38 | 56 | 27 | 34 | 17 |
| | (ORDERS.) | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 2760 | 1327 | 565 | 299 | 134 | 112 | 99 | 178 | 46 |
| | 2. ENTHETIC ,, . . . . | 96 | 46 | 19 | 9 | 8 | 8 | 2 | 3 | 1 |
| | 3. DIETIC ,, . . . . | 109 | 42 | 30 | 6 | 8 | 6 | 4 | 7 | 6 |
| | 4. PARASITIC ,, . . . . | 9 | 3 | – | 2 | – | 3 | – | 1 | – |
| II. | 1. DIATHETIC ,, . . . . | 316 | 131 | 77 | 28 | 30 | 19 | 9 | 18 | 4 |
| | 2. TUBERCULAR ,, . . . . | 2410 | 1220 | 389 | 240 | 149 | 154 | 119 | 92 | 47 |
| III. | 1. DISEASES of NERVOUS SYSTEM | 1527 | 656 | 243 | 182 | 136 | 104 | 90 | 80 | 36 |
| | 2. ,, OF ORGANS OF CIRCULATION . . . . | 826 | 338 | 189 | 79 | 67 | 50 | 29 | 49 | 25 |
| | 3. ,, OF RESPIRATORY ORGANS . . . . | 3105 | 1509 | 479 | 426 | 175 | 179 | 147 | 141 | 49 |
| | 4. ,, OF DIGESTIVE ORGANS | 728 | 364 | 111 | 61 | 59 | 52 | 43 | 27 | 11 |
| | 5. ,, OF URINARY ORGANS . | 367 | 151 | 86 | 34 | 39 | 11 | 17 | 19 | 10 |
| | 6. ,, OF ORGANS OF GENERATION . . . . | 1 | 1 | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . . . | 96 | 47 | 13 | 12 | 6 | 6 | 5 | 3 | 4 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . . | 39 | 19 | 3 | 7 | 1 | 7 | 2 | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . . | 614 | 290 | 96 | 59 | 59 | 42 | 23 | 30 | 15 |
| | 2. ,, OF ADULTS . . | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE . | 303 | 98 | 58 | 44 | 38 | 9 | 24 | 14 | 18 |
| | 4. DISEASES OF NUTRITION . . | 517 | 219 | 71 | 74 | 33 | 42 | 37 | 17 | 24 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 14295 | 6487 | 2426 | 1783 | 1094 | 755 | 743 | 663 | 344 |
| | **Specified Causes** . . . | 14208 | 6436 | 2418 | 1774 | 1086 | 752 | 741 | 659 | 342 |
| | (CLASSES.) | | | | | | | | | |
| I. | ZYMOTIC DISEASES . | 3007 | 1468 | 567 | 321 | 144 | 106 | 135 | 205 | 61 |
| II. | CONSTITUTIONAL ,, . | 2995 | 1416 | 462 | 323 | 248 | 177 | 168 | 127 | 74 |
| III. | LOCAL ,, . | 6213 | 2759 | 1102 | 837 | 509 | 330 | 291 | 245 | 140 |
| IV. | DEVELOPMENTAL ,, . | 1737 | 684 | 240 | 254 | 166 | 125 | 139 | 67 | 62 |
| V. | VIOLENT DEATHS . . . | 256 | 109 | 47 | 39 | 19 | 14 | 8 | 15 | 5 |
| | (ORDERS.) | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 2853 | 1412 | 536 | 304 | 124 | 94 | 129 | 198 | 56 |
| | 2. ENTHETIC ,, . . | 57 | 18 | 10 | 9 | 6 | 6 | 3 | 3 | 2 |
| | 3. DIETIC ,, . . | 80 | 31 | 18 | 7 | 8 | 6 | 3 | 4 | 3 |
| | 4. PARASITIC ,, . . | 17 | 7 | 3 | 1 | 6 | – | – | – | – |
| II. | 1. DIATHETIC ,, . . | 546 | 212 | 140 | 59 | 56 | 23 | 19 | 21 | 16 |
| | 2. TUBERCULAR ,, . . | 2449 | 1204 | 322 | 264 | 192 | 154 | 149 | 106 | 58 |
| III. | 1. DISEASES of NERVOUS SYSTEM . | 1344 | 551 | 241 | 179 | 119 | 68 | 78 | 58 | 50 |
| | 2. ,, OF ORGANS OF CIRCULATION . . . . | 861 | 321 | 208 | 123 | 81 | 37 | 28 | 36 | 27 |
| | 3. ,, OF RESPIRATORY ORGANS . . . . | 2843 | 1344 | 444 | 413 | 199 | 172 | 124 | 109 | 38 |
| | 4. ,, OF DIGESTIVE ORGANS . | 782 | 375 | 132 | 87 | 61 | 41 | 40 | 29 | 17 |
| | 5. ,, OF URINARY ORGANS . | 226 | 101 | 48 | 23 | 29 | 6 | 6 | 10 | 3 |
| | 6. ,, OF ORGANS OF GENERATION . . . . | 53 | 19 | 11 | 6 | 8 | 1 | 5 | – | 3 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . . . | 63 | 24 | 14 | 4 | 8 | 3 | 6 | 2 | 2 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . . | 41 | 24 | 4 | 2 | 4 | 2 | 4 | 1 | – |
| IV. | 1. DEV. DIS. OF CHILDREN . . | 518 | 228 | 67 | 67 | 45 | 37 | 33 | 32 | 9 |
| | 2. ,, OF ADULTS . . | 155 | 69 | 24 | 20 | 11 | 9 | 12 | 6 | 4 |
| | 3. ,, OF OLD PEOPLE . | 606 | 187 | 88 | 93 | 80 | 34 | 73 | 15 | 36 |
| | 4. DISEASES OF NUTRITION . . | 458 | 200 | 61 | 74 | 30 | 45 | 21 | 14 | 13 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—MALES. (*Contd.*).

| Class | CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE . | 638 | 290 | 78 | 105 | 37 | 55 | 24 | 32 | 17 |
| | * | | | | | | | | | |
| | 3. HOMICIDE . . . . . | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . . . | 29 | 8 | 7 | 7 | 1 | 1 | 3 | 2 | – |
| | 5. EXECUTION . . . . . | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | 28 | 23 | – | 1 | 1 | 1 | – | 1 | 1 |
| | CAUSES NOT SPECIFIED. . . . . | 60 | 35 | 6 | 6 | 3 | 4 | 4 | 1 | 1 |
| I. | ORDER I. | | | | | | | | | |
| | 1. Small-pox . . . . . | 3 | – | – | 1 | 1 | 1 | – | – | – |
| | 2. Measles . . . . . | 417 | 170 | 101 | 89 | 7 | 12 | 8 | 30 | – |
| | 3. Scarlatina . . . . . | 547 | 242 | 194 | 17 | 5 | 9 | 5 | 75 | – |
| | 4. Diphtheria . . . . . | 133 | 78 | 18 | 13 | 10 | 4 | 1 | 5 | 4 |
| | 5. Quinsy . . . . . | 8 | 5 | 2 | – | – | – | – | – | 1 |
| | 6. Croup . . . . . | 131 | 54 | 21 | 12 | 10 | 15 | 8 | 11 | – |
| | 7. Hooping-cough . . . . | 603 | 331 | 100 | 47 | 39 | 26 | 37 | 22 | 1 |
| | 8. Typhus Fever . . . . | 50 | 20 | 5 | 9 | – | 10 | 3 | 1 | 2 |
| | 8. Enteric or Typhoid Fever . | 245 | 161 | 28 | 13 | 12 | 8 | 7 | 6 | 10 |
| | 8. Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever . | 19 | 7 | 6 | 1 | 1 | – | 3 | – | 1 |
| | 9. Erysipelas . . . . . | 55 | 25 | 8 | 5 | 6 | 2 | 3 | 4 | 2 |
| | 10. Puerperal Fever (Metria) . | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle . . . . . | 5 | 3 | 1 | – | – | – | 1 | – | – |
| | 12. Influenza . . . . . | 8 | 5 | 3 | – | – | – | – | – | – |
| | 13. Dysentery . . . . . | 21 | 8 | 3 | 2 | 4 | 2 | 1 | – | 1 |
| | 14. Diarrhœa . . . . . | 422 | 171 | 61 | 80 | 31 | 20 | 19 | 17 | 23 |
| | 15. Cholera . . . . . | 30 | 23 | 4 | 1 | 1 | – | 1 | – | – |
| | 16. Ague . . . . . | 3 | 1 | – | 1 | – | – | 1 | – | – |
| | 17. Remittent Fever . . . . | 10 | 2 | 1 | 1 | 2 | 1 | 1 | 2 | – |
| | 18. Rheumatism . . . . . | 46 | 19 | 8 | 7 | 4 | 2 | – | 5 | 1 |
| | 19. Other *Miasmatic* Diseases . | 4 | 2 | 1 | – | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | |
| | 1. Syphilis . . . . . | 83 | 40 | 15 | 9 | 7 | 8 | 1 | 3 | – |
| | 2. Stricture of Urethra . . | 7 | 4 | 2 | – | 1 | – | – | – | – |
| | 3. Hydrophobia . . . . . | 5 | 2 | 2 | – | – | – | 1 | – | – |
| | 4. Glanders . . . . . | 1 | – | – | – | – | – | – | – | 1 |
| | ORDER 3. | | | | | | | | | |
| | 1. Privation . . . . | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk . . | 34 | 8 | 12 | – | 3 | 2 | 3 | 1 | 5 |
| | 3. Purpura and Scurvy . . | 16 | 10 | – | 3 | 2 | – | – | 1 | – |
| | 4. Alcoholism *a* Del. Tremens . | 23 | 10 | 5 | 1 | 2 | 1 | – | 3 | 1 |
| | 4. Alcoholism *b* Intemperance . | 36 | 14 | 13 | 2 | 1 | 3 | 1 | 2 | – |
| | ORDER 4. | | | | | | | | | |
| | 1. Thrush . . . . . | 5 | 2 | – | 2 | – | 1 | – | – | – |
| | 2. Worms, etc. . . . . | 4 | 1 | – | – | – | 2 | – | 1 | – |
| II. | ORDER 1. | | | | | | | | | |
| | 1. Gout . . . . . | 2 | – | 2 | – | – | – | – | – | – |
| | 2. Dropsy . . . . . | 64 | 32 | 10 | 8 | 2 | 7 | 2 | 2 | 1 |
| | 3. Cancer . . . . . | 217 | 80 | 59 | 19 | 23 | 11 | 6 | 16 | 3 |
| | 4. Cancrum Oris (Noma) . . | 2 | 2 | – | – | – | – | – | – | – |
| | 5. Mortification . . . . . | 31 | 17 | 6 | 1 | 5 | 1 | 1 | – | – |

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—FEMALES. (*Contd.*)

| Class. | CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE . | 241 | 103 | 43 | 36 | 19 | 13 | 8 | 14 | 5 |
| | * | | | | | | | | | |
| | 3. HOMICIDE . . . . . | 2 | 2 | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . . . | 13 | 4 | 4 | 3 | – | 1 | – | 1 | – |
| | 5. EXECUTION . . . . . | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | 17 | 12 | – | 1 | 3 | – | – | 1 | – |
| | CAUSES NOT SPECIFIED . . . . | 70 | 39 | 8 | 8 | 5 | 3 | 2 | 3 | 2 |
| I. | ORDER 1. | | | | | | | | | |
| | 1. Small-pox . . . . . | 2 | 2 | – | – | – | – | – | – | – |
| | 2. Measles . . . . . | 381 | 160 | 82 | 75 | 12 | 6 | 16 | 29 | 1 |
| | 3. Scarlatina . . . . . | 484 | 225 | 158 | 16 | – | 4 | 5 | 76 | – |
| | 4. Diphtheria . . . . . | 135 | 83 | 21 | 10 | 7 | 4 | 4 | 5 | 1 |
| | 5. Quinsy . . . . . | 14 | 5 | 3 | 1 | – | 1 | 2 | 2 | – |
| | 6. Croup . . . . . | 120 | 57 | 19 | 16 | 5 | 7 | 8 | 7 | 1 |
| | 7. Hooping-cough . . . . | 717 | 403 | 111 | 70 | 30 | 25 | 45 | 30 | 3 |
| | 8. Typhus Fever . . . . | 36 | 19 | 3 | 8 | 1 | 3 | 1 | 1 | – |
| | 8. Enteric or Typhoid Fever . | 216 | 122 | 29 | 15 | 10 | 3 | 18 | 8 | 11 |
| | 8. Relapsing Fever . . . . | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever . | 23 | 9 | 3 | 3 | 1 | 4 | 2 | – | 1 |
| | 9. Erysipelas . . . . . | 65 | 29 | 6 | 7 | 11 | 3 | 5 | 3 | 1 |
| | 10. Puerperal Fever (Metria) . | 55 | 27 | 10 | 4 | 3 | 2 | 3 | 6 | – |
| | 11. Carbuncle . . . . . | 2 | 2 | – | – | – | – | – | – | – |
| | 12. Influenza . . . . . | 9 | 5 | 4 | – | – | – | – | – | – |
| | 13. Dysentery . . . . . | 29 | 11 | 6 | – | 7 | 1 | 2 | – | 2 |
| | 14. Diarrhœa . . . . . | 469 | 209 | 62 | 72 | 28 | 22 | 14 | 27 | 35 |
| | 15. Cholera . . . . . | 26 | 15 | 8 | 1 | – | 1 | – | 1 | – |
| | 16. Ague . . . . . | 1 | 1 | – | – | – | – | – | – | – |
| | 17. Remittent Fever . . . . | 9 | 5 | 1 | – | 1 | – | 1 | 1 | – |
| | 18. Rheumatism . . . . . | 54 | 20 | 9 | 6 | 6 | 8 | 3 | 2 | – |
| | 19. Other *Miasmatic* Diseases . | 6 | 3 | 1 | – | 2 | – | – | – | – |
| | ORDER 2. | | | | | | | | | |
| | 1. Syphilis . . . . . | 57 | 18 | 10 | 9 | 6 | 6 | 3 | 3 | 2 |
| | 2. Stricture of Urethra . . | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia . . . . . | – | – | – | – | – | – | – | – | – |
| | 4. Glanders . . . . . | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | |
| | 1. Privation . . . . . | 1 | – | 1 | – | – | – | – | – | – |
| | 2. Want of Breast Milk . . | 23 | 7 | 5 | – | 5 | 2 | 1 | – | 3 |
| | 3. Purpura and Scurvy . | 15 | 8 | 2 | 1 | 1 | 1 | 2 | – | – |
| | 4. Alcoholism *a* Del. Tremens . | 6 | 4 | – | – | – | 2 | – | – | – |
| | 4. Alcoholism *b* Intemperance . | 35 | 12 | 10 | 6 | 2 | 1 | – | 4 | – |
| | ORDER 4. | | | | | | | | | |
| | 1. Thrush . . . . . | 15 | 5 | 3 | 1 | 6 | – | – | – | – |
| | 2. Worms, etc. . . . . | 2 | 2 | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | |
| | 1. Gout . . . . . | 2 | – | 2 | – | – | – | – | – | – |
| | 2. Dropsy . . . . . | 86 | 46 | 18 | 7 | 3 | 5 | 5 | – | 2 |
| | 3. Cancer . . . . . | 424 | 156 | 111 | 47 | 48 | 17 | 12 | 20 | 13 |
| | 4. Cancrum Oris (Noma) . . | 3 | 2 | – | – | – | – | 1 | – | – |
| | 5. Mortification . . . . . | 31 | 8 | 9 | 5 | 5 | 1 | 1 | 1 | 1 |

* See page, 52 note.

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | |
| | 1. Scrofula | 171 | 87 | 21 | 15 | 10 | 18 | 15 | 3 | 2 |
| | 2. Tabes Mesenterica | 330 | 199 | 43 | 38 | 9 | 18 | 14 | 5 | 4 |
| | 3. Phthisis | 1493 | 752 | 242 | 151 | 100 | 87 | 68 | 58 | 35 |
| | 4. Hydrocephalus | 416 | 182 | 83 | 36 | 30 | 31 | 22 | 26 | 6 |
| III. | ORDER 1. | | | | | | | | | |
| | 1. Cephalitis | 299 | 151 | 46 | 36 | 25 | 22 | 5 | 12 | 2 |
| | 2. Apoplexy | 384 | 169 | 58 | 43 | 32 | 31 | 30 | 16 | 5 |
| | 3. Paralysis | 326 | 123 | 54 | 39 | 26 | 24 | 27 | 23 | 10 |
| | 4. Insanity | 4 | – | 2 | – | 1 | – | – | 1 | – |
| | 5. Chorea | 1 | – | – | – | 1 | – | – | – | – |
| | 6. Epilepsy | 40 | 14 | 6 | 2 | 7 | – | 4 | 3 | 4 |
| | 7. Convulsions | 291 | 122 | 44 | 47 | 30 | 14 | 14 | 17 | 3 |
| | 8. *Brain Disease, etc.* | 182 | 77 | 33 | 15 | 14 | 13 | 10 | 8 | 12 |
| | ORDER 2. | | | | | | | | | |
| | 1. Pericarditis | 22 | 9 | 6 | 2 | 3 | – | – | 2 | – |
| | 2. Aneurism | 55 | 16 | 21 | 3 | 11 | 2 | – | 2 | – |
| | 3. *Heart Disease, etc.* | 749 | 313 | 162 | 74 | 53 | 48 | 29 | 45 | 25 |
| | ORDER 3. | | | | | | | | | |
| | 1. Laryngitis | 59 | 27 | 10 | 8 | – | 5 | 5 | 2 | 2 |
| | 2. Bronchitis | 1863 | 919 | 249 | 271 | 120 | 90 | 102 | 81 | 31 |
| | 3 Pleurisy | 59 | 28 | 15 | 4 | 3 | 3 | 1 | 5 | – |
| | 4. Pneumonia | 823 | 372 | 149 | 119 | 43 | 60 | 27 | 42 | 11 |
| | 5. Asthma | 33 | 13 | 10 | 5 | – | 1 | 2 | 1 | 1 |
| | 6. *Lung Disease, etc.* | 268 | 150 | 46 | 19 | 9 | 20 | 10 | 10 | 4 |
| | ORDER 4. | | | | | | | | | |
| | 1. Gastritis | 41 | 18 | 6 | 5 | 3 | 2 | 5 | 1 | 1 |
| | 2. Enteritis | 174 | 95 | 27 | 15 | 4 | 13 | 14 | 3 | 3 |
| | 3. Peritonitis | 77 | 29 | 15 | 5 | 13 | 8 | 2 | 4 | 1 |
| | 4. Ascites | 8 | 5 | 1 | 2 | – | – | – | – | – |
| | 5. Ulceration of Intestines | 25 | 11 | 6 | 2 | 3 | 3 | – | – | – |
| | 6. Hernia | 29 | 16 | 8 | – | 2 | 1 | – | – | 2 |
| | 7. Ileus | 42 | 19 | 3 | 6 | 4 | 3 | 1 | 6 | – |
| | 8. Intussusception | 13 | 6 | 1 | 1 | 3 | 1 | 1 | – | – |
| | 9. Stricture of Intestines | 5 | 1 | 2 | – | 2 | – | – | – | – |
| | 10. Fistula | 6 | 3 | 1 | – | – | 2 | – | – | – |
| | 11. *Stomach Disease, etc.* | 107 | 60 | 12 | 9 | 11 | 7 | 4 | 3 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 29 | 20 | – | 2 | 1 | – | 5 | 1 | – |
| | 14. Jaundice | 41 | 20 | 6 | 3 | 5 | 3 | 2 | 2 | – |
| | 15. *Liver Disease, etc.* | 122 | 58 | 21 | 9 | 8 | 8 | 9 | 6 | 3 |
| | 16. *Spleen Disease, etc.* | 9 | 3 | 2 | 2 | – | 1 | – | 1 | – |
| | ORDER 5. | | | | | | | | | |
| | 1. Nephritis | 52 | 16 | 17 | 3 | 2 | 1 | 8 | 5 | – |
| | 2. Ischuria | 13 | 3 | 1 | 4 | 3 | – | 1 | – | 1 |
| | 3. Bright's Disease (Nephria) | 111 | 52 | 29 | 10 | 10 | 3 | – | 5 | 2 |
| | 4. Diabetes | 23 | 5 | 12 | 3 | 2 | – | 1 | – | – |
| | 5. Calculus (Stone) | 5 | – | 4 | 1 | – | – | – | – | – |
| | 6. Cystitis | 31 | 7 | 4 | 6 | 3 | 1 | 4 | 3 | 3 |
| | 7. *Kidney Disease, etc.* | 132 | 68 | 19 | 7 | 19 | 6 | 3 | 6 | 4 |
| | ORDER 6. | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 1 | 1 | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 5 | 2 | 1 | – | – | – | 2 | – | – |
| | 2. *Joint Disease, etc.* | 91 | 45 | 12 | 12 | 6 | 6 | 3 | 3 | 4 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—FEMALES. (*Contd.*)

| Class. | CAUSES OF DEATH. | Total Principal Towns | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | |
| | 1. Scrofula | 128 | 52 | 23 | 16 | 14 | 10 | 7 | 4 | 2 |
| | 2. Tabes Mesenterica | 238 | 128 | 29 | 25 | 13 | 18 | 11 | 9 | 5 |
| | 3. Phthisis | 1724 | 855 | 209 | 192 | 136 | 110 | 109 | 69 | 44 |
| | 4. Hydrocephalus | 359 | 169 | 61 | 31 | 29 | 16 | 22 | 24 | 7 |
| III. | ORDER 1. | | | | | | | | | |
| | 1. Cephalitis | 227 | 99 | 41 | 32 | 18 | 14 | 7 | 10 | 6 |
| | 2. Apoplexy | 356 | 162 | 61 | 54 | 24 | 12 | 23 | 10 | 10 |
| | 3. Paralysis | 346 | 136 | 58 | 45 | 27 | 17 | 21 | 24 | 18 |
| | 4. Insanity | 9 | 4 | – | – | 1 | 1 | 1 | – | 2 |
| | 5. Chorea | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 32 | 12 | 4 | 2 | 5 | 4 | 4 | 1 | – |
| | 7. Convulsions | 212 | 81 | 43 | 36 | 19 | 6 | 13 | 9 | 5 |
| | 8. *Brain Disease, etc.* | 162 | 57 | 34 | 10 | 25 | 14 | 9 | 4 | 9 |
| | ORDER 2. | | | | | | | | | |
| | 1. Pericarditis | 20 | 10 | 6 | 2 | 2 | – | – | – | – |
| | 2. Aneurism | 14 | 4 | 5 | 2 | 2 | 1 | – | – | – |
| | 3. *Heart Disease, etc.* | 827 | 307 | 197 | 119 | 77 | 36 | 28 | 36 | 27 |
| | ORDER 3. | | | | | | | | | |
| | 1. Laryngitis | 40 | 22 | 5 | 6 | 4 | 2 | – | 1 | – |
| | 2. Bronchitis | 1877 | 903 | 246 | 279 | 141 | 107 | 96 | 78 | 27 |
| | 3. Pleurisy | 42 | 13 | 16 | 7 | 5 | – | – | 1 | – |
| | 4. Pneumonia | 599 | 264 | 109 | 97 | 31 | 49 | 21 | 21 | 7 |
| | 5. Asthma | 35 | 8 | 8 | 4 | 7 | 3 | 2 | 3 | – |
| | 6. *Lung Disease, etc.* | 250 | 134 | 60 | 20 | 11 | 11 | 5 | 5 | 4 |
| | ORDER 4. | | | | | | | | | |
| | 1. Gastritis | 45 | 34 | 4 | 3 | 1 | – | 2 | – | 1 |
| | 2. Enteritis | 150 | 81 | 21 | 22 | 4 | 9 | 10 | 1 | 2 |
| | 3. Peritonitis | 104 | 51 | 19 | 11 | 7 | 10 | 1 | 5 | – |
| | 4. Ascites | 12 | 8 | – | – | 2 | 2 | – | – | – |
| | 5. Ulceration of Intestines | 46 | 16 | 10 | 9 | 7 | 1 | 2 | 1 | – |
| | 6. Hernia | 28 | 10 | 6 | 2 | 3 | – | 1 | 2 | 4 |
| | 7. Ileus | 46 | 16 | 8 | 9 | 2 | 3 | 2 | 4 | 2 |
| | 8. Intussusception | 5 | 4 | 1 | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 4 | 2 | 2 | – | – | – | – | – | – |
| | 10. Fistula | 2 | 1 | – | – | – | 1 | – | – | – |
| | 11. *Stomach Disease, etc.* | 116 | 52 | 19 | 15 | 14 | 4 | 5 | 3 | 4 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 42 | 23 | 7 | 3 | – | 3 | 6 | – | – |
| | 14. Jaundice | 36 | 12 | 11 | 1 | 2 | 4 | 1 | 4 | 1 |
| | 15. *Liver Disease, etc.* | 143 | 65 | 23 | 11 | 18 | 4 | 10 | 9 | 3 |
| | 16. *Spleen Disease, etc.* | 3 | – | 1 | 1 | 1 | – | – | – | – |
| | ORDER 5. | | | | | | | | | |
| | 1. Nephritis | 44 | 20 | 13 | 5 | – | 1 | 2 | 3 | – |
| | 2. Ischuria | 2 | – | 1 | – | – | – | – | 1 | – |
| | 3. Bright's Disease (Nephria) | 85 | 32 | 16 | 16 | 13 | 2 | 1 | 5 | – |
| | 4. Diabetes | 18 | 7 | 5 | – | 5 | – | – | – | 1 |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 17 | 7 | 4 | – | 1 | 1 | 2 | 1 | 1 |
| | 7. *Kidney Disease, etc.* | 60 | 35 | 9 | 2 | 10 | 2 | 1 | – | 1 |
| | ORDER 6. | | | | | | | | | |
| | 1. Ovarian Dropsy | 20 | 7 | 8 | 1 | 1 | 1 | 1 | – | 1 |
| | 2. *Uterus Disease, etc.* | 33 | 12 | 3 | 5 | 7 | – | 4 | – | 2 |
| | ORDER 7. | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 9 | 5 | 3 | – | – | 1 | – | – | – |
| | 2. *Joint Disease, etc.* | 54 | 19 | 11 | 4 | 8 | 2 | 6 | 2 | 2 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—MALES. (*Contd.*)

| Class. | CAUSES OF DEATH. | Total Principal Towns | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | |
| | 1. Phlegmon | 21 | 11 | 1 | 3 | – | 5 | 1 | – | – |
| | 2. Ulcer | 10 | 4 | 1 | 3 | – | 1 | 1 | – | – |
| | 3. *Skin Disease, etc.* | 8 | 4 | 1 | 1 | 1 | 1 | – | – | – |
| IV. | ORDER 1. | | | | | | | | | |
| | 1. Premature Birth | 389 | 200 | 59 | 41 | 35 | 17 | 8 | 18 | 11 |
| | 2. Cyanosis | 11 | 6 | 2 | – | 1 | 1 | – | 1 | – |
| | 3. Spina Bifida | 12 | 3 | 1 | 2 | 1 | 3 | – | 2 | – |
| | 4. Other Malformations | 37 | 9 | 11 | 5 | 9 | – | – | 3 | – |
| | 5. Teething | 165 | 72 | 23 | 11 | 13 | 21 | 15 | 6 | 4 |
| | ORDER 2. | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | |
| | 1. Old Age | 303 | 98 | 58 | 44 | 38 | 9 | 24 | 14 | 18 |
| | ORDER 4. | | | | | | | | | |
| | 1. Atrophy and Debility | 517 | 219 | 71 | 74 | 33 | 42 | 37 | 17 | 24 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | |
| | 1. Fractures and Contusions | 275 | 137 | 44 | 17 | 16 | 29 | 12 | 11 | 9 |
| | 2. Gunshot Wounds | 1 | – | 1 | – | – | – | – | – | – |
| | 3. Cut, Stab | 8 | 3 | 2 | – | 1 | – | – | 2 | – |
| | 4. Burns and Scalds | 54 | 37 | 3 | 5 | 4 | 1 | 1 | 2 | 1 |
| | 5. Poison | 14 | 4 | 4 | 2 | – | 1 | – | 3 | – |
| | 6. Drowning | 164 | 54 | 3 | 61 | 11 | 15 | 5 | 11 | 4 |
| | 7. Suffocation | 72 | 24 | 16 | 20 | 4 | 5 | 2 | – | 1 |
| | 8. Otherwise | 50 | 31 | 5 | – | 1 | 4 | 4 | 3 | 2 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 6 | 1 | – | 2 | 1 | 1 | 1 | – | – |
| | 3. Poison | 2 | 1 | 1 | – | – | – | – | – | – |
| | 4. Drowning | 3 | – | 1 | 1 | – | – | – | 1 | – |
| | 5. Hanging | 18 | 6 | 5 | 4 | – | – | 2 | 1 | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 28 | 23 | – | 1 | 1 | 1 | – | 1 | 1 |
| | Causes not specified or ill-defined | 60 | 35 | 6 | 6 | 3 | 4 | 4 | 1 | 1 |

CAUSES of DEATH in the PRINCIPAL TOWNS of SCOTLAND during the YEAR 1880.—FEMALES. (*Contd.*)

| Class. | CAUSES OF DEATH. | Total Principal Towns. | Glasgow. | Edinburgh. | Dundee. | Aberdeen. | Greenock. | Paisley. | Leith. | Perth. |
|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | |
| | 1. Phlegmon | 17 | 9 | 2 | – | 2 | – | 4 | – | – |
| | 2. Ulcer | 14 | 10 | 1 | 1 | 1 | 1 | – | – | – |
| | 3. *Skin Disease, etc.* | 10 | 5 | 1 | 1 | 1 | 1 | – | 1 | – |
| IV. | ORDER 1. | | | | | | | | | |
| | 1. Premature Birth | 315 | 136 | 47 | 43 | 25 | 23 | 15 | 21 | 5 |
| | 2. Cyanosis | 5 | 1 | 1 | 1 | – | 1 | – | 1 | – |
| | 3. Spina Bifida | 16 | 7 | 1 | 4 | 1 | 1 | 1 | 1 | – |
| | 4. Other Malformations | 30 | 10 | 5 | 8 | 3 | 1 | – | 3 | – |
| | 5. Teething | 152 | 74 | 13 | 11 | 16 | 11 | 17 | 6 | 4 |
| | ORDER 2. | | | | | | | | | |
| | 1. Paramenia | 5 | 2 | 2 | – | – | – | 1 | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 150 | 67 | 22 | 20 | 11 | 9 | 11 | 6 | 4 |
| | ORDER 3. | | | | | | | | | |
| | 1. Old Age | 606 | 187 | 88 | 93 | 80 | 34 | 73 | 15 | 36 |
| | ORDER 4. | | | | | | | | | |
| | 1. Atrophy and Debility | 458 | 200 | 61 | 74 | 30 | 45 | 21 | 14 | 13 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | |
| | 1. Fractures and Contusions | 78 | 38 | 14 | 8 | 5 | 5 | 1 | 5 | 2 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 54 | 25 | 9 | 6 | 6 | 4 | 1 | 2 | 1 |
| | 5. Poison | 8 | 4 | – | – | 2 | 1 | – | 1 | – |
| | 6. Drowning | 32 | 12 | 1 | 13 | 1 | – | 3 | 1 | 1 |
| | 7. Suffocation | 52 | 16 | 14 | 7 | 4 | 3 | 3 | 5 | – |
| | 8. Otherwise | 17 | 8 | 5 | 2 | 1 | – | – | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | |
| | 1. Murder and Manslaughter | 2 | 2 | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 4 | 1 | 1 | 1 | – | 1 | – | – | – |
| | 4. Drowning | 5 | 3 | – | 1 | – | – | – | 1 | – |
| | 5. Hanging | 3 | – | 2 | 1 | – | – | – | – | – |
| | 6. Otherwise and undefined | 1 | – | 1 | – | – | – | – | – | – |
| | ORDER 5. (*Execution*). | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 17 | 12 | – | 1 | 3 | – | – | 1 | – |
| | Causes not specified or ill-defined | 70 | 39 | 8 | 8 | 5 | 3 | 2 | 3 | 2 |

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—MALES.

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton. | Ayr. | Kilmarnock. | Barony. | Glasgow (Landward) | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 5019 | 233 | 183 | 143 | 168 | 289 | 149 | 142 | 151 | 257 | 294 | 321 | 531 | 998 | 298 | 145 | 276 | 170 | 271 |
| | **Specified Causes** . . | 4980 | 230 | 183 | 142 | 168 | 282 | 147 | 142 | 149 | 254 | 294 | 317 | 531 | 996 | 293 | 143 | 275 | 167 | 267 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 883 | 38 | 16 | 33 | 23 | 62 | 25 | 21 | 35 | 27 | 82 | 82 | 109 | 170 | 56 | 14 | 48 | 16 | 26 |
| II. | CONSTITUTIONAL ,, | 912 | 35 | 32 | 25 | 28 | 42 | 24 | 24 | 21 | 54 | 40 | 56 | 95 | 199 | 46 | 28 | 63 | 37 | 63 |
| III. | LOCAL ,, | 2365 | 119 | 93 | 62 | 81 | 115 | 76 | 65 | 73 | 115 | 136 | 127 | 251 | 493 | 144 | 87 | 109 | 82 | 137 |
| IV. | DEVELOPMENTAL ,, | 585 | 25 | 33 | 18 | 19 | 51 | 17 | 21 | 10 | 38 | 26 | 37 | 63 | 95 | 30 | 13 | 32 | 27 | 30 |
| V. | VIOLENT DEATHS . | 235 | 13 | 9 | 4 | 17 | 12 | 5 | 11 | 10 | 20 | 10 | 15 | 13 | 39 | 17 | 1 | 23 | 5 | 11 |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 830 | 36 | 13 | 28 | 23 | 59 | 23 | 20 | 34 | 24 | 76 | 76 | 106 | 166 | 50 | 14 | 45 | 15 | 22 |
| | 2. ENTHETIC ,, . | 19 | – | – | 4 | – | – | 1 | – | 1 | 1 | 3 | 1 | 1 | 2 | 2 | – | – | – | 3 |
| | 3. DIETIC ,, . | 32 | 2 | 3 | 1 | – | 3 | 1 | 1 | – | 2 | 3 | 5 | 2 | 2 | 4 | – | 1 | 1 | 1 |
| | 4. PARASITIC ,, . | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| II. | 1. DIATHETIC ,, . | 111 | 6 | 5 | 5 | 5 | 7 | 4 | 4 | 2 | 9 | 5 | 4 | 4 | 13 | 7 | 3 | 10 | 3 | 15 |
| | 2. TUBERCULAR ,, . | 801 | 29 | 27 | 20 | 23 | 35 | 20 | 20 | 19 | 45 | 35 | 52 | 91 | 186 | 39 | 25 | 53 | 34 | 48 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . | 615 | 41 | 35 | 26 | 24 | 22 | 22 | 18 | 16 | 33 | 32 | 25 | 75 | 119 | 24 | 20 | 26 | 24 | 33 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 297 | 15 | 10 | 8 | 15 | 19 | 9 | 18 | 8 | 19 | 14 | 11 | 25 | 55 | 22 | 9 | 7 | 17 | 16 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1037 | 37 | 37 | 24 | 24 | 55 | 32 | 18 | 39 | 36 | 65 | 66 | 107 | 240 | 67 | 44 | 66 | 24 | 56 |
| | 4. ,, OF DIGESTIVE ORGANS | 249 | 10 | 7 | 2 | 9 | 14 | 7 | 7 | 6 | 14 | 16 | 16 | 23 | 53 | 16 | 10 | 8 | 12 | 19 |
| | 5. ,, OF URINARY ORGANS . . | 120 | 13 | 3 | 2 | 7 | 2 | 6 | 3 | 3 | 11 | 7 | 4 | 12 | 20 | 10 | 2 | 1 | 4 | 10 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . | 32 | 3 | 1 | – | 1 | 1 | – | – | 1 | 1 | 2 | 4 | 6 | 3 | 4 | 1 | 1 | 1 | 2 |
| | 8. ,, OF INTEGUMENTARY SYSTEM | 15 | – | – | – | 1 | 2 | – | 1 | – | 1 | – | 1 | 3 | 3 | 1 | 1 | – | – | 1 |
| IV. | 1. DEV. DIS. OF CHILDREN | 174 | 5 | 15 | 6 | 6 | 16 | 4 | 8 | 2 | 6 | 16 | 13 | 13 | 33 | 6 | 4 | 7 | 7 | 7 |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 195 | 16 | 9 | 9 | 10 | 22 | 10 | 4 | 3 | 15 | 2 | 6 | 25 | 31 | 11 | 3 | 5 | 6 | 8 |
| | 4. DISEASES OF NUTRITION | 216 | 4 | 9 | 3 | 3 | 13 | 3 | 9 | 5 | 17 | 8 | 18 | 25 | 31 | 13 | 6 | 20 | 14 | 15 |

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton. | Ayr. | Kilmarnock | Barony. | Glasgow. (Landward). | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 4821 | 227 | 217 | 165 | 188 | 245 | 126 | 149 | 160 | 288 | 285 | 267 | 513 | 946 | 251 | 140 | 237 | 172 | 245 |
| | **Specified Causes** . . | 4790 | 225 | 216 | 165 | 187 | 243 | 125 | 149 | 158 | 287 | 285 | 262 | 513 | 938 | 250 | 139 | 237 | 171 | 240 |
| | (CLASSES.) | | | | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 869 | 28 | 21 | 28 | 23 | 47 | 19 | 13 | 21 | 40 | 76 | 68 | 95 | 201 | 61 | 22 | 56 | 22 | 28 |
| II. | CONSTITUTIONAL ,, | 1062 | 40 | 53 | 39 | 38 | 49 | 20 | 35 | 34 | 70 | 69 | 54 | 113 | 213 | 60 | 29 | 42 | 53 | 51 |
| III. | LOCAL ,, | 2023 | 111 | 110 | 63 | 100 | 86 | 59 | 73 | 79 | 125 | 88 | 106 | 195 | 394 | 94 | 61 | 98 | 65 | 116 |
| IV. | DEVELOPMENTAL ,, | 762 | 43 | 28 | 31 | 23 | 59 | 26 | 27 | 20 | 46 | 43 | 31 | 102 | 122 | 32 | 27 | 35 | 29 | 38 |
| V. | VIOLENT DEATHS . | 74 | 3 | 4 | 4 | 3 | 2 | 1 | 1 | 4 | 6 | 9 | 3 | 8 | 8 | 3 | – | 6 | 2 | 7 |
| | (ORDERS.) | | | | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES | 830 | 27 | 20 | 25 | 23 | 45 | 18 | 13 | 21 | 39 | 73 | 64 | 95 | 191 | 56 | 19 | 53 | 21 | 27 |
| | 2. ENTHETIC ,, . | 13 | – | 1 | 1 | – | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 | 1 | 3 | – | 1 |
| | 3. DIETIC ,, . | 23 | 1 | – | 1 | – | 2 | – | – | – | – | 3 | 3 | – | 8 | 3 | 1 | – | 1 | – |
| | 4. PARASITIC ,, . | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| II. | 1. DIATHETIC ,, . | 189 | 14 | 14 | 11 | 6 | 14 | 5 | 7 | 4 | 10 | 10 | 7 | 14 | 31 | 11 | 4 | 6 | 6 | 15 |
| | 2. TUBERCULAR ,, . | 873 | 26 | 39 | 28 | 32 | 35 | 15 | 28 | 30 | 60 | 59 | 47 | 99 | 182 | 49 | 25 | 36 | 47 | 36 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . | 509 | 31 | 25 | 12 | 29 | 25 | 14 | 24 | 18 | 29 | 25 | 26 | 41 | 96 | 19 | 20 | 27 | 13 | 35 |
| | 2. ,, OF ORGANS OF CIRCULATION | 292 | 22 | 25 | 10 | 19 | 11 | 8 | 16 | 11 | 22 | 16 | 11 | 21 | 44 | 13 | 7 | 6 | 12 | 18 |
| | 3. ,, OF RESPIRATORY ORGANS . | 841 | 32 | 43 | 30 | 31 | 31 | 21 | 20 | 33 | 54 | 33 | 48 | 93 | 185 | 43 | 25 | 51 | 26 | 42 |
| | 4. ,, OF DIGESTIVE ORGANS . | 251 | 17 | 15 | 6 | 14 | 11 | 11 | 12 | 11 | 18 | 3 | 12 | 25 | 46 | 8 | 7 | 8 | 12 | 15 |
| | 5. ,, OF URINARY ORGANS . | 73 | 8 | 2 | 2 | 4 | 5 | 2 | – | 1 | 1 | 6 | 4 | 9 | 13 | 7 | 1 | 4 | 1 | 3 |
| | 6. ,, OF ORGANS OF GENERATION | 20 | – | – | 1 | 1 | 1 | 3 | 1 | 1 | 1 | 3 | 3 | 1 | 2 | – | – | 1 | – | 1 |
| | 7. ,, OF ORGANS OF LOCOMOTION | 17 | – | – | 2 | 2 | – | – | – | 2 | – | 2 | 2 | 2 | 2 | 1 | – | – | 1 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM | 20 | 1 | – | – | – | 2 | – | – | 2 | – | – | – | 3 | 6 | 3 | 1 | 1 | – | 1 |
| IV. | 1. DEV. DIS. OF CHILDREN | 151 | 3 | 9 | 6 | 3 | 14 | 3 | 4 | 5 | 5 | 25 | 6 | 12 | 31 | 4 | 5 | 6 | 8 | 2 |
| | 2. ,, OF ADULTS . | 52 | 3 | 2 | 1 | 3 | 2 | 5 | 1 | 2 | 3 | – | 5 | 3 | 11 | – | 2 | 5 | 3 | 1 |
| | 3. ,, OF OLD PEOPLE | 349 | 32 | 11 | 21 | 14 | 30 | 10 | 15 | 6 | 25 | 11 | 8 | 53 | 44 | 15 | 8 | 15 | 8 | 23 |
| | 4. DISEASES OF NUTRITION | 210 | 5 | 6 | 3 | 3 | 13 | 8 | 7 | 7 | 13 | 7 | 12 | 34 | 36 | 13 | 12 | 9 | 10 | 12 |

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton. | Ayr. | Kilmarnock. | Barony. | Glasgow (Landward). | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE. | 223 | 13 | 8 | 3 | 16 | 12 | 4 | 10 | 10 | 19 | 10 | 14 | 12 | 39 | 16 | 1 | 22 | 5 | 9 |
| | * | | | | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 12 | – | 1 | 1 | 1 | – | 1 | 1 | – | 1 | – | 1 | 1 | – | 1 | – | 1 | – | 2 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 37 | 3 | – | 1 | – | 7 | 1 | – | 2 | 3 | – | 3 | – | 2 | 5 | 2 | 1 | 3 | 4 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small-pox | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 92 | 6 | 1 | 11 | – | 16 | 1 | 1 | 1 | 4 | 2 | 5 | 9 | 16 | 7 | – | 3 | – | 9 |
| | 3. Scarlatina | 94 | – | – | – | – | 8 | 1 | – | 2 | 1 | 12 | 21 | 15 | 18 | 3 | – | 8 | 1 | 4 |
| | 4. Diphtheria | 67 | 5 | – | 6 | 1 | – | 1 | 1 | 1 | – | 4 | 5 | 16 | 15 | 1 | 3 | 4 | 4 | – |
| | 5. Quinsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 6. Croup | 62 | 4 | – | – | 2 | 2 | 7 | – | 2 | 1 | 6 | 3 | 4 | 21 | 3 | 1 | 3 | 2 | 1 |
| | 7. Hooping-cough | 186 | 1 | – | – | 7 | 10 | 6 | 3 | 12 | 2 | 12 | 17 | 42 | 49 | 14 | 3 | 7 | 1 | – |
| | 8. Typhus Fever | 11 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | 3 | – | 2 | – | 1 |
| | 8. Enteric or Typhoid Fever | 62 | – | 2 | 2 | 3 | 2 | 2 | 1 | 2 | 4 | 5 | 12 | 4 | 5 | 3 | 1 | 6 | 4 | 4 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 7 | – | – | 2 | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | 1 | – |
| | 9. Erysipelas | 15 | – | 1 | – | – | 2 | 2 | 1 | – | 1 | 1 | – | 1 | 2 | 1 | – | 3 | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 12. Influenza | 8 | – | 1 | 1 | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | 1 | 1 | – |
| | 13. Dysentery | 16 | – | – | 1 | – | 1 | – | 1 | 1 | – | 5 | 1 | – | 2 | 3 | – | – | 1 | – |
| | 14. Diarrhœa | 163 | 16 | 7 | 5 | 9 | 15 | 1 | 8 | 7 | 7 | 18 | 4 | 13 | 28 | 10 | 5 | 7 | – | 3 |
| | 15. Cholera | 26 | – | – | – | – | 1 | 1 | – | 4 | 1 | 9 | 4 | 1 | 5 | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 5 | – | – | – | – | – | – | 3 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 18. Rheumatism | 11 | 2 | – | – | – | – | 1 | 1 | – | 2 | – | 2 | – | 1 | 1 | 1 | – | – | – |
| | 19. Other *Miasmatic* Dis. | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis | 18 | – | – | 4 | – | – | 1 | – | 1 | 1 | 3 | – | 1 | 2 | 2 | – | – | – | 3 |
| | 2. Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | 2. Want of Breast Milk | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 4 | – | – | – | – | 1 | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 3 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 22 | – | 3 | 1 | – | 1 | 1 | – | – | 2 | 2 | 3 | 1 | 2 | 3 | – | 1 | 1 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 24 | – | 2 | – | – | – | 1 | – | – | 2 | 3 | – | – | 3 | – | 2 | 7 | – | 4 |
| | 3. Cancer | 68 | 5 | 2 | 5 | 3 | 4 | 3 | 2 | 1 | 7 | 2 | 3 | 4 | 7 | 6 | 1 | 3 | 2 | 8 |
| | 4. Cancrum Oris (Noma). | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 5 Mortification | 16 | 1 | 1 | – | 2 | 2 | – | 2 | – | – | – | 1 | – | 2 | 1 | – | – | 1 | 3 |

* See page 52, note.

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton. | Ayr. | Kilmarnock | Barony. | Glasgow (Landward). | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 70 | 3 | 3 | 3 | 3 | 2 | 1 | 1 | 4 | 6 | 8 | 3 | 8 | 8 | 3 | – | 6 | 2 | 6 |
| | * | | | | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 4 | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 30 | 2 | 1 | – | 1 | 2 | – | – | 2 | 1 | – | 5 | – | 8 | 1 | 1 | – | 1 | 5 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Small-pox | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 103 | 6 | – | 12 | – | 18 | 2 | – | – | 2 | 1 | 7 | 9 | 15 | 7 | 2 | 10 | 3 | 9 |
| | 3. Scarlatina | 85 | – | – | 1 | 1 | 7 | – | – | – | 7 | 8 | 16 | 10 | 19 | 3 | – | 12 | – | 1 |
| | 4. Diphtheria | 40 | 4 | 2 | 1 | – | 2 | – | – | – | | 1 | 6 | 9 | 8 | 2 | – | 2 | 1 | – |
| | 5. Quinsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | 1 |
| | 6. Croup | 55 | 2 | 1 | – | 2 | 1 | 4 | 2 | 1 | – | 9 | 2 | 2 | 14 | 6 | 2 | 5 | 2 | – |
| | 7. Hooping-cough | 224 | 2 | 6 | – | 8 | 3 | 9 | 4 | 11 | 8 | 19 | 12 | 37 | 76 | 16 | 6 | 5 | 2 | – |
| | 8. Typhus Fever | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 2 | 1 | 1 | – | 1 |
| | 8. Enteric or Typhoid Fever | 56 | – | 2 | 1 | – | 1 | – | 1 | 1 | 4 | 7 | 9 | 2 | 8 | 5 | – | 5 | 8 | 2 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 12 | 1 | – | 1 | – | – | – | 1 | – | – | 2 | – | 2 | – | 3 | – | 1 | – | 1 |
| | 9. Erysipelas | 19 | – | 1 | – | 1 | – | – | – | 1 | 2 | 3 | – | 1 | 3 | 2 | 1 | 1 | 2 | 1 |
| | 10. Puerperal Fever (Metria) | 28 | 1 | 1 | – | 2 | 1 | 1 | – | 1 | 2 | 3 | 3 | – | 5 | 2 | – | – | 2 | 4 |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 11 | – | – | 5 | 1 | – | – | – | – | 2 | – | 1 | 1 | – | – | – | 1 | – | – |
| | 13. Dysentery | 13 | – | – | – | – | 2 | 1 | – | – | – | 3 | – | 2 | 1 | 1 | – | – | 1 | 2 |
| | 14. Diarrhœa | 147 | 8 | 3 | 4 | 7 | 8 | 1 | 5 | 5 | 7 | 13 | 7 | 19 | 33 | 5 | 7 | 10 | – | 5 |
| | 15. Cholera | 9 | – | – | – | 1 | – | – | – | 1 | – | 3 | 1 | – | 3 | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 14 | 3 | – | – | – | 2 | – | – | – | 3 | – | – | – | 5 | 1 | – | – | – | – |
| | 19. Other *Miasmatic* Dis. | 2 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Syphilis | 13 | – | 1 | 1 | – | – | 1 | – | – | 1 | – | 1 | – | 1 | 2 | 1 | 3 | – | 1 |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Privation | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 5 | – | – | – | – | – | – | – | – | – | – | 2 | – | 2 | 1 | – | – | – | – |
| | 3. Purpura and Scurvy | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| | 4. Alcoholism *b* Intemperance | 12 | 1 | – | – | – | 1 | – | – | – | – | 3 | – | – | 4 | 2 | – | – | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Thrush | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Worms, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 48 | 5 | 6 | 1 | – | 2 | – | 1 | – | 3 | 6 | 1 | 3 | 8 | 4 | 3 | 4 | – | 1 |
| | 3. Cancer | 126 | 9 | 8 | 10 | 6 | 10 | 4 | 6 | 3 | 5 | 3 | 5 | 11 | 18 | 7 | 1 | 2 | 5 | 13 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 15 | – | – | – | – | 2 | 1 | – | 1 | 2 | 1 | 1 | – | 5 | – | – | – | 1 | 1 |

* See page 52, note.

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton. | Ayr. | Kilmarnock. | Barony. | Glasgow (Landward). | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 56 | – | 5 | – | 4 | 6 | 1 | – | 1 | 5 | 4 | 1 | 6 | 10 | 1 | 2 | 1 | 1 | 8 |
| | 2. Tabes Mesenterica | 102 | 3 | 4 | 5 | 2 | 1 | 1 | – | – | 8 | 2 | 6 | 9 | 35 | 6 | 8 | 4 | 4 | 4 |
| | 3. Phthisis | 483 | 25 | 13 | 7 | 12 | 21 | 17 | 16 | 12 | 29 | 20 | 32 | 62 | 101 | 15 | 12 | 40 | 21 | 28 |
| | 4. Hydrocephalus | 160 | 1 | 5 | 8 | 5 | 7 | 1 | 4 | 6 | 3 | 9 | 13 | 14 | 40 | 17 | 3 | 8 | 8 | 8 |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 100 | 2 | 2 | 4 | 2 | 3 | 4 | 4 | 4 | – | 3 | 6 | 18 | 18 | – | 10 | 12 | 1 | 7 |
| | 2. Apoplexy | 149 | 7 | 12 | 7 | 5 | 1 | 5 | 4 | 7 | 14 | 10 | 8 | 17 | 22 | 7 | 2 | 6 | 10 | 5 |
| | 3. Paralysis | 168 | 8 | 12 | 6 | 8 | 13 | 7 | 5 | 1 | 9 | 10 | 3 | 22 | 31 | 7 | 2 | 2 | 9 | 13 |
| | 4. Insanity | 24 | 21 | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – |
| | 5. Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Epilepsy | 28 | – | – | 1 | 4 | 2 | 1 | 1 | 1 | 3 | – | – | 2 | 8 | – | 2 | – | – | 3 |
| | 7. Convulsions | 83 | 2 | 3 | 6 | 1 | 1 | 4 | 1 | – | 2 | 3 | 6 | 11 | 24 | 6 | 4 | 4 | 2 | 3 |
| | 8. *Brain Disease, etc.* | 62 | 1 | 6 | 2 | 4 | 2 | 1 | 3 | 3 | 3 | 6 | 2 | 5 | 15 | 4 | – | 2 | 2 | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 10 | – | 2 | – | – | 2 | – | – | 1 | – | – | – | – | – | 2 | 2 | 1 | – | – |
| | 2. Aneurism | 6 | 1 | – | – | – | – | – | 1 | 1 | 2 | – | – | – | 1 | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 281 | 14 | 8 | 8 | 15 | 17 | 9 | 17 | 6 | 17 | 14 | 11 | 25 | 54 | 20 | 7 | 6 | 17 | 16 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 25 | 2 | – | 1 | 1 | 1 | – | 1 | 1 | – | – | 1 | 5 | 3 | 1 | 2 | 3 | – | 3 |
| | 2. Bronchitis | 617 | 21 | 26 | 20 | 18 | 26 | 19 | 12 | 24 | 24 | 43 | 34 | 62 | 122 | 44 | 29 | 42 | 15 | 36 |
| | 3. Pleurisy | 21 | – | – | – | 1 | 1 | 1 | 2 | 1 | 4 | 2 | 1 | – | 4 | – | 2 | – | 1 | 1 |
| | 4. Pneumonia | 266 | 9 | 5 | 2 | 4 | 26 | 8 | 2 | 10 | 5 | 14 | 22 | 34 | 76 | 14 | 2 | 14 | 4 | 15 |
| | 5. Asthma | 18 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 6 | 3 | 2 | – | 1 | 1 |
| | 6. *Lung Disease, etc.* | 90 | 5 | 6 | 1 | – | 1 | 4 | 1 | 3 | 3 | 6 | 5 | 4 | 29 | 5 | 7 | 7 | 3 | – |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 19 | 1 | 1 | – | – | 1 | – | – | 3 | – | – | – | 2 | 2 | 1 | 5 | 2 | 1 | – |
| | 2. Enteritis | 46 | – | 1 | – | 1 | 3 | 2 | 2 | – | 5 | 9 | 2 | 2 | 12 | 3 | – | 1 | 1 | 2 |
| | 3. Peritonitis | 38 | – | – | 1 | 2 | 4 | 2 | 1 | 1 | 3 | 3 | 5 | 1 | 6 | 4 | – | – | 1 | 4 |
| | 4. Ascites | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – |
| | 5. Ulceration of Intestines | 6 | 1 | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | 1 | – |
| | 6. Hernia | 6 | – | – | – | – | 2 | – | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – |
| | 7. Ileus | 13 | 2 | 2 | – | – | – | 1 | – | – | – | – | 2 | 1 | 1 | 1 | – | 1 | – | 2 |
| | 8. Intussusception | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – | 1 | – |
| | 9. Stricture of Intestines | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 10. Fistula | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 40 | 1 | – | – | 2 | 1 | 1 | 1 | – | – | 1 | 1 | 4 | 11 | 4 | 1 | 1 | – | 11 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 16 | 1 | – | – | – | 1 | – | – | – | – | – | 3 | 2 | 5 | 1 | 2 | – | 1 | – |
| | 14. Jaundice | 8 | – | 1 | – | 1 | – | – | – | – | – | – | – | 1 | 3 | 1 | 1 | – | – | – |
| | 15. *Liver Disease, etc.* | 44 | 4 | 2 | 1 | 2 | 1 | 1 | 3 | 2 | 4 | 2 | 1 | 6 | 8 | 1 | – | 1 | 5 | – |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis | 9 | – | – | – | – | 1 | – | – | 1 | 3 | – | – | 2 | 1 | – | – | – | – | 1 |
| | 2. Ischuria | 3 | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 35 | 5 | – | 1 | 1 | – | 1 | 2 | 1 | 3 | – | 1 | 4 | 7 | 4 | – | 1 | 2 | 2 |
| | 4. Diabetes | 13 | 2 | – | – | – | – | 2 | – | – | – | 4 | 1 | – | 3 | – | – | – | – | 1 |
| | 5. Calculus (Stone) | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Cystitis | 15 | – | – | 1 | 3 | – | 1 | 1 | – | – | 1 | – | – | 4 | 2 | – | – | – | 2 |
| | 7. *Kidney Disease, etc.* | 43 | 5 | 3 | – | 3 | – | 2 | – | 1 | 4 | 2 | 1 | 5 | 5 | 4 | 2 | – | 2 | 4 |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 | 1 | – | 1 | – |
| | 2. *Joint Disease, etc.* | 26 | 3 | 1 | – | 1 | 1 | – | – | 1 | – | 1 | 4 | 6 | 2 | 3 | – | 1 | – | 2 |

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton | Ayr. | Kilmarnock | Barony. | Glasgow (Landward). | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 41 | 1 | 3 | 2 | – | 1 | – | – | – | 5 | 4 | 1 | 3 | 9 | 2 | 3 | – | 2 | 5 |
| | 2. Tabes Mesenterica | 100 | 1 | 1 | – | 2 | 4 | 3 | 2 | 3 | 14 | 3 | 9 | 10 | 23 | 10 | 2 | 4 | 9 | – |
| | 3. Phthisis | 599 | 23 | 29 | 17 | 23 | 24 | 9 | 21 | 20 | 38 | 41 | 29 | 72 | 122 | 30 | 18 | 28 | 30 | 25 |
| | 4. Hydrocephalus | 133 | 1 | 6 | 9 | 7 | 6 | 3 | 5 | 7 | 3 | 11 | 8 | 14 | 28 | 7 | 2 | 4 | 6 | 6 |
| III. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 69 | 7 | 1 | 2 | – | – | 2 | 4 | 2 | 2 | – | 2 | 12 | 20 | – | 2 | 9 | 1 | 3 |
| | 2. Apoplexy | 123 | 4 | 9 | 1 | 12 | 3 | 6 | 5 | 4 | 8 | 9 | 5 | 8 | 20 | 2 | 5 | 7 | 3 | 12 |
| | 3. Paralysis | 150 | 7 | 12 | 4 | 10 | 15 | 2 | 7 | 7 | 9 | 7 | 7 | 7 | 22 | 9 | 4 | 7 | 3 | 11 |
| | 4. Insanity | 15 | 8 | – | – | – | – | – | – | – | 2 | – | – | – | 2 | – | – | – | 1 | 2 |
| | 5. Chorea | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 19 | 2 | – | – | 1 | 1 | – | – | 1 | 5 | – | – | 2 | 2 | 1 | 1 | 1 | – | 2 |
| | 7. Convulsions | 73 | 1 | 1 | 2 | – | 2 | 1 | 2 | 3 | 2 | 5 | 9 | 7 | 23 | 4 | 3 | 2 | 5 | 1 |
| | 8. *Brain Disease, etc.* | 59 | 2 | 2 | 3 | 5 | 4 | 3 | 6 | 1 | 1 | 4 | 3 | 5 | 7 | 3 | 5 | 1 | – | 4 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 5 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | 1 | – | – | – |
| | 2. Aneurism | 4 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | 3. *Heart Disease, etc.* | 283 | 22 | 25 | 10 | 19 | 11 | 8 | 15 | 10 | 22 | 15 | 11 | 21 | 43 | 12 | 6 | 6 | 11 | 16 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 11 | 1 | – | – | – | 1 | – | – | – | 2 | – | 1 | 3 | 1 | 1 | 1 | – | – | – |
| | 2. Bronchitis | 566 | 21 | 30 | 23 | 26 | 17 | 14 | 15 | 23 | 39 | 27 | 24 | 56 | 102 | 38 | 21 | 38 | 23 | 29 |
| | 3. Pleurisy | 10 | 2 | – | – | – | 1 | – | 1 | – | 2 | – | – | 1 | – | – | – | 1 | 1 | 1 |
| | 4. Pneumonia | 164 | 5 | 6 | 3 | 3 | 10 | 5 | 1 | 7 | 3 | 5 | 17 | 26 | 49 | 3 | 1 | 8 | 1 | 11 |
| | 5. Asthma | 16 | 3 | 4 | – | – | – | – | – | – | 2 | – | 1 | – | 6 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 74 | – | 3 | 4 | 2 | 2 | 2 | 3 | 3 | 6 | 1 | 5 | 7 | 27 | 1 | 2 | 4 | 1 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 19 | 3 | – | – | – | 1 | – | 2 | 1 | – | – | 1 | 3 | 1 | 1 | 4 | 2 | – | – |
| | 2. Enteritis | 40 | 3 | 2 | – | 2 | 1 | 1 | 1 | 1 | 8 | 1 | 2 | 3 | 6 | 2 | – | 3 | 2 | 2 |
| | 3. Peritonitis | 32 | 3 | 1 | – | 2 | – | 5 | 1 | – | 1 | – | 2 | 4 | 4 | 3 | – | – | 1 | 5 |
| | 4. Ascites | 6 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 16 | – | 1 | 2 | 1 | 1 | – | – | – | – | 1 | 1 | 2 | 2 | – | – | 1 | 3 | 1 |
| | 6. Hernia | 3 | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 7. Ileus | 11 | – | 1 | – | 1 | 1 | – | – | – | 3 | – | – | 1 | 3 | – | 1 | – | – | – |
| | 8. Intussusception | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 44 | 3 | 1 | – | 4 | 3 | – | 4 | 3 | 1 | – | – | 2 | 13 | 2 | 1 | 1 | 4 | 2 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 14 | 2 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 7 | – | 1 | 1 | – | – |
| | 14. Jaundice | 13 | – | – | 1 | 1 | – | – | 2 | 1 | 1 | 1 | 2 | – | 2 | – | – | – | – | 2 |
| | 15. *Liver Disease, etc.* | 46 | 3 | 4 | 2 | 2 | 4 | 4 | 2 | 4 | 2 | – | 2 | 7 | 5 | – | – | – | 2 | 3 |
| | 16 *Spleen Disease, etc.* | 4 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | | | | | |
| | 1. Nephritis | 12 | – | 1 | – | – | 1 | 1 | – | – | 1 | – | – | 1 | 5 | – | – | 2 | – | – |
| | 2. Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 3. Bright's Disease (Nephria) | 36 | 6 | 1 | 1 | 4 | 2 | – | – | – | – | 4 | 2 | 3 | 5 | 3 | – | 1 | 1 | 3 |
| | 4. Diabetes | 5 | – | – | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – |
| | 5. Calculus (Stone) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – |
| | 7. *Kidney Disease, etc.* | 15 | 2 | – | 1 | – | 1 | 1 | – | – | – | 1 | 2 | 4 | 2 | 1 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 9 | – | – | – | – | 1 | 3 | 1 | – | – | 2 | – | – | – | – | – | 1 | – | 1 |
| | 2. *Uterus Disease, etc.* | 11 | – | – | 1 | 1 | – | – | – | 1 | 1 | 1 | 3 | 1 | 2 | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 16 | – | – | 2 | 2 | – | – | – | 2 | – | 2 | 2 | 2 | 1 | 1 | – | – | 1 | 1 |

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton. | Ayr. | Kilmarnock. | Barony. | Glasgow (Landward). | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 4 | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| | 2. Ulcer | 3 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| | 3. *Skin Disease, etc.* | 8 | – | – | – | 1 | 1 | – | – | – | 1 | – | – | 1 | 2 | 1 | – | – | – | 1 |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 114 | 2 | 10 | 3 | 3 | 7 | – | 2 | 1 | 3 | 12 | 10 | 9 | 28 | 6 | 3 | 4 | 6 | 5 |
| | 2. Cyanosis | 6 | – | 1 | – | – | 3 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| | 3. Spina Bifida | 5 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 4. Other Malformations | 6 | – | – | – | 1 | – | – | 1 | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| | 5. Teething | 43 | 1 | 4 | 3 | 2 | 5 | 4 | 5 | – | 3 | 2 | 2 | 4 | 3 | – | 1 | 1 | 1 | 2 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age | 195 | 16 | 9 | 9 | 10 | 22 | 10 | 4 | 3 | 15 | 2 | 6 | 25 | 31 | 11 | 3 | 5 | 6 | 8 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 216 | 4 | 9 | 3 | 3 | 13 | 3 | 9 | 5 | 17 | 8 | 18 | 25 | 31 | 13 | 6 | 20 | 14 | 15 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 96 | 1 | 7 | – | 7 | 6 | 3 | 5 | 2 | 6 | 6 | 2 | 7 | 16 | 12 | – | 11 | 2 | 3 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 24 | – | – | – | 3 | 3 | – | 1 | – | 1 | – | 3 | 2 | 6 | – | 1 | 3 | 1 | – |
| | 5. Poison | 4 | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 6. Drowning | 55 | 9 | 1 | 1 | 3 | 1 | 1 | 2 | 6 | 5 | 2 | 6 | – | 8 | 1 | – | 4 | 1 | 4 |
| | 7. Suffocation | 15 | 1 | – | 1 | 2 | – | – | – | – | 2 | – | 2 | 3 | 2 | – | – | 1 | – | 1 |
| | 8. Otherwise | 26 | – | – | 1 | – | – | – | 2 | 2 | 5 | 2 | 1 | – | 6 | 3 | – | 2 | 1 | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 2. Cut, Stab | 4 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | 1 |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 3 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 5. Hanging | 3 | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 2 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 37 | 3 | – | 1 | – | 7 | 1 | – | 2 | 3 | – | 3 | – | 2 | 5 | 2 | 1 | 3 | 4 |

CAUSES of DEATH in the LARGE TOWNS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Large Towns. | Inverness. | Arbroath. | Forfar. | Montrose. | Dunfermline. | Kirkcaldy. | Stirling. | Dumbarton. | Ayr. | Kilmarnock | Barony. | Glasgow (Landward). | Govan. | Hamilton. | Airdrie. | Coatbridge. | Hawick. | Dumfries. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8 | | | | | | | | | | | | | | | | | | | |
| | 1 Phlegmon | 12 | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | 5 | 3 | – | 1 | – | – |
| | 2. Ulcer | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 1 | – | – | – |
| | 3. *Skin Disease, etc.* | 4 | – | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | 1 |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 105 | 1 | 6 | 5 | 2 | 7 | 1 | 3 | 3 | 4 | 20 | 3 | 9 | 22 | 4 | 5 | 3 | 7 | – |
| | 2. Cyanosis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Spina Bifida | 4 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |
| | 4. Other Malformations | 7 | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | 3 | – | – | – | – | – |
| | 5. Teething | 34 | – | 2 | 1 | 1 | 6 | 2 | 1 | 1 | 1 | 4 | 3 | 2 | 4 | – | – | 3 | 1 | 2 |
| | ORDER 2. | | | | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 52 | 3 | 2 | 1 | 3 | 2 | 5 | 1 | 2 | 3 | – | 5 | 3 | 11 | – | 2 | 5 | 3 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | | | | | | |
| | 1. Old Age | 349 | 32 | 11 | 21 | 14 | 30 | 10 | 15 | 6 | 25 | 11 | 8 | 53 | 44 | 15 | 8 | 15 | 8 | 23 |
| | ORDER 4. | | | | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 210 | 5 | 6 | 3 | 3 | 13 | 8 | 7 | 7 | 13 | 7 | 12 | 34 | 36 | 13 | 12 | 9 | 10 | 12 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 16 | 2 | – | 1 | – | 1 | – | – | 2 | 3 | 1 | – | 2 | 2 | – | – | 1 | – | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 18 | – | – | – | 2 | – | – | – | 1 | 2 | 1 | 1 | 3 | 3 | 1 | – | 1 | 1 | 2 |
| | 5. Poison | 3 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | 1 |
| | 6. Drowning | 8 | 1 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | 2 | 1 | – |
| | 7. Suffocation | 14 | – | 2 | 2 | 1 | – | 1 | – | 1 | – | 1 | – | 1 | 2 | 1 | – | 1 | – | 1 |
| | 8. Otherwise | 11 | – | – | – | – | 1 | – | 1 | – | – | 3 | 1 | 1 | 1 | 1 | – | 1 | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | | 1 |
| | 5. Hanging | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 30 | 2 | 1 | – | 1 | 2 | – | – | 2 | 1 | – | 5 | – | 8 | 1 | 1 | – | 1 | 5 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES.

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 8635 | 35 | 47 | 152 | 93 | 44 | 172 | 227 | 327 | 59 | 285 | 244 | 554 | 161 | 543 |
| | **Specified Causes** . . . | 8528 | 34 | 47 | 151 | 93 | 43 | 169 | 225 | 318 | 59 | 284 | 241 | 547 | 160 | 531 |
| | (CLASSES). | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1656 | 7 | 4 | 18 | 20 | 5 | 23 | 45 | 58 | 12 | 56 | 29 | 94 | 18 | 98 |
| II. | CONSTITUTIONAL ,, | 1546 | 4 | 17 | 26 | 13 | 8 | 27 | 28 | 42 | 6 | 48 | 64 | 78 | 43 | 85 |
| III. | LOCAL ,, | 3825 | 13 | 19 | 78 | 42 | 20 | 89 | 111 | 155 | 32 | 134 | 103 | 250 | 69 | 244 |
| IV. | DEVELOPMENTAL ,, | 1078 | 6 | 6 | 22 | 12 | 7 | 26 | 32 | 55 | 5 | 33 | 32 | 87 | 17 | 79 |
| V. | VIOLENT DEATHS . . | 423 | 4 | 1 | 7 | 6 | 3 | 4 | 9 | 8 | 4 | 13 | 13 | 38 | 13 | 25 |
| | (ORDERS). | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 1569 | 7 | 4 | 16 | 20 | 5 | 19 | 43 | 57 | 12 | 51 | 26 | 88 | 12 | 94 |
| | 2. ENTHETIC ,, . . | 20 | – | – | 2 | – | – | – | 1 | – | – | 1 | – | 2 | 1 | – |
| | 3. DIETIC ,, . . | 63 | – | – | – | – | – | 4 | 1 | 1 | – | 3 | 3 | 3 | 4 | 4 |
| | 4. PARASITIC ,, . . | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| II. | 1. DIATHETIC ,, . . | 226 | 1 | 1 | 5 | 5 | 3 | 1 | 4 | 10 | 3 | 13 | 7 | 13 | 5 | 12 |
| | 2. TUBERCULAR ,, . . | 1320 | 3 | 16 | 21 | 8 | 5 | 26 | 24 | 32 | 3 | 35 | 57 | 65 | 38 | 73 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 896 | 4 | 4 | 20 | 17 | 7 | 30 | 23 | 28 | 4 | 23 | 23 | 58 | 18 | 45 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 578 | 2 | 1 | 6 | 3 | – | 13 | 9 | 16 | 12 | 26 | 20 | 36 | 10 | 52 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1540 | 5 | 6 | 36 | 20 | 11 | 29 | 54 | 73 | 8 | 60 | 40 | 99 | 24 | 92 |
| | 4. ,, OF DIGESTIVE ORGANS | 498 | 2 | 6 | 6 | 1 | 1 | 11 | 8 | 21 | 5 | 12 | 10 | 33 | 10 | 39 |
| | 5. ,, OF URINARY ORGANS | 222 | – | 1 | 10 | 1 | 1 | 6 | 13 | 12 | 3 | 8 | 4 | 18 | 4 | 11 |
| | 6. ,, OF ORGANS OF GENERATION . | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 53 | – | 1 | – | – | – | – | 1 | 1 | – | – | 3 | 6 | 3 | 4 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 34 | – | – | – | – | – | – | 3 | 4 | – | 5 | 2 | – | – | 1 |
| IV. | 1. DEV. DIS. OF CHILDREN . | 325 | 1 | – | 3 | 2 | 2 | 6 | 12 | 16 | – | 5 | 11 | 18 | 5 | 16 |
| | 2. ,, OF ADULTS . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE . | 391 | 4 | 3 | 13 | 7 | 4 | 12 | 10 | 21 | 5 | 20 | 13 | 41 | 3 | 31 |
| | 4. DISEASES OF NUTRITION . | 362 | 1 | 3 | 6 | 3 | 1 | 8 | 10 | 18 | – | 8 | 8 | 28 | 9 | 32 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 8847 | 54 | 51 | 159 | 111 | 52 | 191 | 253 | 292 | 48 | 297 | 252 | 593 | 170 | 542 |
| | **Specified Causes** . . . | 8761 | 53 | 51 | 158 | 109 | 50 | 190 | 253 | 285 | 48 | 297 | 248 | 583 | 169 | 532 |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1745 | 9 | 9 | 14 | 38 | 5 | 41 | 49 | 35 | 8 | 57 | 27 | 111 | 25 | 99 |
| II. | CONSTITUTIONAL ,, | 1904 | 8 | 11 | 37 | 24 | 12 | 44 | 42 | 46 | 9 | 48 | 50 | 115 | 42 | 124 |
| III. | LOCAL ,, | 3669 | 25 | 18 | 73 | 30 | 24 | 83 | 123 | 135 | 22 | 139 | 129 | 265 | 73 | 219 |
| IV. | DEVELOPMENTAL ,, | 1317 | 10 | 12 | 31 | 15 | 9 | 21 | 33 | 66 | 7 | 48 | 38 | 83 | 27 | 83 |
| V. | VIOLENT DEATHS . . | 126 | 1 | 1 | 3 | 2 | – | 1 | 6 | 3 | 2 | 5 | 4 | 9 | 2 | 7 |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 1699 | 9 | 9 | 13 | 38 | 5 | 41 | 48 | 35 | 8 | 54 | 27 | 107 | 23 | 97 |
| | 2. ENTHETIC ,, . . | 12 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . . | 29 | – | – | – | – | – | – | 1 | – | – | 3 | – | 4 | 2 | 2 |
| | 4. PARASITIC ,, . . | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . . | 375 | 1 | 3 | 12 | 5 | 7 | 10 | 10 | 11 | 6 | 15 | 14 | 29 | 8 | 22 |
| | 2. TUBERCULAR ,, . . | 1529 | 7 | 8 | 25 | 19 | 5 | 34 | 32 | 35 | 3 | 33 | 36 | 86 | 34 | 102 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 894 | 9 | 5 | 13 | 9 | 5 | 19 | 29 | 33 | 5 | 39 | 39 | 68 | 17 | 45 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 554 | 1 | 4 | 8 | 5 | 1 | 16 | 10 | 26 | 2 | 27 | 25 | 44 | 15 | 32 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1409 | 10 | 4 | 41 | 7 | 13 | 28 | 58 | 54 | 7 | 41 | 41 | 95 | 22 | 93 |
| | 4. ,, OF DIGESTIVE ORGANS | 557 | 2 | 4 | 6 | 7 | 3 | 12 | 14 | 19 | 4 | 18 | 21 | 42 | 12 | 38 |
| | 5. ,, OF URINARY ORGANS | 134 | 3 | 1 | 3 | 2 | 2 | 4 | 5 | 2 | 4 | 6 | 2 | 10 | 5 | 7 |
| | 6. ,, OF ORGANS OF GENERATION . | 50 | – | – | 1 | – | – | 1 | 3 | – | – | 6 | – | 2 | 2 | 2 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 32 | – | – | 1 | – | – | 1 | – | – | – | – | 1 | 2 | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 39 | – | – | – | – | – | 2 | 4 | 1 | – | 2 | – | 2 | – | 2 |
| IV. | 1. DEV. DIS. OF CHILDREN . | 297 | – | 1 | 3 | – | – | 8 | 12 | 22 | 1 | 12 | 6 | 13 | 7 | 18 |
| | 2. ,, OF ADULTS . . | 111 | 1 | 1 | 3 | 1 | – | 1 | 2 | 8 | 1 | 3 | 2 | 6 | 1 | 4 |
| | 3. ,, OF OLD PEOPLE . | 625 | 7 | 4 | 17 | 13 | 8 | 10 | 16 | 28 | 4 | 26 | 24 | 51 | 14 | 40 |
| | 4. DISEASES OF NUTRITION . | 284 | 2 | 6 | 8 | 1 | 1 | 2 | 3 | 8 | 1 | 7 | 6 | 13 | 5 | 21 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 447 | 247 | 93 | 841 | 1186 | 1392 | 275 | 425 | 122 | 56 | 29 | 191 | 88 | 77 | 107 | 116 |
| | **Specified Causes** . . . | 440 | 239 | 93 | 836 | 1176 | 1376 | 272 | 424 | 117 | 55 | 29 | 188 | 87 | 75 | 104 | 115 |
| | (CLASSES.) | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 74 | 52 | 12 | 217 | 226 | 333 | 58 | 100 | 17 | 13 | 6 | 24 | 6 | 6 | 7 | 18 |
| II. | CONSTITUTIONAL ,, | 77 | 38 | 35 | 186 | 212 | 251 | 44 | 55 | 20 | 9 | 6 | 38 | 17 | 22 | 25 | 22 |
| III. | LOCAL ,, | 212 | 109 | 35 | 310 | 520 | 558 | 128 | 202 | 56 | 29 | 13 | 94 | 52 | 31 | 54 | 63 |
| IV. | DEVELOPMENTAL ,, | 54 | 27 | 4 | 86 | 150 | 163 | 27 | 47 | 20 | 3 | 2 | 28 | 12 | 12 | 14 | 10 |
| V. | VIOLENT DEATHS . . | 23 | 13 | 7 | 37 | 68 | 71 | 15 | 20 | 4 | 1 | 2 | 4 | – | 4 | 4 | 2 |
| | (ORDERS.) | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 70 | 45 | 11 | 214 | 214 | 320 | 51 | 97 | 16 | 13 | 6 | 22 | 6 | 5 | 7 | 18 |
| | 2. ENTHETIC ,, . . | 1 | 2 | – | 1 | 2 | 5 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 3 DIETIC ,, . . | 3 | 5 | 1 | 2 | 10 | 7 | 6 | 2 | 1 | – | – | 2 | – | 1 | – | – |
| | 4. PARASITIC ,, . . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . . | 9 | 6 | 5 | 15 | 20 | 35 | 7 | 9 | 6 | 4 | 2 | 8 | 6 | 4 | 2 | 5 |
| | 2. TUBERCULAR ,, | 68 | 32 | 30 | 171 | 192 | 216 | 37 | 46 | 14 | 5 | 4 | 30 | 11 | 18 | 23 | 17 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 42 | 35 | 12 | 80 | 124 | 117 | 36 | 52 | 12 | 7 | 1 | 22 | 12 | 11 | 12 | 17 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 39 | 19 | 10 | 39 | 75 | 52 | 28 | 29 | 15 | 9 | 5 | 13 | 12 | 7 | 11 | 9 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 94 | 36 | 8 | 135 | 187 | 265 | 43 | 81 | 21 | 6 | 6 | 30 | 16 | 7 | 21 | 27 |
| | 4. ,, OF DIGESTIVE ORGANS | 24 | 10 | 4 | 41 | 85 | 82 | 12 | 27 | 3 | – | 1 | 21 | 9 | 3 | 6 | 5 |
| | 5. ,, OF URINARY ORGANS | 8 | 5 | 1 | 12 | 36 | 25 | 9 | 7 | 4 | 4 | – | 6 | 2 | 3 | 4 | 4 |
| | 6. ,, OF ORGANS OF GENERATION . | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 5 | 2 | – | – | 9 | 10 | – | 4 | – | 1 | – | 1 | 1 | – | – | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | 2 | 4 | 7 | – | 2 | 1 | 2 | – | 1 | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 11 | 2 | 1 | 31 | 63 | 61 | 11 | 16 | 8 | – | 1 | 11 | 3 | 3 | 3 | 3 |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE . | 27 | 19 | 1 | 27 | 40 | 42 | 3 | 10 | 8 | 2 | 1 | 5 | 3 | 6 | 6 | 4 |
| | 4 DISEASES OF NUTRITION . | 16 | 6 | 2 | 28 | 47 | 60 | 13 | 21 | 4 | 1 | – | 12 | 6 | 3 | 5 | 3 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 439 | 244 | 111 | 917 | 1138 | 1386 | 267 | 417 | 140 | 54 | 43 | 235 | 84 | 89 | 113 | 105 |
| | **Specified Causes** . . . | 433 | 243 | 111 | 908 | 1134 | 1373 | 262 | 415 | 138 | 54 | 43 | 233 | 84 | 89 | 113 | 102 |
| | (CLASSES.) | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 78 | 27 | 19 | 214 | 255 | 351 | 80 | 94 | 20 | 5 | 6 | 35 | 10 | 10 | 6 | 8 |
| II. | CONSTITUTIONAL ,, | 92 | 65 | 32 | 211 | 282 | 278 | 54 | 75 | 30 | 10 | 9 | 55 | 16 | 21 | 34 | 28 |
| III. | LOCAL ,, | 180 | 102 | 50 | 354 | 426 | 522 | 92 | 186 | 58 | 29 | 20 | 99 | 50 | 42 | 54 | 47 |
| IV. | DEVELOPMENTAL ,, | 76 | 44 | 10 | 113 | 156 | 208 | 33 | 57 | 27 | 8 | 7 | 38 | 7 | 14 | 17 | 19 |
| V. | VIOLENT DEATHS . . | 7 | 5 | – | 16 | 15 | 14 | 3 | 3 | 3 | 2 | 1 | 6 | 1 | 2 | 2 | – |
| | (ORDERS.) | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 76 | 27 | 19 | 210 | 249 | 343 | 76 | 93 | 19 | 4 | 5 | 33 | 8 | 10 | 6 | 7 |
| | 2. ENTHETIC ,, . . | 1 | – | – | 2 | – | 1 | 2 | – | 1 | 1 | 1 | 1 | 1 | – | – | – |
| | 3. DIETIC ,, . . | 1 | – | – | 2 | 5 | 4 | 1 | 1 | – | – | – | 1 | 1 | – | – | 1 |
| | 4. PARASITIC ,, . . | – | – | – | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . . | 23 | 25 | 8 | 22 | 35 | 38 | 6 | 18 | 9 | 3 | 3 | 12 | 5 | 3 | 5 | 7 |
| | 2. TUBERCULAR ,, . . | 69 | 40 | 24 | 189 | 247 | 240 | 48 | 57 | 21 | 7 | 6 | 43 | 11 | 18 | 29 | 21 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 48 | 28 | 17 | 82 | 100 | 119 | 26 | 42 | 17 | 10 | 4 | 20 | 16 | 11 | 6 | 13 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 22 | 19 | 8 | 44 | 66 | 60 | 8 | 31 | 7 | 7 | 3 | 15 | 13 | 9 | 20 | 6 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 73 | 34 | 18 | 153 | 158 | 212 | 38 | 74 | 22 | 8 | 6 | 40 | 11 | 13 | 18 | 17 |
| | 4. ,, OF DIGESTIVE ORGANS | 26 | 13 | 2 | 58 | 73 | 88 | 10 | 27 | 8 | 2 | 4 | 16 | 10 | 6 | 5 | 7 |
| | 5. ,, OF URINARY ORGANS | 4 | 6 | 4 | 7 | 12 | 15 | 5 | 8 | 4 | 1 | 1 | 4 | – | 2 | 3 | 2 |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | 2 | 1 | 3 | 8 | 9 | 3 | 2 | – | 1 | 1 | 1 | – | – | – | 1 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | – | – | 4 | 5 | 8 | – | 2 | – | – | – | 2 | – | 1 | 2 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 4 | – | – | 3 | 4 | 11 | 2 | – | – | – | 1 | 1 | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 11 | 4 | 4 | 24 | 38 | 67 | 9 | 9 | 2 | 2 | 1 | 15 | 2 | 1 | 2 | 3 |
| | 2. ,, OF ADULTS . | 6 | 3 | 2 | 13 | 13 | 20 | 4 | 2 | 1 | 1 | 1 | 8 | – | 2 | – | 1 |
| | 3. ,, OF OLD PEOPLE . | 31 | 34 | 3 | 48 | 76 | 66 | 12 | 31 | 16 | 1 | 4 | 13 | 4 | 5 | 9 | 10 |
| | 4. DISEASES OF NUTRITION . | 28 | 3 | 1 | 28 | 29 | 55 | 8 | 15 | 8 | 4 | 1 | 2 | 1 | 6 | 6 | 5 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 390 | 4 | 1 | 7 | 5 | 3 | 3 | 9 | 7 | 3 | 10 | 12 | 37 | 12 | 24 |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 4. SUICIDE | 30 | – | – | – | 1 | – | 1 | – | 1 | 1 | 2 | 1 | – | 1 | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 12 | – | – | – | – | – | – | 1 | 2 | – | – | 1 | 3 | – | – |
| | CAUSES NOT SPECIFIED | 95 | 1 | – | 1 | – | 1 | 3 | 1 | 7 | – | 1 | 2 | 4 | 1 | 12 |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 142 | – | – | – | 3 | 1 | 1 | 4 | 6 | 5 | 1 | – | 12 | – | 9 |
| | 3. Scarlatina | 332 | 4 | 1 | 4 | – | – | 1 | 1 | 10 | – | 3 | 4 | 8 | 1 | 22 |
| | 4. Diphtheria | 81 | – | – | – | – | – | – | 3 | – | – | 1 | – | 6 | 1 | 7 |
| | 5. Quinsy | 10 | – | – | – | – | – | 1 | – | – | – | – | – | 3 | – | 1 |
| | 6. Croup | 106 | – | – | 2 | 5 | – | 2 | 4 | 3 | – | 6 | 2 | 11 | 1 | 9 |
| | 7. Hooping-cough | 222 | – | – | 1 | 6 | – | 5 | 13 | 5 | – | 6 | 3 | 10 | 3 | 1 |
| | 8. Typhus Fever | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 8. Enteric or Typhoid Fever | 183 | – | 1 | 4 | – | 1 | 2 | 6 | 3 | 1 | 15 | 8 | 11 | 1 | 5 |
| | 8. Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 9. Erysipelas | 47 | – | – | – | – | – | – | 1 | 5 | – | 4 | – | 5 | – | 3 |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 8 | – | – | – | – | – | – | – | 1 | – | – | 2 | 1 | – | 1 |
| | 12. Influenza | 13 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 4 |
| | 13. Dysentery | 22 | – | – | – | 1 | – | – | – | 1 | 1 | 2 | 1 | – | – | 3 |
| | 14. Diarrhœa | 280 | 1 | 2 | 3 | 5 | 3 | 6 | 9 | 20 | 2 | 9 | 6 | 12 | 3 | 17 |
| | 15. Cholera | 28 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 16. Ague | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 17. Remittent Fever | 9 | – | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 3 |
| | 18. Rheumatism | 52 | 1 | – | 1 | – | – | 1 | 1 | 3 | 2 | 2 | – | 5 | – | 7 |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 15 | – | – | 2 | – | – | – | 1 | – | – | 1 | – | 2 | – | – |
| | 2. Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. Hydrophobia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Want of Breast Milk | 16 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | 3 | 1 |
| | 3. Purpura and Scurvy | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Alcoholism *a* Del. Tremens | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 32 | – | – | – | – | – | 4 | – | 1 | – | 1 | 2 | 3 | – | 2 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 46 | 1 | – | 1 | – | 1 | – | – | 4 | 1 | 1 | 2 | 3 | 2 | 1 |
| | 3. Cancer | 164 | – | 1 | 4 | 4 | 2 | 1 | 4 | 5 | 2 | 12 | 5 | 9 | 2 | 10 |
| | 4. Cancrum Oris (Noma) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 13 | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 | 1 | 1 |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 117 | – | 1 | 3 | 2 | – | 1 | 6 | 3 | 2 | 4 | 4 | 9 | 2 | 7 |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 8 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 8 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – |
| | CAUSES NOT SPECIFIED | 78 | 1 | – | – | 2 | 2 | 1 | – | 6 | – | – | 3 | 9 | 1 | 10 |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 119 | – | – | – | 3 | 1 | 3 | 2 | 4 | 4 | 8 | 2 | 11 | – | 5 |
| | 3. Scarlatina | 336 | 8 | – | 1 | – | – | 1 | 2 | 1 | – | 3 | 3 | 7 | – | 21 |
| | 4. Diphtheria | 96 | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | 6 | 6 | 4 |
| | 5. Quinsy | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| | 6. Croup | 100 | – | – | 1 | 4 | – | 7 | 4 | 2 | – | 2 | 3 | 15 | 1 | 7 |
| | 7. Hooping-cough | 306 | – | – | 2 | 18 | – | 17 | 21 | 6 | 1 | 3 | 7 | 15 | 3 | 9 |
| | 8. Typhus Fever | 14 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 2 |
| | 8. Enteric or Typhoid Fever | 215 | – | 2 | 3 | – | – | 1 | 6 | 7 | 2 | 14 | 6 | 15 | 3 | 9 |
| | 8. Relapsing Fever | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 8. Simple Continued Fever | 22 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | 2 |
| | 9. Erysipelas | 49 | – | – | – | 1 | – | 1 | 3 | – | – | 2 | 2 | 8 | 1 | 2 |
| | 10. Puerperal Fever (Metria) | 54 | 1 | – | – | 2 | – | 1 | – | 1 | 1 | 2 | – | 7 | 2 | 5 |
| | 11. Carbuncle | 2 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 12. Influenza | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| | 13. Dysentery | 23 | – | – | – | – | – | 1 | 1 | 3 | – | – | – | – | – | 3 |
| | 14. Diarrhœa | 268 | – | 4 | 1 | 5 | 3 | 6 | 7 | 9 | – | 14 | 3 | 19 | 6 | 11 |
| | 15. Cholera | 21 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 3 |
| | 16. Ague | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 11 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 4 |
| | 18. Rheumatism | 44 | – | 1 | 3 | 2 | – | 2 | – | 1 | – | 4 | 1 | 2 | 1 | 4 |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 12 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 6 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| | 3. Purpura and Scurvy | 5 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | – |
| | 4. Alcoholism *a* Del. Tremens | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 |
| | 4. Alcoholism *b* Intemperance | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 44 | 1 | – | 1 | 3 | 2 | – | 2 | 2 | 2 | 1 | 2 | 2 | 1 | 3 |
| | 3. Cancer | 312 | – | 3 | 11 | 1 | 3 | 9 | 7 | 9 | 4 | 14 | 12 | 25 | 7 | 16 |
| | 4. Cancrum Oris (Noma) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 17 | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | 2 | – | 3 |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 20 | 13 | 7 | 34 | 64 | 65 | 12 | 19 | 3 | 1 | 2 | 4 | – | 3 | 4 | 2 |
| | * | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 3 | – | – | 2 | 4 | 6 | 3 | 1 | 1 | – | – | – | – | 1 | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 6 | 8 | – | 5 | 10 | 12 | 3 | 1 | 5 | 1 | – | 3 | 1 | 2 | 3 | 1 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 10 | – | – | 12 | 20 | 28 | 2 | 18 | 1 | – | – | 3 | 3 | – | 3 | – |
| | 3. Scarlatina | 12 | – | – | 86 | 15 | 109 | 18 | 25 | 2 | – | 1 | 1 | – | 2 | – | 2 |
| | 4. Diphtheria | 3 | 2 | – | 18 | 11 | 11 | 6 | 6 | 2 | – | – | 3 | – | 1 | – | – |
| | 5. Quinsy | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 2 | 2 | – | 13 | 10 | 22 | 3 | 5 | 3 | – | – | – | – | – | 1 | – |
| | 7. Hooping-cough | 4 | 21 | – | 20 | 52 | 38 | 6 | 13 | 2 | 7 | – | 1 | – | – | 1 | 4 |
| | 8. Typhus Fever | 2 | – | – | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 6 | 5 | 6 | 17 | 41 | 28 | 6 | 7 | 1 | 1 | – | 5 | 1 | 1 | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 4 | – | – | – | 5 | 4 | – | 2 | 1 | – | – | – | – | – | – | 1 |
| | 9. Erysipelas | 5 | 1 | – | 4 | 9 | 5 | 1 | 1 | – | – | – | 3 | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 2 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 2 | 1 | – | – | 2 | 5 | 1 | – | – | – | 1 | – | – | – | – | 1 |
| | 14. Diarrhœa | 12 | 7 | 4 | 26 | 30 | 50 | 7 | 18 | 4 | 5 | 4 | 1 | 2 | 1 | 2 | 9 |
| | 15. Cholera | 4 | – | – | 4 | 8 | 7 | – | 1 | – | – | – | 1 | – | – | – | – |
| | 16. Ague | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | 3 | – | 6 | 4 | 9 | 1 | – | – | – | – | 4 | – | – | – | 1 |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | 2 | – | 1 | – | 4 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Privation | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | 1 | – | – | 1 | 3 | 4 | 1 | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 2 | 2 | 1 | 1 | 5 | 1 | 2 | 1 | 1 | – | – | 2 | – | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 2. Dropsy | 3 | – | – | 5 | 5 | 11 | – | 2 | – | 1 | – | 1 | – | – | – | 1 |
| | 3. Cancer | 5 | 5 | 5 | 8 | 13 | 24 | 6 | 7 | 4 | 2 | 2 | 6 | 6 | 4 | 2 | 4 |
| | 4. Cancrum Oris (Noma) | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Mortification | 1 | 1 | – | 1 | 2 | – | 1 | – | 2 | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 7 | 4 | – | 14 | 14 | 13 | 3 | 3 | 3 | 2 | 1 | 6 | 1 | – | 2 | – |
| | * | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | 2 | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 6 | 1 | – | 7 | 4 | 12 | 4 | 2 | 2 | – | – | 2 | – | – | – | 3 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 7 | – | – | 3 | 21 | 17 | 3 | 16 | 3 | – | – | 2 | 3 | – | 1 | – |
| | 3. Scarlatina | 8 | 1 | – | 83 | 28 | 119 | 24 | 15 | 2 | – | – | 1 | 3 | 4 | – | 1 |
| | 4. Diphtheria | 5 | 3 | 2 | 9 | 14 | 17 | 10 | 2 | 4 | – | – | 8 | – | – | 1 | – |
| | 5. Quinsy | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 2 | – | 2 | 7 | 15 | 16 | 5 | 2 | 1 | – | – | 3 | – | – | – | 1 |
| | 7. Hooping-cough | 15 | 14 | 1 | 25 | 60 | 54 | 14 | 10 | 2 | – | – | 7 | – | 1 | – | 1 |
| | 8. Typhus Fever | 3 | – | 1 | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 8 | 2 | 5 | 28 | 46 | 35 | 3 | 14 | 1 | 1 | – | 3 | – | 1 | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 5 | – | 1 | 2 | 4 | 3 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| | 9. Erysipelas | 3 | – | – | 9 | 6 | 6 | – | 3 | 1 | – | 1 | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 2 | 1 | 1 | 1 | 7 | 10 | – | 6 | – | – | 1 | 1 | – | 1 | 1 | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 1 | – | 1 | 1 | 2 | 5 | 1 | – | – | 1 | 1 | 2 | – | – | – | – |
| | 14. Diarrhœa | 14 | 6 | 5 | 35 | 29 | 43 | 13 | 14 | 2 | 2 | 1 | 5 | 2 | 3 | 2 | 4 |
| | 15. Cholera | 1 | – | – | 3 | 8 | 2 | 1 | 1 | – | – | – | – | – | – | 1 | – |
| | 16. Ague | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | – | 2 | – | 3 | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | 1 | 8 | 6 | 1 | 4 | 2 | – | – | 1 | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | – | – | 2 | – | 1 | 2 | – | 1 | 1 | 1 | 1 | 1 | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | – | – | 1 | 4 | 1 | – | 1 | – | – | – | 1 | – | – | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Dropsy | 2 | 3 | 1 | 2 | 4 | 6 | – | 1 | 1 | – | – | – | 1 | 1 | – | – |
| | 3. Cancer | 21 | 21 | 6 | 19 | 30 | 31 | 5 | 15 | 8 | 3 | 2 | 12 | 4 | 2 | 5 | 7 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | 1 | 1 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 108 | – | – | 2 | – | – | 2 | 2 | 5 | – | 1 | 5 | 5 | 2 | 5 |
| | 2. Tabes Mesenterica | 134 | – | 1 | 1 | – | – | – | 1 | – | – | 1 | 4 | 2 | 2 | 10 |
| | 3. Phthisis | 809 | 2 | 13 | 17 | 7 | 2 | 22 | 16 | 17 | 3 | 28 | 40 | 42 | 22 | 41 |
| | 4. Hydrocephalus | 269 | 1 | 2 | 1 | 1 | 3 | 2 | 5 | 10 | – | 5 | 8 | 16 | 12 | 17 |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 144 | – | 1 | 2 | 1 | – | 3 | 4 | 2 | – | 9 | 4 | 5 | 2 | 6 |
| | 2. Apoplexy | 246 | 2 | 2 | 3 | 1 | 3 | 4 | 7 | 11 | 2 | 4 | 5 | 18 | 5 | 11 |
| | 3. Paralysis | 206 | 1 | – | 7 | 6 | 1 | 11 | 7 | 7 | 1 | 4 | 11 | 14 | 2 | 11 |
| | 4. Insanity | 7 | – | – | – | – | – | – | 1 | – | – | – | – | 3 | 1 | – |
| | 5. Chorea | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 33 | 1 | – | 1 | 1 | – | 2 | 1 | 1 | 1 | – | 2 | 1 | 1 | 3 |
| | 7. Convulsions | 125 | – | 1 | 3 | 6 | 3 | 5 | 1 | 3 | – | 4 | 1 | 11 | 5 | 8 |
| | 8. *Brain Disease, etc.* | 134 | – | – | 4 | 1 | – | 5 | 2 | 4 | – | 2 | – | 6 | 2 | 6 |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 14 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| | 2. Aneurism | 22 | – | – | – | – | – | – | – | 1 | – | 2 | – | 4 | 1 | 3 |
| | 3. *Heart Disease, etc.* | 542 | 2 | 1 | 6 | 3 | – | 13 | 9 | 15 | 12 | 23 | 20 | 31 | 8 | 49 |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 35 | – | – | – | 1 | – | – | 3 | 4 | – | – | – | 1 | 1 | 2 |
| | 2. Bronchitis | 912 | 4 | 4 | 17 | 12 | 2 | 19 | 26 | 50 | 5 | 45 | 29 | 64 | 16 | 65 |
| | 3. Pleurisy | 31 | – | – | 2 | 1 | 1 | 1 | – | 1 | – | – | – | 1 | 1 | 2 |
| | 4. Pneumonia | 377 | – | 2 | 13 | 4 | 3 | 5 | 17 | 14 | 2 | 10 | 8 | 23 | 3 | 17 |
| | 5. Asthma | 47 | – | – | – | 2 | – | – | 1 | – | – | 1 | – | 3 | 2 | 2 |
| | 6. *Lung Disease, etc.* | 138 | 1 | – | 4 | – | 5 | 4 | 7 | 4 | 1 | 4 | 3 | 7 | 1 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 26 | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 2 | – | – |
| | 2. Enteritis | 114 | – | 1 | – | 1 | – | – | 2 | 2 | 1 | 3 | 3 | 8 | 2 | 7 |
| | 3. Peritonitis | 51 | 1 | – | 1 | – | – | 1 | 2 | 2 | – | – | – | 2 | – | 2 |
| | 4. Ascites | 12 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – | 1 |
| | 5. Ulceration of Intestines | 22 | 1 | 1 | – | – | – | 1 | – | 2 | – | 1 | – | – | 1 | 2 |
| | 6. Hernia | 8 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – |
| | 7. Ileus | 39 | – | 2 | 1 | – | – | 3 | – | 2 | 2 | 1 | 1 | 1 | 1 | 2 |
| | 8. Intussusception | 8 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 |
| | 9. Stricture of Intestines | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| | 10. Fistula | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| | 11. *Stomach Disease, etc.* | 58 | – | – | – | – | – | 1 | – | 2 | – | – | – | 4 | 1 | 8 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 26 | – | 1 | – | – | 1 | – | – | 1 | – | – | – | 1 | 2 | 1 |
| | 14. Jaundice | 35 | – | – | 1 | – | – | – | 2 | – | – | 1 | 2 | 3 | – | 6 |
| | 15. *Liver Disease, etc.* | 84 | – | 1 | 3 | – | – | 2 | 1 | 7 | 2 | 2 | 2 | 10 | – | 6 |
| | 16. *Spleen Disease, etc.* | 7 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – | 2 |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 28 | – | – | 4 | – | – | – | 2 | – | – | – | 1 | 2 | – | 3 |
| | 2. Ischuria | 6 | – | – | 1 | – | – | 1 | – | – | – | – | – | 1 | – | – |
| | 3. Bright's Disease (Nephria) | 56 | – | – | 3 | 1 | – | 2 | 5 | 2 | 1 | 1 | 1 | 4 | 2 | 5 |
| | 4. Diabetes | 23 | – | – | – | – | – | 2 | 1 | 3 | 1 | 3 | – | 1 | – | 1 |
| | 5. Calculus (Stone) | 4 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 6. Cystitis | 30 | – | – | 1 | – | – | – | 3 | 2 | – | 3 | – | 2 | – | 1 |
| | 7. *Kidney Disease, etc.* | 75 | – | 1 | – | – | 1 | – | 1 | 5 | 1 | 1 | 2 | 8 | 2 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 2. *Joint Disease, etc.* | 45 | – | 1 | – | – | – | – | 1 | 1 | – | – | 3 | 5 | 3 | 3 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 100 | – | 1 | 1 | 3 | – | 1 | 2 | 2 | – | – | 1 | 10 | 6 | 3 |
| | 2. Tabes Mesenterica | 138 | – | 1 | 1 | – | – | 2 | 6 | 2 | – | 4 | 3 | 7 | 3 | 10 |
| | 3. Phthisis | 1069 | 6 | 5 | 15 | 16 | 5 | 29 | 23 | 28 | 2 | 26 | 27 | 61 | 20 | 64 |
| | 4. Hydrocephalus | 222 | 1 | 1 | 8 | – | – | 2 | 1 | 3 | 1 | 3 | 5 | 8 | 5 | 25 |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 116 | – | – | 5 | 3 | – | 1 | 4 | 2 | – | 3 | 6 | 7 | 6 | 8 |
| | 2. Apoplexy | 250 | 4 | 1 | 3 | – | 3 | 4 | 8 | 9 | 2 | 16 | 13 | 22 | 3 | 9 |
| | 3. Paralysis | 238 | 2 | 1 | 3 | 4 | 2 | 8 | 9 | 10 | 1 | 10 | 11 | 21 | 5 | 15 |
| | 4. Insanity | 18 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | 4 | – | – |
| | 5. Chorea | 5 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 6. Epilepsy | 35 | 1 | 1 | – | – | – | 2 | – | 2 | – | 2 | 1 | 2 | – | – |
| | 7. Convulsions | 115 | 1 | 1 | 1 | 1 | – | 2 | 6 | 2 | – | 2 | 2 | 2 | 1 | 8 |
| | 8. *Brain Disease, etc.* | 117 | – | 1 | – | 1 | – | 2 | 2 | 7 | 2 | 6 | 5 | 9 | 2 | 5 |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 11 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| | 2. Aneurism | 14 | – | – | – | – | – | – | 1 | 2 | – | 1 | 3 | – | – | – |
| | 3. *Heart Disease, etc.* | 529 | 1 | 3 | 8 | 5 | – | 16 | 9 | 24 | 2 | 26 | 22 | 44 | 14 | 32 |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 18 | – | – | – | – | – | – | 2 | 3 | – | – | – | – | – | 1 |
| | 2. Bronchitis | 938 | 4 | 4 | 32 | 3 | 6 | 21 | 37 | 32 | 5 | 29 | 33 | 64 | 19 | 67 |
| | 3. Pleurisy | 21 | 2 | – | – | – | – | – | 1 | 2 | 1 | – | – | 2 | – | 1 |
| | 4. Pneumonia | 276 | 1 | – | 6 | 1 | 3 | 6 | 12 | 9 | 1 | 9 | 6 | 21 | 3 | 18 |
| | 5. Asthma | 31 | 3 | – | 2 | 3 | 2 | – | – | 1 | – | 1 | – | 1 | – | 1 |
| | 6. *Lung Disease, etc.* | 125 | – | – | 1 | – | 2 | 1 | 6 | 7 | – | 2 | 2 | 7 | – | 5 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 33 | – | – | – | – | – | – | 3 | 2 | – | – | 1 | 1 | 2 | 1 |
| | 2. Enteritis | 129 | – | – | – | 1 | – | – | 4 | 5 | – | 4 | 9 | 12 | 1 | 13 |
| | 3. Peritonitis | 69 | – | – | 1 | 2 | – | 2 | – | 4 | 1 | 2 | 3 | 4 | – | 7 |
| | 4. Ascites | 8 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | 5. Ulceration of Intestines | 37 | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 | – | 3 | 1 | 4 |
| | 6. Hernia | 12 | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | 1 |
| | 7. Ileus | 32 | 1 | 1 | 1 | 2 | 1 | 2 | 3 | 1 | 1 | 2 | – | 3 | – | 2 |
| | 8. Intussusception | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 9. Stricture of Intestines | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 78 | – | – | 1 | 1 | 1 | 2 | – | 4 | – | 3 | 4 | 4 | 2 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 35 | 1 | – | 2 | – | – | – | – | – | – | – | 1 | 4 | 1 | 1 |
| | 14. Jaundice | 32 | – | – | – | 1 | – | – | 2 | 1 | – | 3 | 1 | 4 | 1 | 5 |
| | 15. *Liver Disease, etc.* | 75 | – | 3 | – | – | 1 | 4 | – | – | 1 | 2 | 1 | 4 | 3 | 2 |
| | 16. *Spleen Disease, etc.* | 7 | – | – | 1 | – | – | – | – | – | – | – | – | 2 | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 17 | – | – | – | – | – | – | – | – | – | – | 1 | 4 | – | 1 |
| | 2. Ischuria | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 52 | 1 | – | 1 | 1 | 1 | 2 | 1 | 1 | – | 4 | – | 3 | 2 | 1 |
| | 4. Diabetes | 17 | – | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | 2 |
| | 5. Calculus (Stone) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 12 | – | – | 2 | – | – | – | – | – | 3 | 1 | – | 2 | – | – |
| | 7. *Kidney Disease, etc.* | 32 | 1 | – | – | – | – | 1 | 3 | 1 | 1 | 1 | 1 | 1 | 3 | 3 |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 21 | – | – | – | – | – | 1 | 3 | – | – | 5 | – | 1 | – | 2 |
| | 2. *Uterus Disease, etc.* | 29 | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 | 2 | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 28 | – | – | 1 | – | – | 1 | – | – | – | – | 1 | 2 | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 4 | 6 | 4 | 11 | 16 | 16 | 9 | 1 | 2 | 1 | – | – | 4 | 2 | 1 | 2 |
| | 2. Tabes Mesenterica | 5 | 1 | 4 | 18 | 17 | 38 | 3 | 17 | 3 | – | – | – | 1 | 2 | 2 | 1 |
| | 3. Phthisis | 43 | 23 | 19 | 99 | 112 | 124 | 18 | 24 | 7 | 2 | 2 | 25 | 3 | 12 | 13 | 11 |
| | 4. Hydrocephalus | 16 | 2 | 3 | 43 | 47 | 38 | 7 | 4 | 2 | 2 | 2 | 5 | 3 | 2 | 7 | 3 |
| III. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 4 | 4 | 1 | 11 | 21 | 35 | 6 | 7 | 4 | 1 | – | 5 | 1 | 1 | 2 | 2 |
| | 2 Apoplexy | 15 | 12 | 3 | 19 | 38 | 28 | 10 | 19 | 2 | 1 | – | 8 | 5 | 1 | 3 | 4 |
| | 3. Paralysis | 12 | 5 | 3 | 15 | 22 | 20 | 7 | 13 | 5 | 2 | 1 | 4 | – | 6 | 2 | 6 |
| | 4. Insanity | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | 2 | – | 7 | 3 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| | 7. Convulsions | 5 | 7 | – | 8 | 14 | 15 | 7 | 6 | 1 | – | – | 1 | 5 | 2 | 2 | 1 |
| | 8. *Brain Disease, etc.* | 4 | 5 | 5 | 19 | 25 | 18 | 6 | 5 | – | 2 | – | 4 | 1 | 1 | 3 | 4 |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | – | 1 | 2 | 3 | 1 | 1 | – | – | 1 | – | 1 | – | – | – |
| | 2. Aneurism | 1 | 1 | – | 1 | – | 4 | 1 | – | – | – | – | – | – | 1 | 1 | 1 |
| | 3. *Heart Disease, etc.* | 37 | 18 | 10 | 37 | 73 | 45 | 26 | 28 | 15 | 9 | 4 | 13 | 11 | 6 | 10 | 8 |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 2 | – | 5 | 6 | 6 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| | 2. Bronchitis | 56 | 21 | 3 | 79 | 100 | 163 | 21 | 49 | 11 | 5 | 3 | 21 | 6 | 3 | 7 | 6 |
| | 3. Pleurisy | – | – | – | 2 | 3 | 5 | 5 | 2 | – | – | – | – | 1 | – | 2 | 1 |
| | 4. Pneumonia | 25 | 9 | 5 | 33 | 45 | 59 | 9 | 22 | 7 | 1 | 2 | 8 | 9 | 3 | 8 | 11 |
| | 5. Asthma | – | 1 | – | 5 | 15 | 9 | 4 | 1 | – | – | – | – | – | – | – | 1 |
| | 6. *Lung Disease, etc.* | 13 | 3 | – | 11 | 18 | 23 | 3 | 5 | 2 | – | 1 | 1 | – | 1 | 4 | 8 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 3 | 1 | – | 2 | 7 | 7 | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Enteritis | 5 | 1 | 1 | 5 | 20 | 21 | 8 | 8 | – | – | 1 | 11 | 1 | – | 1 | 1 |
| | 3. Peritonitis | 2 | – | – | 3 | 9 | 13 | 3 | 4 | – | – | – | 2 | 2 | – | 2 | – |
| | 4. Ascites | – | – | – | 2 | – | 2 | – | 1 | – | – | – | 2 | – | – | – | – |
| | 5. Ulceration of Intestines | – | 2 | – | 1 | 6 | 3 | – | – | – | – | – | 1 | – | – | – | – |
| | 6. Hernia | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 2 | – | – | 6 | 7 | 1 | – | 3 | 1 | – | – | 1 | – | 1 | 1 | – |
| | 8. Intussusception | – | – | – | – | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – |
| | 10. Fistula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 3 | 4 | – | 8 | 9 | 15 | – | – | – | – | – | 1 | – | 1 | 1 | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | – | 2 | 6 | 3 | 2 | – | 2 | – | – | – | – | 1 | 1 | – | 1 |
| | 14. Jaundice | 2 | 1 | – | 1 | 8 | 7 | – | – | – | – | – | – | – | – | – | 1 |
| | 15. *Liver Disease, etc.* | 6 | 1 | – | 5 | 8 | 8 | 1 | 9 | 2 | – | – | 2 | 4 | – | – | 2 |
| | 16. *Spleen Disease, etc.* | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | | |
| | 1. Nephritis | 1 | – | – | 5 | 2 | 5 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| | 2. Ischuria | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. Bright's Disease (Nephria) | 2 | – | – | 1 | 9 | 7 | 5 | 2 | – | 1 | – | 1 | – | – | 1 | – |
| | 4. Diabetes | 1 | – | – | 1 | 2 | 1 | – | 1 | – | 2 | – | 1 | – | 1 | 1 | – |
| | 5. Calculus (Stone) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | 2 | – | 4 | 5 | 1 | – | 1 | 1 | – | – | 1 | 1 | 1 | – | – |
| | 7. *Kidney Disease, etc.* | 3 | 2 | 1 | – | 17 | 11 | 3 | 2 | 3 | 1 | – | 2 | 1 | 1 | 1 | 4 |
| | ORDER 6. | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | 2 | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – |
| | 2. *Joint Disease, etc.* | 5 | 2 | – | – | 7 | 9 | – | 3 | – | – | – | – | 1 | – | – | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 2 | 2 | 2 | 8 | 12 | 24 | 7 | 6 | 2 | – | – | 1 | – | 1 | 2 | 1 |
| | 2. Tabes Mesenterica | 3 | 2 | 5 | 19 | 20 | 23 | 6 | 13 | 1 | – | – | 3 | – | 1 | 2 | 1 |
| | 3. Phthisis | 55 | 33 | 12 | 134 | 172 | 162 | 25 | 31 | 14 | 7 | 6 | 28 | 9 | 14 | 22 | 18 |
| | 4. Hydrocephalus | 9 | 3 | 5 | 28 | 43 | 31 | 10 | 7 | 4 | – | – | 11 | 2 | 2 | 3 | 1 |
| III. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 3 | 2 | – | 6 | 12 | 26 | 5 | 5 | 1 | – | – | 6 | – | 2 | – | 3 |
| | 2. Apoplexy | 16 | 7 | 11 | 17 | 31 | 32 | 5 | 15 | 2 | 3 | 1 | 8 | 1 | 3 | 1 | – |
| | 3. Paralysis | 12 | 9 | 2 | 17 | 20 | 25 | 8 | 12 | 6 | – | 1 | 1 | 9 | 6 | 2 | 6 |
| | 4. Insanity | 6 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | 6. Epilepsy | 1 | – | 1 | 4 | 4 | 2 | 1 | 3 | 1 | 1 | 1 | 1 | 1 | – | 1 | 2 |
| | 7. Convulsions | 7 | 6 | – | 12 | 13 | 21 | 6 | 5 | 6 | 3 | 1 | 1 | 3 | – | 1 | 1 |
| | 8. *Brain Disease, etc.* | 3 | 2 | 3 | 23 | 18 | 13 | 1 | 2 | 1 | 3 | – | 2 | 2 | – | 1 | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | 1 | 2 | – | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – |
| | 2. Aneurism | 1 | – | – | 1 | – | 1 | – | 1 | 1 | – | – | 1 | – | 1 | – | – |
| | 3. *Heart Disease, etc.* | 20 | 19 | 7 | 41 | 66 | 58 | 7 | 30 | 5 | 7 | 3 | 14 | 12 | 8 | 20 | 6 |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | – | – | 3 | 1 | – | 3 | 1 | – | – | 1 | 1 | – | – | 1 |
| | 2. Bronchitis | 53 | 20 | 9 | 106 | 105 | 138 | 23 | 50 | 13 | 5 | 4 | 25 | 6 | 8 | 8 | 9 |
| | 3. Pleurisy | 1 | – | 1 | 1 | 4 | 3 | – | – | – | – | – | 1 | 1 | – | – | – |
| | 4. Pneumonia | 11 | 10 | 6 | 31 | 27 | 39 | 11 | 12 | 5 | 1 | 1 | 11 | 3 | 3 | 6 | 3 |
| | 5. Asthma | 2 | 2 | – | 3 | 3 | 5 | – | 1 | 1 | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 6 | 1 | 2 | 12 | 16 | 26 | 4 | 8 | 2 | 2 | 1 | 2 | – | 2 | 4 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | – | – | 3 | 7 | 7 | 1 | – | – | – | – | 1 | 3 | – | – | – |
| | 2. Enteritis | 4 | – | – | 11 | 19 | 27 | 2 | 6 | 1 | – | – | 3 | 3 | 1 | 2 | 1 |
| | 3. Peritonitis | 2 | 1 | – | 8 | 7 | 9 | 1 | 9 | 1 | 1 | 1 | – | 1 | 1 | 1 | – |
| | 4. Ascites | – | 1 | – | 1 | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 3 | 2 | 1 | 5 | 5 | 4 | – | – | 2 | – | – | – | 1 | – | – | 1 |
| | 6. Hernia | – | 1 | – | 2 | 2 | 2 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 7. Ileus | 2 | 3 | – | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | 2 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 7 | 1 | – | 8 | 10 | 10 | 1 | 4 | 1 | – | 2 | 7 | 2 | – | – | 2 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 2 | 1 | 1 | 10 | 7 | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| | 14. Jaundice | 1 | – | – | – | 4 | 2 | 1 | 1 | 1 | – | – | 1 | – | 1 | – | 2 |
| | 15. *Liver Disease, etc.* | 4 | 3 | – | 6 | 9 | 19 | 3 | 3 | 1 | – | 1 | 2 | – | 2 | – | 1 |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | 1 | – |
| | ORDER 5. | | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | – | 3 | – | 3 | – | 1 | 1 | – | – | – | – | – | 2 | – |
| | 2. Ischuria | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 1 | 2 | 3 | – | 7 | 6 | 3 | 4 | 2 | 1 | 1 | 2 | – | – | 1 | 1 |
| | 4. Diabetes | 2 | 1 | – | 2 | 2 | 1 | – | 1 | – | – | – | 1 | – | 1 | – | – |
| | 5. Calculus (Stone) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – |
| | 7. *Kidney Disease, etc.* | 1 | 1 | 1 | 2 | 3 | 3 | 1 | 2 | – | – | – | 1 | – | – | – | 1 |
| | ORDER 6. | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | 1 | 1 | 1 | 1 | 4 | – | – | – | – | – | 1 | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 1 | 1 | – | 2 | 7 | 5 | 3 | 2 | – | 1 | 1 | – | – | – | – | 1 |
| | ORDER 7. | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | 4 | 5 | 7 | – | 1 | – | – | – | 2 | – | 1 | 2 | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 19 | – | – | – | – | – | – | 2 | 1 | – | 4 | 2 | – | – | – |
| | 2. Ulcer | 6 | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 9 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 195 | – | – | 2 | 2 | – | 2 | 4 | 8 | – | 3 | 8 | 12 | 5 | 7 |
| | 2. Cyanosis | 11 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | 3 |
| | 3. Spina Bifida | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 4. Other Malformations | 25 | 1 | – | – | – | – | 2 | 5 | 1 | – | 1 | 2 | 1 | – | – |
| | 5. Teething | 85 | – | – | – | – | 2 | 2 | 3 | 7 | – | 1 | 1 | 4 | – | 5 |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | 391 | 4 | 3 | 13 | 7 | 4 | 12 | 10 | 21 | 5 | 20 | 13 | 41 | 3 | 31 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 362 | 1 | 3 | 6 | 3 | 1 | 8 | 10 | 18 | – | 8 | 8 | 28 | 9 | 32 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 185 | 1 | – | 3 | 3 | – | – | 3 | 3 | – | 5 | 6 | 14 | 9 | 8 |
| | 2. Gunshot Wounds | 4 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| | 3. Cut, Stab | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Burns and Scalds | 32 | – | – | – | 1 | 1 | – | – | – | – | – | – | 3 | – | 5 |
| | 5. Poison | 5 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| | 6. Drowning | 110 | 2 | 1 | 3 | – | 2 | 1 | 5 | 1 | 2 | 2 | 4 | 20 | 2 | 7 |
| | 7. Suffocation | 23 | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | – |
| | 8. Otherwise | 29 | 1 | – | – | – | – | 1 | 1 | 1 | – | 1 | 1 | – | – | 3 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 3 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. Drowning | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 5. Hanging | 11 | – | – | – | 1 | – | 1 | – | 1 | – | 2 | – | – | – | 1 |
| | 6. Otherwise and undefined | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 12 | – | – | – | – | – | – | 1 | 2 | – | – | 1 | 3 | – | – |
| | Causes not specified or ill-defined | 95 | 1 | – | 1 | – | 1 | 3 | 1 | 7 | – | 1 | 2 | 4 | 1 | 12 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Small Towns. | Shetland. | Orkney. | Caithness. | Ross and Cromarty | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Clackmannan. | Stirling. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 23 | – | – | – | – | – | 1 | 4 | 1 | – | 1 | – | 1 | – | 1 |
| | 2. Ulcer | 9 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | – | 1 |
| | 3. *Skin Disease, etc.* | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 170 | – | – | 2 | – | – | 3 | 9 | 8 | 1 | 7 | 3 | 8 | 5 | 12 |
| | 2. Cyanosis | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 16 | – | – | – | – | – | 2 | – | – | – | 1 | 1 | 1 | – | – |
| | 4. Other Malformations | 21 | – | – | – | – | – | 1 | 1 | 2 | – | – | 1 | 2 | – | – |
| | 5. Teething | 80 | – | 1 | 1 | – | – | 2 | 2 | 12 | – | 4 | 1 | 2 | 2 | 6 |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | 6 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 105 | 1 | 1 | 3 | 1 | – | 1 | 2 | 6 | 1 | 3 | 2 | 6 | 1 | 4 |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | 625 | 7 | 4 | 17 | 13 | 8 | 10 | 16 | 28 | 4 | 26 | 24 | 51 | 14 | 40 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 284 | 2 | 6 | 8 | 1 | 1 | 2 | 3 | 8 | 1 | 7 | 6 | 13 | 5 | 21 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 32 | – | – | – | 1 | – | – | 1 | – | – | 1 | 1 | 4 | 1 | 2 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 22 | – | – | 1 | – | – | 1 | 2 | – | – | – | – | 1 | – | 2 |
| | 5. Poison | 6 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| | 6. Drowning | 16 | – | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 | 1 |
| | 7. Suffocation | 29 | – | – | 2 | 1 | – | – | 3 | 1 | 1 | 1 | 1 | 2 | – | 1 |
| | 8. Otherwise | 12 | – | 1 | – | – | – | – | – | – | – | 1 | – | 2 | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 8 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – | – |
| | Causes not specified or ill-defined | 78 | 1 | – | – | 2 | 2 | 1 | – | 6 | – | – | 3 | 9 | 1 | 10 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | 3 | 4 | – | 2 | – | 1 | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | 1 | 1 | 3 | – | – | – | – | – | 1 | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 10 | 1 | 1 | 20 | 32 | 40 | 6 | 7 | 5 | – | 1 | 11 | 2 | 1 | 3 | 2 |
| | 2. Cyanosis | – | – | – | 1 | 2 | – | 2 | – | 1 | – | – | – | – | 1 | – | – |
| | 3. Spina Bifida | – | – | – | 2 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | 1 | 4 | 3 | 1 | 2 | – | – | – | – | 1 | – | – | – |
| | 5. Teething | 1 | 1 | – | 7 | 23 | 17 | 1 | 7 | 1 | – | – | – | – | 1 | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Old Age | 27 | 19 | 1 | 27 | 40 | 42 | 3 | 10 | 8 | 2 | 1 | 5 | 3 | 6 | 6 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | I. Atrophy and Debility | 16 | 6 | 2 | 28 | 47 | 60 | 13 | 21 | 4 | 1 | – | 12 | 6 | 3 | 5 | 3 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 9 | 1 | 3 | 18 | 35 | 43 | 7 | 9 | 1 | – | 1 | – | – | 1 | 2 | – |
| | 2. Gunshot Wounds | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 1 | 1 | – | 3 | 7 | 7 | – | – | – | – | – | 2 | – | – | – | 1 |
| | 5. Poison | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 6 | 10 | 3 | 7 | 13 | 5 | 1 | 4 | 2 | 1 | 1 | – | – | 2 | 2 | 1 |
| | 7. Suffocation | – | 1 | 1 | 4 | 4 | 3 | 1 | 3 | – | – | – | 2 | – | – | – | – |
| | 8. Otherwise | 3 | – | – | 1 | 4 | 6 | 3 | 3 | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | – | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 2 | – | – | – | 2 | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| | 5. Hanging | – | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 6 | 8 | | 5 | 10 | 12 | 3 | 1 | 5 | 1 | – | 3 | 1 | 2 | 3 | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of the COUNTIES of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Dumbarton. | Argyll. | Bute. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 3 | – | – | 2 | 3 | 5 | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | 1 | – | 3 | 1 | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | 1 | 3 | – | – | – | – | 1 | 1 | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 8 | 3 | 4 | 15 | 19 | 40 | 4 | 4 | – | – | 1 | 10 | 1 | – | 2 | 1 |
| | 2. Cyanosis | 1 | – | – | – | 3 | 4 | – | – | – | 1 | – | 1 | – | – | – | – |
| | 3. Spina Bifida | – | 1 | – | 2 | 3 | 3 | – | – | 1 | 1 | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | 1 | 8 | – | – | 1 | – | – | 2 | 1 | – | – | 1 |
| | 5. Teething | 2 | – | – | 7 | 12 | 12 | 5 | 5 | – | – | – | 2 | – | 1 | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 6 | 3 | 2 | 13 | 10 | 19 | 4 | 2 | 1 | 1 | 1 | 8 | – | 2 | – | 1 |
| | ORDER 3 | | | | | | | | | | | | | | | | |
| | 1. Old Age | 31 | 34 | 3 | 48 | 76 | 66 | 12 | 31 | 16 | 1 | 4 | 13 | 4 | 5 | 9 | 10 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 28 | 3 | 1 | 28 | 29 | 55 | 8 | 15 | 8 | 4 | 1 | 2 | 1 | 6 | 6 | 5 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | 3 | – | 3 | 4 | 3 | 1 | – | 1 | 2 | – | 1 | – | – | 1 | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 1 | – | – | 2 | 3 | 5 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| | 6. Drowning | – | – | – | 5 | 2 | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| | 7. Suffocation | 3 | 1 | – | 2 | 3 | 2 | – | – | 1 | – | 1 | 2 | – | – | 1 | – |
| | 8. Otherwise | 1 | – | – | 1 | 1 | 2 | – | – | – | – | – | 2 | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 2 | – | – |
| | 5. Hanging | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 6 | 1 | – | 7 | 4 | 1 | 4 | 2 | 2 | – | – | 2 | – | – | – | 3 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES.

| Class. | CAUSES OF DEATH. | Total Mainland-Rural. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 8800 | 189 | 167 | 380 | 227 | 21 | 237 | 252 | 909 | 214 | 315 | 611 | 567 | 67 | 46 |
| | **Specified Causes** . . . | 8588 | 183 | 151 | 345 | 218 | 21 | 229 | 249 | 894 | 203 | 313 | 592 | 550 | 67 | 45 |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1285 | 19 | 14 | 36 | 27 | – | 24 | 37 | 146 | 27 | 50 | 73 | 91 | 9 | 5 |
| II. | CONSTITUTIONAL ,, | 1427 | 39 | 32 | 63 | 39 | 6 | 36 | 34 | 126 | 29 | 36 | 94 | 85 | 14 | 4 |
| III. | LOCAL ,, | 4004 | 83 | 58 | 136 | 94 | 10 | 106 | 123 | 450 | 93 | 150 | 291 | 256 | 36 | 23 |
| IV. | DEVELOPMENTAL ,, | 1373 | 33 | 40 | 93 | 46 | 5 | 53 | 33 | 130 | 39 | 57 | 98 | 83 | 8 | 12 |
| V. | VIOLENT DEATHS . . | 499 | 9 | 7 | 17 | 12 | – | 10 | 22 | 42 | 15 | 20 | 36 | 35 | – | 1 |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 1202 | 18 | 13 | 33 | 24 | – | 23 | 34 | 137 | 26 | 47 | 68 | 83 | 9 | 5 |
| | 2. ENTHETIC ,, . . | 20 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – |
| | 3. DIETIC ,, . . | 59 | 1 | 1 | 3 | 3 | – | - | 3 | 8 | 1 | 2 | 3 | 7 | – | – |
| | 4. PARASITIC ,, . . | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| II. | 1. DIATHETIC ,, . . | 286 | 10 | 11 | 19 | 8 | 3 | 5 | 12 | 26 | 9 | 9 | 25 | 21 | 6 | – |
| | 2. TUBERCULAR ,, . . | 1141 | 29 | 21 | 44 | 31 | 3 | 31 | 22 | 100 | 20 | 27 | 69 | 64 | 8 | 4 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 910 | 14 | 15 | 33 | 26 | 5 | 28 | 32 | 85 | 19 | 30 | 78 | 57 | 10 | 6 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 658 | 9 | 6 | 23 | 8 | – | 16 | 16 | 70 | 13 | 34 | 56 | 38 | 6 | 1 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1457 | 29 | 19 | 39 | 35 | 4 | 38 | 43 | 170 | 46 | 49 | 83 | 97 | 5 | 16 |
| | 4. ,, OF DIGESTIVE ORGANS | 597 | 15 | 12 | 29 | 13 | 1 | 12 | 12 | 68 | 11 | 25 | 47 | 34 | 9 | – |
| | 5. ,, OF URINARY ORGANS | 285 | 13 | 5 | 10 | 10 | – | 8 | 13 | 49 | 4 | 9 | 16 | 21 | 6 | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS of LOCOMOTION . . | 54 | – | 1 | 1 | 1 | – | 4 | 2 | 4 | – | 2 | 3 | 7 | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 43 | 3 | – | 1 | 1 | – | – | 5 | 4 | – | 1 | 8 | 2 | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 283 | 1 | 2 | 6 | 3 | 2 | 17 | 9 | 39 | 9 | 18 | 15 | 11 | 2 | 7 |
| | 2. ,, OF ADULTS . . | – | – | – | – | – | – | – | – | .. | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE . | 759 | 27 | 36 | 83 | 36 | 2 | 23 | 19 | 57 | 24 | 27 | 70 | 44 | 6 | 3 |
| | 4. DISEASES OF NUTRITION . | 331 | 5 | 2 | 4 | 7 | 1 | 13 | 5 | 34 | 6 | 12 | 13 | 28 | – | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | Total Mainland-Rural | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 8757 | 177 | 193 | 393 | 196 | 13 | 212 | 268 | 866 | 221 | 280 | 604 | 577 | 76 | 40 |
| | **Specified Causes** . . . | 8524 | 167 | 178 | 366 | 183 | 13 | 210 | 264 | 844 | 212 | 277 | 588 | 558 | 74 | 40 |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1275 | 20 | 20 | 36 | 19 | – | 26 | 44 | 141 | 25 | 46 | 73 | 88 | 11 | 8 |
| II. | CONSTITUTIONAL ,, | 1640 | 31 | 32 | 63 | 17 | 4 | 33 | 39 | 162 | 34 | 48 | 100 | 105 | 12 | 11 |
| III. | LOCAL ,, | 3672 | 69 | 50 | 154 | 73 | 4 | 104 | 123 | 377 | 110 | 118 | 243 | 240 | 35 | 11 |
| IV. | DEVELOPMENTAL ,, | 1758 | 42 | 70 | 106 | 73 | 3 | 44 | 53 | 145 | 37 | 52 | 151 | 117 | 15 | 10 |
| V. | VIOLENT DEATHS . . | 179 | 5 | 6 | 7 | 1 | 2 | 3 | 5 | 19 | 6 | 13 | 18 | 8 | 1 | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 1220 | 17 | 17 | 36 | 19 | – | 25 | 43 | 137 | 24 | 41 | 72 | 83 | 11 | 8 |
| | 2. ENTHETIC ,, . . | 14 | 3 | 1 | – | – | – | – | – | 1 | 1 | 3 | – | – | – | – |
| | 3. DIETIC ,, . . | 33 | – | 2 | – | – | – | 1 | 1 | 3 | – | 2 | 2 | 5 | – | – |
| | 4. PARASITIC ,, . . | 8 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| II. | 1. DIATHETIC ,, . . | 405 | 11 | 10 | 25 | 4 | 1 | 10 | 10 | 48 | 7 | 13 | 32 | 21 | 3 | 2 |
| | 2. TUBERCULAR ,, . . | 1235 | 20 | 22 | 38 | 13 | 3 | 23 | 29 | 114 | 27 | 35 | 68 | 84 | 9 | 9 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 880 | 19 | 15 | 32 | 23 | 1 | 22 | 22 | 82 | 31 | 34 | 60 | 59 | 10 | 2 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 640 | 9 | 7 | 17 | 5 | – | 17 | 27 | 57 | 17 | 23 | 58 | 47 | 12 | – |
| | 3. ,, OF RESPIRATORY ORGANS . . . | 1334 | 23 | 17 | 69 | 29 | – | 48 | 46 | 144 | 37 | 38 | 77 | 83 | 7 | 7 |
| | 4. ,, OF DIGESTIVE ORGANS | 558 | 11 | 5 | 29 | 12 | 2 | 11 | 17 | 61 | 18 | 16 | 31 | 35 | 6 | 1 |
| | 5. ,, OF URINARY ORGANS | 135 | 1 | 1 | 6 | 2 | 1 | 3 | 5 | 15 | 4 | 5 | 14 | 12 | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 54 | 4 | 2 | 1 | 2 | – | – | 5 | 7 | – | 2 | 1 | 3 | – | 1 |
| | 7. ,, OF ORGANS OF LOCOMOTION . | 35 | – | 1 | – | – | – | – | – | 5 | 2 | – | 1 | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 36 | 2 | 2 | – | – | – | 3 | 1 | 6 | 1 | – | 1 | 1 | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 224 | 2 | 2 | 4 | 7 | 1 | 15 | 5 | 20 | 3 | 9 | 9 | 13 | 4 | 2 |
| | 2. ,, OF ADULTS . . | 102 | 2 | 3 | 5 | 1 | – | 2 | 4 | 13 | 2 | 5 | 7 | 4 | 1 | 1 |
| | 3. ,, OF OLD PEOPLE . | 1140 | 35 | 61 | 87 | 59 | 2 | 23 | 36 | 94 | 27 | 31 | 119 | 81 | 9 | 3 |
| | 4. DISEASES OF NUTRITION . | 292 | 3 | 4 | 10 | 6 | – | 4 | 8 | 18 | 5 | 7 | 16 | 19 | 1 | 4 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 352 | 141 | 367 | 198 | 503 | 745 | 154 | 695 | 174 | 205 | 50 | 11 | 158 | 412 | 188 | 245 |
| | **Specified Causes** . . . | 342 | 140 | 349 | 196 | 497 | 741 | 152 | 691 | 171 | 205 | 49 | 11 | 156 | 405 | 185 | 238 |
| | (CLASSES.) | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 68 | 22 | 38 | 27 | 95 | 157 | 29 | 106 | 32 | 36 | 6 | 1 | 17 | 60 | 10 | 23 |
| II. | CONSTITUTIONAL ,, | 37 | 24 | 66 | 39 | 84 | 129 | 26 | 116 | 18 | 38 | 10 | 2 | 24 | 77 | 46 | 54 |
| III. | LOCAL ,, | 171 | 55 | 153 | 89 | 221 | 336 | 68 | 336 | 81 | 99 | 22 | 5 | 86 | 173 | 99 | 101 |
| IV. | DEVELOPMENTAL ,, | 49 | 23 | 69 | 22 | 59 | 81 | 16 | 95 | 29 | 26 | 9 | 2 | 20 | 75 | 21 | 47 |
| V. | VIOLENT DEATHS . . | 17 | 16 | 23 | 19 | 38 | 38 | 13 | 38 | 11 | 6 | 2 | 1 | 9 | 20 | 9 | 13 |
| | (ORDERS.) | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 65 | 22 | 36 | 25 | 94 | 146 | 26 | 95 | 29 | 32 | 6 | 1 | 16 | 58 | 10 | 21 |
| | 2. ENTHETIC ,, . . | 1 | – | 2 | – | 1 | 5 | – | 5 | 1 | – | – | – | – | – | – | 1 |
| | 3. DIETIC ,, . . | 1 | – | – | 2 | – | 5 | 3 | 6 | 2 | 4 | – | – | 1 | 2 | – | 1 |
| | 4. PARASITIC ,, . . | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . . | 4 | 5 | 12 | 2 | 8 | 14 | 9 | 12 | 4 | 8 | 3 | 1 | 8 | 14 | 9 | 9 |
| | 2. TUBERCULAR ,, . . | 33 | 19 | 54 | 37 | 76 | 115 | 17 | 104 | 14 | 30 | 7 | 1 | 16 | 63 | 37 | 45 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 36 | 10 | 34 | 19 | 44 | 56 | 11 | 107 | 17 | 28 | 6 | 2 | 21 | 42 | 15 | 24 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 21 | 13 | 26 | 12 | 33 | 41 | 9 | 62 | 19 | 19 | 6 | – | 23 | 40 | 19 | 19 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 79 | 21 | 51 | 33 | 85 | 167 | 32 | 106 | 28 | 28 | 4 | 2 | 25 | 52 | 36 | 35 |
| | 4. ,, OF DIGESTIVE ORGANS | 23 | 7 | 31 | 13 | 40 | 53 | 9 | 38 | 11 | 15 | 3 | – | 10 | 25 | 14 | 17 |
| | 5. ,, OF URINARY ORGANS | 7 | 2 | 8 | 7 | 13 | 11 | 4 | 18 | 5 | 8 | 3 | 1 | 5 | 12 | 13 | 4 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 4 | 1 | 3 | 2 | 4 | 5 | – | 3 | – | – | – | – | 2 | 2 | 2 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | 1 | – | 3 | 2 | 3 | 3 | 2 | 1 | 1 | – | – | – | – | – | 1 |
| IV. | 1. DEV. DIS. OF CHILDREN . | 10 | 6 | 5 | 5 | 13 | 20 | 3 | 27 | 6 | 7 | 2 | – | 4 | 10 | 4 | 20 |
| | 2. ,, OF ADULTS . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE . | 19 | 10 | 57 | 6 | 21 | 31 | 5 | 40 | 10 | 17 | 4 | 1 | 10 | 42 | 12 | 17 |
| | 4. DISEASES OF NUTRITION . | 20 | 7 | 7 | 11 | 25 | 30 | 8 | 28 | 13 | 2 | 3 | 1 | 6 | 23 | 5 | 10 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 348 | 162 | 335 | 463 | 239 | 716 | 142 | 697 | 191 | 242 | 72 | 13 | 166 | 449 | 173 | 233 |
| | **Specified Causes** . . . | 342 | 160 | 311 | 455 | 230 | 706 | 136 | 693 | 185 | 238 | 72 | 13 | 165 | 446 | 169 | 229 |
| | (CLASSES.) | | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 60 | 36 | 37 | 77 | 41 | 148 | 31 | 107 | 25 | 40 | 11 | 1 | 15 | 46 | 12 | 28 |
| II. | CONSTITUTIONAL ,, | 66 | 31 | 69 | 119 | 61 | 130 | 21 | 125 | 31 | 43 | 16 | 2 | 27 | 98 | 51 | 59 |
| III. | LOCAL ,, | 125 | 64 | 111 | 171 | 94 | 301 | 62 | 331 | 93 | 105 | 32 | 5 | 85 | 213 | 82 | 87 |
| IV. | DEVELOPMENTAL ,, | 84 | 22 | 88 | 83 | 30 | 115 | 21 | 119 | 32 | 46 | 10 | 5 | 31 | 79 | 23 | 52 |
| V. | VIOLENT DEATHS . . | 7 | 7 | 6 | 5 | 4 | 12 | 1 | 11 | 4 | 4 | 3 | – | 7 | 10 | 1 | 3 |
| | (ORDERS.) | | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . . | 58 | 35 | 36 | 75 | 39 | 145 | 31 | 103 | 22 | 38 | 11 | 1 | 15 | 43 | 11 | 24 |
| | 2. ENTHETIC ,, . . | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 |
| | 3. DIETIC ,, . . | 1 | 1 | 1 | 1 | 1 | 1 | – | 3 | 2 | 1 | – | – | – | 3 | 1 | 1 |
| | 4. PARASITIC ,, . . | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | 2 |
| II. | 1. DIATHETIC ,, . . | 11 | 2 | 23 | 23 | 10 | 21 | 4 | 40 | 6 | 13 | 3 | – | 10 | 23 | 11 | 8 |
| | 2. TUBERCULAR ,, . . | 55 | 29 | 46 | 96 | 51 | 109 | 17 | 85 | 25 | 30 | 13 | 2 | 17 | 75 | 40 | 51 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 26 | 11 | 26 | 44 | 18 | 70 | 12 | 81 | 29 | 29 | 7 | – | 14 | 50 | 27 | 24 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 19 | 9 | 16 | 39 | 20 | 34 | 9 | 52 | 27 | 24 | 5 | 3 | 25 | 34 | 14 | 14 |
| | 3. ,, OF RESPIRATORY ORGANS . . . | 44 | 29 | 34 | 51 | 32 | 119 | 18 | 136 | 27 | 33 | 10 | 2 | 23 | 92 | 23 | 36 |
| | 4. ,, OF DIGESTIVE ORGANS | 27 | 6 | 22 | 24 | 16 | 53 | 14 | 41 | 8 | 12 | 5 | – | 18 | 33 | 16 | 8 |
| | 5. ,, OF URINARY ORGANS | 5 | 4 | 8 | 6 | 4 | 9 | 4 | 8 | 1 | 3 | 3 | – | 3 | 3 | 2 | 3 |
| | 6. ,, OF ORGANS OF GENERATION . | – | 2 | – | 1 | 2 | 7 | 2 | 5 | – | 3 | 1 | – | – | 1 | – | 2 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | 2 | 3 | 4 | 1 | 6 | 2 | 3 | 1 | 1 | – | – | 1 | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 2 | 1 | 2 | 2 | 1 | 3 | 1 | 5 | – | – | 1 | – | 1 | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 13 | 3 | 5 | 17 | 2 | 18 | 3 | 15 | 8 | 11 | 3 | 1 | 6 | 15 | 3 | 5 |
| | 2. ,, OF ADULTS . . | 5 | – | 4 | 5 | 5 | 11 | 2 | 9 | 2 | 4 | 1 | – | 1 | 1 | – | 2 |
| | 3. ,, OF OLD PEOPLE . | 45 | 16 | 72 | 35 | 14 | 49 | 13 | 67 | 15 | 19 | 4 | 2 | 22 | 48 | 18 | 34 |
| | 4. DISEASES OF NUTRITION . | 21 | 3 | 7 | 26 | 9 | 37 | 3 | 28 | 7 | 12 | 2 | 2 | 2 | 15 | 2 | 11 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Mainland-Rural. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE . | 453 | 9 | 7 | 17 | 12 | – | 10 | 21 | 38 | 13 | 18 | 31 | 29 | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE . . . . . | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . . . | 43 | – | – | – | – | – | – | – | 4 | 2 | 2 | 5 | 6 | – | 1 |
| | 5. EXECUTION . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | 12 | – | 1 | – | – | – | 2 | – | 4 | 1 | – | – | 3 | – | – |
| | CAUSES NOT SPECIFIED . . . | 200 | 6 | 15 | 35 | 9 | – | 6 | 3 | 11 | 10 | 2 | 19 | 14 | – | 1 |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles . . . . . | 97 | – | – | 1 | 1 | – | 2 | 1 | 10 | 7 | 2 | 6 | 8 | – | – |
| | 3. Scarlatina . . . . . | 134 | 5 | – | 1 | 1 | – | 1 | 1 | 8 | 2 | 6 | 5 | 6 | – | – |
| | 4. Diphtheria . . . . | 135 | 3 | – | 3 | 7 | – | 1 | 4 | 28 | 1 | 9 | 7 | 10 | – | – |
| | 5. Quinsy . . . . . | 6 | – | – | 1 | – | – | – | – | – | – | – | 1 | 2 | – | – |
| | 6. Croup . . . . . | 111 | – | – | 3 | 6 | – | 3 | 4 | 10 | 1 | 4 | 8 | 4 | 1 | 1 |
| | 7. Hooping-cough . . . . | 141 | 1 | – | 3 | – | – | 5 | 2 | 18 | – | 4 | 7 | 14 | 5 | 2 |
| | 8. Typhus Fever . . . . | 18 | – | – | – | 1 | – | – | – | 4 | – | – | 1 | 1 | – | – |
| | 8. Enteric or Typhoid Fever . | 178 | 3 | 3 | 2 | – | – | 3 | 6 | 12 | 7 | 2 | 9 | 16 | 1 | 1 |
| | 8. Relapsing Fever . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever . | 22 | – | 1 | – | 2 | – | 3 | – | – | 1 | 1 | 1 | 1 | 1 | – |
| | 9. Erysipelas . . . . . | 59 | – | 2 | 2 | – | – | 1 | 1 | 12 | 5 | 3 | 3 | 4 | – | – |
| | 10. Puerperal Fever (Metria) . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle . . . . . | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza . . . . . | 15 | – | 1 | – | – | – | – | 2 | 3 | – | – | – | – | – | – |
| | 13. Dysentery . . . . . | 21 | – | – | – | 1 | – | 1 | 3 | 4 | – | 2 | 1 | 3 | – | – |
| | 14. Diarrhœa . . . . | 173 | – | 4 | 7 | 1 | – | 3 | 8 | 22 | 2 | 13 | 17 | 9 | 1 | 1 |
| | 15. Cholera . . . . . | 19 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 16. Ague . . . . . | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever . . | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 18. Rheumatism . . . . | 61 | 4 | 2 | 8 | 4 | – | – | 2 | 6 | – | 1 | 1 | 4 | – | – |
| | 19. Other *Miasmatic* Diseases | 5 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis . . . . . | 15 | – | – | – | – | – | 1 | – | 1 | – | – | 1 | 1 | – | – |
| | 2. Stricture of Urethra . . | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia . . . . | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation . . . . . | 3 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| | 2. Want of Breast Milk . . | 12 | – | – | – | 1 | – | – | 1 | 2 | – | – | 1 | 3 | – | – |
| | 3. Purpura and Scurvy . . | 13 | – | 1 | 1 | 1 | – | – | – | 2 | – | 1 | – | 2 | – | – |
| | 4. Alcoholism { *a* Del. Tremens | 9 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – |
| | 4. Alcoholism { *b* Intemperance | 22 | 1 | – | 2 | – | – | – | 2 | 2 | – | 1 | 1 | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush . . . . . | 3 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| | 2. Worms, etc. . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout . . . . . | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Dropsy . . . . . | 46 | 1 | 4 | 7 | 4 | – | – | 2 | 1 | 1 | 3 | 1 | 3 | – | – |
| | 3. Cancer . . . . . | 217 | 7 | 7 | 10 | 4 | 2 | 4 | 10 | 24 | 7 | 6 | 23 | 17 | 6 | – |
| | 4. Cancrum Oris (Noma) . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification . . . . | 21 | 2 | – | 2 | – | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – |

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Mainland-Rural. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 151 | 5 | 5 | 7 | 1 | 2 | 3 | 4 | 18 | 6 | 13 | 13 | 7 | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 28 | – | 1 | – | – | – | – | 1 | 1 | – | – | 5 | 1 | 1 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 7 | – | – | – | – | – | 1 | – | 4 | 1 | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 226 | 10 | 15 | 27 | 13 | – | 1 | 4 | 18 | 8 | 3 | 16 | 19 | 2 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 71 | – | – | 2 | – | – | 1 | 1 | 8 | 3 | 2 | 5 | 8 | – | – |
| | 3. Scarlatina | 129 | 3 | – | 3 | – | – | 1 | 6 | 9 | 1 | 5 | 5 | 5 | – | – |
| | 4. Diphtheria | 132 | 6 | 1 | – | 8 | – | 3 | 2 | 19 | 3 | 6 | 8 | 13 | – | 2 |
| | 5. Quinsy | 8 | – | – | – | 1 | – | – | – | – | – | – | – | 3 | – | – |
| | 6. Croup | 88 | – | 1 | 3 | 5 | – | 2 | 4 | 4 | – | 2 | 5 | 7 | – | 2 |
| | 7. Hooping-cough | 163 | 1 | – | 4 | 1 | – | 4 | 5 | 13 | 4 | 2 | 8 | 17 | 6 | 2 |
| | 8. Typhus Fever | 10 | – | – | 2 | – | – | – | – | 1 | – | 1 | – | 1 | – | – |
| | 8. Enteric or Typhoid Fever | 160 | 2 | 2 | 1 | – | – | 2 | 3 | 17 | 3 | 6 | 11 | 14 | 1 | 1 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 27 | 1 | – | – | 1 | – | 1 | 1 | 2 | 2 | 1 | 4 | 2 | – | – |
| | 9. Erysipelas | 46 | 1 | – | 6 | – | – | 2 | 2 | 9 | 1 | 3 | 1 | 2 | – | – |
| | 10. Puerperal Fever (Metria) | 43 | – | – | 2 | – | – | 5 | 2 | 11 | 1 | – | 2 | 2 | 1 | – |
| | 11. Carbuncle | 6 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 12. Influenza | 20 | – | 3 | – | – | – | – | 2 | 7 | – | – | – | – | – | – |
| | 13. Dysentery | 28 | – | – | 1 | – | – | 3 | 1 | 3 | – | 3 | – | 2 | – | – |
| | 14. Diarrhœa | 203 | 1 | 1 | 3 | 1 | – | – | 13 | 30 | 2 | 9 | 17 | 5 | 1 | – |
| | 15. Cholera | 17 | – | – | – | – | – | – | – | 1 | 1 | – | 3 | – | – | – |
| | 16. Ague | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 17. Remittent Fever | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 18. Rheumatism | 52 | 2 | 6 | 8 | 2 | – | 1 | 1 | 3 | 3 | 1 | 2 | 1 | 1 | – |
| | 19. Other *Miasmatic* Diseases | 7 | – | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 14 | 3 | 1 | – | – | – | – | – | 1 | 1 | 3 | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 13 | – | – | – | – | – | 1 | 1 | 1 | – | – | 1 | 3 | – | – |
| | 3. Purpura and Scurvy | 8 | – | 1 | – | – | – | – | – | 2 | – | 1 | 1 | 1 | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 10 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | 4 | – | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| | 2. Worms, etc. | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Dropsy | 60 | 1 | 2 | 3 | 3 | – | 2 | 2 | 3 | 1 | 1 | 4 | 2 | – | – |
| | 3. Cancer | 309 | 10 | 6 | 19 | – | 1 | 7 | 8 | 41 | 6 | 12 | 25 | 18 | 2 | 2 |
| | 4. Cancrum Oris (Noma) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 34 | – | 2 | 3 | 1 | – | 1 | – | 3 | – | – | 3 | 1 | 1 | – |

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 17 | 16 | 22 | 17 | 34 | 35 | 10 | 34 | 10 | 5 | 2 | 1 | 8 | 18 | 7 | 12 |
| | * | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 4. SUICIDE | – | – | 1 | 2 | 4 | 3 | 3 | 4 | 1 | 1 | – | – | – | 2 | 2 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | CAUSES NOT SPECIFIED | 10 | 1 | 18 | 2 | 6 | 4 | 2 | 4 | 3 | – | 1 | – | 2 | 7 | 2 | 7 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 7 | – | – | – | 9 | 19 | – | 9 | – | 7 | – | – | – | 6 | 2 | – |
| | 3. Scarlatina | 4 | 6 | 3 | 2 | 9 | 18 | 10 | 16 | 8 | 6 | – | – | 2 | 13 | – | 1 |
| | 4. Diphtheria | 6 | 1 | 7 | 4 | 9 | 17 | 1 | 5 | 1 | 2 | – | – | – | 5 | 1 | 3 |
| | 5. Quinsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Croup | 7 | 4 | 4 | 1 | 9 | 16 | 2 | 10 | 4 | 2 | 3 | – | 2 | 1 | – | 1 |
| | 7. Hooping-cough | 12 | 4 | 6 | 8 | 7 | 24 | – | 5 | 2 | 2 | 1 | – | 1 | 4 | 1 | 3 |
| | 8. Typhus Fever | 1 | – | 2 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | 2 | 1 | – | – |
| | 8. Enteric or Typhoid Fever | 10 | 1 | 5 | 2 | 19 | 18 | 6 | 20 | 8 | 6 | – | – | 3 | 8 | 2 | 5 |
| | 8. Relapsing Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 3 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | 2 | – | 1 |
| | 9. Erysipelas | 2 | – | 2 | 1 | 3 | 2 | – | 4 | 1 | – | 1 | 1 | 1 | 7 | – | 1 |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | 12. Influenza | 3 | – | – | – | 2 | 2 | – | – | – | 1 | – | – | – | – | 1 | – |
| | 13. Dysentery | 1 | – | 2 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | 1 |
| | 14. Diarrhœa | 6 | 5 | 2 | 3 | 11 | 22 | 6 | 15 | 3 | 1 | 1 | – | 2 | 6 | 1 | 1 |
| | 15. Cholera | 1 | 1 | – | 3 | 1 | 1 | – | 6 | – | 2 | – | – | 1 | – | 1 | – |
| | 16. Ague | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 2 | – | – | – | 10 | 3 | – | 3 | 1 | – | – | – | 2 | 5 | 1 | 2 |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | – | – | – | 1 | 3 | – | 4 | 1 | – | – | – | – | – | – | 1 |
| | 2. Stricture of Urethra | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Want of Breast Milk | – | – | – | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| | 4. Alcoholism: *a* Del. Tremens | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | 1 | – | 1 |
| | 4. Alcoholism: *b* Intemperance | 1 | – | – | 1 | – | 2 | 1 | 4 | 1 | 1 | – | – | – | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 2. Dropsy | 1 | 1 | 2 | – | 2 | 4 | 2 | 1 | – | 1 | – | – | 1 | 2 | 1 | 1 |
| | 3. Cancer | 3 | 4 | 8 | – | 5 | 9 | 7 | 10 | 3 | 7 | 3 | 1 | 5 | 11 | 8 | 6 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | 2 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | 2 | 1 | – | 1 |

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgo. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 6 | 5 | 6 | 5 | 3 | 9 | 1 | 9 | 1 | 3 | 1 | – | 6 | 9 | – | 3 |
| | * | | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | 2 | – | – | 1 | 3 | – | 2 | 3 | 1 | 2 | – | 1 | 1 | 1 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 6 | 2 | 24 | 7 | 9 | 10 | 6 | 4 | 6 | 4 | – | – | 1 | 3 | 4 | 4 |
| I. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 5 | 3 | – | 4 | 2 | 7 | 1 | 10 | – | 5 | – | – | 1 | 3 | – | – |
| | 3. Scarlatina | 3 | 8 | 3 | 7 | 5 | 22 | 9 | 15 | 4 | 3 | 1 | – | 1 | 10 | – | – |
| | 4. Diphtheria | 6 | 2 | 7 | 6 | 2 | 19 | 4 | 5 | 1 | 3 | – | – | – | 3 | 1 | 2 |
| | 5. Quinsy | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| | 6. Croup | 4 | 2 | 2 | 8 | 3 | 10 | 2 | 8 | – | 3 | 3 | – | – | 5 | 2 | 1 |
| | 7. Hooping-cough | 8 | 2 | 5 | 8 | 7 | 33 | 3 | 15 | 2 | – | – | – | 3 | 3 | 1 | 6 |
| | 8. Typhus Fever | 1 | – | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 8 | 3 | 5 | 14 | 6 | 16 | 2 | 15 | 6 | 7 | 4 | – | 3 | 2 | 1 | 5 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 3 | – | – | 3 | – | 3 | – | – | 1 | 1 | – | – | – | – | 1 | – |
| | 9. Erysipelas | 1 | – | – | – | 1 | 3 | 1 | 2 | – | 5 | 1 | – | 1 | 2 | 1 | 1 |
| | 10. Puerperal Fever (Metria) | 3 | 2 | 3 | 1 | – | 3 | – | – | – | 2 | – | – | – | 3 | – | – |
| | 11. Carbuncle | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 12. Influenza | 1 | – | 1 | 3 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 |
| | 13. Dysentery | – | – | – | 3 | – | 1 | – | 4 | – | 2 | – | 1 | 1 | 1 | – | 2 |
| | 14. Diarrhœa | 9 | 9 | 5 | 8 | 11 | 20 | 9 | 19 | 6 | 6 | 2 | – | 1 | 7 | 3 | 5 |
| | 15. Cholera | – | – | – | 5 | – | 2 | – | 3 | 1 | – | – | – | – | 1 | – | – |
| | 16. Ague | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 2 | – | 2 | 2 | 2 | 2 | – | 4 | – | – | – | – | 2 | 3 | 1 | 1 |
| | 19. Other *Miasmatic* Diseases | – | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | 1 |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | 1 | – | 1 | 1 | – | – | 2 | – | – | – | – | 1 | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | 1 | – | 1 | – | – | – | 3 | – | – | – | – | – | 2 | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 2 |
| II. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 2 | – | 7 | 6 | 4 | 6 | – | 5 | 1 | 2 | – | – | 1 | 1 | – | 1 |
| | 3. Cancer | 8 | 2 | 15 | 10 | 6 | 14 | 4 | 29 | 4 | 11 | 3 | – | 9 | 21 | 9 | 7 |
| | 4. Cancrum Oris (Noma) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | 1 | 6 | – | 1 | – | 6 | 1 | – | – | – | – | 1 | 2 | – |

* See page 52 note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Mainland-Rural. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 87 | 1 | 1 | 3 | – | – | – | 3 | 13 | 1 | 2 | 4 | 4 | – | – |
| | 2. Tabes Mesenterica | 96 | – | – | 4 | 3 | – | 1 | 1 | 5 | 4 | 1 | 3 | 4 | 1 | 1 |
| | 3. Phthisis | 785 | 25 | 15 | 35 | 23 | 2 | 24 | 12 | 68 | 13 | 23 | 51 | 45 | 7 | 2 |
| | 4. Hydrocephalus | 173 | 3 | 5 | 2 | 5 | 1 | 6 | 6 | 14 | 2 | 1 | 11 | 11 | – | 1 |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 117 | 1 | 1 | 7 | 1 | – | 3 | 3 | 9 | 6 | 4 | 6 | 8 | 1 | – |
| | 2. Apoplexy | 236 | 4 | - | 12 | 6 | 2 | 3 | 13 | 23 | 3 | 7 | 24 | 18 | 5 | 1 |
| | 3. Paralysis | 277 | 7 | 6 | 12 | 9 | 2 | 12 | 6 | 30 | 3 | 9 | 31 | 15 | 3 | 2 |
| | 4. Insanity | 15 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | 1 | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 25 | – | – | 1 | – | – | 1 | – | 2 | – | 1 | 2 | 4 | – | – |
| | 7. Convulsions | 95 | – | 5 | 1 | 8 | 1 | 2 | 5 | 6 | 1 | 2 | 4 | 4 | – | 2 |
| | 8. *Brain Disease, etc* | 145 | 2 | 3 | – | 2 | – | 7 | 4 | 14 | 5 | 7 | 11 | 8 | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 16 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – |
| | 2. Aneurism | 29 | – | – | 1 | 1 | – | 1 | – | 4 | 1 | 2 | 2 | 4 | – | – |
| | 3. *Heart Disease, etc.* | 613 | 9 | 6 | 21 | 7 | – | 15 | 16 | 66 | 12 | 31 | 54 | 34 | 5 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 25 | – | – | 1 | – | – | 3 | – | 3 | – | – | 3 | 2 | 1 | – |
| | 2. Bronchitis | 778 | 20 | 11 | 21 | 12 | 1 | 23 | 19 | 92 | 32 | 32 | 41 | 58 | – | 14 |
| | 3. Pleurisy | 49 | 2 | – | – | 3 | – | – | 2 | 8 | – | 1 | 3 | 2 | 1 | 1 |
| | 4. Pneumonia | 396 | 4 | 5 | 10 | 14 | 1 | 11 | 17 | 54 | 7 | 9 | 21 | 24 | 2 | – |
| | 5. Asthma | 50 | – | 1 | 6 | 2 | 1 | 1 | – | 1 | 1 | – | 1 | 2 | – | 1 |
| | 6. *Lung Disease, etc.* | 159 | 3 | 2 | 1 | 4 | 1 | – | 5 | 12 | 6 | 7 | 14 | 9 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 42 | – | – | 3 | 2 | – | – | 2 | 7 | 2 | – | 4 | 2 | – | – |
| | 2. Enteritis | 116 | – | 2 | 1 | 2 | – | 4 | – | 15 | 2 | 5 | 9 | 7 | 2 | – |
| | 3. Peritonitis | 55 | 2 | 1 | 3 | 1 | – | – | 1 | 6 | 1 | 2 | 5 | 1 | 1 | – |
| | 4. Ascites | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 32 | 2 | 1 | 2 | - | – | – | 1 | 4 | – | 1 | 1 | 4 | – | – |
| | 6. Hernia | 23 | 1 | – | – | 2 | – | 1 | – | 5 | – | 2 | 1 | 2 | – | – |
| | 7. Ileus | 49 | 2 | 3 | 3 | 1 | – | – | 1 | 7 | 2 | 3 | 5 | 1 | – | – |
| | 8. Intussusception | 20 | 2 | – | – | – | – | – | 1 | 4 | – | 1 | 2 | 2 | – | – |
| | 9. Stricture of Intestines | 6 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – |
| | 10. Fistula | 3 | – | – | – | – | – | – | 2 | – | – | – | – | 1 | – | – |
| | 11. *Stomach Disease, etc.* | 90 | 2 | 2 | 11 | 3 | – | 2 | 1 | 6 | 1 | 3 | 3 | 5 | 1 | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | - | – | – | – | – | – | – |
| | 13. Hepatitis | 40 | 1 | – | – | – | – | – | 1 | – | – | 1 | 4 | 3 | 4 | – |
| | 14. Jaundice | 30 | – | 3 | 1 | 1 | – | – | – | 4 | 3 | 4 | 4 | 1 | – | – |
| | 15. *Liver Disease, etc.* | 80 | 2 | – | 4 | – | 1 | 5 | 2 | 9 | – | 2 | 9 | 3 | 1 | – |
| | 16. *Spleen Disease, etc.* | 8 | 1 | – | 1 | – | – | – | – | – | – | – | – | 2 | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 25 | 2 | – | 3 | – | – | – | 1 | 5 | – | – | 2 | 1 | – | – |
| | 2. Ischuria | 15 | – | – | – | 1 | – | 2 | 2 | 3 | – | 1 | 1 | – | – | – |
| | 3. Bright's Disease (Nephria) | 56 | – | 1 | 2 | 2 | – | – | 5 | 13 | – | 2 | 2 | 3 | 2 | – |
| | 4. Diabetes | 27 | 2 | – | 2 | 2 | – | 2 | – | 4 | 1 | – | 2 | 2 | 1 | – |
| | 5. Calculus (Stone) | 12 | 2 | 1 | – | 2 | – | 1 | – | 1 | – | – | 2 | – | – | – |
| | 6. Cystitis | 53 | 1 | – | 1 | – | – | 1 | 1 | 10 | – | 3 | 3 | 3 | 2 | – |
| | 7. *Kidney Disease, etc.* | 97 | 6 | 3 | 2 | 3 | – | 2 | 4 | 13 | 3 | 3 | 4 | 12 | 1 | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | - | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 6 | – | – | – | – | – | – | 1 | 1 | – | – | – | 2 | – | – |
| | 2. *Joint Disease, etc.* | 48 | – | 1 | 1 | 1 | – | 4 | 1 | 3 | – | 2 | 3 | 5 | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Mainland Rural. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 84 | – | – | 2 | – | – | 1 | 2 | 7 | 2 | 1 | 5 | 7 | – | – |
| | 2. Tabes Mesenterica | 86 | 1 | – | 1 | 2 | – | 1 | 1 | 4 | 1 | 3 | 2 | 5 | – | 1 |
| | 3. Phthisis | 916 | 16 | 18 | 31 | 9 | 3 | 20 | 22 | 86 | 21 | 29 | 55 | 62 | 9 | 8 |
| | 4. Hydrocephalus | 149 | 3 | 4 | 4 | 2 | – | 1 | 4 | 17 | 3 | 2 | 6 | 10 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 92 | 1 | – | 4 | – | – | 2 | 1 | 11 | 4 | 2 | 8 | 4 | 3 | 1 |
| | 2. Apoplexy | 228 | 3 | 5 | 3 | 4 | – | 10 | 8 | 15 | 9 | 8 | 9 | 20 | 3 | – |
| | 3. Paralysis | 292 | 10 | 5 | 15 | 10 | 1 | 4 | 6 | 37 | 12 | 13 | 26 | 17 | 3 | 1 |
| | 4. Insanity | 26 | 1 | – | 1 | – | – | 1 | – | 1 | 1 | 2 | 2 | – | – | – |
| | 5. Chorea | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 6. Epilepsy | 35 | 1 | 2 | 1 | – | – | – | – | 2 | 1 | 2 | 2 | 2 | – | – |
| | 7. Convulsions | 77 | – | 2 | 4 | 5 | – | 3 | 1 | 5 | 2 | 4 | 1 | 7 | 1 | – |
| | 8. *Brain Disease, etc.* | 128 | 3 | 1 | 4 | 4 | – | 2 | 6 | 10 | 2 | 3 | 12 | 9 | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 9 | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 | – | – |
| | 2. Aneurism | 10 | – | 1 | – | – | – | – | – | 4 | 2 | – | 1 | – | – | – |
| | 3. *Heart Disease, etc.* | 621 | 9 | 6 | 17 | 5 | – | 17 | 27 | 52 | 14 | 23 | 57 | 45 | 12 | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 13 | – | 1 | – | 1 | – | 2 | – | 1 | 1 | – | – | 1 | – | – |
| | 2. Bronchitis | 877 | 15 | 7 | 43 | 20 | – | 37 | 30 | 94 | 27 | 31 | 53 | 50 | 5 | 7 |
| | 3. Pleurisy | 30 | 2 | – | 2 | 2 | – | 1 | – | 1 | – | – | 1 | 1 | – | – |
| | 4. Pneumonia | 257 | 4 | 3 | 7 | 5 | – | 7 | 13 | 36 | 7 | 5 | 12 | 21 | 1 | – |
| | 5. Asthma | 46 | – | 6 | 12 | 1 | – | – | – | 1 | 2 | – | – | 5 | – | – |
| | 6. *Lung Disease, etc.* | 111 | 2 | – | 5 | – | – | 1 | 3 | 11 | – | 2 | 11 | 5 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 40 | – | – | 4 | – | – | 2 | 3 | 1 | – | 1 | 2 | 2 | – | – |
| | 2. Enteritis | 91 | – | 2 | 2 | – | – | – | 2 | 8 | 3 | 4 | 6 | 5 | – | – |
| | 3. Peritonitis | 62 | 3 | 1 | 2 | 1 | – | 2 | 1 | 8 | – | 1 | 4 | 2 | – | – |
| | 4. Ascites | 17 | – | – | – | 1 | – | – | 1 | 3 | – | – | 1 | 2 | – | – |
| | 5. Ulceration of Intestines | 29 | 4 | – | 1 | – | 1 | 1 | 4 | 2 | 4 | 1 | – | 1 | – | – |
| | 6. Hernia | 19 | – | – | – | 2 | – | 1 | 1 | 2 | – | – | 3 | 2 | – | – |
| | 7. Ileus | 38 | – | 1 | 1 | 2 | – | 2 | 1 | 6 | 3 | 2 | 1 | 3 | 1 | – |
| | 8. Intussusception | 6 | – | – | – | – | – | – | – | 2 | – | 1 | – | – | – | – |
| | 9. Stricture of Intestines | 9 | – | – | 1 | 1 | – | – | – | 1 | – | 1 | – | 1 | 1 | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 89 | 1 | 1 | 13 | 4 | – | 1 | 2 | 11 | 4 | 1 | 6 | 3 | 1 | 1 |
| | 12. *Pancreas Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 37 | – | – | – | – | – | 1 | 1 | 1 | 1 | 2 | – | 1 | 2 | – |
| | 14. Jaundice | 35 | – | – | 3 | – | – | 1 | – | 4 | 2 | 2 | 2 | 1 | – | – |
| | 15. *Liver Disease, etc.* | 79 | 3 | – | 2 | 1 | 1 | – | 1 | 12 | 1 | – | 5 | 11 | 1 | – |
| | 16. *Spleen Disease, etc.* | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 15 | – | – | 1 | – | – | – | 1 | 1 | – | 1 | 1 | 3 | – | – |
| | 2. Ischuria | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 56 | 1 | – | 2 | 1 | 1 | – | 2 | 5 | – | 2 | 5 | 4 | – | – |
| | 4. Diabetes | 13 | – | – | 2 | – | – | – | – | 2 | 1 | – | 2 | 2 | – | – |
| | 5. Calculus (Stone) | 4 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 42 | – | 1 | – | 1 | – | 3 | 2 | 4 | 3 | 2 | 6 | 3 | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 29 | 2 | 1 | 1 | – | – | – | 3 | 6 | – | 2 | 1 | 1 | – | 1 |
| | 2. *Uterus Disease, etc.* | 25 | 2 | 1 | – | 2 | – | – | 2 | 1 | – | – | – | 2 | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 6 | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 29 | – | 1 | – | – | – | – | – | 2 | 2 | – | 1 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 2 | 1 | 3 | 1 | 9 | 9 | 3 | 9 | – | 3 | 1 | – | – | 6 | – | 8 |
| | 2. Tabes Mesenterica | 7 | 1 | 2 | 7 | 10 | 18 | 2 | 7 | 1 | 3 | 1 | – | – | 4 | 3 | 2 |
| | 3. Phthisis | 19 | 9 | 44 | 22 | 45 | 62 | 9 | 78 | 12 | 18 | 5 | – | 13 | 42 | 31 | 31 |
| | 4. Hydrocephalus | 5 | 8 | 5 | 7 | 12 | 26 | 3 | 10 | 1 | 6 | – | 1 | 3 | 11 | 3 | 4 |
| III. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 10 | 2 | 10 | 1 | 6 | 12 | 4 | 12 | 2 | 3 | – | – | 2 | 1 | 1 | 1 |
| | 2. Apoplexy | 9 | 3 | 3 | 10 | 11 | 10 | 1 | 19 | 3 | 8 | 4 | – | 4 | 14 | 6 | 10 |
| | 3. Paralysis | 7 | 2 | 14 | 2 | 10 | 17 | 3 | 35 | 4 | 8 | 1 | – | 7 | 10 | 2 | 8 |
| | 4. Insanity | – | – | – | – | – | – | 1 | 8 | – | – | – | – | 2 | – | – | – |
| | 5 Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 1 | – | 2 | – | 2 | 4 | – | 1 | – | – | – | – | 1 | 1 | 2 | – |
| | 7. Convulsions | 6 | 1 | 2 | 2 | 3 | 5 | 1 | 16 | 3 | 3 | – | – | 2 | 7 | 1 | 2 |
| | 8. *Brain Disease, etc.* | 3 | 2 | 3 | 4 | 12 | 8 | 1 | 16 | 5 | 6 | 1 | 2 | 3 | 9 | 3 | 3 |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | 1 | 1 | 1 | 1 | 1 | 1 | 2 | – | – | – | 1 | 2 | 1 | – |
| | 2. Aneurism | 1 | – | 2 | – | 1 | 2 | 1 | 1 | 2 | 1 | – | – | – | 1 | – | 1 |
| | 3. *Heart Disease, etc.* | 19 | 13 | 23 | 11 | 31 | 38 | 7 | 60 | 15 | 18 | 6 | – | 22 | 37 | 18 | 18 |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | – | – | 3 | 1 | 2 | – | – | 1 | – | – | – | – | 1 | 1 | 1 |
| | 2. Bronchitis | 42 | 11 | 20 | 11 | 45 | 97 | 20 | 65 | 12 | 7 | 2 | 1 | 15 | 25 | 13 | 16 |
| | 3. Pleurisy | 3 | 2 | 3 | 1 | 2 | 4 | – | 4 | 1 | 1 | 1 | – | 1 | 1 | 1 | 1 |
| | 4. Pneumonia | 19 | 4 | 16 | 10 | 23 | 36 | 10 | 23 | 10 | 12 | 1 | 1 | 7 | 15 | 20 | 10 |
| | 5. Asthma | 6 | 1 | 3 | 1 | 6 | 9 | – | 3 | – | 2 | – | – | – | – | – | 2 |
| | 6. *Lung Disease, etc.* | 7 | 3 | 9 | 7 | 8 | 19 | 2 | 11 | 4 | 6 | – | – | 2 | 10 | 1 | 5 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | 2 | 5 | 8 | – | 1 | 2 | – | – | – | – | 2 | – | – |
| | 2. Enteritis | 5 | 2 | – | 4 | 10 | 11 | 3 | 10 | – | 5 | 2 | – | 2 | 8 | 3 | 2 |
| | 3. Peritonitis | – | – | 4 | – | 5 | 3 | 3 | 5 | – | 3 | – | – | 3 | 3 | 2 | – |
| | 4. Ascites | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 2 | – | 2 | – | 1 | 2 | – | 1 | 1 | 2 | – | – | 1 | 1 | 1 | 2 |
| | 6. Hernia | – | – | – | 1 | 1 | 2 | – | 2 | – | 1 | – | – | 1 | – | – | 1 |
| | 7. Ileus | 4 | 1 | 5 | 1 | 3 | 2 | – | 1 | – | 1 | – | – | – | – | – | 3 |
| | 8. Intussusception | – | – | 1 | – | – | 2 | – | 4 | – | – | – | – | – | – | 1 | – |
| | 9. Stricture of Intestines | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 7 | 2 | 10 | 1 | 4 | 8 | 2 | 6 | 1 | – | – | – | 2 | 2 | 2 | 3 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 3 | 1 | 3 | 4 | 5 | 3 | – | 2 | – | 1 | – | – | 1 | 2 | – | 1 |
| | 14. Jaundice | – | – | 1 | – | 1 | 3 | – | 1 | 3 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 1 | 1 | 3 | – | 5 | 7 | 1 | 5 | 3 | – | 1 | – | – | 6 | 5 | 4 |
| | 16. *Spleen Disease, etc.* | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | | |
| | 1. Nephritis | 1 | – | – | – | 2 | 2 | – | 2 | – | – | – | – | 2 | 2 | – | – |
| | 2. Ischuria | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 | – |
| | 3. Bright's Disease (Nephria) | 2 | – | – | 1 | 3 | 3 | 3 | 2 | 1 | 2 | 1 | – | – | – | 5 | 1 |
| | 4. Diabetes | 1 | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – | 2 | 2 |
| | 5. Calculus (Stone) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 6. Cystitis | 1 | 2 | – | 1 | 1 | 2 | 1 | 3 | 3 | 3 | 2 | 1 | 3 | 3 | 2 | – |
| | 7. *Kidney Disease, etc.* | 2 | – | 7 | 5 | 3 | 3 | – | 8 | 1 | 3 | – | – | – | 6 | 2 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. *Joint Disease, etc.* | 4 | – | 3 | 2 | 4 | 5 | – | 3 | – | – | – | – | 1 | 2 | 2 | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2 | | | | | | | | | | | | | | | | |
| | 1. Scrofula | 3 | 2 | 3 | 5 | 4 | 8 | 1 | 7 | 2 | 3 | 2 | – | 1 | 4 | 4 | 8 |
| | 2. Tabes Mesenterica | 9 | 7 | 1 | 11 | 3 | 15 | 1 | 5 | 1 | 2 | 1 | 1 | 3 | 3 | 1 | – |
| | 3. Phthisis | 39 | 13 | 40 | 61 | 39 | 65 | 13 | 65 | 18 | 20 | 9 | 1 | 9 | 60 | 32 | 43 |
| | 4. Hydrocephalus | 4 | 7 | 2 | 19 | 5 | 21 | 2 | 8 | 4 | 5 | 1 | – | 4 | 8 | 3 | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 3 | 2 | 5 | 6 | 2 | 14 | – | 2 | 5 | 3 | 1 | – | 2 | 4 | 1 | 1 |
| | 2. Apoplexy | 9 | 5 | 5 | 11 | 4 | 17 | 5 | 16 | 6 | 10 | 3 | – | 3 | 18 | 6 | 13 |
| | 3. Paralysis | 8 | 1 | 11 | 8 | 5 | 21 | 2 | 21 | 7 | 9 | 2 | – | 3 | 15 | 11 | 8 |
| | 4. Insanity | – | – | 2 | 2 | – | 1 | – | 6 | – | 1 | – | – | 4 | – | 1 | – |
| | 5. Chorea | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | 1 | – | 4 | 2 | 4 | 1 | 4 | – | – | – | – | – | 2 | 1 | 1 |
| | 7. Convulsions | 2 | – | 2 | 3 | – | 6 | 4 | 8 | 2 | 4 | – | – | – | 7 | 3 | 1 |
| | 8. *Brain Disease, etc.* | 2 | 2 | 1 | 10 | 5 | 7 | – | 23 | 9 | 2 | 1 | – | 2 | 4 | 4 | – |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | 1 | – | – | 1 | – | 2 | – | – | – | – | 1 | – | – | – |
| | 2. Aneurism | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 19 | 9 | 15 | 39 | 20 | 31 | 9 | 50 | 27 | 24 | 5 | 3 | 24 | 34 | 14 | 14 |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | 1 | – | 1 | – | 2 | – | – | – | – | – | 2 | – | – |
| | 2. Bronchitis | 25 | 22 | 17 | 34 | 18 | 83 | 16 | 89 | 16 | 15 | 7 | 1 | 13 | 58 | 15 | 29 |
| | 3. Pleurisy | 3 | – | 1 | – | – | 3 | 1 | 5 | – | 1 | – | – | 2 | 3 | 1 | – |
| | 4. Pneumonia | 9 | 4 | 3 | 12 | 7 | 15 | 1 | 29 | 8 | 11 | 2 | 1 | 5 | 19 | 5 | 5 |
| | 5. Asthma | 3 | 1 | 3 | 1 | 1 | 4 | – | 1 | 1 | – | – | – | – | 3 | 1 | – |
| | 6. *Lung Disease, etc.* | 4 | 2 | 10 | 3 | 6 | 13 | – | 10 | 2 | 6 | 1 | – | 3 | 7 | 1 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Gastritis | 4 | 2 | 2 | 1 | – | 5 | – | 5 | – | – | – | – | 2 | 3 | 1 | – |
| | 2. Enteritis | 4 | 1 | 6 | 8 | 1 | 11 | 5 | 8 | 1 | 1 | – | – | 5 | 5 | 1 | 2 |
| | 3. Peritonitis | 3 | 1 | 3 | 3 | 3 | 4 | 1 | 4 | 2 | – | – | – | 2 | 6 | 3 | 2 |
| | 4. Ascites | – | – | 1 | 2 | 2 | 2 | – | – | – | – | – | – | 1 | 1 | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | – | 2 | 1 | – | 1 | 2 | – | – | – | 1 | 1 | 1 |
| | 6. Hernia | 1 | – | 1 | 1 | – | 2 | – | 1 | – | – | – | – | 1 | – | 1 | – |
| | 7. Ileus | – | – | 1 | – | 1 | 2 | – | 5 | 1 | 1 | 1 | – | – | 2 | – | 1 |
| | 8. Intussusception | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| | 9. Stricture of Intestines | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 3 | – | 2 | 5 | 1 | 5 | 2 | 6 | – | 3 | – | – | 1 | 6 | 5 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 2 | 2 | 5 | 1 | 1 | 9 | – | 1 | – | – | 2 | – | 3 | 2 | – | – |
| | 14. Jaundice | 1 | – | – | 1 | 1 | 3 | 3 | 4 | – | 4 | 1 | – | 1 | 1 | – | – |
| | 15. *Liver Disease, etc.* | 5 | – | – | 2 | 5 | 6 | 2 | 6 | 3 | 1 | 1 | – | – | 6 | 3 | 1 |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | 1 | – | – | – | – | – | – | 2 | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | – | 1 | – | 1 | – | 2 | – | 1 | 1 | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 4 | 1 | 3 | 4 | 1 | 4 | 2 | 4 | 1 | – | 1 | – | 3 | 2 | 1 | 2 |
| | 4. Diabetes | 1 | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| | 7. *Kidney Disease, etc.* | – | 2 | 4 | – | 3 | 3 | – | 2 | – | 2 | – | – | – | – | – | 1 |
| | ORDER 6. | | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | 1 | – | – | 1 | 3 | – | 1 | – | 2 | 1 | – | – | – | – | 2 |
| | 2. *Uterus Disease, etc.* | – | 1 | – | 1 | 1 | 4 | 2 | 4 | – | 1 | – | – | – | 1 | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 1 | 2 | 2 | 4 | 1 | 6 | 2 | 2 | 1 | 1 | – | – | 1 | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Mainland-Rural. | Caithness | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 20 | 1 | – | – | – | – | – | 2 | 1 | – | 1 | 3 | 1 | – | – |
| | 2. Ulcer | 8 | 1 | – | 1 | – | – | – | – | – | – | – | 3 | 1 | – | – |
| | 3. *Skin Disease, etc.* | 15 | 1 | – | – | 1 | – | – | 3 | 3 | – | – | 2 | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 183 | – | 1 | 3 | 2 | 2 | 14 | 8 | 34 | 4 | 11 | 10 | 8 | 2 | 5 |
| | 2. Cyanosis | 11 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| | 3. Spina Bifida | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| | 4. Other Malformations | 11 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| | 5. Teething | 75 | 1 | 1 | 3 | 1 | – | 3 | 1 | 5 | 4 | 5 | 3 | 2 | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever). | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | 759 | 27 | 36 | 83 | 36 | 2 | 23 | 19 | 57 | 24 | 27 | 70 | 44 | 6 | 3 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 331 | 5 | 2 | 4 | 7 | 1 | 13 | 5 | 34 | 6 | 12 | 13 | 28 | – | 2 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 186 | 5 | 2 | 7 | 3 | – | 5 | 9 | 11 | 1 | 9 | 17 | 15 | – | – |
| | 2. Gunshot Wounds | 5 | – | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| | 3. Cut, Stab | 6 | – | – | – | – | – | 1 | 1 | 2 | – | – | – | 1 | – | – |
| | 4. Burns and Scalds | 33 | – | – | 2 | – | – | – | – | 3 | – | 4 | 1 | 3 | – | – |
| | 5. Poison | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 136 | 1 | 3 | 2 | 6 | – | 3 | 11 | 14 | 9 | 4 | 10 | 6 | – | – |
| | 7. Suffocation | 25 | 2 | 1 | 3 | – | – | – | – | 3 | 3 | – | 1 | – | – | – |
| | 8. Otherwise | 58 | 1 | 1 | 1 | 3 | – | 1 | – | 4 | – | 1 | 2 | 4 | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Cut, Stab | 12 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – | – |
| | 3. Poison | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 4. Drowning | 8 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – | – | – |
| | 5. Hanging | 17 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | 5 | – | – |
| | 6. Otherwise and undefined | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 12 | – | 1 | – | – | – | 2 | – | 4 | 1 | – | – | 3 | – | – |
| | Causes not specified or ill-defined | 200 | 6 | 15 | 35 | 9 | – | 6 | 3 | 11 | 10 | 2 | 19 | 14 | – | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Total Mainland-Rural. | Caithness. | Sutherland. | Ross and Cromarty. | Inverness. | Nairn. | Elgin. | Banff. | Aberdeen. | Kincardine. | Forfar. | Perth. | Fife. | Kinross. | Clackmannan. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 17 | 1 | 1 | – | – | – | 1 | 1 | 4 | – | – | – | – | – | – |
| | 2. Ulcer | 11 | 1 | – | – | – | – | 2 | – | 1 | – | – | 1 | 1 | – | – |
| | 3. *Skin Disease, etc.* | 8 | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 145 | 1 | – | 2 | 5 | – | 5 | 4 | 15 | 2 | 6 | 6 | 6 | 2 | 1 |
| | 2. Cyanosis | 11 | – | – | – | – | – | – | – | 1 | – | – | – | 2 | – | – |
| | 3. Spina Bifida | 6 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | 2 | – |
| | 4. Other Malformations | 10 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | 1 | – | – |
| | 5. Teething | 52 | 1 | 2 | 2 | 1 | 1 | 9 | 1 | 3 | 1 | 2 | 3 | 3 | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | 8 | – | – | 2 | – | – | 2 | – | – | – | – | – | – | 1 | – |
| | 2. Childbirth (*see* Puerperal Fever) | 94 | 2 | 3 | 3 | 1 | – | – | 4 | 13 | 2 | 5 | 7 | 4 | – | 1 |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | 1140 | 35 | 61 | 87 | 59 | 2 | 23 | 36 | 94 | 27 | 31 | 119 | 81 | 9 | 3 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 292 | 3 | 4 | 10 | 6 | – | 4 | 8 | 18 | 5 | 7 | 16 | 19 | 1 | 4 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 47 | – | – | 3 | – | 1 | – | 2 | 2 | 4 | 4 | 5 | 2 | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 39 | 2 | 3 | 2 | – | 1 | 1 | 1 | 7 | – | 1 | 4 | – | – | – |
| | 5. Poison | 5 | 1 | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| | 6. Drowning | 18 | – | – | 1 | – | – | 1 | – | 1 | 1 | 1 | 2 | 1 | – | – |
| | 7. Suffocation | 20 | 2 | 1 | – | – | – | – | – | 4 | 1 | 5 | 1 | 2 | – | – |
| | 8. Otherwise | 21 | – | 1 | 1 | 1 | – | 1 | 1 | 2 | – | 2 | 1 | 2 | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Drowning | 11 | – | 1 | – | – | – | – | 1 | 1 | – | – | 3 | – | – | – |
| | 5. Hanging | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 6. Otherwise and undefined | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 7 | – | – | – | – | – | 1 | – | 4 | 1 | – | – | – | – | – |
| | Causes not specified or ill-defined | 226 | 10 | 15 | 27 | 13 | – | 1 | 4 | 18 | 8 | 3 | 16 | 19 | 2 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark | Linlithgow. | Edinburgh. | Haddington | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | 1 | – | 3 | 1 | – | 2 | 2 | 1 | – | – | – | – | – | – | 1 |
| | 2. Ulcer | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 4 | 1 | 2 | 1 | 6 | 13 | 1 | 20 | 2 | 5 | 1 | – | 3 | 10 | 4 | 6 |
| | 2. Cyanosis | 1 | 2 | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | 1 | 1 | 1 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | 2 |
| | 5. Teething | 5 | 2 | 2 | 3 | 4 | 6 | 2 | 5 | 1 | 1 | 1 | – | 1 | – | – | 12 |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3 | | | | | | | | | | | | | | | | |
| | 1. Old Age | 19 | 10 | 57 | 6 | 21 | 31 | 5 | 40 | 10 | 17 | 4 | 1 | 10 | 42 | 12 | 17 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 20 | 7 | 7 | 11 | 25 | 30 | 8 | 28 | 13 | 2 | 3 | 1 | 6 | 23 | 5 | 10 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 4 | 6 | 6 | 4 | 17 | 23 | 7 | 23 | 2 | – | – | – | 2 | 5 | 1 | 2 |
| | 2. Gunshot Wounds | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. Burns and Scalds | 2 | 1 | – | – | 4 | 3 | – | 1 | 2 | – | – | – | 1 | – | 3 | 3 |
| | 5. Poison | – | – | – | – | – | 1 | – | – | – | – | – | – | – | 3 | – | – |
| | 6. Drowning | 2 | 8 | 14 | 8 | 6 | 5 | 1 | 5 | 4 | 1 | 1 | – | 1 | 3 | 3 | 5 |
| | 7. Suffocation | – | – | 1 | – | 2 | – | – | 3 | 1 | 3 | – | – | – | 2 | – | – |
| | 8. Otherwise | 9 | 1 | 1 | 5 | 4 | 3 | 2 | 2 | 1 | 1 | 1 | 1 | 2 | 5 | – | 2 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | 1 | 2 | – | 1 | 2 | – | – | – | – | – | 1 | 1 | – |
| | 3. Poison | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – |
| | 5. Hanging | – | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – | 1 | – | – |
| | 6. Otherwise and undefined | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | Causes not specified or ill-defined | 10 | 1 | 18 | 2 | 6 | 4 | 2 | 4 | 3 | – | 1 | – | 2 | 7 | 2 | 7 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | Stirling. | Dumbarton. | Argyll. | Renfrew. | Ayr. | Lanark. | Linlithgow. | Edinburgh. | Haddington. | Berwick. | Peebles. | Selkirk. | Roxburgh. | Dumfries. | Kirkcudbright. | Wigtown. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | – | 1 | – | 1 | 1 | – | 4 | – | – | 1 | – | – | – | – | – |
| | 2. Ulcer | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | | |
| | 1. Premature Birth | 6 | 1 | 3 | 12 | 1 | 12 | 2 | 14 | 7 | 8 | 2 | 1 | 5 | 10 | 3 | 3 |
| | 2. Cyanosis | 2 | – | – | – | – | 1 | – | – | 1 | 2 | 1 | – | – | 1 | – | – |
| | 3. Spina Bifida | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Other Malformations | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | 2 | – | – |
| | 5. Teething | 5 | 1 | 2 | 4 | 1 | 3 | 1 | – | – | – | – | – | 1 | 2 | – | 2 |
| | ORDER 2. | | | | | | | | | | | | | | | | |
| | 1. Paramenia | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 4 | – | 4 | 5 | 5 | 11 | 2 | 8 | 1 | 4 | 1 | – | 1 | 1 | – | 2 |
| | ORDER 3. | | | | | | | | | | | | | | | | |
| | 1. Old Age | 45 | 16 | 72 | 35 | 14 | 49 | 13 | 67 | 15 | 19 | 4 | 2 | 22 | 48 | 18 | 34 |
| | ORDER 4. | | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 21 | 3 | 7 | 26 | 9 | 37 | 3 | 28 | 7 | 12 | 2 | 2 | 2 | 15 | 2 | 11 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 3 | 1 | 1 | 1 | 1 | 4 | – | 5 | – | – | 1 | – | 2 | 4 | – | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. Burns and Scalds | 2 | 1 | 2 | 3 | 2 | 4 | – | 1 | – | 1 | – | – | – | 1 | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 6. Drowning | 1 | 2 | 2 | 1 | – | 1 | – | 1 | 1 | – | – | – | – | 1 | – | – |
| | 7. Suffocation | – | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | 1 | – | – |
| | 8. Otherwise | – | – | 1 | – | – | – | 1 | 1 | – | 1 | – | – | 3 | 1 | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 Cut, Stab | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Drowning | 1 | 1 | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 | – | – |
| | 5. Hanging | – | 1 | – | – | 1 | 1 | – | – | 2 | – | – | – | 1 | – | 1 | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 6 | 2 | 24 | 7 | 9 | 10 | 6 | 4 | 6 | 4 | – | – | 1 | 3 | 4 | 4 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.

| Class. | CAUSES OF DEATH. | Males. | | | | | | | Females. | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. | Total. | Shetland. | Orkney. | Ross and Cromarty. | Inverness. | Argyll. | Bute. |
| | **All Causes** . . . | 1023 | 180 | 183 | 119 | 285 | 189 | 67 | 1028 | 231 | 185 | 101 | 254 | 175 | 82 |
| | **Specified Causes** . . . | 896 | 144 | 175 | 95 | 248 | 169 | 65 | 882 | 197 | 175 | 80 | 210 | 144 | 76 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 142 | 24 | 17 | 43 | 23 | 26 | 9 | 131 | 23 | 13 | 37 | 32 | 16 | 10 |
| II. | CONSTITUTIONAL ,, | 154 | 21 | 30 | 12 | 43 | 34 | 14 | 142 | 32 | 31 | 8 | 31 | 24 | 16 |
| III. | LOCAL ,, | 340 | 45 | 79 | 26 | 103 | 56 | 31 | 289 | 45 | 63 | 15 | 78 | 55 | 33 |
| IV. | DEVELOPMENTAL ,, | 199 | 38 | 42 | 11 | 64 | 35 | 9 | 303 | 94 | 65 | 18 | 64 | 45 | 17 |
| V. | VIOLENT DEATHS . . | 61 | 16 | 7 | 3 | 15 | 18 | 2 | 17 | 3 | 3 | 2 | 5 | 4 | – |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 137 | 24 | 15 | 42 | 23 | 26 | 7 | 129 | 23 | 13 | 36 | 31 | 16 | 10 |
| | 2. ENTHETIC ,, . . | 1 | – | – | 1 | – | – | – | 1 | – | – | 1 | – | – | – |
| | 3. DIETIC ,, . . | 3 | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . . | 1 | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| II. | 1. DIATHETIC ,, . . | 27 | 4 | 7 | 1 | 7 | 7 | 1 | 38 | 7 | 11 | 5 | 8 | 5 | 2 |
| | 2. TUBERCULAR ,, . . | 127 | 17 | 23 | 11 | 36 | 27 | 13 | 104 | 25 | 20 | 3 | 23 | 19 | 14 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 67 | 9 | 17 | 4 | 14 | 15 | 8 | 59 | 10 | 17 | 4 | 7 | 10 | 11 |
| | 2. ,, OF ORGANS OF CIRCULATION . . | 43 | 4 | 11 | 5 | 9 | 9 | 5 | 30 | 3 | 7 | 1 | 7 | 8 | 4 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 138 | 20 | 27 | 11 | 53 | 17 | 10 | 120 | 19 | 22 | 7 | 48 | 17 | 7 |
| | 4. ,, OF DIGESTIVE ORGANS | 58 | 6 | 16 | 2 | 19 | 10 | 5 | 57 | 12 | 11 | 2 | 12 | 12 | 8 |
| | 5. ,, OF URINARY ORGANS | 31 | 6 | 6 | 4 | 7 | 5 | 3 | 10 | – | 2 | – | 2 | 4 | 2 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | 7 | 1 | 4 | – | 1 | 1 | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | – | 2 | – | – | – | – | 6 | – | – | 1 | 1 | 3 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 11 | 1 | 1 | – | 4 | 2 | 3 | 11 | 3 | 2 | – | 2 | 3 | 1 |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | 15 | 7 | 3 | – | 4 | 1 | – |
| | 3. ,, OF OLD PEOPLE | 170 | 37 | 34 | 10 | 51 | 32 | 6 | 257 | 81 | 58 | 16 | 47 | 39 | 16 |
| | 4. DISEASES OF NUTRITION | 18 | – | 7 | 1 | 9 | 1 | – | 20 | 3 | 2 | 2 | 11 | 2 | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1880.

| Class. | CAUSES OF DEATH. | Males. Total. | Males. Shetland. | Males. Orkney. | Males. Ross and Cromarty. | Males. Inverness. | Males. Argyll. | Males. Bute. | Females. Total. | Females. Shetland. | Females. Orkney. | Females. Ross and Cromarty. | Females. Inverness. | Females. Argyll. | Females. Bute. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 60 | 15 | 7 | 3 | 15 | 18 | 2 | 15 | 2 | 3 | 2 | 5 | 3 | – |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | 1 | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 127 | 36 | 8 | 24 | 37 | 20 | 2 | 146 | 34 | 10 | 21 | 44 | 31 | 6 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 3 | 2 | – | – | – | – | 1 | 2 | 2 | – | – | – | – | – |
| | 3. Scarlatina | 13 | 12 | – | – | 1 | – | – | 11 | 8 | 2 | – | – | 1 | – |
| | 4. Diphtheria | 9 | 1 | – | – | – | 8 | – | 10 | – | 1 | – | 4 | 3 | 2 |
| | 5. Quinsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 14 | – | – | 5 | 4 | 2 | 3 | 14 | 1 | – | 4 | 7 | 2 | – |
| | 7. Hooping-cough | 43 | 3 | – | 30 | 2 | 7 | 1 | 36 | 2 | 3 | 25 | 1 | 4 | 1 |
| | 8. Typhus Fever | 9 | – | – | 4 | 4 | 1 | – | 7 | – | – | 2 | 4 | 1 | – |
| | 8. Enteric or Typhoid Fever | 12 | 1 | 6 | – | 4 | 1 | – | 11 | – | 2 | 1 | 2 | 3 | 3 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 2 | – | 1 | – | – | 1 | – | 3 | – | – | – | 2 | – | 1 |
| | 9. Erysipelas | 5 | 1 | 1 | – | 1 | 2 | – | 3 | 1 | – | – | 1 | 1 | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | 5 | 2 | – | 1 | 2 | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 12. Influenza | 3 | – | 1 | – | – | 1 | 1 | 2 | 1 | – | 1 | – | – | – |
| | 13. Dysentery | 3 | 1 | – | – | 1 | – | 1 | 1 | – | 1 | – | – | – | – |
| | 14. Diarrhœa | 8 | – | 5 | 3 | – | – | – | 3 | – | 1 | 1 | – | – | 1 |
| | 15. Cholera | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | 1 |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 9 | 3 | – | – | 4 | 2 | – | 17 | 5 | 2 | 1 | 7 | 1 | 1 |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | 1 | – | – | 2 | – | 1 | – | 1 | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| | 2. Stricture of Urethra | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 2 | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 1 | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 2. Dropsy | 5 | 1 | – | – | 3 | 1 | – | 13 | 2 | 4 | 2 | 2 | 3 | – |
| | 3. Cancer | 17 | 2 | 6 | 1 | 3 | 4 | 1 | 19 | 3 | 6 | 2 | 5 | 2 | 1 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 4 | 1 | – | – | 1 | 2 | – | 5 | 1 | 1 | 1 | 1 | – | 1 |



* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1880. (*Continued.*)

| Class. | CAUSES OF DEATH. | Males. Total. | Males. Shetland. | Males. Orkney. | Males. Ross and Cromarty. | Males. Inverness. | Males. Argyll. | Males. Bute. | Females. Total. | Females. Shetland. | Females. Orkney. | Females. Ross and Cromarty. | Females. Inverness. | Females. Argyll. | Females. Bute. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 5 | 1 | – | – | 2 | 2 | – | 5 | – | – | 1 | 2 | – | 2 |
| | 2. Tabes Mesenterica | 4 | – | – | – | 3 | – | 1 | 2 | – | 1 | – | – | 1 | – |
| | 3. Phthisis | 107 | 16 | 19 | 11 | 29 | 22 | 10 | 89 | 22 | 16 | 2 | 19 | 18 | 12 |
| | 4. Hydrocephalus | 11 | – | 4 | – | 2 | 3 | 2 | 8 | 3 | 3 | – | 2 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 7 | 2 | 2 | – | 2 | – | 1 | 5 | 2 | 2 | – | 1 | – | – |
| | 2. Apoplexy | 16 | 1 | 5 | – | 3 | 4 | 3 | 18 | 4 | 7 | – | 1 | 2 | 4 |
| | 3. Paralysis | 21 | 4 | 7 | 1 | 3 | 6 | – | 24 | 3 | 6 | 2 | 2 | 7 | 4 |
| | 4. Insanity | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | 1 | – | – | – | 1 | 2 | 2 | 1 | – | – | 1 | – | – |
| | 7. Convulsions | 10 | – | 1 | – | 6 | 3 | – | 3 | – | 1 | 1 | 1 | – | – |
| | 8. *Brain Disease, etc.* | 9 | 1 | 2 | 3 | – | 1 | 2 | 6 | – | 1 | 1 | – | 1 | 3 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | 2. Aneurism | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 40 | 3 | 11 | 5 | 9 | 8 | 4 | 29 | 3 | 7 | 1 | 7 | 7 | 4 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | – | – | – | – | 2 | – | 2 | – | – | 1 | 1 | – | – |
| | 2. Bronchitis | 66 | 14 | 14 | 6 | 21 | 5 | 6 | 68 | 15 | 14 | 4 | 15 | 14 | 6 |
| | 3. Pleurisy | 16 | 1 | 1 | – | 13 | – | 1 | 15 | 3 | – | – | 12 | – | – |
| | 4. Pneumonia | 29 | 3 | 8 | 4 | 7 | 6 | 1 | 16 | 1 | 6 | 1 | 6 | 1 | 1 |
| | 5. Asthma | 9 | 2 | 4 | – | 2 | 1 | – | 15 | – | 2 | 1 | 11 | 1 | – |
| | 6. *Lung Disease, etc.* | 16 | – | – | 1 | 10 | 3 | 2 | 4 | – | – | – | 3 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 8 | 3 | 1 | – | 4 | – | – | 1 | – | – | – | 1 | – | – |
| | 2. Enteritis | 8 | 1 | 1 | 2 | 2 | 1 | 1 | 8 | 3 | – | – | 2 | 3 | – |
| | 3. Peritonitis | 2 | – | 1 | – | 1 | – | – | 7 | 1 | 1 | – | 3 | 1 | 1 |
| | 4. Ascites | 1 | – | – | – | 1 | – | – | 2 | – | 2 | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| | 6. Hernia | 3 | 1 | 1 | – | 1 | – | – | 2 | – | 1 | – | – | – | 1 |
| | 7. Ileus | 6 | – | 3 | – | 2 | 1 | – | 4 | – | 2 | – | – | 1 | 1 |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | – | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 13 | 1 | 4 | – | 4 | 4 | – | 12 | 5 | – | 1 | 1 | 3 | 2 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | 13. Hepatitis | 3 | – | 1 | – | 1 | 1 | – | 3 | – | 1 | – | – | 2 | – |
| | 14. Jaundice | 2 | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 7 | – | 2 | – | 2 | 2 | 1 | 15 | 2 | 4 | 1 | 3 | 2 | 3 |
| | 16. *Spleen Disease, etc.* | 3 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 5 | – | 3 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 2. Ischuria | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 3 | 1 | – | 2 | – | – | – | 1 | – | 1 | – | – | – | – |
| | 4. Diabetes | 5 | – | – | 1 | – | 3 | 1 | 3 | – | – | – | 1 | 1 | 1 |
| | 5. Calculus (Stone). | 5 | 2 | – | – | 3 | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 3 | 1 | 1 | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| | 7. *Kidney Disease, etc.* | 8 | 2 | 1 | 1 | 3 | 1 | – | 5 | – | 1 | – | – | 3 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | 3 | 1 | 2 | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | 4 | – | 2 | – | 1 | 1 | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | 2. *Joint Disease, etc.* | 2 | – | 2 | – | – | – | – | 5 | – | – | 1 | 1 | 2 | 1 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND during the YEAR 1880. (*Continued.*)

| Class. | CAUSES OF DEATH. | Males. Total. | Males. Shetland. | Males. Orkney. | Males. Ross and Cromarty. | Males. Inverness. | Males. Argyll. | Males. Bute. | Females. Total. | Females. Shetland. | Females. Orkney. | Females. Ross and Cromarty. | Females. Inverness. | Females. Argyll. | Females. Bute. |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | | 1 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 9 | 1 | – | – | 3 | 2 | 3 | 7 | 1 | 2 | – | 1 | 3 | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 2 | – | 1 | – | 1 | – | – | 3 | 2 | – | – | 1 | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | 15 | 7 | 3 | – | 4 | 1 | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 170 | 37 | 34 | 10 | 51 | 32 | 6 | 257 | 81 | 58 | 16 | 47 | 39 | 16 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 18 | – | 7 | 1 | 9 | 1 | – | 20 | 3 | 2 | 2 | 11 | 2 | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 9 | 2 | 3 | – | 1 | 2 | 1 | 2 | – | 1 | – | 1 | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 5 | 1 | 1 | 2 | 1 | – | – | 7 | 1 | 1 | 1 | 4 | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 41 | 10 | 3 | – | 13 | 14 | 1 | 5 | 1 | 1 | 1 | – | 2 | – |
| | 7. Suffocation | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | 8. Otherwise | 5 | 2 | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | 4. Drowning | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 5. Hanging | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 127 | 36 | 8 | 24 | 37 | 20 | 2 | 146 | 34 | 10 | 21 | 44 | 31 | 6 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 38055 | 4264 | 1559 | 2789 | 3456 | 1510 | 962 | 688 | 1962 | 939 | 1276 | 1308 | 1162 | 1043 |
| | **Specified Causes** . . | 37482 | 4077 | 1524 | 2763 | 3433 | 1495 | 957 | 684 | 1946 | 929 | 1262 | 1296 | 1151 | 1034 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 6940 | 531 | 386 | 880 | 1213 | 656 | 472 | 340 | 792 | 199 | 199 | 140 | 137 | 88 |
| II. | CONSTITUTIONAL ,, | 6765 | 119 | 159 | 347 | 546 | 260 | 183 | 131 | 489 | 334 | 539 | 648 | 529 | 386 |
| III. | LOCAL ,, | 17223 | 1307 | 798 | 1276 | 1391 | 494 | 255 | 177 | 564 | 298 | 377 | 324 | 338 | 409 |
| IV. | DEVELOPMENTAL ,, | 4669 | 2039 | 155 | 250 | 246 | 45 | 13 | 5 | 12 | 5 | 7 | 3 | 2 | 3 |
| V. | VIOLENT DEATHS | 1885 | 81 | 26 | 10 | 37 | 40 | 34 | 31 | 89 | 93 | 140 | 181 | 145 | 148 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 6498 | 403 | 345 | 856 | 1197 | 652 | 469 | 336 | 780 | 196 | 197 | 130 | 118 | 67 |
| | 2. ENTHETIC ,, . | 156 | 63 | 27 | 16 | 9 | 1 | – | 1 | 2 | 2 | 1 | 2 | 4 | 5 |
| | 3. DIETIC ,, . | 266 | 52 | 12 | 8 | 7 | 2 | 2 | 2 | 9 | 1 | 1 | 8 | 15 | 16 |
| | 4. PARASITIC ,, . | 20 | 13 | 2 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 966 | 14 | 5 | 6 | 9 | 7 | 9 | 4 | 18 | 12 | 9 | 13 | 14 | 11 |
| | 2. TUBERCULAR ,, . | 5799 | 105 | 154 | 341 | 537 | 253 | 174 | 127 | 471 | 322 | 530 | 635 | 515 | 375 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 4015 | 280 | 154 | 249 | 292 | 113 | 71 | 59 | 192 | 93 | 88 | 55 | 70 | 77 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 2402 | 12 | 3 | 5 | 5 | 1 | 2 | 1 | 33 | 26 | 58 | 52 | 56 | 84 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 7277 | 678 | 504 | 877 | 961 | 308 | 140 | 80 | 188 | 64 | 94 | 96 | 112 | 143 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 2130 | 313 | 123 | 125 | 105 | 52 | 18 | 22 | 64 | 48 | 56 | 54 | 51 | 63 |
| | 5. ,, OF URINARY ORGANS . . . | 1025 | 4 | 2 | 4 | 13 | 13 | 19 | 11 | 37 | 27 | 41 | 39 | 37 | 28 |
| | 6. ,, OF ORGANS OF GENERATION . | 5 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 237 | 2 | 2 | – | 6 | 3 | 3 | 4 | 43 | 38 | 38 | 27 | 10 | 8 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 132 | 17 | 10 | 16 | 9 | 4 | 2 | – | 7 | 2 | 2 | 1 | 1 | 4 |
| IV. | 1. DEV. DIS. OF CHILDREN | 1407 | 1021 | 37 | 162 | 166 | 18 | – | 1 | – | – | 1 | – | – | – |
| | 2. ,, OF ADULTS | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 1818 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 1444 | 1018 | 118 | 88 | 80 | 27 | 13 | 4 | 12 | 5 | 6 | 3 | 2 | 3 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . | 37748 | 3307 | 1238 | 2366 | 3227 | 1501 | 979 | 688 | 1705 | 991 | 1215 | 1317 | 1284 | 1213 |
| | **Specified Causes** . . | 37165 | 3129 | 1201 | 2335 | 3205 | 1487 | 972 | 686 | 1684 | 980 | 1206 | 1306 | 1270 | 1196 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 7027 | 444 | 321 | 797 | 1301 | 716 | 524 | 369 | 723 | 219 | 134 | 182 | 144 | 145 |
| II. | CONSTITUTIONAL ,, | 7743 | 99 | 135 | 306 | 447 | 219 | 158 | 129 | 435 | 440 | 734 | 728 | 652 | 543 |
| III. | LOCAL ,, | 15866 | 871 | 565 | 990 | 1201 | 475 | 261 | 158 | 466 | 304 | 300 | 295 | 374 | 385 |
| IV. | DEVELOPMENTAL ,, | 5877 | 1639 | 156 | 231 | 222 | 50 | 11 | 4 | 23 | 6 | 23 | 75 | 83 | 105 |
| V | VIOLENT DEATHS . | 652 | 76 | 24 | 11 | 34 | 27 | 18 | 26 | 37 | 11 | 15 | 26 | 17 | 18 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 6731 | 352 | 291 | 769 | 1291 | 715 | 518 | 365 | 721 | 217 | 134 | 176 | 133 | 134 |
| | 2. ENTHETIC ,, . | 97 | 43 | 14 | 16 | 4 | – | 3 | – | – | 1 | – | – | 3 | 4 |
| | 3. DIETIC ,, . | 165 | 29 | 14 | 10 | 3 | – | 1 | 3 | – | 1 | – | 6 | 7 | 7 |
| | 4. PARASITIC ,, . | 34 | 20 | 2 | 2 | 3 | 1 | 2 | 1 | 2 | – | – | – | 1 | – |
| II. | 1. DIATHETIC ,, . | 1553 | 13 | 5 | 3 | 12 | 6 | 8 | 4 | 8 | 9 | 7 | 17 | 27 | 38 |
| | 2. TUBERCULAR ,, . | 6190 | 86 | 130 | 303 | 435 | 213 | 150 | 125 | 427 | 431 | 727 | 711 | 625 | 505 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 3686 | 187 | 106 | 191 | 245 | 106 | 71 | 46 | 137 | 85 | 78 | 37 | 52 | 71 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 2377 | 12 | 6 | 3 | 5 | 3 | 2 | 5 | 31 | 47 | 50 | 71 | 70 | 93 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 6547 | 448 | 355 | 690 | 841 | 308 | 154 | 87 | 186 | 68 | 76 | 58 | 112 | 99 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 2205 | 211 | 91 | 94 | 84 | 40 | 19 | 10 | 58 | 50 | 38 | 68 | 75 | 67 |
| | 5. ,, OF URINARY ORGANS . . . | 578 | – | 2 | 2 | 14 | 9 | 12 | 7 | 30 | 24 | 30 | 34 | 37 | 25 |
| | 6. ,, OF ORGANS OF GENERATION . | 184 | – | – | – | 1 | – | – | 1 | – | – | 5 | 16 | 10 | 16 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 153 | – | 1 | 3 | 2 | 3 | 1 | 1 | 17 | 27 | 22 | 6 | 10 | 6 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 136 | 13 | 4 | 7 | 9 | 6 | 2 | 1 | 7 | 3 | 1 | 5 | 8 | 8 |
| IV. | 1. DEV. DIS. OF CHILDREN | 1201 | 855 | 36 | 142 | 145 | 20 | – | 1 | – | 2 | – | – | – | – |
| | 2. ,, OF ADULTS . | 435 | – | – | – | – | – | – | – | – | 1 | 18 | 74 | 80 | 99 |
| | 3. ,, OF OLD PEOPLE | 2977 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 1264 | 784 | 120 | 89 | 77 | 30 | 11 | 3 | 23 | 3 | 5 | 1 | 3 | 6 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . | 1109 | 1225 | 1274 | 1448 | 1430 | 1684 | 1735 | 1795 | 1537 | 1146 | 550 | 156 | 32 | 7 | 9 |
| | **Specified Causes** . . | 1096 | 1212 | 1255 | 1427 | 1410 | 1660 | 1701 | 1761 | 1513 | 1144 | 548 | 156 | 32 | 7 | 9 |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 83 | 93 | 93 | 104 | 83 | 97 | 101 | 112 | 76 | 42 | 18 | 4 | – | – | 1 |
| II. | CONSTITUTIONAL ,, | 358 | 277 | 284 | 229 | 253 | 204 | 167 | 139 | 106 | 51 | 22 | 5 | – | – | – |
| III. | LOCAL ,, | 524 | 719 | 760 | 934 | 960 | 1193 | 1240 | 1197 | 913 | 559 | 176 | 32 | 8 | – | – |
| IV. | DEVELOPMENTAL ,, | 2 | 3 | 6 | 25 | 36 | 80 | 140 | 259 | 390 | 477 | 322 | 113 | 24 | 7 | – |
| V. | VIOLENT DEATHS . | 129 | 120 | 112 | 135 | 78 | 86 | 53 | 54 | 28 | 15 | 10 | 2 | – | – | 8 |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 62 | 73 | 65 | 80 | 67 | 77 | 90 | 108 | 67 | 41 | 17 | 4 | – | – | 1 |
| | 2. ENTHETIC ,, . | – | 4 | 8 | 1 | – | 2 | 2 | 2 | 3 | 1 | – | – | – | – | – |
| | 3. DIETIC ,, . | 21 | 16 | 20 | 23 | 16 | 17 | 9 | 2 | 6 | – | 1 | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 25 | 37 | 66 | 74 | 129 | 121 | 112 | 104 | 94 | 47 | 21 | 5 | – | – | – |
| | 2. TUBERCULAR ,, . | 333 | 240 | 218 | 155 | 124 | 83 | 55 | 35 | 12 | 4 | 1 | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 98 | 146 | 129 | 183 | 203 | 282 | 358 | 320 | 275 | 166 | 52 | 8 | 2 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 123 | 162 | 174 | 191 | 206 | 270 | 291 | 288 | 210 | 115 | 29 | 4 | 1 | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 179 | 245 | 274 | 380 | 337 | 413 | 341 | 345 | 270 | 169 | 62 | 13 | 4 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 62 | 76 | 109 | 122 | 125 | 140 | 144 | 124 | 70 | 51 | 9 | 3 | 1 | – | – |
| | 5. ,, OF URINARY ORGANS . . | 51 | 78 | 61 | 52 | 74 | 74 | 95 | 105 | 80 | 53 | 24 | 3 | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 5 | 7 | 10 | 3 | 3 | 7 | 5 | 8 | 4 | 1 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 6 | 5 | 3 | 3 | 12 | 6 | 6 | 7 | 4 | 4 | – | 1 | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | 2 | 5 | 79 | 140 | 259 | 390 | 477 | 322 | 113 | 24 | 7 | – |
| | 4. DISEASES OF NUTRITION | 2 | 3 | 5 | 23 | 31 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 1199 | 1178 | 1149 | 1285 | 1346 | 1820 | 1893 | 2044 | 2000 | 1576 | 807 | 295 | 100 | 21 | 4 |
| | **Specified Causes** . . | 1178 | 1163 | 1133 | 1263 | 1321 | 1792 | 1863 | 2018 | 1978 | 1574 | 806 | 295 | 100 | 21 | 3 |
| | (CLASSES). | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 111 | 87 | 68 | 75 | 90 | 116 | 113 | 112 | 114 | 71 | 41 | 5 | 4 | – | 1 |
| II. | CONSTITUTIONAL ,, | 467 | 428 | 360 | 300 | 261 | 288 | 206 | 186 | 133 | 57 | 23 | 8 | – | 1 | – |
| III. | LOCAL ,, | 474 | 571 | 648 | 821 | 883 | 1215 | 1314 | 1291 | 1035 | 638 | 264 | 46 | 19 | 1 | 1 |
| IV. | DEVELOPMENTAL ,, | 110 | 54 | 25 | 36 | 51 | 135 | 210 | 392 | 663 | 785 | 460 | 232 | 76 | 19 | 1 |
| V. | VIOLENT DEATHS . | 16 | 23 | 32 | 31 | 36 | 38 | 20 | 37 | 33 | 23 | 18 | 4 | 1 | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 101 | 70 | 54 | 65 | 80 | 103 | 106 | 105 | 111 | 71 | 40 | 5 | 4 | – | – |
| | 2. ENTHETIC ,, . | 4 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 6 | 16 | 12 | 9 | 9 | 13 | 7 | 7 | 3 | – | 1 | – | – | – | 1 |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 72 | 116 | 164 | 170 | 148 | 199 | 164 | 159 | 118 | 54 | 23 | 8 | – | 1 | – |
| | 2. TUBERCULAR ,, . | 395 | 312 | 196 | 130 | 113 | 89 | 42 | 27 | 15 | 3 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 75 | 110 | 115 | 174 | 190 | 304 | 350 | 354 | 305 | 204 | 76 | 11 | 6 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 121 | 133 | 146 | 208 | 203 | 255 | 277 | 267 | 200 | 117 | 45 | 6 | 1 | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 123 | 161 | 193 | 249 | 277 | 388 | 439 | 450 | 370 | 257 | 118 | 28 | 11 | 1 | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 85 | 87 | 134 | 123 | 145 | 191 | 182 | 160 | 127 | 44 | 19 | 1 | 1 | – | 1 |
| | 5. ,, OF URINARY ORGANS . . . | 39 | 52 | 32 | 35 | 40 | 39 | 44 | 32 | 24 | 9 | 6 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 19 | 20 | 18 | 19 | 15 | 17 | 11 | 12 | 2 | 2 | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 7 | 3 | 4 | 9 | 8 | 7 | 4 | 6 | 4 | 2 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 5 | 5 | 6 | 4 | 5 | 14 | 7 | 10 | 3 | 3 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 102 | 49 | 9 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | 1 | 4 | 135 | 210 | 392 | 662 | 785 | 460 | 232 | 76 | 19 | 1 |
| | 4. DISEASES OF NUTRITION | 8 | 5 | 16 | 33 | 46 | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued*).

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 1764 | 79 | 26 | 10 | 37 | 39 | 34 | 31 | 89 | 91 | 136 | 176 | 141 | 144 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 6 | 2 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| | 4. SUICIDE | 115 | – | – | – | – | – | – | – | – | 1 | 3 | 5 | 4 | 4 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 54 | 8 | 4 | – | 3 | – | – | – | 1 | – | – | 2 | 1 | 1 |
| | CAUSES NOT SPECIFIED | 519 | 179 | 31 | 26 | 20 | 15 | 5 | 4 | 15 | 10 | 14 | 10 | 10 | 8 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small Pox | 5 | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| | 2. Measles | 751 | 16 | 15 | 181 | 297 | 111 | 54 | 28 | 38 | 5 | 2 | 1 | – | 1 |
| | 3. Scarlatina | 1120 | 4 | 9 | 62 | 130 | 158 | 173 | 141 | 350 | 48 | 28 | 4 | 5 | 3 |
| | 4. Diphtheria | 425 | 6 | 2 | 23 | 65 | 70 | 57 | 54 | 101 | 27 | 10 | 3 | 2 | – |
| | 5. Quinsy | 26 | 1 | 1 | 7 | 1 | 2 | 3 | 1 | 2 | 1 | 1 | – | 2 | 2 |
| | 6. Croup | 424 | 16 | 17 | 47 | 120 | 71 | 70 | 36 | 43 | 2 | – | – | 1 | – |
| | 7. Hooping-cough | 1195 | 66 | 101 | 305 | 385 | 169 | 64 | 36 | 66 | 2 | 1 | – | – | – |
| | 8. Typhus Fever | 97 | – | – | – | – | 2 | 1 | 4 | 6 | 5 | 9 | 7 | 9 | 7 |
| | 8. Enteric or Typhoid Fever | 680 | 2 | 1 | 3 | 16 | 21 | 21 | 18 | 120 | 75 | 104 | 80 | 71 | 33 |
| | 8. Relapsing Fever | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 8. Simple Continued Fever | 68 | 1 | 1 | 1 | 2 | 2 | 1 | 4 | 8 | 7 | 6 | 6 | 6 | 1 |
| | 9. Erysipelas | 181 | 50 | 7 | 5 | 6 | 2 | 1 | 1 | 1 | 1 | 1 | 5 | 5 | 3 |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 17 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 12. Influenza | 47 | 4 | 1 | 3 | 3 | 2 | 1 | 1 | 2 | 2 | 2 | – | – | 1 |
| | 13. Dysentery | 83 | 5 | 6 | 10 | 4 | 2 | – | – | 4 | – | 1 | 2 | 2 | 2 |
| | 14. Diarrhœa | 1046 | 222 | 164 | 187 | 139 | 35 | 13 | 8 | 13 | 4 | 7 | 7 | 2 | 4 |
| | 15. Cholera | 104 | 9 | 15 | 17 | 23 | 1 | 3 | – | 4 | – | – | – | 4 | – |
| | 16. Ague | 10 | – | – | – | 1 | – | 2 | – | 1 | 1 | – | – | – | – |
| | 17. Remittent Fever | 26 | 1 | 1 | 2 | 2 | 1 | 5 | 2 | 9 | – | – | – | 1 | – |
| | 18. Rheumatism | 179 | – | 1 | 1 | 1 | – | – | 1 | 10 | 14 | 25 | 14 | 7 | 10 |
| | 19. Other *Miasmatic* Diseases | 12 | – | 2 | 2 | 2 | 2 | – | 1 | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 131 | 63 | 27 | 16 | 9 | 1 | – | – | – | – | – | – | 2 | 1 |
| | 2. Stricture of Urethra | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| | 3. Hydrophobia | 11 | – | – | – | – | – | – | 1 | 2 | 2 | 1 | 2 | 1 | 1 |
| | 4. Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 8 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | 2. Want of Breast Milk | 65 | 48 | 11 | [illegible] | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 39 | 4 | 1 | 2 | 7 | 2 | 2 | 2 | 8 | 1 | – | 3 | 1 | – |
| | 4. Alcoholism *a* Del. Tremens | 42 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 5 |
| | 4. Alcoholism *b* Intemperance | 112 | – | – | – | – | – | – | – | – | – | 1 | 3 | 11 | 11 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 15 | 13 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 5 | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 185 | 6 | 4 | 2 | 5 | 6 | 6 | 3 | 15 | 10 | 3 | 4 | 2 | 2 |
| | 3. Cancer | 683 | 1 | – | 2 | 1 | 1 | 2 | 1 | 2 | – | 5 | 9 | 11 | 8 |
| | 4. Cancrum Oris (Noma) | 7 | 2 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 5. Mortification | 85 | 5 | 1 | 1 | 2 | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 |

* See page 52, note.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 594 | 76 | 24 | 11 | 34 | 27 | 18 | 25 | 37 | 11 | 14 | 21 | 8 | 13 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 3 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 |
| | 4. SUICIDE | 55 | – | – | – | – | – | – | – | – | – | 1 | 5 | 8 | 4 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 33 | 7 | 5 | 1 | – | – | – | – | – | 1 | – | – | 2 | 1 |
| | CAUSES NOT SPECIFIED | 550 | 171 | 32 | 30 | 22 | 14 | 7 | 2 | 21 | 10 | 9 | 11 | 12 | 16 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 5 | – | – | – | – | – | – | – | – | – | 2 | 2 | – | – |
| | 2. Measles | 676 | 10 | 7 | 123 | 261 | 122 | 66 | 33 | 40 | 5 | 4 | – | 1 | 1 |
| | 3. Scarlatina | 1045 | 7 | 3 | 40 | 156 | 162 | 169 | 129 | 278 | 53 | 10 | 12 | 9 | 8 |
| | 4. Diphtheria | 413 | 7 | 4 | 23 | 65 | 64 | 52 | 48 | 102 | 22 | 8 | 4 | 3 | 1 |
| | 5. Quinsy | 29 | 3 | 1 | 2 | 5 | 1 | 1 | 3 | 7 | – | – | 1 | – | 2 |
| | 6. Croup | 377 | 9 | 11 | 49 | 111 | 65 | 62 | 37 | 32 | 1 | – | – | – | – |
| | 7. Hooping-cough | 1446 | 93 | 88 | 297 | 463 | 221 | 123 | 67 | 91 | 2 | 1 | – | – | – |
| | 8. Typhus Fever | 73 | – | – | – | 1 | – | 2 | 1 | 2 | 8 | 4 | 11 | 5 | 9 |
| | 8. Enteric or Typhoid Fever | 658 | – | 3 | 3 | 13 | 28 | 23 | 28 | 113 | 93 | 74 | 79 | 43 | 38 |
| | 8. Relapsing Fever | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 8. Simple Continued Fever | 87 | 3 | 2 | 5 | 4 | 6 | 3 | 3 | 8 | 6 | 2 | 7 | 1 | 5 |
| | 9. Erysipelas | 182 | 50 | 12 | 8 | 4 | 2 | 2 | 2 | 6 | – | 6 | 3 | 1 | 7 |
| | 10. Puerperal Fever (Metria) | 185 | – | – | – | – | – | – | – | – | – | 8 | 39 | 46 | 43 |
| | 11. Carbuncle | 11 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 51 | 4 | 1 | – | 3 | 1 | – | – | 1 | 2 | 1 | – | – | 2 |
| | 13. Dysentery | 94 | 4 | 4 | 6 | 8 | 2 | – | – | – | – | 2 | 2 | 1 | 1 |
| | 14. Diarrhœa | 1090 | 154 | 144 | 194 | 176 | 31 | 11 | 8 | 18 | 8 | 4 | 3 | 8 | 8 |
| | 15. Cholera | 74 | 4 | 10 | 14 | 14 | 3 | 2 | 2 | 3 | 1 | – | 2 | – | – |
| | 16. Ague | 8 | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – |
| | 17. Remittent Fever | 26 | – | – | 1 | 4 | 4 | 2 | 1 | 11 | – | – | – | – | – |
| | 18. Rheumatism | 181 | – | – | – | – | 1 | – | 2 | 8 | 13 | 8 | 10 | 13 | 9 |
| | 19. Other *Miasmatic* Diseases | 18 | 4 | – | 4 | 3 | 1 | – | – | 1 | 1 | – | – | 2 | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 97 | 43 | 14 | 16 | 4 | – | 3 | – | – | 1 | – | – | 3 | 4 |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 6 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 47 | 28 | 11 | 7 | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 30 | 1 | 2 | 3 | 2 | – | 1 | 3 | – | 1 | – | 2 | 2 | – |
| | 4. Alcoholism *a* Del. Tremens | 12 | – | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 |
| | 4. Alcoholism *b* Intemperance | 70 | – | – | – | – | – | – | – | – | – | – | 2 | 3 | 5 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 26 | 20 | 2 | 2 | 1 | – | – | – | – | – | – | – | 1 | – |
| | 2. Worms, etc. | 8 | – | – | – | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1 Gout | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 251 | 4 | 5 | 3 | 5 | 3 | 5 | 3 | 4 | 5 | 5 | 8 | 9 | 5 |
| | 3. Cancer | 1190 | 1 | – | – | 2 | 2 | 1 | – | 2 | 3 | 2 | 9 | 17 | 33 |
| | 4. Cancrum Oris (Noma) | 5 | 1 | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – |
| | 5. Mortification | 102 | 7 | – | – | 5 | – | – | 1 | 1 | 1 | – | – | 1 | – |

* See page 52, note.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 117 | 109 | 94 | 121 | 67 | 72 | 46 | 47 | 25 | 15 | 9 | 2 | – | – | 7 |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. SUICIDE | 12 | 11 | 18 | 14 | 11 | 14 | 7 | 6 | 3 | – | 1 | – | – | – | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 3 | 5 | 5 | 6 | 3 | 6 | 3 | 1 | 2 | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 10 | 8 | 14 | 15 | 17 | 18 | 31 | 33 | 22 | 2 | 2 | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Scarlatina | 3 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | 1 | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 6 | 10 | 10 | 6 | 6 | 1 | 5 | 3 | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 22 | 17 | 20 | 16 | 11 | 8 | 6 | 9 | 5 | 1 | – | – | – | – | – |
| | 8. Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 2 | 3 | – | 3 | 2 | 3 | 2 | 6 | 1 | – | – | – | – | – | – |
| | 9. Erysipelas | 6 | 8 | 7 | 13 | 10 | 10 | 10 | 11 | 8 | 5 | 4 | 1 | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 1 | – | 2 | 2 | 2 | 2 | 2 | 3 | – | – | 1 | – | – | – | – |
| | 12. Influenza | – | – | 1 | 3 | 2 | 1 | 4 | 7 | 2 | 4 | 1 | – | – | – | – |
| | 13. Dysentery | 1 | 6 | 2 | 3 | 1 | 5 | 7 | 10 | 6 | 3 | 1 | – | – | – | – |
| | 14. Diarrhœa | 6 | 11 | 13 | 18 | 22 | 30 | 36 | 41 | 32 | 20 | 9 | 3 | – | – | – |
| | 15. Cholera | 5 | 6 | 2 | 2 | 3 | 2 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| | 16. Ague | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 7 | 7 | 7 | 11 | 7 | 13 | 10 | 13 | 12 | 6 | 1 | – | – | – | 1 |
| | 19. Other *Miasmatic* Diseases | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | 3 | 6 | – | – | 1 | – | – | 2 | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | 1 | 1 | – | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| | 3. Hydrophobia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 2 | – | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 8 | 5 | 5 | 9 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 11 | 10 | 14 | 14 | 12 | 10 | 8 | 2 | 4 | – | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | 1 | – | – | 2 | – | 2 | – | – | 1 | – | – | – | – |
| | 2. Dropsy | 4 | 4 | 7 | 13 | 23 | 15 | 11 | 18 | 15 | 4 | 2 | 1 | – | – | – |
| | 3. Cancer | 21 | 31 | 57 | 59 | 99 | 97 | 96 | 76 | 65 | 28 | 10 | 1 | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | 5. Mortification | – | 2 | 1 | 2 | 7 | 7 | 4 | 8 | 13 | 15 | 8 | 3 | – | – | – |

See page 52, note.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 12 | 20 | 23 | 26 | 28 | 34 | 19 | 34 | 33 | 23 | 18 | 4 | 1 | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 4 | 3 | 9 | 5 | 8 | 4 | 1 | 3 | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 3 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| | CAUSES NOT SPECIFIED | 18 | 13 | 14 | 21 | 23 | 27 | 28 | 25 | 21 | 2 | – | – | – | – | 1 |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | 2 | 3 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 5. Quinsy | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 5 | 6 | 4 | 9 | 1 | 1 | 1 | – | – | 2 | 1 | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 24 | 15 | 14 | 11 | 11 | 15 | 9 | 11 | 7 | 3 | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 3 | 2 | 1 | 3 | 4 | 5 | 5 | 1 | 6 | 2 | – | – | – | – | – |
| | 9. Erysipelas | 3 | 5 | 4 | 4 | 8 | 10 | 13 | 10 | 9 | 6 | 6 | 1 | – | – | – |
| | 10. Puerperal Fever (Metria) | 32 | 12 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 1 | – | 2 | 1 | 2 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| | 12. Influenza | – | – | – | 2 | 2 | 2 | 3 | 9 | 3 | 8 | 6 | – | 1 | – | – |
| | 13. Dysentery | 3 | 3 | 3 | 6 | 5 | 10 | 8 | 10 | 12 | 3 | – | 1 | – | – | – |
| | 14. Diarrhœa | 6 | 10 | 9 | 17 | 33 | 44 | 44 | 46 | 54 | 31 | 24 | 3 | 2 | – | – |
| | 15. Cholera | 2 | 2 | 2 | – | 2 | 1 | 4 | – | 4 | 2 | – | – | – | – | – |
| | 16. Ague | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | 1 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 18. Rheumatism | 10 | 6 | 8 | 9 | 10 | 13 | 17 | 16 | 13 | 12 | 2 | – | 1 | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 4 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | 1 | 1 | 1 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 4 | 13 | 10 | 7 | 7 | 7 | 5 | 4 | 2 | – | – | – | – | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | 1 | – | – | – | 2 | – | – | 2 | – | – | – | – | – | – |
| | 2. Dropsy | 15 | 14 | 18 | 23 | 14 | 22 | 23 | 26 | 21 | 6 | 4 | 1 | – | – | – |
| | 3. Cancer | 56 | 101 | 143 | 145 | 130 | 162 | 131 | 121 | 79 | 39 | 9 | 2 | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | 3 | 2 | 4 | 13 | 10 | 12 | 16 | 9 | 10 | 5 | – | 1 | – |

* See page 52, note.

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 427 | 11 | 13 | 19 | 47 | 26 | 23 | 10 | 57 | 59 | 40 | 32 | 19 | 14 |
| | 2. Tabes Mesenterica | 666 | 40 | 46 | 66 | 155 | 86 | 46 | 32 | 105 | 35 | 18 | 9 | 11 | 3 |
| | 3. Phthisis | 3677 | 11 | 20 | 44 | 76 | 36 | 38 | 29 | 153 | 192 | 462 | 588 | 484 | 356 |
| | 4. Hydrocephalus | 1029 | 43 | 75 | 212 | 259 | 105 | 67 | 56 | 156 | 36 | 10 | 6 | 1 | 2 |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 667 | 23 | 45 | 94 | 114 | 56 | 33 | 31 | 102 | 41 | 28 | 13 | 13 | 13 |
| | 2. Apoplexy | 1031 | 23 | 13 | 29 | 27 | 12 | 11 | 6 | 25 | 11 | 14 | 10 | 16 | 20 |
| | 3. Paralysis | 998 | – | – | 2 | 3 | 4 | 1 | 2 | 4 | 4 | 8 | 6 | 11 | 18 |
| | 4. Insanity | 50 | – | – | – | – | – | – | 1 | – | – | – | 1 | 3 | 5 |
| | 5. Chorea | 3 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 6. Epilepsy | 130 | 3 | 1 | 4 | 5 | 1 | – | 2 | 5 | 7 | 9 | 13 | 8 | 7 |
| | 7. Convulsions | 604 | 213 | 85 | 104 | 121 | 31 | 14 | 9 | 11 | 5 | 1 | – | 1 | – |
| | 8. *Brain Disease, etc.* | 532 | 18 | 10 | 16 | 21 | 9 | 11 | 8 | 45 | 25 | 28 | 12 | 18 | 14 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 63 | – | – | – | 2 | – | – | – | 9 | 3 | 3 | 5 | 1 | 5 |
| | 2. Aneurism | 114 | – | – | – | – | – | – | – | – | – | 1 | 1 | 6 | 6 |
| | 3. *Heart Disease, etc.* | 2225 | 12 | 3 | 5 | 3 | 1 | 2 | 1 | 24 | 23 | 54 | 46 | 49 | 73 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 146 | 9 | 7 | 16 | 31 | 15 | 7 | 5 | 7 | 2 | 2 | 5 | 4 | 8 |
| | 2. Bronchitis | 4236 | 514 | 366 | 629 | 606 | 176 | 78 | 38 | 79 | 21 | 18 | 12 | 22 | 33 |
| | 3. Pleurisy | 176 | 11 | 1 | 2 | 9 | 3 | 2 | – | 7 | 10 | 13 | 6 | 9 | 9 |
| | 4. Pneumonia | 1891 | 75 | 96 | 175 | 257 | 88 | 43 | 29 | 65 | 15 | 52 | 60 | 55 | 70 |
| | 5. Asthma | 157 | – | – | 1 | 1 | – | – | 1 | 1 | – | – | 3 | 4 | 4 |
| | 6. *Lung Disease, etc.* | 671 | 69 | 34 | 54 | 57 | 26 | 10 | 7 | 29 | 16 | 9 | 10 | 18 | 19 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 136 | 13 | 10 | 11 | 16 | 3 | – | 4 | 5 | 2 | – | 2 | 2 | 5 |
| | 2. Enteritis | 458 | 112 | 60 | 67 | 47 | 16 | 6 | 9 | 16 | 7 | 8 | 12 | 7 | 6 |
| | 3. Peritonitis | 223 | 16 | 10 | 14 | 10 | 5 | 3 | 2 | 19 | 11 | 26 | 11 | 11 | 11 |
| | 4. Ascites | 28 | 2 | – | 1 | – | 1 | 2 | 2 | 1 | 3 | – | 2 | – | 2 |
| | 5. Ulceration of Intestines | 86 | 4 | 1 | – | 2 | – | – | – | 4 | 3 | – | 3 | 1 | 3 |
| | 6. Hernia | 69 | 2 | 3 | 1 | 1 | 2 | – | – | – | – | 2 | 1 | 3 | 5 |
| | 7. Ileus | 149 | 28 | 11 | 4 | 3 | 2 | – | – | 7 | 5 | 3 | 5 | 2 | – |
| | 8. Intussusception | 44 | 6 | 3 | 6 | 3 | 2 | – | – | 1 | 3 | 2 | – | 2 | 4 |
| | 9. Stricture of Intestines | 20 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 14 | 1 | 1 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| | 11. *Stomach Disease, etc.* | 308 | 52 | 20 | 19 | 12 | 9 | 3 | 2 | 5 | 4 | 2 | 7 | 6 | 5 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 114 | 5 | 3 | 2 | 7 | 4 | 3 | – | – | – | 2 | 4 | 5 | 6 |
| | 14. Jaundice | 116 | 60 | – | – | – | 5 | – | 1 | 1 | – | – | – | 1 | – |
| | 15. *Liver Disease, etc.* | 337 | 11 | 1 | – | 2 | 3 | 1 | – | 5 | 7 | 7 | 4 | 8 | 14 |
| | 16. *Spleen Disease, etc.* | 28 | – | – | – | 2 | – | – | 2 | – | 3 | 3 | 2 | 2 | 1 |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 119 | 1 | 1 | 1 | 5 | 7 | 11 | 4 | 16 | 3 | 5 | 8 | 5 | 3 |
| | 2. Ischuria | 39 | – | 1 | 1 | – | – | – | – | – | 1 | 1 | – | – | – |
| | 3. Bright's Disease (Nephria) | 261 | – | – | – | 4 | 2 | 3 | 5 | 11 | 8 | 11 | 10 | 13 | 6 |
| | 4. Diabetes | 91 | – | – | – | – | – | 1 | – | 2 | 2 | 5 | 10 | 8 | 3 |
| | 5. Calculus (Stone) | 28 | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – |
| | 6. Cystitis | 132 | – | – | – | – | – | – | – | – | – | 3 | 2 | 2 | 2 |
| | 7. *Kidney Disease, etc.* | 355 | 3 | – | 1 | 4 | 4 | 4 | 2 | 8 | 13 | 15 | 9 | 9 | 14 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 5 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 25 | 1 | – | – | – | 1 | 1 | – | 9 | 2 | 3 | 2 | 1 | 1 |
| | 2. *Joint Disease, etc.* | 212 | 1 | 2 | – | 6 | 2 | 2 | 4 | 34 | 36 | 35 | 25 | 9 | 7 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 358 | 5 | 5 | 16 | 41 | 22 | 14 | 10 | 45 | 43 | 46 | 20 | 21 | 11 |
| | 2. Tabes Mesenterica | 564 | 40 | 35 | 62 | 135 | 55 | 39 | 20 | 70 | 53 | 20 | 10 | 5 | 7 |
| | 3. Phthisis | 4397 | 14 | 13 | 42 | 75 | 49 | 35 | 37 | 172 | 301 | 651 | 677 | 597 | 486 |
| | 4. Hydrocephalus | 871 | 27 | 77 | 183 | 184 | 87 | 62 | 58 | 140 | 34 | 10 | 4 | 2 | 1 |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 509 | 22 | 37 | 57 | 91 | 51 | 25 | 18 | 67 | 39 | 25 | 11 | 8 | 4 |
| | 2. Apoplexy | 975 | 10 | 9 | 32 | 26 | 10 | 7 | 9 | 19 | 5 | 7 | 4 | 10 | 17 |
| | 3. Paralysis | 1050 | 2 | 1 | – | 2 | 3 | 3 | 2 | 4 | 4 | 2 | 2 | 5 | 18 |
| | 4. Insanity | 69 | – | – | – | – | 1 | – | – | 2 | 1 | 2 | 2 | 4 | 5 |
| | 5. Chorea | 8 | – | – | – | – | – | – | 2 | – | 1 | 3 | – | – | – |
| | 6. Epilepsy | 123 | 2 | – | 2 | 4 | 2 | 5 | – | 3 | 10 | 13 | 8 | 10 | 4 |
| | 7. Convulsions | 480 | 141 | 51 | 83 | 99 | 31 | 23 | 8 | 21 | 2 | 2 | – | – | 6 |
| | 8. *Brain Disease, etc.* | 472 | 10 | 8 | 17 | 23 | 8 | 8 | 7 | 21 | 23 | 24 | 10 | 15 | 17 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 46 | 1 | – | – | – | 1 | – | – | 5 | 4 | 5 | 2 | – | 6 |
| | 2. Aneurism | 42 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| | 3. *Heart Disease, etc.* | 2289 | 11 | 6 | 3 | 5 | 2 | 2 | 5 | 26 | 43 | 44 | 69 | 69 | 85 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 84 | 8 | 2 | 8 | 19 | 14 | 3 | 3 | 10 | 2 | – | 3 | – | 1 |
| | 2. Bronchitis | 4326 | 320 | 266 | 496 | 577 | 189 | 88 | 44 | 82 | 23 | 19 | 19 | 44 | 41 |
| | 3. Pleurisy | 118 | 4 | 4 | 1 | 5 | 4 | 3 | 1 | 5 | 2 | 5 | 5 | 3 | 6 |
| | 4. Pneumonia | 1312 | 53 | 56 | 140 | 178 | 76 | 44 | 28 | 67 | 27 | 35 | 26 | 46 | 33 |
| | 5. Asthma | 143 | 1 | – | – | – | – | – | – | – | – | 3 | – | 1 | 3 |
| | 6. *Lung Disease, etc.* | 564 | 62 | 27 | 45 | 62 | 25 | 16 | 11 | 22 | 14 | 14 | 5 | 18 | 15 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 138 | 10 | 6 | 6 | 16 | 3 | 3 | 2 | 2 | 2 | 1 | 4 | 6 | 3 |
| | 2. Enteritis | 418 | 107 | 52 | 49 | 41 | 14 | 7 | 2 | 11 | 6 | 6 | 5 | 6 | 9 |
| | 3. Peritonitis | 274 | 14 | 5 | 9 | 6 | 2 | 4 | 4 | 17 | 19 | 10 | 24 | 27 | 14 |
| | 4. Ascites | 45 | 1 | – | – | – | 1 | – | – | 2 | 1 | 2 | 2 | 2 | 3 |
| | 5. Ulceration of Intestines | 129 | 2 | – | 1 | 2 | 4 | – | – | 3 | 3 | – | 11 | 7 | 7 |
| | 6. Hernia | 64 | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| | 7. Ileus | 131 | 8 | 4 | 3 | 1 | 1 | – | – | 1 | 3 | 1 | 1 | 1 | 5 |
| | 8. Intussusception | 19 | 2 | 2 | 2 | 1 | – | – | – | – | – | 1 | 1 | – | – |
| | 9. Stricture of Intestines | 19 | – | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| | 10. Fistula | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 11. *Stomach Disease, etc.* | 339 | 32 | 15 | 23 | 13 | 8 | 2 | 2 | 7 | 8 | 5 | 7 | 10 | 6 |
| | 12. *Pancreas Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 131 | 3 | 1 | – | 3 | 1 | 1 | – | 8 | 1 | 3 | 2 | 4 | 7 |
| | 14. Jaundice | 117 | 24 | 3 | – | – | 5 | 1 | – | 1 | – | – | – | 1 | 2 |
| | 15. *Liver Disease, etc.* | 358 | 5 | 2 | 1 | – | 1 | 1 | – | 6 | 6 | 5 | 10 | 8 | 8 |
| | 16. *Spleen Disease, etc.* | 20 | – | – | – | 1 | – | – | – | – | 1 | 3 | – | 2 | 2 |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 88 | – | – | – | 8 | 4 | 5 | 3 | 13 | 5 | 1 | 6 | 9 | 4 |
| | 2. Ischuria | 8 | – | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – |
| | 3. Bright's Disease (Nephria) | 230 | – | – | 1 | 3 | 1 | 4 | 3 | 10 | 9 | 12 | 17 | 17 | 12 |
| | 4. Diabetes | 56 | – | – | 1 | 1 | 2 | – | – | 1 | 4 | 9 | 3 | 2 | 5 |
| | 5. Calculus (Stone) | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 6. Cystitis | 36 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 |
| | 7. *Kidney Disease, etc.* | 154 | – | – | – | – | 2 | 3 | 1 | 6 | 6 | 7 | 6 | 8 | 3 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 82 | – | – | – | – | – | – | – | – | – | 1 | 5 | 3 | 6 |
| | 2. *Uterus Disease, etc.* | 102 | – | – | – | 1 | – | – | 1 | – | – | 4 | 11 | 7 | 10 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 21 | – | – | 1 | – | – | – | – | 2 | 3 | 1 | 1 | – | 2 |
| | 2. *Joint Disease, etc.* | 132 | – | 1 | 2 | 2 | 3 | 1 | 1 | 15 | 24 | 21 | 5 | 10 | 4 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 7 | 13 | 10 | 8 | 7 | 6 | 1 | 2 | 1 | 1 | 1 | – | – | – | – |
| | 2. Tabes Mesenterica | 1 | 2 | – | 4 | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| | 3. Phthisis | 325 | 224 | 208 | 143 | 114 | 76 | 52 | 32 | 11 | 3 | – | – | – | – | – |
| | 4. Hydrocephalus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 11 | 9 | 4 | 9 | 12 | 3 | 7 | 4 | – | 2 | – | – | – | – | – |
| | 2. Apoplexy | 35 | 37 | 46 | 82 | 76 | 102 | 133 | 126 | 92 | 61 | 22 | 2 | – | – | – |
| | 3. Paralysis | 19 | 54 | 44 | 54 | 78 | 119 | 155 | 147 | 147 | 83 | 27 | 6 | 2 | – | – |
| | 4. Insanity | 2 | 9 | 3 | 3 | 3 | 8 | 4 | 5 | 2 | 1 | – | – | – | – | – |
| | 5. Chorea | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 12 | 12 | 12 | 10 | 3 | 4 | 4 | 3 | 3 | 2 | – | – | – | – | – |
| | 7. Convulsions | 1 | 1 | 1 | 2 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 18 | 24 | 19 | 22 | 31 | 45 | 54 | 34 | 30 | 17 | 3 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 5 | 6 | 4 | 4 | 2 | 5 | 4 | 2 | 1 | 1 | – | 1 | – | – | – |
| | 2. Aneurism | 14 | 20 | 11 | 16 | 7 | 12 | 5 | 6 | 6 | 2 | 1 | – | – | – | – |
| | 3. *Heart Disease, etc.* | 104 | 136 | 159 | 171 | 197 | 253 | 282 | 280 | 203 | 112 | 28 | 3 | 1 | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 4 | 3 | 5 | 5 | 1 | 1 | – | 4 | 4 | 1 | – | – | – | – | – |
| | 2. Bronchitis | 48 | 94 | 107 | 201 | 191 | 244 | 195 | 211 | 183 | 111 | 49 | 8 | 2 | – | – |
| | 3. Pleurisy | 14 | 10 | 12 | 8 | 7 | 13 | 8 | 9 | 7 | 5 | 1 | – | – | – | – |
| | 4. Pneumonia | 81 | 96 | 109 | 118 | 89 | 94 | 87 | 64 | 43 | 23 | 5 | 1 | 1 | – | – |
| | 5. Asthma | 12 | 12 | 11 | 16 | 17 | 23 | 15 | 18 | 12 | 5 | 1 | – | – | – | – |
| | 6. *Lung Disease, etc.* | 20 | 30 | 30 | 32 | 32 | 38 | 36 | 39 | 21 | 24 | 6 | 4 | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 2 | 6 | 3 | 1 | 9 | 11 | 14 | 8 | 5 | 4 | – | – | – | – | – |
| | 2. Enteritis | 3 | 5 | 11 | 10 | 10 | 8 | 15 | 7 | 7 | 6 | 3 | – | – | – | – |
| | 3. Peritonitis | 5 | 6 | 10 | 12 | 9 | 5 | 12 | 7 | 4 | 3 | 1 | – | – | – | – |
| | 4. Ascites | 1 | 1 | 2 | 2 | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 9 | 3 | 9 | 9 | 8 | 10 | 7 | 5 | 4 | 1 | – | – | – | – | – |
| | 6. Hernia | – | 3 | 2 | 9 | 6 | 7 | 6 | 8 | 4 | 4 | – | – | – | – | – |
| | 7. Ileus | 3 | 5 | 3 | 9 | 3 | 11 | 11 | 18 | 7 | 5 | 3 | – | 1 | – | – |
| | 8. Intussusception | 1 | 3 | – | 2 | – | – | 3 | 1 | 1 | 1 | – | – | – | – | – |
| | 9. Stricture of Intestines | – | 1 | 1 | 2 | 2 | 4 | 2 | 7 | – | – | – | – | – | – | – |
| | 10. Fistula | 1 | – | 1 | 1 | 3 | 1 | – | – | – | 1 | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 5 | 9 | 16 | 23 | 15 | 24 | 26 | 21 | 14 | 8 | 1 | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 8 | 10 | 11 | 4 | 12 | 10 | 3 | 4 | 8 | 3 | – | – | – | – | – |
| | 14. Jaundice | 3 | 2 | 5 | 2 | 5 | 4 | 6 | 6 | 5 | 8 | 1 | 1 | – | – | – |
| | 15. *Liver Disease, etc.* | 21 | 20 | 33 | 35 | 38 | 40 | 37 | 30 | 11 | 7 | – | 2 | – | – | – |
| | 16. *Spleen Disease, etc.* | – | 2 | 2 | 1 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 3 | 4 | 11 | 2 | 8 | – | 7 | 5 | 8 | 1 | – | – | – | – | – |
| | 2. Ischuria | 1 | – | 2 | – | – | 2 | 7 | 7 | 10 | 3 | 2 | 1 | – | – | – |
| | 3. Bright's Disease (Nephria) | 23 | 32 | 21 | 22 | 16 | 24 | 15 | 15 | 13 | 5 | 2 | – | – | – | – |
| | 4. Diabetes | 10 | 14 | 9 | 4 | 3 | 5 | 8 | 5 | 1 | 1 | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | 1 | 6 | 7 | 5 | 3 | 2 | 2 | – | – | – | – |
| | 6. Cystitis | 3 | 2 | 6 | 2 | 7 | 10 | 18 | 32 | 19 | 15 | 7 | 2 | – | – | – |
| | 7. *Kidney Disease, etc.* | 11 | 26 | 12 | 22 | 39 | 27 | 33 | 36 | 26 | 26 | 11 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 5 | 6 | 8 | 3 | 3 | 7 | 5 | 7 | 4 | 1 | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 15 | 10 | 5 | 3 | 8 | 7 | 1 | 8 | 2 | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | 2 | 5 | 2 | 1 | – | 2 | – | – | – | 1 | – | – | – | – | – |
| | 3. Phthisis | 378 | 297 | 187 | 126 | 105 | 80 | 41 | 19 | 13 | 2 | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 5 | 14 | 4 | 6 | 6 | 8 | 4 | 3 | 3 | – | 1 | – | – | – | – |
| | 2. Apoplexy | 19 | 38 | 52 | 60 | 85 | 120 | 119 | 122 | 96 | 71 | 21 | 5 | 2 | – | – |
| | 3. Paralysis | 20 | 26 | 24 | 63 | 63 | 128 | 176 | 174 | 156 | 115 | 47 | 6 | 4 | – | – |
| | 4. Insanity | 4 | 2 | 8 | 5 | 8 | 4 | 5 | 8 | 6 | 2 | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| | 6. Epilepsy | 8 | 9 | 7 | 5 | 6 | 5 | 6 | 4 | 5 | 5 | – | – | – | – | – |
| | 7. Convulsions | 3 | 1 | 3 | 1 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 16 | 20 | 17 | 34 | 22 | 36 | 39 | 42 | 38 | 11 | 6 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | 4 | – | 3 | 1 | 5 | 6 | 2 | – | – | – | – | – | – | – |
| | 2. Aneurism | 3 | 5 | 6 | 7 | – | 6 | 4 | 3 | 2 | – | 2 | – | – | – | – |
| | 3. *Heart Disease, etc.* | 117 | 124 | 140 | 198 | 202 | 244 | 267 | 262 | 198 | 117 | 43 | 6 | 1 | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | 2 | 1 | 1 | 2 | – | 2 | 1 | – | – | – | 1 | – | – |
| | 2. Bronchitis | 46 | 89 | 116 | 171 | 183 | 270 | 320 | 319 | 278 | 193 | 98 | 26 | 8 | 1 | – |
| | 3. Pleurisy | 8 | 8 | 7 | 8 | 11 | 10 | 4 | 7 | 4 | 1 | 2 | – | – | – | – |
| | 4. Pneumonia | 48 | 48 | 46 | 40 | 51 | 70 | 64 | 54 | 40 | 33 | 6 | 1 | 2 | – | – |
| | 5. Asthma | 4 | 4 | 7 | 11 | 12 | 20 | 20 | 29 | 21 | 7 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 17 | 11 | 15 | 18 | 19 | 16 | 31 | 39 | 26 | 23 | 12 | 1 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | 5 | 7 | 13 | 9 | 8 | 12 | 8 | 8 | 2 | 1 | – | – | – | – |
| | 2. Enteritis | 9 | 8 | 4 | 9 | 7 | 14 | 17 | 14 | 15 | 3 | 2 | – | 1 | – | – |
| | 3. Peritonitis | 16 | 3 | 16 | 10 | 9 | 16 | 14 | 16 | 15 | 2 | 2 | – | – | – | – |
| | 4. Ascites | 1 | 2 | 2 | 4 | 5 | 4 | 5 | 3 | 1 | 4 | – | – | – | – | – |
| | 5. Ulceration of Intestines | 3 | 16 | 9 | 15 | 5 | 16 | 11 | 8 | 3 | 2 | – | 1 | – | – | – |
| | 6. Hernia | 1 | 3 | 8 | 5 | 6 | 12 | 6 | 10 | 4 | 4 | 1 | – | – | – | – |
| | 7. Ileus | 2 | 7 | 8 | 7 | 11 | 11 | 14 | 16 | 18 | 5 | 2 | – | – | – | 1 |
| | 8. Intussusception | 2 | – | – | – | 1 | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | 1 | – | 1 | 3 | 2 | 2 | 4 | 2 | 1 | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 17 | 7 | 18 | 17 | 24 | 27 | 31 | 26 | 20 | 10 | 4 | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 4 | 10 | 11 | 14 | 12 | 13 | 10 | 14 | 6 | 2 | 1 | – | – | – | – |
| | 14. Jaundice | 1 | 5 | 2 | 3 | 9 | 10 | 15 | 11 | 15 | 4 | 5 | – | – | – | – |
| | 15. *Liver Disease, etc.* | 25 | 18 | 48 | 25 | 42 | 54 | 42 | 28 | 18 | 4 | 1 | – | – | – | – |
| | 16. *Spleen Disease, etc.* | 2 | 1 | 1 | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 2 | 5 | 3 | 2 | 6 | 2 | 4 | 4 | 1 | 1 | – | – | – | – | – |
| | 2. Ischuria | 1 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 21 | 24 | 15 | 18 | 15 | 21 | 13 | 7 | 5 | – | 2 | – | – | – | – |
| | 4. Diabetes | 3 | 3 | 2 | 3 | 9 | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| | 6. Cystitis | 2 | 3 | 1 | 5 | 3 | 2 | 6 | 7 | 2 | 1 | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 10 | 16 | 11 | 6 | 6 | 11 | 18 | 11 | 14 | 6 | 3 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 6 | 8 | 8 | 10 | 11 | 11 | 4 | 6 | 2 | 1 | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 13 | 12 | 10 | 9 | 4 | 6 | 7 | 6 | – | 1 | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 2 | 1 | – | – | – | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| | 2. *Joint Disease, etc* | 5 | 2 | 4 | 9 | 8 | 4 | 2 | 4 | 3 | 2 | – | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 64 | 5 | 2 | 9 | – | 1 | 1 | – | 7 | 1 | 2 | 1 | 1 | 4 |
| | 2. Ulcer | 27 | 2 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 41 | 10 | 6 | 7 | 8 | 3 | 1 | – | – | 1 | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 890 | 886 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 39 | 33 | 1 | – | 3 | – | – | – | – | – | 1 | – | – | – |
| | 3. Spina Bifida | 29 | 28 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 79 | 71 | 1 | 4 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| | 5. Teething | 370 | 3 | 32 | 156 | 162 | 17 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 1818 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1444 | 1018 | 118 | 88 | 80 | 27 | 13 | 4 | 12 | 5 | 6 | 3 | 2 | 3 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 751 | 1 | – | – | 8 | 6 | 9 | 10 | 33 | 53 | 54 | 74 | 67 | 66 |
| | 2. Gunshot Wounds | 10 | – | – | – | – | – | – | 1 | 1 | – | – | 2 | 1 | 3 |
| | 3. Cut, Stab | 19 | – | – | – | – | 1 | – | 1 | 1 | – | 1 | 4 | – | 1 |
| | 4. Burns and Scalds | 148 | 2 | – | 5 | 20 | 24 | 12 | 7 | 11 | 3 | 6 | 11 | 4 | 5 |
| | 5. Poison | 27 | – | – | 1 | – | – | 3 | – | 3 | – | 1 | 1 | 1 | 4 |
| | 6. Drowning | 506 | – | 1 | 1 | 7 | 8 | 9 | 8 | 27 | 28 | 57 | 69 | 52 | 54 |
| | 7. Suffocation | 135 | 67 | 24 | 3 | 1 | – | – | 2 | 4 | 1 | 2 | – | 6 | – |
| | 8. Otherwise | 168 | 9 | 1 | – | 1 | – | 1 | 2 | 9 | 6 | 15 | 15 | 10 | 11 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 6 | 2 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Cut, Stab | 29 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 3. Poison | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 24 | – | – | – | – | – | – | – | – | 1 | – | 2 | 2 | – |
| | 5. Hanging | 50 | – | – | – | – | – | – | – | – | – | 3 | 1 | 1 | 1 |
| | 6. Otherwise and undefined | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 54 | 8 | 4 | – | 3 | – | – | – | 1 | – | – | 2 | 1 | 1 |
| | Causes not specified or ill-defined | 519 | 179 | 31 | 26 | 20 | 15 | 5 | 4 | 15 | 10 | 14 | 10 | 10 | 8 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 69 | 4 | 1 | 1 | 3 | 2 | 1 | 1 | 6 | 3 | – | 4 | 8 | 6 |
| | 2. Ulcer | 38 | 5 | – | – | 2 | 1 | 1 | – | 1 | – | – | 1 | – | 2 |
| | 3. *Skin Disease, etc.* | 29 | 4 | 3 | 6 | 4 | 3 | – | – | – | – | 1 | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 742 | 738 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 28 | 21 | 1 | 1 | 3 | – | – | – | – | 2 | – | – | – | – |
| | 3. Spina Bifida | 42 | 33 | 5 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| | 4. Other Malformations | 68 | 63 | 3 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 5. Teething | 321 | – | 24 | 139 | 141 | 17 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | 19 | – | – | – | – | – | – | – | – | 1 | 4 | 5 | 3 | – |
| | 2. Childbirth (*see* Puerperal Fever) | 416 | – | – | – | – | – | – | – | – | – | 14 | 69 | 77 | 99 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 2977 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1264 | 784 | 120 | 89 | 77 | 30 | 11 | 3 | 23 | 3 | 5 | 1 | 3 | 6 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 175 | – | – | – | 4 | 8 | 3 | 5 | 10 | 5 | 4 | 4 | 2 | 6 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 140 | 1 | 1 | 5 | 21 | 14 | 11 | 14 | 17 | 4 | 4 | – | 1 | 1 |
| | 5. Poison | 22 | – | – | – | – | 2 | 1 | – | 1 | – | – | – | – | 2 |
| | 6. Drowning | 79 | 2 | – | 2 | 5 | 1 | – | 3 | 4 | 1 | 5 | 12 | 2 | 3 |
| | 7. Suffocation | 116 | 62 | 20 | 4 | 3 | 1 | – | – | 2 | – | – | 3 | 2 | – |
| | 8. Otherwise | 61 | 11 | 3 | – | 1 | 1 | 3 | 3 | 3 | 1 | 1 | 2 | 1 | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 3 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | 1 |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 3. Poison | 9 | – | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| | 4. Drowning | 22 | – | – | – | – | – | – | – | – | – | 1 | 3 | 4 | – |
| | 5. Hanging | 15 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| | 6. Otherwise and undefined | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 33 | 7 | 5 | 1 | – | – | – | – | – | 1 | – | – | 2 | 1 |
| | Causes not specified or ill-defined | 550 | 171 | 32 | 30 | 22 | 14 | 7 | 2 | 21 | 10 | 9 | 11 | 12 | 16 |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| IV. | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 4 | 4 | 1 | 2 | 6 | 3 | 2 | 5 | 1 | 2 | – | – | – | – | – |
| | 2. Ulcer | 1 | 1 | 2 | 1 | 6 | 2 | 4 | 1 | 2 | 2 | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – |
| | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | 2 | 5 | 79 | 140 | 259 | 390 | 477 | 322 | 113 | 24 | 7 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 2 | 3 | 5 | 23 | 31 | 1 | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 61 | 51 | 45 | 61 | 41 | 36 | 23 | 23 | 15 | 7 | 5 | 2 | – | – | – |
| | 2. Gunshot Wounds | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | 3 | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 2 | 6 | 6 | 7 | 5 | 2 | 2 | 6 | – | 2 | – | – | – | – | – |
| | 5. Poison | 1 | 2 | – | 1 | 2 | 1 | 2 | 3 | 1 | – | – | – | – | – | – |
| | 6. Drowning | 35 | 31 | 30 | 32 | 12 | 11 | 10 | 8 | 5 | 2 | 3 | – | – | – | 6 |
| | 7. Suffocation | 3 | 3 | 2 | 4 | 1 | 9 | – | 2 | – | – | – | – | – | – | 1 |
| | 8. Otherwise | 13 | 13 | 10 | 15 | 4 | 12 | 8 | 4 | 4 | 4 | 1 | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 6 | 4 | 5 | 3 | 3 | 1 | 1 | 3 | – | – | – | – | – | – | 1 |
| | 3. Poison | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 6 | 5 | 2 | 4 | 1 | – | 1 | – | – | – | – | – | – |
| | 5. Hanging | 5 | 5 | 5 | 6 | 4 | 8 | 5 | 3 | 2 | – | 1 | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 3 | 5 | 5 | 6 | 3 | 6 | 3 | 1 | 2 | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 10 | 8 | 14 | 15 | 17 | 18 | 31 | 33 | 22 | 2 | 2 | – | – | – | – |

CAUSES of DEATH in SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 5 | 3 | 4 | 3 | 1 | 5 | 4 | 3 | – | 1 | – | – | – | – | – |
| | 2. Ulcer | – | 2 | 2 | – | 4 | 6 | 3 | 4 | 2 | 2 | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | 1 | – | 3 | – | 3 | 1 | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 102 | 47 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | 1 | 4 | 135 | 210 | 392 | 662 | 785 | 460 | 232 | 76 | 19 | 1 |
| | ORDER 4 | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 8 | 5 | 16 | 33 | 46 | – | – | – | 1 | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | 5 | 8 | 6 | 15 | 11 | 11 | 16 | 23 | 17 | 6 | 3 | 1 | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | 2 | 3 | 1 | 3 | 5 | 5 | 9 | 5 | 4 | 8 | 1 | – | – | – |
| | 5. Poison | 3 | 3 | 4 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 6. Drowning | 2 | 6 | 5 | 9 | 5 | 6 | 1 | 2 | 1 | – | 2 | – | – | – | – |
| | 7. Suffocation | – | 1 | 2 | 5 | 1 | 7 | – | 2 | – | – | 1 | – | – | – | – |
| | 8. Otherwise | 5 | 3 | 1 | 3 | 2 | 4 | 2 | 4 | 3 | 2 | 1 | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Drowning | 2 | – | 4 | 3 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| | 5. Hanging | 1 | 1 | 3 | 2 | 4 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 3 | 2 | 2 | 1 | 2 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – |
| | Causes not specified or ill-defined | 18 | 13 | 14 | 21 | 23 | 27 | 28 | 25 | 21 | 2 | – | – | – | – | 1 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 14578 | 1690 | 582 | 1267 | 1641 | 757 | 466 | 323 | 882 | 328 | 491 | 528 | 447 | 410 |
| | **Specified Causes** . . | 14490 | 1674 | 576 | 1267 | 1639 | 754 | 466 | 322 | 877 | 325 | 489 | 527 | 444 | 410 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2974 | 224 | 155 | 411 | 579 | 340 | 211 | 150 | 318 | 60 | 81 | 71 | 59 | 37 |
| II. | CONSTITUTIONAL ,, | 2726 | 41 | 62 | 157 | 230 | 133 | 95 | 72 | 244 | 133 | 230 | 252 | 184 | 148 |
| III. | LOCAL ,, | 6689 | 544 | 295 | 587 | 727 | 251 | 140 | 88 | 271 | 106 | 137 | 134 | 146 | 172 |
| IV. | DEVELOPMENTAL ,, | 1434 | 820 | 48 | 106 | 95 | 21 | 7 | 3 | 10 | 1 | 1 | 1 | – | – |
| V. | VIOLENT DEATHS . | 667 | 45 | 16 | 6 | 8 | 9 | 13 | 9 | 34 | 25 | 40 | 69 | 55 | 53 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 2760 | 146 | 131 | 401 | 570 | 339 | 209 | 148 | 315 | 58 | 81 | 65 | 51 | 26 |
| | 2. ENTHETIC ,, . | 96 | 45 | 19 | 6 | 6 | – | – | – | – | 1 | – | 1 | 2 | 5 |
| | 3. DIETIC ,, . | 109 | 28 | 5 | 4 | 3 | – | 1 | 1 | 3 | 1 | - | 5 | 6 | 6 |
| | 4. PARASITIC ,, . | 9 | 5 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 316 | 4 | 3 | 3 | 4 | 3 | 7 | 2 | 10 | 4 | 5 | 4 | 5 | 4 |
| | 2. TUBERCULAR ,, . | 2410 | 37 | 59 | 154 | 226 | 130 | 88 | 70 | 234 | 129 | 225 | 248 | 179 | 144 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 1527 | 130 | 56 | 114 | 167 | 57 | 41 | 31 | 85 | 30 | 27 | 21 | 18 | 23 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 826 | 4 | 1 | 4 | 3 | – | – | – | 12 | 15 | 19 | 25 | 28 | 44 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 3105 | 275 | 198 | 401 | 502 | 164 | 80 | 38 | 97 | 25 | 41 | 43 | 52 | 63 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 728 | 128 | 37 | 59 | 45 | 19 | 5 | 10 | 26 | 18 | 20 | 20 | 20 | 29 |
| | 5. ,, OF URINARY ORGANS . . . | 367 | 1 | 1 | 2 | 5 | 6 | 14 | 7 | 28 | 6 | 14 | 15 | 19 | 10 |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 96 | 1 | – | – | 4 | 2 | - | 2 | 21 | 12 | 16 | 10 | 7 | 3 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 39 | 5 | 2 | 7 | 1 | 3 | – | – | 2 | – | – | – | 1 | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 614 | 446 | 14 | 70 | 74 | 9 | – | 1 | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 303 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION . | 517 | 374 | 34 | 36 | 21 | 12 | 7 | 2 | 10 | 1 | 1 | 1 | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 14295 | 1267 | 491 | 1091 | 1549 | 726 | 448 | 339 | 729 | 360 | 499 | 496 | 508 | 483 |
| | **Specified Causes** . . | 14208 | 1246 | 483 | 1088 | 1546 | 724 | 445 | 338 | 723 | 359 | 497 | 495 | 500 | 480 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 3007 | 184 | 132 | 381 | 616 | 338 | 245 | 193 | 306 | 73 | 44 | 74 | 51 | 50 |
| II. | CONSTITUTIONAL ,, | 2995 | 38 | 51 | 126 | 191 | 102 | 73 | 56 | 178 | 157 | 306 | 266 | 249 | 217 |
| III. | LOCAL ,, | 6213 | 352 | 239 | 471 | 632 | 246 | 121 | 77 | 213 | 120 | 130 | 120 | 156 | 168 |
| IV. | DEVELOPMENTAL ,, | 1737 | 637 | 54 | 103 | 94 | 27 | 4 | 1 | 11 | 1 | 12 | 24 | 36 | 37 |
| V. | VIOLENT DEATHS . | 256 | 35 | 7 | 7 | 13 | 11 | 2 | 11 | 15 | 8 | 5 | 11 | 8 | 8 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 2853 | 131 | 116 | 363 | 612 | 338 | 243 | 189 | 305 | 73 | 44 | 70 | 45 | 44 |
| | 2. ENTHETIC ,, . | 57 | 27 | 8 | 11 | 2 | – | 1 | – | – | – | – | – | 2 | 3 |
| | 3. DIETIC ,, . | 80 | 13 | 7 | 6 | 2 | – | 1 | 3 | – | – | – | 4 | 4 | 3 |
| | 4. PARASITIC ,, . | 17 | 13 | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 546 | 4 | 1 | – | 3 | 2 | 4 | 3 | 4 | 2 | 5 | 7 | 15 | 20 |
| | 2. TUBERCULAR ,, . | 2449 | 34 | 50 | 126 | 188 | 100 | 69 | 53 | 174 | 155 | 301 | 259 | 234 | 197 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 1344 | 80 | 44 | 94 | 127 | 56 | 31 | 24 | 56 | 25 | 29 | 10 | 13 | 22 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 861 | 3 | 1 | – | 3 | 1 | 2 | – | 13 | 26 | 27 | 27 | 31 | 40 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 2843 | 185 | 151 | 336 | 454 | 170 | 71 | 43 | 88 | 30 | 36 | 29 | 52 | 56 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 782 | 80 | 39 | 36 | 36 | 12 | 9 | 6 | 26 | 20 | 18 | 27 | 36 | 26 |
| | 5. ,, OF URINARY ORGANS . . . | 226 | – | – | 1 | 7 | 6 | 8 | 3 | 14 | 14 | 10 | 17 | 15 | 11 |
| | 6. ,, OF ORGANS OF GENERATION . | 53 | – | – | – | – | – | – | – | – | – | 2 | 7 | 2 | 6 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 63 | – | 1 | 1 | 2 | – | – | 1 | 12 | 5 | 7 | 3 | 5 | 4 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 41 | 4 | 3 | 3 | 3 | 1 | – | – | 4 | – | 1 | – | 2 | 3 |
| IV. | 1. DEV. DIS. OF CHILDREN . | 518 | 354 | 14 | 69 | 67 | 12 | – | 1 | – | 1 | – | – | – | – |
| | 2. ,, OF ADULTS . | 155 | – | – | – | – | – | – | – | – | – | 10 | 24 | 36 | 36 |
| | 3. ,, OF OLD PEOPLE | 606 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION . | 458 | 283 | 40 | 34 | 27 | 15 | 4 | – | 11 | – | 2 | – | – | 1 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 483 | 538 | 533 | 569 | 522 | 576 | 511 | 441 | 282 | 207 | 88 | 13 | 2 | 1 | – |
| | **Specified Causes** . . | 479 | 530 | 528 | 563 | 514 | 568 | 505 | 440 | 282 | 207 | 88 | 13 | 2 | 1 | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 39 | 44 | 35 | 37 | 22 | 23 | 28 | 27 | 15 | 6 | 2 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 156 | 125 | 127 | 77 | 91 | 62 | 37 | 37 | 21 | 9 | 3 | – | – | – | – |
| III. | LOCAL ,, | 236 | 310 | 330 | 395 | 356 | 434 | 380 | 307 | 176 | 123 | 41 | 1 | 2 | – | – |
| IV. | DEVELOPMENTAL ,, | – | 1 | – | 5 | 12 | 22 | 41 | 54 | 66 | 68 | 41 | 10 | – | 1 | – |
| V. | VIOLENT DEATHS . | 48 | 50 | 36 | 49 | 33 | 27 | 19 | 15 | 4 | 1 | 1 | 2 | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 26 | 34 | 23 | 28 | 18 | 18 | 26 | 26 | 13 | 6 | 2 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | 3 | 4 | 1 | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 13 | 7 | 8 | 8 | 4 | 4 | 1 | – | 1 | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 10 | 20 | 33 | 27 | 52 | 37 | 25 | 24 | 19 | 8 | 3 | – | – | – | – |
| | 2. TUBERCULAR ,, . | 146 | 105 | 94 | 50 | 39 | 25 | 12 | 13 | 2 | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 45 | 46 | 52 | 85 | 75 | 102 | 131 | 97 | 49 | 33 | 11 | – | 1 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 66 | 79 | 72 | 83 | 85 | 94 | 73 | 57 | 34 | 24 | 4 | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 75 | 115 | 130 | 154 | 125 | 167 | 129 | 105 | 63 | 42 | 19 | 1 | 1 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 25 | 27 | 47 | 44 | 41 | 43 | 21 | 16 | 13 | 12 | 3 | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 19 | 37 | 26 | 27 | 25 | 24 | 21 | 29 | 15 | 12 | 4 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 3 | 3 | 3 | 1 | 2 | 1 | 3 | 2 | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 3 | 3 | – | 1 | 3 | 3 | 2 | 1 | 2 | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 22 | 41 | 54 | 66 | 68 | 41 | 10 | – | 1 | – |
| | 4. DISEASES OF NUTRITION . | – | 1 | – | 5 | 12 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 468 | 513 | 512 | 530 | 532 | 653 | 598 | 514 | 486 | 296 | 148 | 44 | 14 | 1 | – |
| | **Specified Causes** . . | 461 | 510 | 506 | 526 | 530 | 652 | 598 | 513 | 486 | 296 | 147 | 44 | 14 | 1 | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 35 | 35 | 25 | 35 | 31 | 33 | 40 | 28 | 35 | 15 | 7 | 1 | – | – | – |
| II. | CONSTITUTIONAL ,, | 193 | 183 | 168 | 115 | 99 | 88 | 59 | 36 | 24 | 11 | 6 | 3 | – | – | – |
| III. | LOCAL ,, | 186 | 266 | 296 | 347 | 368 | 458 | 422 | 341 | 270 | 135 | 64 | 9 | 6 | – | – |
| IV. | DEVELOPMENTAL ,, | 38 | 14 | 6 | 16 | 16 | 55 | 73 | 95 | 146 | 129 | 68 | 31 | 8 | 1 | – |
| V. | VIOLENT DEATHS . | 9 | 12 | 11 | 13 | 16 | 18 | 4 | 13 | 11 | 6 | 2 | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 31 | 27 | 20 | 28 | 27 | 28 | 37 | 25 | 35 | 15 | 6 | 1 | – | – | – |
| | 2. ENTHETIC ,, . | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 2 | 7 | 5 | 7 | 4 | 5 | 3 | 3 | – | – | 1 | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 31 | 52 | 84 | 70 | 53 | 65 | 50 | 30 | 21 | 11 | 6 | 3 | – | – | – |
| | 2. TUBERCULAR ,, . | 162 | 131 | 84 | 45 | 46 | 23 | 9 | 6 | 3 | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 20 | 39 | 46 | 64 | 76 | 111 | 112 | 93 | 104 | 48 | 16 | 2 | 2 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 48 | 73 | 77 | 101 | 82 | 86 | 83 | 56 | 48 | 22 | 7 | 3 | 1 | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 61 | 89 | 93 | 119 | 141 | 169 | 151 | 136 | 83 | 56 | 38 | 4 | 2 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 35 | 37 | 55 | 46 | 49 | 61 | 56 | 40 | 24 | 6 | 1 | – | 1 | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 15 | 23 | 16 | 11 | 11 | 14 | 12 | 5 | 9 | 2 | 2 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 5 | 5 | 6 | 2 | 5 | 6 | 3 | 4 | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 1 | – | 2 | 2 | 2 | 7 | 3 | 3 | 1 | 1 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | 1 | 2 | 2 | 4 | 2 | 4 | 1 | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 34 | 13 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 55 | 73 | 95 | 146 | 129 | 68 | 31 | 8 | 1 | – |
| | 4. DISEASES OF NUTRITION . | 4 | 1 | 5 | 15 | 16 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 638 | 45 | 16 | 6 | 8 | 9 | 13 | 9 | 34 | 25 | 39 | 68 | 54 | 52 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 29 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 28 | 1 | 2 | – | 1 | – | – | – | 1 | – | – | – | 1 | – |
| | CAUSES NOT SPECIFIED | 60 | 15 | 4 | – | 1 | 3 | – | 1 | 4 | 3 | 2 | 1 | 2 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 3 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | 2. Measles | 417 | 8 | 8 | 100 | 162 | 67 | 37 | 12 | 21 | 1 | 1 | – | – | – |
| | 3. Scarlatina | 547 | – | 4 | 35 | 58 | 85 | 82 | 73 | 173 | 17 | 14 | 1 | 4 | – |
| | 4. Diphtheria | 133 | 3 | 1 | 8 | 32 | 26 | 12 | 19 | 23 | 3 | 2 | 1 | – | – |
| | 5. Quinsy | 8 | – | 1 | 3 | – | 1 | 1 | – | – | – | – | – | 1 | 1 |
| | 6. Croup | 131 | 1 | 6 | 14 | 41 | 28 | 21 | 8 | 10 | 1 | – | – | – | – |
| | 7. Hooping-cough | 603 | 24 | 38 | 149 | 199 | 105 | 35 | 25 | 28 | – | – | – | – | – |
| | 8. Typhus Fever | 50 | – | – | – | – | – | 1 | 2 | 2 | – | 8 | 6 | 6 | 5 |
| | 8. Enteric or Typhoid Fever | 245 | – | – | 1 | 3 | 6 | 7 | 5 | 43 | 29 | 41 | 39 | 30 | 12 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 19 | – | 1 | 1 | – | – | – | – | 2 | 3 | 3 | 3 | – | 1 |
| | 9. Erysipelas | 55 | 9 | 2 | 2 | 4 | 1 | 1 | – | 1 | – | – | 4 | 3 | 2 |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 12. Influenza | 8 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 13. Dysentery | 21 | 1 | 2 | – | 4 | 1 | – | – | – | – | – | 2 | 1 | 1 |
| | 14. Diarrhœa | 422 | 94 | 63 | 80 | 58 | 15 | 7 | 4 | 5 | 2 | 4 | 3 | 2 | 3 |
| | 15. Cholera | 30 | 5 | 4 | 5 | 5 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 16. Ague | 3 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 10 | – | – | 1 | 2 | 1 | 3 | – | 1 | – | – | – | 1 | – |
| | 18. Rheumatism | 46 | – | – | – | 1 | – | – | – | 4 | 1 | 8 | 5 | 3 | 1 |
| | 19. Other *Miasmatic* Diseases | 4 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 83 | 45 | 19 | 6 | 6 | – | – | – | – | – | – | – | 1 | 1 |
| | 2. Stricture of Urethra | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| | 3. Hydrophobia | 5 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| | 4. Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 34 | 27 | 4 | 3 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 16 | 1 | 1 | 1 | 3 | – | 1 | 1 | 3 | 1 | – | 2 | – | – |
| | 4. Alcoholism *a* Del. Tremens | 23 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 |
| | 4. Alcoholism *b* Intemperance | 36 | – | – | – | – | – | – | – | – | – | – | 2 | 4 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 4 | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 64 | 1 | 2 | 2 | 1 | 2 | 5 | 1 | 10 | 3 | 2 | 1 | – | 1 |
| | 3. Cancer | 217 | – | – | – | – | 1 | 1 | 1 | – | – | 3 | 3 | 5 | 2 |
| | 4. Cancrum Oris (Noma) | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 31 | 3 | 1 | 1 | 2 | – | 1 | – | – | 1 | – | – | – | 1 |

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 241 | 35 | 7 | 7 | 13 | 11 | 2 | 10 | 15 | 8 | 5 | 10 | 5 | 6 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 2 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | 4. SUICIDE | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 17 | 3 | 3 | 1 | – | – | – | – | – | – | – | – | 2 | – |
| | CAUSES NOT SPECIFIED | 70 | 18 | 5 | 2 | 3 | 2 | 3 | 1 | 6 | 1 | 2 | 1 | 6 | 3 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Measles | 381 | 4 | 4 | 60 | 152 | 70 | 44 | 23 | 20 | 3 | 1 | – | – | – |
| | 3. Scarlatina | 484 | 1 | 1 | 17 | 71 | 71 | 70 | 64 | 143 | 20 | 4 | 11 | 6 | 2 |
| | 4. Diphtheria | 135 | – | 1 | 11 | 25 | 31 | 19 | 20 | 25 | 1 | 1 | – | – | – |
| | 5. Quinsy | 14 | 1 | 1 | – | 3 | – | 1 | 1 | 3 | – | – | 1 | – | 1 |
| | 6. Croup | 120 | 4 | 4 | 18 | 30 | 20 | 22 | 17 | 5 | – | – | – | – | – |
| | 7. Hooping-cough | 717 | 33 | 39 | 153 | 224 | 114 | 72 | 37 | 44 | – | 1 | – | – | – |
| | 8. Typhus Fever | 36 | – | – | – | 1 | – | – | 1 | 1 | 5 | – | 4 | 2 | 5 |
| | 8. Enteric or Typhoid Fever | 216 | – | – | 1 | 6 | 9 | 8 | 11 | 39 | 33 | 27 | 30 | 13 | 13 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever. | 23 | 1 | – | 3 | 2 | – | – | 2 | 3 | 1 | 1 | 1 | – | 1 |
| | 9. Erysipelas | 65 | 13 | 3 | 2 | 2 | 1 | 1 | 2 | 3 | – | 4 | 1 | 1 | 1 |
| | 10. Puerperal Fever (Metria) | 55 | – | – | – | – | – | – | – | – | – | 2 | 12 | 16 | 11 |
| | 11. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 9 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 29 | 3 | 2 | 4 | 2 | 1 | – | – | – | – | – | 1 | 1 | – |
| | 14. Diarrhœa | 469 | 67 | 57 | 87 | 83 | 19 | 5 | 5 | 9 | 5 | 1 | 2 | 2 | 5 |
| | 15. Cholera | 26 | 3 | 3 | 5 | 4 | – | 1 | 2 | 1 | – | – | – | – | – |
| | 16. Ague | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 17. Remittent Fever | 9 | – | – | – | 2 | 1 | – | 1 | 5 | – | – | – | – | – |
| | 18. Rheumatism | 54 | – | – | – | – | 1 | – | 2 | 4 | 5 | 1 | 7 | 4 | 5 |
| | 19. Other *Miasmatic* Diseases | 6 | 1 | – | 2 | 3 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 57 | 27 | 8 | 11 | 2 | – | 1 | – | – | – | – | – | 2 | 3 |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 23 | 13 | 5 | 5 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 15 | – | 2 | 1 | 2 | – | 1 | 3 | – | – | – | 1 | 1 | – |
| | 4. Alcoholism *a* Del. Tremens | 6 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| | 4. Alcoholism *b* Intemperance | 35 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 15 | 13 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 86 | 1 | 1 | – | 2 | – | 2 | 2 | 3 | 1 | 3 | 3 | 4 | 2 |
| | 3. Cancer | 424 | 1 | – | – | – | 1 | – | – | 1 | – | 2 | 4 | 10 | 18 |
| | 4. Cancrum Oris (Noma) | 3 | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| | 5. Mortification | 31 | 2 | – | – | 1 | – | – | 1 | – | 1 | – | – | 1 | – |

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 46 | 44 | 32 | 45 | 32 | 23 | 17 | 14 | 4 | 1 | – | 2 | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 2 | 6 | 4 | 4 | 1 | 4 | 2 | 1 | – | – | 1 | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 2 | 4 | 3 | 2 | 3 | 5 | 3 | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 2 | 4 | 2 | 4 | 5 | 3 | 3 | 1 | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 5 | 4 | 4 | 4 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 9 | 8 | 3 | 4 | 1 | – | 1 | 3 | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 2 | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| | 9. Erysipelas | 5 | 4 | 2 | 5 | 5 | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – |
| | 13. Dysentery | – | 3 | – | 1 | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 3 | 4 | 9 | 9 | 7 | 9 | 15 | 13 | 7 | 4 | 2 | – | – | – | – |
| | 15. Cholera | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 2 | 4 | 2 | 3 | – | 5 | 2 | 2 | 3 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | 2 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 8 | 2 | 3 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 4 | 5 | 5 | 4 | 3 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | 2. Dropsy | 1 | – | 4 | 5 | 9 | 3 | 3 | 4 | 3 | 1 | – | – | – | – | – |
| | 3. Cancer | 9 | 20 | 28 | 21 | 39 | 31 | 20 | 16 | 13 | 4 | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | 1 | 1 | 4 | 3 | 1 | 3 | 3 | 3 | 2 | – | – | – | |

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 8 | 10 | 10 | 13 | 14 | 17 | 4 | 12 | 11 | 6 | 2 | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | 2 | 1 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 3 | 1 | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | CAUSES NOT SPECIFIED | 4 | 2 | 4 | 3 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Quinsy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 3 | 4 | 3 | 7 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 2 | 6 | 4 | 2 | 2 | 4 | 2 | 3 | 1 | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | 1 | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | 3 | 1 | 3 | 5 | 7 | 3 | 2 | 3 | 2 | 1 | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 10 | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | 1 | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | 13. Dysentery | 1 | 1 | – | 4 | – | 2 | 1 | 2 | 3 | 1 | – | – | – | – | – |
| | 14. Diarrhœa | 4 | 4 | 5 | 8 | 15 | 10 | 22 | 15 | 22 | 11 | 5 | 1 | – | – | – |
| | 15. Cholera | 1 | 1 | 1 | – | – | – | 2 | – | 2 | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 5 | 1 | 4 | 2 | 2 | 4 | 3 | 1 | 3 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 2 | 1 | – | – | – | – | – | – | – | | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 2 | 7 | 4 | 5 | 3 | 3 | 3 | 3 | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 4 | 4 | 8 | 11 | 7 | 9 | 7 | 6 | 2 | 2 | 1 | 1 | – | – | – |
| | 3. Cancer | 27 | 48 | 74 | 58 | 45 | 51 | 40 | 19 | 15 | 8 | 2 | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | 2 | 1 | 1 | 3 | 3 | 5 | 4 | 1 | 3 | 2 | – | – | – |

* See page 52, note.

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 171 | 3 | 1 | 7 | 15 | 14 | 15 | 6 | 35 | 21 | 17 | 11 | 4 | 4 |
| | 2. Tabes Mesenterica | 330 | 17 | 16 | 34 | 63 | 46 | 25 | 24 | 69 | 19 | 9 | 3 | 3 | 1 |
| | 3. Phthisis | 1493 | 6 | 5 | 24 | 40 | 21 | 22 | 19 | 75 | 78 | 195 | 230 | 172 | 139 |
| | 4. Hydrocephalus | 416 | 11 | 37 | 89 | 108 | 49 | 26 | 21 | 55 | 11 | 4 | 4 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 299 | 8 | 13 | 45 | 68 | 36 | 17 | 17 | 44 | 11 | 8 | 3 | 3 | 3 |
| | 2. Apoplexy | 384 | 10 | 7 | 15 | 13 | 1 | 7 | 3 | 10 | 7 | 3 | 6 | 6 | 8 |
| | 3. Paralysis | 326 | – | – | 1 | 3 | 1 | – | – | 2 | 1 | 2 | 2 | 3 | 4 |
| | 4. Insanity | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Epilepsy | 40 | – | – | 1 | – | – | – | – | 2 | 2 | 5 | 5 | 3 | 1 |
| | 7. Convulsions | 291 | 107 | 33 | 44 | 71 | 14 | 10 | 5 | 4 | 1 | – | – | – | – |
| | 8. *Brain Disease, etc.* | 182 | 5 | 3 | 8 | 12 | 5 | 6 | 6 | 23 | 8 | 9 | 5 | 3 | 7 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 22 | – | – | – | 1 | – | – | – | 3 | 1 | 1 | 3 | – | 1 |
| | 2. Aneurism | 55 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | 3 |
| | 3. *Heart Disease, etc.* | 749 | 4 | 1 | 4 | 2 | – | – | – | 9 | 14 | 18 | 21 | 25 | 40 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 59 | 4 | 3 | 7 | 16 | 7 | 2 | 1 | – | 1 | – | 2 | 3 | 4 |
| | 2. Bronchitis | 1863 | 213 | 131 | 282 | 316 | 94 | 44 | 18 | 40 | 10 | 11 | 8 | 9 | 19 |
| | 3. Pleurisy | 59 | 1 | 1 | 1 | 2 | – | 1 | – | 4 | 1 | 3 | 1 | 5 | 3 |
| | 4. Pneumonia | 823 | 30 | 44 | 90 | 136 | 53 | 26 | 18 | 37 | 7 | 23 | 28 | 25 | 30 |
| | 5. Asthma | 33 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| | 6. *Lung Disease, etc.* | 268 | 27 | 19 | 21 | 32 | 10 | 7 | 1 | 15 | 6 | 4 | 4 | 9 | 6 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 41 | 6 | 3 | 4 | 4 | 1 | – | 1 | 2 | – | – | 1 | 1 | 1 |
| | 2. Enteritis | 174 | 49 | 14 | 31 | 21 | 5 | 2 | 5 | 7 | 2 | 4 | 5 | 3 | 3 |
| | 3. Peritonitis | 77 | 4 | 4 | 6 | 5 | 4 | 1 | – | 8 | 3 | 10 | 1 | 5 | 5 |
| | 4. Ascites | 8 | – | – | – | – | – | 1 | 2 | 1 | 2 | – | – | – | 1 |
| | 5. Ulceration of Intestines | 25 | 1 | 1 | – | – | – | – | – | 2 | 1 | – | 1 | – | 1 |
| | 6. Hernia | 29 | 1 | 1 | 1 | 1 | 2 | – | – | – | – | 2 | 1 | 1 | 5 |
| | 7. Ileus | 42 | 16 | 3 | 3 | – | – | – | – | 4 | 1 | – | 2 | – | – |
| | 8. Intussusception | 13 | 2 | 1 | 2 | – | – | – | – | – | 1 | – | – | – | 2 |
| | 9. Stricture of Intestines | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 6 | – | 1 | – | – | – | – | – | – | – | 1 | 1 | 1 | – |
| | 11. *Stomach Disease, etc.* | 107 | 21 | 8 | 11 | 8 | 4 | – | 2 | 1 | 1 | 1 | 3 | 3 | 2 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 29 | 1 | 1 | 1 | 4 | 1 | – | – | – | – | – | 1 | 1 | 2 |
| | 14. Jaundice | 41 | 20 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 122 | 7 | – | – | – | 1 | 1 | – | 1 | 5 | 2 | 3 | 4 | 6 |
| | 16. *Spleen Disease, etc.* | 9 | – | – | – | 2 | – | – | – | – | 2 | – | 1 | 1 | 1 |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 52 | – | – | 1 | 4 | 2 | 9 | 3 | 12 | – | 2 | 2 | 1 | 1 |
| | 2. Ischuria | 13 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 111 | – | – | – | – | 1 | 1 | 2 | 8 | 2 | 3 | 5 | 6 | 4 |
| | 4. Diabetes | 23 | – | – | – | – | – | 1 | – | 1 | – | – | 4 | 4 | – |
| | 5. Calculus (Stone) | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 6. Cystitis | 31 | – | – | – | – | – | – | – | – | – | 2 | – | 1 | – |
| | 7. *Kidney Disease, etc.* | 132 | 1 | – | – | 1 | 3 | 3 | 2 | 7 | 4 | 6 | 4 | 7 | 5 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 5 | 1 | – | – | – | – | – | – | 2 | – | – | 1 | 1 | – |
| | 2. *Joint Disease, etc.* | 91 | – | – | – | 4 | 2 | – | 2 | 19 | 12 | 16 | 9 | 6 | 3 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 128 | 3 | – | 6 | 17 | 11 | 5 | 4 | 18 | 17 | 20 | 5 | 8 | 3 |
| | 2. Tabes Mesenterica | 238 | 17 | 15 | 19 | 58 | 23 | 17 | 7 | 38 | 25 | 8 | 2 | 2 | 1 |
| | 3. Phthisis | 1724 | 6 | 8 | 18 | 37 | 27 | 16 | 15 | 65 | 105 | 267 | 251 | 224 | 193 |
| | 4. Hydrocephalus | 359 | 8 | 27 | 83 | 76 | 39 | 31 | 27 | 53 | 8 | 6 | 1 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 227 | 11 | 15 | 30 | 46 | 27 | 10 | 9 | 31 | 10 | 10 | 6 | 1 | 1 |
| | 2. Apoplexy | 356 | 6 | 5 | 19 | 19 | 6 | 4 | 5 | 8 | 1 | 2 | – | 3 | 5 |
| | 3. Paralysis | 346 | 1 | – | – | 1 | 1 | 1 | 1 | – | 1 | 2 | – | 2 | 4 |
| | 4. Insanity | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 32 | 1 | – | – | 1 | 1 | – | – | – | 5 | 5 | 2 | 3 | 2 |
| | 7. Convulsions | 212 | 59 | 21 | 33 | 48 | 17 | 12 | 5 | 5 | 1 | 2 | – | – | 3 |
| | 8. *Brain Disease, etc.* | 162 | 2 | 3 | 12 | 12 | 4 | 4 | 4 | 12 | 7 | 8 | 2 | 4 | 5 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 20 | – | – | – | – | – | – | – | 4 | 2 | 2 | 1 | – | 5 |
| | 2. Aneurism | 14 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| | 3. *Heart Disease, etc.* | 827 | 3 | 1 | – | 3 | 1 | 2 | – | 9 | 24 | 24 | 26 | 30 | 35 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 40 | 5 | – | 4 | 11 | 5 | 2 | 2 | 4 | – | – | 2 | – | 1 |
| | 2. Bronchitis | 1877 | 131 | 113 | 233 | 299 | 102 | 40 | 19 | 29 | 11 | 8 | 10 | 22 | 25 |
| | 3. Pleurisy | 42 | – | 1 | – | 2 | 3 | – | 1 | 3 | 1 | 3 | 3 | – | 2 |
| | 4. Pneumonia | 599 | 21 | 28 | 78 | 103 | 46 | 21 | 18 | 43 | 10 | 14 | 11 | 24 | 17 |
| | 5. Asthma | 35 | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| | 6. *Lung Disease, etc.* | 250 | 28 | 9 | 21 | 39 | 14 | 8 | 3 | 9 | 8 | 9 | 3 | 6 | 9 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 45 | 1 | – | 1 | 6 | 1 | 2 | 1 | 1 | 1 | – | 1 | 3 | – |
| | 2. Enteritis | 150 | 36 | 20 | 18 | 22 | 3 | 2 | 2 | 5 | 3 | 3 | 2 | – | 3 |
| | 3. Peritonitis | 104 | 10 | 2 | 2 | 3 | – | 2 | 3 | 7 | 4 | 6 | 10 | 14 | 5 |
| | 4. Ascites | 12 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| | 5. Ulceration of Intestines | 46 | – | – | – | – | 2 | – | – | 2 | 3 | – | 6 | 2 | 4 |
| | 6. Hernia | 28 | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 7. Ileus | 46 | 6 | 2 | 2 | – | 1 | – | – | 1 | 2 | 1 | – | – | 3 |
| | 8. Intussusception | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| | 9. Stricture of Intestines | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 11. *Stomach Disease, etc.* | 116 | 13 | 10 | 11 | 4 | 3 | 1 | – | 3 | 4 | 3 | 2 | 7 | 2 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 42 | – | 1 | – | 1 | 1 | – | – | 3 | 1 | 1 | 1 | 2 | 1 |
| | 14. Jaundice | 36 | 8 | 2 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 143 | 2 | 1 | 1 | – | 1 | 1 | – | 3 | 2 | 3 | 4 | 6 | 5 |
| | 16. *Spleen Disease, etc.* | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 44 | – | – | – | 4 | 4 | 5 | 1 | 6 | 3 | 1 | 4 | 4 | 3 |
| | 2. Ischuria | 2 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| | 3. Bright's Disease (Nephria) | 85 | – | – | – | – | – | 2 | 1 | 5 | 5 | 6 | 8 | 5 | 4 |
| | 4. Diabetes | 18 | – | – | 1 | 1 | 1 | – | – | – | 3 | 2 | 2 | – | 2 |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 17 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| | 7. *Kidney Disease, etc.* | 60 | – | – | – | – | 1 | 1 | 1 | 3 | 3 | 1 | 2 | 5 | 2 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 20 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 2 |
| | 2. *Uterus Disease, etc.* | 33 | – | – | – | – | – | – | – | – | – | 1 | 5 | 2 | 4 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 9 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 54 | – | 1 | 1 | 2 | – | – | 1 | 10 | 5 | 7 | 3 | 5 | 4 |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 5 | 2 | 5 | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 141 | 101 | 89 | 48 | 37 | 24 | 12 | 12 | 2 | 1 | – | – | – | – | – |
| | 4. Hydrocephalus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 3 | 6 | 1 | 5 | 4 | – | 2 | 2 | – | – | – | – | – | – | – |
| | 2. Apoplexy | 21 | 13 | 22 | 41 | 29 | 34 | 55 | 36 | 16 | 16 | 5 | – | – | – | – |
| | 3. Paralysis | 7 | 18 | 18 | 27 | 34 | 52 | 56 | 49 | 30 | 10 | 5 | – | 1 | – | – |
| | 4. Insanity | – | – | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 5 | 4 | 3 | 5 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 8 | 5 | 8 | 6 | 6 | 15 | 14 | 9 | 3 | 7 | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 4 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 7 | 13 | 7 | 7 | 3 | 5 | 1 | 2 | 2 | 1 | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 55 | 64 | 63 | 74 | 81 | 88 | 72 | 55 | 32 | 23 | 4 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | 1 | 1 | 4 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Bronchitis | 27 | 54 | 56 | 94 | 87 | 108 | 75 | 71 | 48 | 30 | 16 | 1 | 1 | – | – |
| | 3. Pleurisy | 4 | 5 | 3 | 3 | 4 | 8 | 2 | 4 | 3 | – | – | – | – | – | – |
| | 4. Pneumonia | 29 | 39 | 46 | 40 | 23 | 31 | 38 | 16 | 7 | 6 | 1 | – | – | – | – |
| | 5. Asthma | 4 | 4 | 3 | 1 | 2 | 6 | 4 | 3 | 1 | 2 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 9 | 12 | 21 | 12 | 9 | 14 | 10 | 10 | 4 | 4 | 2 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | 1 | 1 | 1 | 4 | 4 | 2 | 3 | – | – | – | – | – | – | – |
| | 2. Enteritis | 1 | 4 | 4 | 5 | 3 | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| | 3. Peritonitis | 3 | 2 | 5 | 3 | 3 | 1 | 1 | 1 | 2 | – | – | – | – | – | – |
| | 4. Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 3 | 1 | 3 | 4 | 3 | 3 | – | – | – | 1 | – | – | – | – | – |
| | 6. Hernia | – | 2 | 1 | 2 | 3 | 1 | 1 | – | 2 | 2 | – | – | – | – | – |
| | 7. Ileus | – | 1 | 2 | 1 | 1 | 4 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| | 8. Intussusception | 1 | 2 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| | 9. Stricture of Intestines | – | 1 | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| | 10. Fistula | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 1 | 2 | 7 | 9 | 4 | 9 | 3 | 3 | 2 | 1 | 1 | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 2 | 2 | 4 | 1 | 2 | 3 | 1 | – | 1 | 1 | – | – | – | – | – |
| | 14. Jaundice | 1 | – | 1 | 1 | 3 | 2 | 3 | 3 | 2 | 3 | 1 | – | – | – | – |
| | 15. *Liver Disease, etc.* | 10 | 9 | 18 | 16 | 13 | 13 | 6 | 4 | 2 | 1 | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 3 | 4 | 2 | 3 | – | – | – | 2 | 1 | – | – | – | – | – |
| | 2. Ischuria | – | – | 1 | – | – | 1 | 2 | 3 | 3 | 1 | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 10 | 18 | 12 | 13 | 6 | 10 | 2 | 6 | 1 | 1 | – | – | – | – | – |
| | 4. Diabetes | 3 | 2 | 3 | 1 | 1 | – | 2 | 1 | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | 2 | – | 1 | 4 | 5 | 9 | 2 | 2 | 2 | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 5 | 14 | 4 | 11 | 14 | 8 | 8 | 10 | 6 | 7 | 2 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 3 | 3 | 3 | 1 | 2 | 1 | 3 | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 4 | 1 | 1 | – | 1 | 1 | – | 3 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | 2 | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 156 | 128 | 83 | 44 | 45 | 21 | 9 | 3 | 3 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 2 | 4 | 2 | 2 | 3 | 4 | – | 1 | 1 | – | 1 | – | – | – | – |
| | 2. Apoplexy | 9 | 13 | 22 | 28 | 30 | 45 | 42 | 31 | 30 | 17 | 4 | 2 | – | – | – |
| | 3. Paralysis | 3 | 11 | 12 | 23 | 30 | 50 | 57 | 53 | 54 | 26 | 11 | – | 2 | – | – |
| | 4. Insanity | 1 | – | – | 2 | 3 | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | 3 | 2 | – | 3 | 1 | – | – | 2 | 1 | – | – | – | – | – |
| | 7. Convulsions | – | 1 | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 5 | 7 | 7 | 9 | 7 | 9 | 12 | 7 | 16 | 4 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | 2 | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 3 | 1 | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 45 | 70 | 72 | 97 | 82 | 83 | 83 | 56 | 48 | 22 | 7 | 3 | 1 | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| | 2. Bronchitis | 24 | 54 | 67 | 84 | 98 | 132 | 120 | 108 | 69 | 44 | 30 | 3 | 2 | – | – |
| | 3. Pleurisy | 4 | 5 | 2 | 2 | 7 | 2 | – | – | – | – | 1 | – | – | – | – |
| | 4. Pneumonia | 23 | 20 | 13 | 16 | 23 | 22 | 20 | 14 | 5 | 7 | 1 | 1 | – | – | – |
| | 5. Asthma | 2 | – | 2 | 6 | 3 | 6 | 1 | 6 | 4 | 1 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 8 | 9 | 8 | 11 | 10 | 6 | 10 | 8 | 4 | 4 | 6 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | 4 | 4 | 7 | 2 | 3 | 4 | 2 | – | – | – | – | – | – | – |
| | 2. Enteritis | 3 | 2 | 2 | 3 | 1 | 4 | 5 | 5 | 3 | 2 | – | – | 1 | – | – |
| | 3 Peritonitis | 5 | 1 | 6 | 5 | – | 6 | 6 | 5 | 2 | – | – | – | – | – | – |
| | 4. Ascites | – | 1 | 1 | 2 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | 5 | 2 | 5 | 1 | 4 | 5 | 3 | 1 | – | – | – | – | – | – |
| | 6. Hernia | 1 | 1 | 3 | 2 | 2 | 7 | 3 | 4 | – | 2 | – | – | – | – | – |
| | 7. Ileus | 1 | 3 | 5 | 2 | 4 | 1 | 4 | 5 | 2 | 1 | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 9 | 3 | 7 | 7 | 7 | 7 | 5 | 5 | 3 | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | 6 | 3 | 5 | 3 | 3 | 3 | 2 | 3 | – | 1 | – | – | – | – |
| | 14. Jaundice | 1 | 3 | – | 1 | 4 | 4 | 3 | 4 | 4 | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 12 | 7 | 22 | 7 | 19 | 20 | 17 | 4 | 6 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | | 1 | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 2 | 2 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 11 | 11 | 6 | 6 | 2 | 5 | 5 | 1 | 1 | – | 1 | – | – | – | – |
| | 4. Diabetes | 1 | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | 2 | – | 2 | 3 | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 3 | 8 | 7 | 1 | 3 | 4 | 5 | 1 | 7 | 1 | 1 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | 1 | 3 | 2 | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 4 | 4 | 3 | – | 1 | 4 | 2 | 3 | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 1 | – | 2 | 2 | 2 | 4 | 1 | 2 | – | 1 | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 21 | 2 | 1 | 6 | – | 1 | – | – | 2 | – | – | – | 1 | – |
| | 2. Ulcer | 10 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 8 | 2 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 389 | 389 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 11 | 9 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 12 | 11 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 37 | 36 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Teething | 165 | 1 | 14 | 69 | 72 | 9 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 303 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 517 | 374 | 34 | 36 | 21 | 12 | 7 | 2 | 10 | 1 | 1 | 1 | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 275 | 1 | – | – | 3 | 5 | 4 | 5 | 17 | 16 | 16 | 20 | 25 | 24 |
| | 2. Gunshot Wounds | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 3. Cut, Stab | 8 | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 4. Burns and Scalds | 54 | 1 | – | 1 | 3 | 3 | 7 | 1 | 4 | 2 | 4 | 7 | 3 | 4 |
| | 5. Poison | 14 | – | – | 1 | – | – | 1 | – | – | – | 1 | 1 | 1 | 1 |
| | 6. Drowning | 164 | – | 1 | 1 | 1 | 1 | 1 | 1 | 9 | 6 | 12 | 30 | 22 | 19 |
| | 7. Suffocation | 72 | 40 | 15 | 3 | – | – | – | 1 | 1 | – | 1 | – | 3 | – |
| | 8. Otherwise | 50 | 3 | – | – | 1 | – | – | – | 3 | 1 | 5 | 8 | – | 4 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 5. Hanging | 18 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 28 | 1 | 2 | – | 1 | – | – | – | 1 | – | – | – | 1 | – |
| | Causes not specified or ill-defined | 60 | 15 | 4 | – | 1 | 3 | – | 1 | 4 | 3 | 2 | 1 | 2 | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 17 | 1 | 1 | 1 | 1 | – | – | – | 3 | – | – | – | 2 | 1 |
| | 2. Ulcer | 14 | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | 2 |
| | 3. *Skin Disease, etc.* | 10 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | 1 | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 315 | 312 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 5 | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| | 3. Spina Bifida | 16 | 11 | 2 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| | 4. Other Malformations | 30 | 28 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Teething | 152 | – | 9 | 68 | 66 | 9 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | 5 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – |
| | 2. Childbirth (*see* Puerperal Fever) | 150 | – | – | – | – | – | – | – | – | – | 9 | 23 | 34 | 36 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 606 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 458 | 283 | 40 | 34 | 27 | 15 | 4 | – | 11 | – | 2 | – | – | 1 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 78 | – | – | – | 1 | 6 | 1 | 2 | 4 | 3 | 1 | 1 | 2 | 4 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 54 | – | – | 4 | 8 | 5 | 1 | 7 | 8 | 4 | 2 | – | – | – |
| | 5. Poison | 8 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 6. Drowning | 32 | 1 | – | – | 2 | – | – | 1 | 1 | 1 | 2 | 7 | 1 | 1 |
| | 7. Suffocation | 52 | 29 | 6 | 3 | 2 | – | – | – | – | – | – | 2 | 1 | – |
| | 8. Otherwise | 17 | 5 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 2 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | 4. Drowning | 5 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 5. Hanging | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 17 | 3 | 3 | 1 | – | – | – | – | – | – | – | – | 2 | – |
| | Causes not specified or ill-defined | 70 | 18 | 5 | 2 | 3 | 2 | 3 | 1 | 6 | 1 | 2 | 1 | 6 | |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, during the YEAR 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 2 | 2 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – | – |
| | 2. Ulcer | 1 | 1 | – | 1 | 2 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 22 | 41 | 54 | 66 | 68 | 41 | 10 | – | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | 1 | – | 5 | 12 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 23 | 19 | 17 | 26 | 22 | 13 | 8 | 5 | 3 | 1 | – | 2 | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 2 | 3 | 2 | 2 | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| | 5. Poison | 1 | 2 | – | – | 2 | 1 | – | 2 | – | – | – | – | – | – | – |
| | 6. Drowning | 14 | 13 | 8 | 10 | 4 | 2 | 5 | 3 | 1 | – | – | – | – | – | – |
| | 7. Suffocation | 1 | 1 | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 4 | 4 | 4 | 6 | – | 3 | 3 | 1 | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | 3 | 1 | 3 | 1 | 3 | 2 | 1 | – | – | 1 | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 2 | 4 | 3 | 2 | 3 | 5 | 3 | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 2 | 4 | 2 | 4 | 5 | 3 | 3 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the PRINCIPAL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | – | 1 | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | 2 | 3 | 1 | 2 | 1 | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 34 | 13 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 55 | 73 | 95 | 146 | 129 | 68 | 31 | 8 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 4 | 1 | 5 | 15 | 16 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | 3 | 4 | 5 | 10 | 7 | 3 | 6 | 9 | 4 | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | 1 | 2 | – | 1 | 4 | – | 3 | 1 | 1 | 2 | – | – | – | – |
| | 5. Poison | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 2 | 1 | 1 | 4 | 2 | 4 | – | 1 | – | – | – | – | – | – | – |
| | 7. Suffocation | – | 1 | 2 | 3 | – | 2 | – | 1 | – | – | – | – | – | – | – |
| | 8. Otherwise | 2 | 2 | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 3 | 1 | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | Causes not specified or ill-defined | 4 | 2 | 4 | 3 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 5019 | 553 | 231 | 393 | 535 | 213 | 128 | 74 | 242 | 137 | 153 | 146 | 155 | 139 |
| | **Specified Causes** . . | 4980 | 537 | 228 | 393 | 534 | 212 | 127 | 74 | 242 | 137 | 152 | 145 | 155 | 137 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 883 | 70 | 50 | 129 | 195 | 77 | 55 | 36 | 95 | 17 | 16 | 8 | 9 | 9 |
| II. | CONSTITUTIONAL ,, | 912 | 16 | 28 | 54 | 96 | 41 | 23 | 16 | 67 | 51 | 71 | 71 | 82 | 43 |
| III. | LOCAL ,, | 2365 | 157 | 131 | 183 | 204 | 86 | 42 | 17 | 71 | 53 | 50 | 42 | 46 | 60 |
| IV. | DEVELOPMENTAL ,, | 585 | 285 | 17 | 27 | 34 | 3 | 2 | – | – | – | – | 1 | – | 3 |
| V. | VIOLENT DEATHS . | 235 | 9 | 2 | – | 5 | 5 | 5 | 5 | 9 | 16 | 15 | 23 | 18 | 22 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 830 | 59 | 48 | 125 | 192 | 76 | 54 | 36 | 94 | 17 | 15 | 8 | 5 | 5 |
| | 2. ENTHETIC ,, . | 19 | 8 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | 1 | – |
| | 3. DIETIC ,, . | 32 | 1 | – | 1 | 1 | – | 1 | – | 1 | – | 1 | – | 3 | 4 |
| | 4. PARASITIC ,, . | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 111 | 1 | – | 1 | 1 | 3 | – | – | 4 | 1 | 1 | 1 | 2 | 1 |
| | 2. TUBERCULAR ,, . | 801 | 15 | 28 | 53 | 95 | 38 | 23 | 16 | 63 | 50 | 70 | 70 | 80 | 42 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 615 | 29 | 26 | 44 | 40 | 15 | 14 | 6 | 23 | 11 | 11 | 9 | 14 | 18 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 297 | 1 | – | – | – | 1 | 1 | – | 6 | 4 | 11 | 5 | 8 | 10 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1037 | 95 | 86 | 120 | 145 | 61 | 20 | 7 | 21 | 13 | 13 | 15 | 15 | 20 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 249 | 30 | 16 | 19 | 16 | 7 | 5 | 1 | 5 | 10 | 5 | 4 | 6 | 10 |
| | 5. ,, OF URINARY ORGANS . . . | 120 | – | – | – | – | 1 | 2 | 2 | 6 | 6 | 7 | 5 | 3 | 2 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . | 32 | – | – | – | – | – | – | 1 | 10 | 9 | 3 | 3 | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 15 | 2 | 3 | – | 3 | 1 | – | – | – | – | – | 1 | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | 174 | 128 | 3 | 19 | 22 | 1 | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 195 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 216 | 157 | 14 | 8 | 12 | 2 | 2 | – | – | – | – | 1 | – | 3 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 4821 | 449 | 168 | 333 | 479 | 205 | 133 | 61 | 205 | 123 | 117 | 191 | 187 | 162 |
| | **Specified Causes** . . | 4790 | 433 | 165 | 331 | 477 | 204 | 133 | 61 | 205 | 122 | 117 | 191 | 187 | 162 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 869 | 58 | 49 | 110 | 193 | 90 | 78 | 29 | 67 | 19 | 8 | 17 | 16 | 19 |
| II. | CONSTITUTIONAL ,, | 1062 | 16 | 15 | 44 | 85 | 33 | 19 | 14 | 81 | 63 | 85 | 113 | 96 | 78 |
| III. | LOCAL ,, | 2023 | 107 | 76 | 149 | 164 | 71 | 31 | 15 | 51 | 36 | 23 | 49 | 63 | 51 |
| IV. | DEVELOPMENTAL ,, | 762 | 242 | 22 | 28 | 31 | 7 | 2 | – | 3 | 2 | – | 9 | 11 | 12 |
| V. | VIOLENT DEATHS . | 74 | 10 | 3 | – | 4 | 3 | 3 | 3 | 3 | 2 | 1 | 3 | 1 | 2 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 830 | 50 | 44 | 107 | 191 | 89 | 77 | 29 | 67 | 18 | 8 | 16 | 15 | 18 |
| | 2. ENTHETIC ,, . | 13 | 6 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 23 | 1 | 4 | 1 | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| | 4. PARASITIC ,, . | 3 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 189 | 2 | – | – | 4 | – | – | – | 1 | 3 | – | 5 | 2 | 4 |
| | 2. TUBERCULAR ,, . | 873 | 14 | 15 | 44 | 81 | 33 | 19 | 14 | 80 | 60 | 85 | 108 | 94 | 74 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 509 | 25 | 16 | 34 | 38 | 15 | 9 | 4 | 17 | 7 | 5 | 6 | 7 | 15 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 292 | 3 | 1 | – | 1 | 1 | – | – | 4 | 5 | 5 | 13 | 12 | 15 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 841 | 56 | 53 | 101 | 110 | 46 | 17 | 9 | 23 | 12 | 5 | 13 | 14 | 7 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 251 | 23 | 6 | 11 | 11 | 6 | 4 | 1 | 5 | 6 | 2 | 7 | 11 | 9 |
| | 5. ,, OF URINARY ORGANS . . . | 73 | – | – | – | 3 | 1 | 1 | 1 | 1 | 1 | 5 | 5 | 12 | 3 |
| | 6. ,, OF ORGANS OF GENERATION . | 20 | – | – | – | – | – | – | – | – | – | – | 5 | 2 | 1 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 17 | – | – | 1 | – | – | – | – | 1 | 5 | 1 | – | 2 | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 20 | – | – | 2 | 1 | 2 | – | – | – | – | – | – | 3 | 1 |
| IV. | 1. DEV. DIS. OF CHILDREN . | 151 | 114 | 5 | 15 | 15 | 2 | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 52 | – | – | – | – | – | – | – | – | – | – | 9 | 11 | 10 |
| | 3. ,, OF OLD PEOPLE | 349 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 210 | 128 | 17 | 13 | 16 | 5 | 2 | – | 3 | 2 | – | – | – | 2 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . | 150 | 181 | 165 | 215 | 216 | 241 | 205 | 205 | 162 | 129 | 37 | 11 | 3 | – | – |
| | **Specified Causes** . . | 148 | 181 | 164 | 211 | 215 | 240 | 204 | 202 | 162 | 129 | 37 | 11 | 3 | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 7 | 13 | 11 | 14 | 10 | 14 | 16 | 12 | 11 | 7 | 2 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 52 | 34 | 29 | 34 | 33 | 24 | 15 | 11 | 11 | 7 | 2 | 1 | – | – | – |
| III. | LOCAL ,, | 73 | 116 | 107 | 135 | 156 | 173 | 145 | 142 | 96 | 62 | 14 | 2 | 2 | – | – |
| IV. | DEVELOPMENTAL ,, | – | 2 | 3 | 8 | 8 | 22 | 21 | 29 | 43 | 52 | 16 | 8 | 1 | – | – |
| V. | VIOLENT DEATHS . | 16 | 16 | 14 | 20 | 8 | 7 | 7 | 8 | 1 | 1 | 3 | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 5 | 11 | 6 | 13 | 5 | 11 | 14 | 12 | 10 | 7 | 2 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 2 | 2 | 3 | 1 | 5 | 3 | 2 | – | 1 | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 4 | 7 | 7 | 12 | 13 | 12 | 10 | 11 | 10 | 6 | 2 | 1 | – | – | – |
| | 2. TUBERCULAR ,, . | 48 | 27 | 22 | 22 | 20 | 12 | 5 | – | 1 | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 14 | 33 | 19 | 23 | 36 | 51 | 46 | 52 | 41 | 33 | 6 | 1 | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 15 | 26 | 27 | 28 | 32 | 36 | 29 | 28 | 18 | 6 | 4 | – | 1 | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 24 | 29 | 44 | 62 | 60 | 60 | 41 | 40 | 28 | 15 | 1 | 1 | 1 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 11 | 13 | 10 | 14 | 16 | 17 | 14 | 10 | 7 | 2 | 1 | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 8 | 15 | 6 | 7 | 8 | 8 | 13 | 12 | 2 | 5 | 2 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 1 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | 2 | 1 | 22 | 21 | 29 | 43 | 52 | 16 | 8 | 1 | – | – |
| | 4. DISEASES OF NUTRITION | – | 2 | 2 | 6 | 7 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 165 | 160 | 134 | 162 | 170 | 245 | 227 | 239 | 225 | 176 | 70 | 25 | 9 | 1 | – |
| | **Specified Causes** . . | 164 | 159 | 134 | 162 | 169 | 244 | 225 | 239 | 225 | 176 | 70 | 25 | 9 | 1 | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 13 | 12 | 8 | 9 | 9 | 22 | 14 | 10 | 13 | 3 | 2 | 1 | – | – | – |
| II. | CONSTITUTIONAL ,, | 64 | 51 | 35 | 42 | 28 | 39 | 19 | 22 | 13 | 5 | 2 | – | – | – | – |
| III. | LOCAL ,, | 71 | 84 | 83 | 100 | 121 | 156 | 157 | 141 | 118 | 75 | 26 | 4 | 1 | – | – |
| IV. | DEVELOPMENTAL ,, | 15 | 9 | 6 | 8 | 6 | 19 | 32 | 62 | 78 | 92 | 37 | 20 | 8 | 1 | – |
| V. | VIOLENT DEATHS . | 1 | 3 | 2 | 3 | 5 | 8 | 3 | 4 | 3 | 1 | 3 | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 11 | 8 | 4 | 7 | 9 | 22 | 13 | 10 | 11 | 3 | 2 | 1 | – | – | – |
| | 2. ENTHETIC ,, . | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | 4 | 3 | 2 | – | – | 1 | – | 2 | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 13 | 10 | 18 | 25 | 20 | 29 | 15 | 20 | 12 | 4 | 2 | – | – | – | – |
| | 2. TUBERCULAR ,, . | 51 | 41 | 17 | 17 | 8 | 10 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 17 | 24 | 15 | 25 | 24 | 46 | 45 | 46 | 35 | 25 | 9 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 14 | 13 | 21 | 25 | 30 | 31 | 32 | 24 | 22 | 14 | 6 | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 18 | 26 | 25 | 33 | 35 | 48 | 57 | 47 | 41 | 31 | 9 | 4 | 1 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 15 | 8 | 16 | 8 | 20 | 25 | 18 | 19 | 15 | 3 | 2 | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 5 | 9 | – | 4 | 7 | 3 | 4 | 4 | 2 | 2 | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | 1 | 1 | 2 | 2 | – | – | – | 1 | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | 1 | 3 | 1 | 2 | 2 | – | – | 1 | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 13 | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 19 | 32 | 62 | 78 | 92 | 37 | 20 | 8 | 1 | – |
| | 4. DISEASES OF NUTRITION | 2 | 1 | 5 | 8 | 6 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 223 | 9 | 2 | – | 5 | 5 | 5 | 5 | 9 | 16 | 15 | 21 | 18 | 22 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 12 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 37 | 16 | 3 | – | 1 | 1 | 1 | – | – | – | 1 | 1 | – | 2 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Measles | 92 | 1 | 1 | 22 | 47 | 10 | 5 | 2 | 4 | – | – | – | – | – |
| | 3. Scarlatina | 94 | – | 1 | 2 | 11 | 15 | 15 | 11 | 33 | 3 | 1 | 1 | – | – |
| | 4. Diphtheria | 67 | – | – | 5 | 15 | 10 | 14 | 7 | 14 | 2 | – | – | – | – |
| | 5. Quinsy | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 6. Croup | 62 | 1 | 3 | 10 | 21 | 4 | 5 | 8 | 10 | – | – | – | – | – |
| | 7. Hooping-cough | 186 | 13 | 16 | 52 | 65 | 23 | 8 | – | 7 | 1 | 1 | – | – | – |
| | 8. Typhus Fever | 11 | – | – | – | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 | 1 |
| | 8. Enteric or Typhoid Fever | 62 | – | 1 | – | 5 | 5 | 3 | 3 | 16 | 9 | 7 | 3 | 2 | 4 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 7 | 1 | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – |
| | 9. Erysipelas | 15 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 8 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| | 13. Dysentery | 16 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 163 | 36 | 22 | 23 | 22 | 7 | 1 | – | 1 | 1 | 1 | 1 | – | – |
| | 15. Cholera | 26 | – | 2 | 7 | 6 | – | 2 | – | 1 | – | – | – | 2 | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 5 | – | – | 1 | – | – | – | 1 | 3 | – | – | – | – | – |
| | 18. Rheumatism | 11 | – | – | – | – | – | – | – | – | – | 5 | 2 | – | – |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 18 | 8 | 2 | 3 | 2 | 1 | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Want of Breast Milk | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 4 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – |
| | 4. Alcoholism *a* Del. Tremens | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Alcoholism *b* Intemperance | 22 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 3 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 24 | – | – | – | – | 3 | – | – | 3 | 1 | 1 | – | 1 | – |
| | 3. Cancer | 68 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | 1 |
| | 4. Cancrum Oris (Noma) | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 16 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |

* See page 52, note.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| V. | 1. ACCIDENT OR NEGLIGENCE | 70 | 10 | 3 | – | 4 | 3 | 3 | 3 | 3 | 2 | 1 | 3 | 1 | 1 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 30 | 16 | 3 | 2 | 2 | 1 | – | – | – | 1 | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 3 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| | 2. Measles | 103 | 2 | 1 | 20 | 39 | 17 | 9 | 4 | 8 | 1 | 1 | – | – | – |
| | 3. Scarlatina | 85 | 1 | – | 2 | 12 | 19 | 25 | 6 | 14 | 5 | – | – | – | 1 |
| | 4. Diphtheria | 40 | 2 | 1 | 2 | 2 | 8 | 7 | 5 | 7 | 1 | 1 | 2 | 1 | – |
| | 5. Quinsy | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Croup | 55 | 2 | 2 | 8 | 19 | 10 | 7 | 2 | 4 | 1 | – | – | – | – |
| | 7. Hooping-cough | 224 | 14 | 12 | 35 | 88 | 30 | 20 | 8 | 17 | – | – | – | – | – |
| | 8. Typhus Fever | 6 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – |
| | 8. Enteric or Typhoid Fever | 56 | – | 2 | – | – | 1 | 5 | 4 | 10 | 7 | 3 | 3 | 4 | 1 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 12 | – | – | 1 | – | 2 | 1 | – | – | – | – | 1 | 1 | 1 |
| | 9. Erysipelas | 19 | 7 | 2 | 2 | – | – | 1 | – | – | – | – | – | – | 3 |
| | 10. Puerperal Fever (Metria) | 28 | – | – | – | – | – | – | – | – | – | 1 | 6 | 7 | 7 |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 11 | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 1 |
| | 13. Dysentery | 13 | – | – | – | 3 | – | – | – | – | – | 1 | 1 | – | – |
| | 14. Diarrhœa | 147 | 18 | 22 | 33 | 25 | 2 | 2 | – | 4 | – | – | 1 | – | 2 |
| | 15. Cholera | 9 | – | 2 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 14 | – | – | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 |
| | 19. Other *Miasmatic* Diseases | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 13 | 6 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 5 | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 4. Alcoholism *b* Intemperance | 12 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 48 | 1 | – | – | 2 | – | – | – | – | 2 | – | 3 | 1 | 2 |
| | 3. Cancer | 126 | – | – | – | – | – | – | – | 1 | 1 | – | 2 | 1 | 2 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 15 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 15 | 14 | 11 | 18 | 6 | 7 | 7 | 8 | 1 | 1 | 3 | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | 2 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 2 | – | 1 | 2 | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | 3 | – | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | 2 | – | – | 1 | 2 | – | – | – | – | – | – | – |
| | 13. Dysentery | – | 1 | 1 | 1 | 1 | 1 | 2 | 2 | – | 1 | 1 | – | – | – | – |
| | 14. Diarrhœa | 1 | 4 | 1 | 2 | 4 | 8 | 8 | 6 | 8 | 5 | 1 | – | – | – | – |
| | 15. Cholera | 1 | 2 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 2 | 1 | 2 | 1 | 5 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 1 | 2 | 1 | 1 | 2 | 4 | 2 | 1 | 1 | – | – | – | – | – | – |
| | 3. Cancer | 3 | 3 | 6 | 1 | 11 | 7 | 8 | 10 | 5 | 1 | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Mortification | – | 2 | – | – | – | 1 | – | – | 3 | 5 | 2 | 1 | – | – | – |

* See page 52, note.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | – | 3 | 2 | 3 | 5 | 7 | 3 | 3 | 3 | 1 | 3 | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 1 | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 3 | 2 | 1 | 1 | 1 | 4 | 2 | 1 | – | 1 | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | – | – | 3 | – | – | 1 | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 4 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | 1 | 1 | – | 2 | 1 | 1 | – | – | – | – | – |
| | 13. Dysentery | 1 | 1 | 1 | 1 | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| | 14. Diarrhœa | – | 1 | 1 | – | 5 | 12 | 8 | 3 | 4 | 1 | 2 | 1 | – | – | – |
| | 15. Cholera | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| | 18. Rheumatism | – | 1 | – | 3 | 1 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | 2 | 3 | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 4 | 3 | 4 | 6 | 2 | 5 | 5 | 3 | 4 | – | 1 | – | – | – | – |
| | 3. Cancer | 9 | 7 | 14 | 19 | 16 | 20 | 9 | 15 | 6 | 4 | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | 2 | 4 | 1 | 2 | 2 | – | 1 | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 56 | 2 | 5 | 3 | 10 | 3 | 1 | 1 | 4 | 8 | 5 | 4 | 2 | – |
| | 2. Tabes Mesenterica | 102 | 5 | 7 | 11 | 30 | 14 | 6 | 3 | 15 | 5 | – | 1 | 2 | 1 |
| | 3. Phthisis | 483 | 1 | 5 | 9 | 11 | 3 | 5 | 2 | 22 | 32 | 63 | 65 | 76 | 41 |
| | 4. Hydrocephalus | 160 | 7 | 11 | 30 | 44 | 18 | 11 | 10 | 22 | 5 | 2 | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 100 | 4 | 8 | 18 | 16 | 5 | 8 | 3 | 12 | 4 | 6 | 3 | 5 | 3 |
| | 2. Apoplexy | 149 | 2 | 1 | 5 | 3 | 4 | 1 | 1 | 2 | 2 | – | 1 | 1 | 2 |
| | 3. Paralysis | 168 | – | – | – | – | – | – | 1 | – | 1 | – | – | 3 | 6 |
| | 4. Insanity | 24 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 3 |
| | 5. Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 28 | 1 | – | – | 1 | 1 | – | – | 2 | 2 | 1 | 3 | 2 | 3 |
| | 7. Convulsions | 83 | 19 | 15 | 20 | 17 | 4 | 3 | 1 | 2 | 1 | – | – | – | – |
| | 8. *Brain Disease, etc.* | 62 | 3 | 2 | 1 | 3 | 1 | 2 | – | 5 | 1 | 4 | 1 | 1 | 1 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 10 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 |
| | 2. Aneurism | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 281 | 1 | – | – | – | 1 | 1 | – | 5 | 4 | 10 | 4 | 8 | 9 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 25 | – | – | 2 | 5 | 1 | 2 | 2 | 1 | – | – | 2 | – | 2 |
| | 2. Bronchitis | 617 | 70 | 64 | 85 | 84 | 33 | 13 | 3 | 11 | 5 | 3 | 1 | – | 5 |
| | 3. Pleurisy | 21 | – | – | – | 1 | 1 | – | – | 1 | 2 | 1 | 2 | 2 | – |
| | 4. Pneumonia | 266 | 15 | 16 | 22 | 42 | 18 | 3 | 1 | 2 | 3 | 7 | 9 | 10 | 10 |
| | 5. Asthma | 18 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 6. *Lung Disease, etc.* | 90 | 10 | 6 | 11 | 13 | 8 | 2 | 1 | 6 | 3 | 2 | – | 2 | 3. |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 19 | – | 1 | 4 | 5 | – | – | – | – | 1 | – | 1 | – | – |
| | 2. Enteritis | 46 | 9 | 9 | 8 | 5 | 2 | 1 | – | 1 | 1 | – | 1 | 1 | 2 |
| | 3. Peritonitis | 38 | 4 | 1 | 2 | 2 | – | 1 | 1 | 2 | 2 | 4 | – | 2 | 3 |
| | 4. Ascites | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 5. Ulceration of Intestines | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| | 6. Hernia | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 13 | 1 | 2 | – | – | – | – | – | 1 | 3 | – | – | – | – |
| | 8. Intussusception | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 40 | 10 | 3 | 4 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 16 | – | – | 1 | – | 1 | 2 | – | – | – | – | – | 1 | 1 |
| | 14. Jaundice | 8 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 44 | 1 | – | – | 1 | 1 | – | – | 1 | 1 | 1 | – | 2 | 4 |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 9 | – | – | – | – | 1 | 1 | – | 3 | – | – | 1 | 1 | 1 |
| | 2. Ischuria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 35 | – | – | – | – | – | 1 | 2 | 2 | 3 | 1 | 1 | 2 | – |
| | 4. Diabetes | 13 | – | – | – | – | – | – | – | 1 | – | 2 | 1 | – | – |
| | 5. Calculus (Stone) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 15 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| | 7. *Kidney Disease, etc.* | 43 | – | – | – | – | – | – | – | – | 3 | 3 | 1 | – | 1 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 6 | – | – | – | – | – | – | – | 5 | – | 1 | – | – | – |
| | 2. *Joint Disease, etc.* | 26 | – | – | – | – | – | – | 1 | 5 | 9 | 2 | 3 | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 41 | – | 1 | 2 | 10 | 2 | – | – | 8 | 5 | 3 | 4 | 4 | – |
| | 2. Tabes Mesenterica | 100 | 7 | 6 | 16 | 20 | 8 | 6 | 6 | 14 | 9 | 1 | 2 | 2 | 2 |
| | 3. Phthisis | 599 | 2 | 1 | 5 | 16 | 8 | 4 | 4 | 31 | 38 | 80 | 102 | 88 | 72 |
| | 3. Hydrocephalus | 133 | 5 | 7 | 21 | 35 | 15 | 9 | 4 | 27 | 8 | 1 | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 69 | 4 | 6 | 13 | 17 | 8 | 5 | 1 | 6 | 3 | 2 | 1 | – | – |
| | 2. Apoplexy | 123 | 1 | – | 4 | 1 | 2 | – | 1 | 2 | – | – | – | – | 6 |
| | 3. Paralysis | 150 | – | – | – | – | – | – | – | 1 | 2 | – | 2 | 1 | 4 |
| | 4. Insanity | 15 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| | 5. Chorea | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 19 | – | – | – | 1 | – | – | – | – | – | 2 | 1 | 2 | – |
| | 7. Convulsions | 73 | 19 | 8 | 15 | 15 | 4 | 4 | 1 | 6 | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 59 | 1 | 2 | 2 | 4 | 1 | – | 1 | 1 | 2 | 1 | 2 | 3 | 4 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 5 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – |
| | 2. Aneurism | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 283 | 3 | 1 | – | 1 | – | – | – | 3 | 5 | 4 | 13 | 12 | 15 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 11 | – | 1 | 3 | 2 | 3 | – | – | 1 | – | – | – | – | – |
| | 2. Bronchitis | 566 | 38 | 39 | 78 | 71 | 26 | 12 | 3 | 13 | 4 | 1 | 5 | 5 | 3 |
| | 3. Pleurisy | 10 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. Pneumonia | 164 | 7 | 5 | 14 | 28 | 11 | 5 | 1 | 5 | 7 | 1 | 8 | 6 | 3 |
| | 5. Asthma | 16 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 74 | 11 | 8 | 6 | 9 | 6 | – | 5 | 4 | 1 | 2 | – | 3 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 19 | 3 | 1 | – | 2 | – | 1 | 1 | – | – | – | – | 1 | – |
| | 2. Enteritis | 40 | 9 | 2 | 7 | 4 | 1 | 2 | – | 2 | – | 2 | – | 1 | – |
| | 3. Peritonitis | 32 | 1 | 1 | 2 | 1 | – | 1 | – | 1 | 3 | – | 4 | 5 | 3 |
| | 4. Ascites | 6 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| | 5. Ulceration of Intestines | 16 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 6. Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 11 | – | 1 | – | – | – | – | – | – | 1 | – | – | 1 | – |
| | 8. Intussusception | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 44 | 7 | 1 | 2 | 3 | 2 | – | – | 1 | – | – | 1 | – | 3 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 14 | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 | 2 |
| | 14. Jaundice | 13 | 2 | – | – | – | 3 | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 46 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| | 16. *Spleen Disease, etc.* | 4 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 12 | – | – | – | 2 | – | – | 1 | 1 | – | – | 1 | 3 | – |
| | 2. Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 36 | – | – | – | 1 | – | – | – | – | – | 2 | 3 | 8 | 3 |
| | 4. Diabetes | 5 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| | 5. Calculus (Stone) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 15 | – | – | – | – | 1 | 1 | – | – | 1 | 1 | 1 | 1 | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 9 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| | 2. *Uterus Disease, etc.* | 11 | – | – | – | – | – | – | – | – | – | – | 4 | 1 | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 16 | – | – | – | – | – | – | – | 1 | 5 | 1 | – | 2 | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 1 | 1 | – | 2 | 1 | 2 | – | – | – | 1 | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 47 | 25 | 22 | 19 | 19 | 10 | 5 | – | 1 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 5 | 7 | 7 | 10 | 10 | 24 | 16 | 19 | 13 | 11 | 2 | – | – | – | – |
| | 3. Paralysis | 3 | 15 | 8 | 6 | 18 | 13 | 19 | 27 | 24 | 20 | 3 | 1 | – | – | – |
| | 4. Insanity | 1 | 5 | – | 2 | 1 | 4 | 1 | 2 | 2 | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 3 | 2 | 1 | 1 | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 4 | 2 | 2 | 4 | 8 | 9 | 3 | 1 | 2 | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 2 | – | – | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 12 | 24 | 26 | 26 | 31 | 35 | 28 | 27 | 18 | 6 | 4 | – | 1 | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 1 | – | 3 | – | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| | 2. Bronchitis | 4 | 11 | 21 | 38 | 32 | 41 | 31 | 32 | 16 | 12 | 1 | 1 | – | – | – |
| | 3. Pleurisy | 2 | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – |
| | 4. Pneumonia | 12 | 14 | 17 | 18 | 21 | 11 | 5 | 6 | 4 | – | – | – | – | – | – |
| | 5. Asthma | 3 | 1 | 1 | 1 | 2 | 3 | 1 | – | 4 | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 2 | 1 | 1 | 4 | 4 | 3 | 3 | 1 | 1 | 2 | – | – | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | 4 | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – |
| | 2. Enteritis | 1 | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | 1 | 3 | 1 | 2 | 2 | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| | 4. Ascites | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | 3 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| | 7. Ileus | 1 | – | 1 | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| | 8. Intussusception | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | 2 | 2 | 3 | 3 | 2 | 2 | – | 3 | 1 | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 2 | – | 1 | 1 | 2 | 2 | – | 2 | – | – | – | – | – | – | – |
| | 14. Jaundice | – | 1 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 5 | 2 | 2 | 3 | 4 | 5 | 5 | 4 | 1 | 1 | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 4 | 5 | 1 | 4 | 3 | 1 | 4 | 1 | – | – | – | – | – | – | – |
| | 4. Diabetes | 1 | 5 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | 1 | 2 | – | – | 1 | 3 | 3 | – | 3 | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 3 | 3 | 1 | 3 | 4 | 5 | 4 | 7 | 1 | 2 | 2 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 1 | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | 1 | – | – | – | – | – | – | – | – | – | – | | – |
| | 3. Phthisis | 51 | 40 | 15 | 17 | 8 | 9 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | 1 | – | | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 3 | 12 | 5 | 9 | 12 | 15 | 13 | 15 | 8 | 12 | 2 | – | – | – | – |
| | 3. Paralysis | 4 | 5 | 4 | 9 | 8 | 18 | 25 | 25 | 23 | 12 | 7 | – | – | – | – |
| | 4. Insanity | 2 | – | 2 | – | 1 | 3 | 1 | 1 | 2 | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | 3 | 1 | 2 | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| | 7. Convulsions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 4 | 3 | 2 | 4 | 3 | 7 | 6 | 4 | 2 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 14 | 10 | 20 | 25 | 29 | 30 | 32 | 24 | 22 | 14 | 6 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Bronchitis | 8 | 15 | 15 | 24 | 27 | 30 | 47 | 30 | 33 | 26 | 8 | 4 | 1 | – | – |
| | 3. Pleurisy | – | – | 1 | 1 | – | 3 | 1 | 1 | 1 | – | 1 | – | – | – | – |
| | 4. Pneumonia | 9 | 8 | 6 | 6 | 5 | 12 | 5 | 5 | 3 | 4 | – | – | – | – | – |
| | 5. Asthma | – | 2 | 1 | 2 | 1 | 2 | 1 | 5 | 2 | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 1 | 1 | 2 | – | 2 | 1 | 3 | 5 | 2 | 1 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | 2 | – | 3 | 2 | 2 | 1 | – | – | – | – | – |
| | 2. Enteritis | 1 | 1 | – | – | 3 | – | 1 | 3 | 1 | – | – | – | – | – | – |
| | 3. Peritonitis | 3 | – | 3 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – |
| | 4. Ascites | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | 2 | – | 2 | 2 | 4 | 3 | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 7. Ileus | 1 | 1 | – | – | – | 1 | 1 | – | 3 | – | 1 | – | – | – | – |
| | 8. Intussusception | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 3 | – | 3 | 2 | 3 | 4 | 3 | 4 | 2 | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | 2 | 1 | 1 | 2 | – | 3 | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | 1 | 1 | 1 | – | 1 | – | 3 | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 3 | 3 | 6 | 2 | 7 | 11 | 6 | 4 | 1 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 1 | 6 | – | 2 | 3 | 2 | 1 | 2 | 2 | – | – | – | – | – | – |
| | 4. Diabetes | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | – | – | 2 | 1 | – | 1 | 2 | – | 2 | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | 1 | – | 1 | 1 | 1 | – | 1 | 1 | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | 1 | 1 | 2 | 2 | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. Ulcer | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 8 | 2 | 3 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 114 | 113 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 6 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 6 | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 43 | 1 | 2 | 17 | 22 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 195 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 216 | 157 | 14 | 8 | 12 | 2 | 2 | – | – | – | – | 1 | – | 3 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 96 | – | – | – | – | – | 1 | 2 | 2 | 8 | 6 | 12 | 10 | 14 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Burns and Scalds | 24 | – | – | – | 4 | 5 | 2 | 1 | 2 | – | 1 | – | – | – |
| | 5. Poison | 4 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | 1 |
| | 6. Drowning | 55 | – | – | – | 1 | – | – | 1 | 2 | 6 | 6 | 7 | 3 | 5 |
| | 7. Suffocation | 15 | 7 | 2 | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| | 8. Otherwise | 26 | 2 | – | – | – | – | 1 | – | 1 | 1 | 2 | 2 | 5 | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 5. Hanging | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 37 | 16 | 3 | – | 1 | 1 | 1 | – | – | – | 1 | 1 | – | 2 |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 12 | – | – | – | – | 2 | – | – | – | – | – | – | 3 | 1 |
| | 2. Ulcer | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 4 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 105 | 104 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 4 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 7 | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 34 | – | 2 | 15 | 15 | 2 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 52 | – | – | – | – | – | – | – | – | – | – | 9 | 11 | 10 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 349 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 210 | 128 | 17 | 13 | 16 | 5 | 2 | – | 3 | 2 | – | – | – | 2 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 16 | – | – | – | – | – | – | 2 | – | 1 | – | 1 | – | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 18 | – | – | – | 3 | 2 | 2 | – | 3 | – | – | – | 1 | – |
| | 5. Poison | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Drowning | 8 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | 7. Suffocation | 14 | 8 | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 11 | 1 | 1 | – | – | – | 1 | – | – | 1 | 1 | 1 | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 30 | 16 | 3 | 2 | 2 | 1 | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | 2 | 1 | 22 | 21 | 29 | 43 | 52 | 16 | 8 | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | 2 | 2 | 6 | 7 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 8 | 3 | 5 | 8 | 2 | 4 | 3 | 6 | – | – | 2 | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | 1 | 1 | 2 | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Drowning | 3 | 6 | 5 | 5 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| | 7. Suffocation | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Otherwise | 3 | 3 | – | 1 | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 2 | – | 1 | 2 | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – |

CAUSES of DEATH in the LARGE TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | 1 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 13 | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 19 | 32 | 62 | 78 | 92 | 37 | 20 | 8 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 2 | 1 | 5 | 8 | 6 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | 1 | 1 | – | 1 | 2 | 1 | 1 | 2 | 1 | 1 | – | – | – | – |
| | 2. Gunshot Wounds | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | 1 | – | – | 1 | – | 2 | 1 | – | – | 2 | – | – | – | – |
| | 5. Poison | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Drowning | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | 1 | 1 | 2 | – | – | 1 | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 1 | 1 | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 8635 | 1008 | 414 | 624 | 724 | 306 | 213 | 161 | 460 | 239 | 301 | 298 | 245 | 230 |
| | **Specified Causes** . . | 8528 | 972 | 403 | 616 | 718 | 303 | 213 | 161 | 458 | 237 | 297 | 296 | 245 | 227 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1656 | 135 | 111 | 184 | 249 | 141 | 127 | 90 | 215 | 59 | 42 | 29 | 36 | 17 |
| II. | CONSTITUTIONAL ,, | 1546 | 36 | 40 | 81 | 136 | 54 | 38 | 21 | 110 | 87 | 116 | 158 | 119 | 88 |
| III. | LOCAL ,, | 3825 | 309 | 201 | 283 | 261 | 85 | 37 | 41 | 116 | 65 | 102 | 72 | 58 | 88 |
| IV. | DEVELOPMENTAL ,, | 1078 | 480 | 48 | 68 | 59 | 12 | 3 | 1 | - | - | 1 | 1 | 1 | - |
| V. | VIOLENT DEATHS . | 423 | 12 | 3 | - | 13 | 11 | 8 | 8 | 17 | 26 | 36 | 36 | 31 | 34 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1569 | 117 | 102 | 181 | 247 | 140 | 127 | 89 | 213 | 58 | 41 | 28 | 31 | 14 |
| | 2. ENTHETIC ,, . | 20 | 5 | 3 | 2 | 1 | - | - | 1 | - | 1 | 1 | - | - | - |
| | 3. DIETIC ,, . | 63 | 11 | 4 | 1 | 1 | 1 | - | - | 2 | - | - | 1 | 5 | 3 |
| | 4. PARASITIC ,, . | 4 | 2 | 2 | - | - | - | - | - | - | - | - | - | - | - |
| II. | 1. DIATHETIC ,, . | 226 | 7 | 1 | - | 3 | 1 | 2 | 1 | 2 | 4 | - | 2 | 6 | 4 |
| | 2. TUBERCULAR ,, . | 1320 | 29 | 39 | 81 | 133 | 53 | 36 | 20 | 108 | 83 | 116 | 156 | 113 | 84 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 896 | 56 | 32 | 50 | 53 | 24 | 9 | 13 | 50 | 25 | 28 | 12 | 17 | 19 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 578 | 6 | 2 | - | 1 | - | 1 | - | 7 | 3 | 20 | 12 | 10 | 14 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1540 | 160 | 123 | 205 | 177 | 42 | 19 | 21 | 35 | 11 | 15 | 20 | 16 | 30 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 498 | 79 | 39 | 20 | 22 | 15 | 4 | 5 | 12 | 11 | 17 | 11 | 7 | 10 |
| | 5. ,, OF URINARY ORGANS . . . | 222 | 2 | - | 2 | 6 | 4 | 2 | 2 | 2 | 7 | 9 | 9 | 8 | 9 |
| | 6. ,, OF ORGANS OF GENERATION . | 4 | 1 | - | - | - | - | - | - | - | - | - | - | - | 2 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 53 | | 2 | - | 1 | - | 2 | - | 7 | 7 | 12 | 8 | - | 4 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 34 | 5 | 3 | 6 | 1 | - | - | - | 3 | 1 | 1 | - | - | . |
| IV | 1. DEV. DIS. OF CHILDREN . | 325 | 235 | 7 | 43 | 34 | 6 | - | - | - | - | - | - | - | - |
| | 2. ,, OF ADULTS . | - | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 3. ,, OF OLD PEOPLE | 391 | - | - | - | - | - | - | - | - | - | - | - | - | - |
| | 4. DISEASES OF NUTRITION | 362 | 245 | 41 | 25 | 25 | 6 | 3 | 1 | - | - | 1 | 1 | 1 | - |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | | 3 | 6 | 12 | | | | | | | | | | |
| | **All Causes** . . . | 8847 | 775 | 324 | 542 | 724 | 347 | 246 | 170 | 414 | 253 | 306 | 329 | 266 | 266 |
| | **Specified Causes** . . | 8761 | 749 | 318 | 537 | 721 | 345 | 244 | 170 | 410 | 249 | 305 | 327 | 266 | 262 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1745 | 113 | 80 | 181 | 299 | 181 | 138 | 90 | 195 | 59 | 37 | 55 | 32 | 35 |
| II. | CONSTITUTIONAL ,, | 1904 | 22 | 38 | 78 | 109 | 55 | 38 | 35 | 93 | 118 | 194 | 180 | 156 | 123 |
| III. | LOCAL ,, | 3669 | 218 | 149 | 220 | 248 | 94 | 60 | 40 | 110 | 71 | 67 | 61 | 61 | 75 |
| IV. | DEVELOPMENTAL ,, | 1317 | 378 | 42 | 58 | 58 | 9 | 3 | -- | 5 | 1 | 5 | 26 | 16 | 28 |
| V. | VIOLENT DEATHS . | 126 | 18 | 9 | - | 7 | 6 | 5 | 5 | 7 | - | 2 | 5 | 1 | 1 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1699 | 100 | 77 | 178 | 299 | 181 | 136 | 90 | 195 | 59 | 37 | 55 | 31 | 33 |
| | 2. ENTHETIC ,, . | 12 | 5 | 2 | 2 | - | - | 1 | - | - | - | - | - | - | - |
| | 3. DIETIC ,, . | 29 | 5 | 1 | 1 | - | - | - | - | - | - | - | - | - | 2 |
| | 4. PARASITIC ,, . | 5 | 3 | - | - | - | - | 1 | - | - | - | - | - | 1 | - |
| II. | 1. DIATHETIC ,, . | 375 | 1 | 3 | 2 | 1 | 3 | 1 | 1 | 2 | 2 | 2 | - | 5 | 10 |
| | 2. TUBERCULAR ,, . | 1529 | 21 | 35 | 76 | 108 | 52 | 37 | 34 | 91 | 116 | 192 | 180 | 151 | 113 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 894 | 41 | 25 | 36 | 50 | 23 | 17 | 13 | 36 | 31 | 23 | 9 | 12 | 16 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 554 | 4 | 3 | 1 | 1 | 1 | - | 1 | 12 | 8 | 4 | 12 | 9 | 18 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1409 | 110 | 87 | 151 | 166 | 55 | 36 | 22 | 33 | 11 | 12 | 8 | 14 | 16 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 557 | 58 | 32 | 32 | 24 | 12 | 3 | 2 | 16 | 9 | 10 | 18 | 15 | 17 |
| | 5. ,, OF URINARY ORGANS . . . | 134 | - | 1 | - | 3 | 1 | 2 | 2 | 8 | 2 | 10 | 6 | 5 | 3 |
| | 6. ,, OF ORGANS OF GENERATION . | 50 | - | - | - | - | - | - | - | - | - | 2 | 4 | 2 | 3 |
| | 7. ,, OF ORGANS OF LOCOMOTION . | 32 | - | - | - | - | 1 | 1 | - | 3 | 9 | 6 | 1 | 2 | - |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 39 | 5 | 1 | - | 4 | 1 | 1 | - | 2 | 1 | - | 3 | 2 | 2 |
| IV. | 1. DEV. DIS. OF CHILDREN . | 297 | 213 | 10 | 33 | 38 | 3 | - | - | - | - | - | - | - | - |
| | 2. ,, OF ADULTS . | 111 | - | - | - | - | - | - | - | - | - | 4 | 26 | 15 | 27 |
| | 3. ,, OF OLD PEOPLE | 625 | - | - | - | - | - | - | - | - | - | - | - | - | -- |
| | 4. DISEASES OF NUTRITION | 284 | 165 | 32 | 25 | 20 | 6 | 3 | - | 5 | 1 | 1 | - | 1 | 1 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 223 | 254 | 270 | 310 | 317 | 368 | 413 | 421 | 391 | 282 | 129 | 29 | 5 | – | – |
| | **Specified Causes** . . | 220 | 252 | 266 | 306 | 316 | 365 | 407 | 418 | 388 | 281 | 129 | 29 | 5 | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 20 | 17 | 20 | 18 | 27 | 26 | 25 | 25 | 18 | 17 | 4 | 4 | – | – | – |
| II. | CONSTITUTIONAL ,, | 70 | 55 | 62 | 57 | 55 | 40 | 45 | 32 | 29 | 9 | 7 | 1 | – | – | – |
| III. | LOCAL ,, | 105 | 151 | 156 | 196 | 217 | 261 | 300 | 289 | 236 | 145 | 43 | 7 | 1 | – | – |
| IV. | DEVELOPMENTAL ,, | 1 | – | 2 | 7 | 6 | 13 | 25 | 59 | 95 | 104 | 71 | 17 | 4 | – | – |
| V. | VIOLENT DEATHS . | 24 | 29 | 26 | 28 | 11 | 25 | 12 | 13 | 10 | 6 | 4 | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 14 | 13 | 14 | 12 | 22 | 20 | 21 | 24 | 18 | 16 | 3 | 4 | – | – | – |
| | 2. ENTHETIC ,, . | – | 1 | 2 | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| | 3. DIETIC ,, . | 6 | 3 | 4 | 6 | 5 | 5 | 3 | 1 | – | – | 1 | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 5 | 6 | 9 | 16 | 29 | 25 | 34 | 27 | 26 | 9 | 6 | 1 | – | – | – |
| | 2. TUBERCULAR ,, . | 65 | 49 | 53 | 41 | 26 | 15 | 11 | 5 | 3 | – | 1 | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 18 | 33 | 28 | 36 | 38 | 57 | 99 | 80 | 73 | 34 | 10 | 2 | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 24 | 28 | 40 | 45 | 42 | 66 | 76 | 78 | 58 | 37 | 7 | 1 | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 38 | 55 | 45 | 79 | 84 | 85 | 65 | 77 | 69 | 46 | 19 | 3 | 1 | – | – |
| | 4. OF DIGESTIVE ORGANS . . . | 10 | 19 | 23 | 26 | 32 | 32 | 35 | 39 | 14 | 13 | 2 | 1 | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 14 | 14 | 15 | 9 | 18 | 18 | 23 | 12 | 20 | 12 | 5 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 1 | 1 | 4 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | 1 | 1 | 1 | 3 | 2 | 2 | 2 | – | 2 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | 3 | 13 | 25 | 59 | 95 | 104 | 71 | 17 | 4 | – | – |
| | 4. DISEASES OF NUTRITION | 1 | – | 2 | 7 | 3 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 270 | 269 | 226 | 307 | 290 | 418 | 473 | 506 | 486 | 370 | 179 | 68 | 19 | 3 | 1 |
| | **Specified Causes** . . | 269 | 263 | 224 | 300 | 288 | 417 | 467 | 506 | 485 | 370 | 179 | 68 | 19 | 3 | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 35 | 21 | 20 | 16 | 20 | 32 | 21 | 35 | 25 | 16 | 6 | 2 | 1 | – | – |
| II. | CONSTITUTIONAL ,, | 108 | 105 | 72 | 76 | 61 | 68 | 59 | 55 | 36 | 18 | 5 | 2 | – | – | – |
| III. | LOCAL ,, | 101 | 120 | 117 | 195 | 187 | 294 | 336 | 327 | 267 | 168 | 66 | 12 | 5 | – | – |
| IV. | DEVELOPMENTAL ,, | 24 | 15 | 6 | 4 | 13 | 19 | 44 | 83 | 155 | 161 | 98 | 51 | 12 | 3 | – |
| V. | VIOLENT DEATHS . | 1 | 2 | 9 | 9 | 7 | 4 | 7 | 6 | 2 | 7 | 4 | 1 | 1 | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 31 | 18 | 17 | 15 | 18 | 27 | 20 | 33 | 24 | 16 | 6 | 2 | 1 | – | – |
| | 2. ENTHETIC ,, . | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 3 | 3 | 3 | – | 2 | 5 | 1 | 2 | 1 | – | – | – | – | – | – |
| | 4. PARASITIC ,, . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, | 11 | 30 | 34 | 38 | 35 | 48 | 42 | 49 | 31 | 17 | 5 | 2 | – | – | – |
| | 2. TUBERCULAR ,, | 97 | 75 | 38 | 38 | 26 | 20 | 17 | 6 | 5 | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 17 | 25 | 26 | 44 | 38 | 70 | 94 | 99 | 70 | 50 | 22 | 5 | 2 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 33 | 25 | 23 | 47 | 38 | 73 | 72 | 74 | 51 | 30 | 12 | 2 | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 23 | 29 | 36 | 54 | 56 | 75 | 95 | 115 | 103 | 69 | 26 | 4 | 3 | – | – |
| | 4. ,, OE DIGESTIVE ORGANS . . . | 13 | 21 | 22 | 29 | 35 | 52 | 56 | 25 | 36 | 15 | 4 | 1 | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 6 | 11 | 6 | 11 | 15 | 13 | 14 | 7 | 5 | 1 | 2 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 6 | 5 | 3 | 8 | 4 | 5 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | 1 | 1 | 1 | – | – | – | 2 | 1 | 1 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | 3 | – | 1 | 1 | 6 | 3 | 1 | – | 1 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 23 | 12 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 19 | 44 | 83 | 154 | 161 | 98 | 51 | 12 | 3 | – |
| | 4. DISEASES OF NUTRITION | 1 | 3 | 2 | 4 | 13 | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 390 | 11 | 3 | – | 13 | 10 | 8 | 8 | 17 | 24 | 36 | 34 | 30 | 33 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 3 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| | 4. SUICIDE | 30 | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 12 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | CAUSES NOT SPECIFIED | 95 | 34 | 11 | 8 | 6 | 3 | – | – | 2 | 2 | 4 | 2 | – | 2 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 2. Measles | 142 | 5 | 3 | 34 | 53 | 22 | 6 | 10 | 7 | 2 | – | – | – | – |
| | 3. Scarlatina | 332 | 4 | 3 | 17 | 39 | 44 | 58 | 41 | 102 | 17 | 4 | – | 1 | 1 |
| | 4. Diphtheria | 81 | 1 | – | 5 | 9 | 11 | 13 | 12 | 20 | 6 | 3 | 1 | – | – |
| | 5. Quinsy | 10 | – | – | 3 | 1 | 1 | 1 | – | 1 | 1 | – | – | – | 1 |
| | 6. Croup | 106 | 6 | 5 | 9 | 29 | 16 | 20 | 12 | 9 | – | – | – | – | – |
| | 7. Hooping-cough | 222 | 16 | 28 | 47 | 65 | 25 | 17 | 5 | 18 | 1 | – | – | – | – |
| | 8. Typhus Fever | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | – |
| | 8. Enteric or Typhoid Fever | 183 | 2 | – | – | 5 | 7 | 6 | 3 | 38 | 21 | 25 | 20 | 16 | 7 |
| | 8. Relapsing Fever | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 8. Simple Continued Fever | 18 | – | – | – | 1 | 2 | – | 1 | 2 | 2 | – | 2 | 4 | – |
| | 9. Erysipelas | 47 | 14 | 3 | 3 | 1 | – | – | – | – | – | 1 | – | 2 | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 12. Influenza | 13 | 1 | – | 1 | 1 | 2 | 1 | – | – | – | 1 | – | – | – |
| | 13. Dysentery | 22 | 3 | – | 3 | – | – | – | – | 1 | – | – | – | 1 | 1 |
| | 14. Diarrhœa | 280 | 61 | 56 | 55 | 34 | 9 | 2 | 3 | 5 | 1 | 1 | 2 | – | – |
| | 15. Cholera | 28 | 3 | 4 | 4 | 8 | – | – | – | 1 | – | – | – | 2 | – |
| | 16. Ague | 4 | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| | 17. Remittent Fever | 9 | 1 | – | – | – | – | 2 | 1 | 5 | – | – | – | – | – |
| | 18. Rheumatism | 52 | – | – | – | – | – | – | 1 | 3 | 5 | 5 | 3 | 2 | 4 |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 15 | 5 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | 3 | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Want of Breast Milk | 16 | 11 | 4 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 5 | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Alcoholism *b* Intemperance | 32 | – | – | – | – | – | – | – | – | – | – | 1 | 4 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 46 | 4 | 1 | – | 3 | 1 | 1 | 1 | 1 | 3 | – | – | 1 | 1 |
| | 3. Cancer | 164 | 1 | – | – | – | – | 1 | – | 1 | – | – | 2 | 5 | 3 |
| | 4. Cancrum Oris (Noma | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 5. Mortification | 13 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 117 | 18 | 9 | – | 7 | 6 | 5 | 5 | 7 | – | 2 | 4 | – | – |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. SUICIDE | 8 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 8 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| | CAUSES NOT SPECIFIED | 78 | 25 | 5 | 5 | 3 | 2 | 2 | – | 4 | 4 | 1 | 2 | – | 3 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 119 | 2 | – | 29 | 44 | 22 | 10 | 4 | 4 | 1 | 1 | – | 1 | 1 |
| | 3. Scarlatina | 336 | 3 | 1 | 15 | 48 | 53 | 59 | 45 | 87 | 18 | 1 | 1 | 1 | 1 |
| | 4. Diphtheria | 96 | 2 | 1 | 6 | 23 | 11 | 11 | 10 | 23 | 1 | 2 | 1 | 1 | 1 |
| | 5. Quinsy | 4 | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| | 6. Croup | 100 | 1 | 1 | 10 | 33 | 19 | 18 | 8 | 10 | – | – | – | – | – |
| | 7. Hooping-cough | 306 | 26 | 19 | 59 | 93 | 49 | 27 | 13 | 20 | – | – | – | – | – |
| | 8. Typhus Fever | 14 | – | – | – | – | – | – | – | – | – | 1 | 5 | 2 | 2 |
| | 8. Enteric or Typhoid Fever | 215 | – | – | 1 | 5 | 12 | 7 | 8 | 39 | 32 | 20 | 25 | 9 | 9 |
| | 8. Relapsing Fever | 2 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 8. Simple Continued Fever | 22 | – | 2 | 1 | 1 | 1 | 1 | – | 2 | 2 | – | 3 | – | 2 |
| | 9. Erysipelas | 49 | 19 | 4 | 4 | 1 | 1 | – | – | 1 | – | 1 | 2 | – | 3 |
| | 10. Puerperal Fever (Metria) | 54 | – | – | – | – | – | – | – | – | – | 4 | 14 | 12 | 11 |
| | 11. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 13. Dysentery | 23 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| | 14. Diarrhœa | 268 | 43 | 43 | 48 | 44 | 8 | 1 | 2 | 2 | 1 | 3 | – | 2 | – |
| | 15. Cholera | 21 | 1 | 4 | 2 | 3 | 1 | 1 | – | 1 | 1 | – | 1 | – | – |
| | 16. Ague | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 11 | – | – | 1 | 2 | 2 | 1 | – | 3 | – | – | – | – | – |
| | 18. Rheumatism | 44 | – | – | – | – | – | – | – | 2 | 2 | 4 | 2 | 3 | 1 |
| | 19. Other *Miasmatic* Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 12 | 5 | 2 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 6 | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 5 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Alcoholism *b* Intemperance | 13 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 4 | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Worms, etc. | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 44 | 1 | 3 | 2 | – | 2 | 1 | 1 | 1 | 1 | 2 | – | 2 | 1 |
| | 3. Cancer | 312 | – | – | – | – | 1 | – | – | – | 1 | – | – | 3 | 9 |
| | 4. Cancrum Oris (Noma) | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 5. Mortification | 17 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 21 | 29 | 21 | 26 | 9 | 20 | 8 | 11 | 8 | 6 | 4 | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 3 | – | 5 | 2 | 2 | 5 | 4 | 2 | 2 | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | 1 | 1 | 2 | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 2 | 1 | 3 | 2 | 1 | 2 | 6 | 2 | 1 | 1 | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | 4 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 8 | 3 | 7 | 1 | 5 | 3 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | 2 | 2 | 2 | 2 | 1 | 3 | 4 | 4 | 2 | – | 1 | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 1 | – | 1 | 1 | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – |
| | 12. Influenza | – | – | 1 | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| | 13. Dysentery | 1 | – | – | 1 | – | 3 | 1 | 2 | 3 | 2 | – | – | – | – | – |
| | 14. Diarrhœa | 1 | 2 | 1 | 2 | 5 | 7 | 6 | 7 | 9 | 6 | 2 | 3 | – | – | – |
| | 15. Cholera | 1 | 1 | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – |
| | 16. Ague | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | – | 2 | 3 | 5 | 3 | 6 | 5 | 1 | 3 | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | 1 | – | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 5 | 2 | 3 | 4 | 3 | 3 | 3 | 1 | – | – | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Dropsy | 1 | 2 | – | 5 | 7 | 1 | – | 6 | 6 | 1 | – | – | – | – | – |
| | 3. Cancer | 4 | 4 | 9 | 10 | 21 | 23 | 33 | 17 | 15 | 8 | 6 | 1 | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | 1 | 1 | 1 | 1 | 3 | 5 | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 1 | 2 | 7 | 7 | 6 | 4 | 6 | 6 | 2 | 7 | 4 | 1 | 1 | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | 2 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | 1 | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 1 | 5 | 2 | 7 | 1 | 1 | 4 | – | – | – | – | – | – | – | 1 |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 11 | 3 | 7 | 6 | 5 | 4 | 3 | 5 | 3 | 1 | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | 1 | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| | 9. Erysipelas | 2 | 1 | 2 | – | 1 | – | 2 | 3 | 2 | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 7 | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | 1 | – | 1 | – | 3 | – | 2 | – | – | – | – | – |
| | 13. Dysentery | 1 | 1 | 1 | – | 1 | 4 | 3 | 3 | 2 | – | – | 1 | – | – | – |
| | 14. Diarrhœa | 1 | 2 | 1 | 5 | 5 | 11 | 3 | 14 | 13 | 9 | 6 | 1 | – | – | – |
| | 15. Cholera | 1 | – | 1 | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – |
| | 16. Ague | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 18. Rheumatism | 2 | 3 | 2 | 1 | 3 | 5 | 5 | 4 | 2 | 2 | – | – | 1 | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | 2 | 3 | – | 2 | 3 | – | – | 1 | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 4 | 3 | – | 2 | 2 | 2 | 1 | 5 | 4 | 3 | 1 | – | – | – | – |
| | 3. Cancer | 7 | 26 | 33 | 35 | 32 | 46 | 38 | 41 | 23 | 13 | 3 | 1 | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | 1 | 1 | 1 | – | 3 | 3 | 4 | 1 | 1 | 1 | – | – | – |

* See page 52, note.

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS: 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 108 | 6 | 3 | 5 | 11 | 7 | 3 | 1 | 11 | 21 | 8 | 7 | 5 | 6 |
| | 2. Tabes Mesenterica | 134 | 10 | 13 | 11 | 37 | 14 | 10 | 4 | 13 | 9 | 5 | 2 | 3 | – |
| | 3. Phthisis | 809 | 3 | 4 | 7 | 19 | 8 | 5 | 4 | 34 | 44 | 101 | 146 | 104 | 78 |
| | 4. Hydrocephalus | 269 | 10 | 19 | 58 | 66 | 24 | 18 | 11 | 50 | 9 | 2 | 1 | 1 | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 144 | 4 | 11 | 19 | 19 | 10 | 4 | 5 | 30 | 14 | 4 | 3 | 2 | 4 |
| | 2. Apoplexy | 246 | 2 | 4 | 3 | 7 | 5 | 2 | 2 | 7 | 1 | 11 | 2 | 5 | 6 |
| | 3. Paralysis | 206 | – | – | – | – | 2 | – | 1 | – | 1 | 4 | 2 | 2 | 5 |
| | 4. Insanity | 7 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Chorea | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 33 | – | 1 | 3 | 1 | – | – | – | – | 2 | 2 | 2 | 2 | 1 |
| | 7. Convulsions | 125 | 46 | 14 | 22 | 22 | 7 | 1 | 3 | 5 | 1 | 1 | – | 1 | – |
| | 8. *Brain Disease, etc.* | 134 | 4 | 2 | 3 | 3 | – | 2 | 1 | 8 | 6 | 6 | 3 | 5 | 3 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 14 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | 1 | 2 |
| | 2. Aneurism | 22 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| | 3. *Heart Disease, etc.* | 542 | 6 | 2 | – | 1 | – | 1 | – | 6 | 2 | 18 | 12 | 7 | 11 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 35 | 5 | 4 | 4 | 5 | 3 | 2 | 1 | 3 | – | 1 | 1 | – | 1 |
| | 2. Bronchitis | 912 | 126 | 93 | 155 | 113 | 25 | 9 | 9 | 16 | 3 | 2 | 1 | 6 | 5 |
| | 3. Pleurisy | 31 | 2 | – | – | 2 | 1 | – | – | – | 4 | – | 2 | – | 5 |
| | 4. Pneumonia | 377 | 15 | 23 | 37 | 49 | 9 | 7 | 7 | 13 | 1 | 10 | 11 | 8 | 12 |
| | 5. Asthma | 47 | – | – | – | – | – | – | 1 | – | – | – | 2 | – | 2 |
| | 6. *Lung Disease, etc.* | 138 | 12 | 3 | 9 | 8 | 4 | 1 | 3 | 3 | 3 | 2 | 3 | 2 | 5 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 26 | 4 | 2 | 1 | 2 | 2 | – | 1 | – | – | – | – | – | 2 |
| | 2. Enteritis | 114 | 28 | 24 | 11 | 13 | 4 | 1 | 3 | 3 | 2 | 2 | 2 | – | – |
| | 3. Peritonitis | 51 | 4 | 2 | 4 | 1 | 1 | – | – | 4 | 5 | 7 | 4 | 2 | 1 |
| | 4. Ascites | 12 | 2 | – | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – |
| | 5. Ulceration of Intestines | 22 | 2 | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 | – |
| | 6. Hernia | 8 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 39 | 5 | 5 | 1 | 3 | 1 | – | – | 1 | – | 1 | – | 2 | – |
| | 8. Intussusception | 8 | 1 | 1 | 1 | 1 | – | – | – | – | 1 | 1 | – | – | 1 |
| | 9. Stricture of Intestines | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 58 | 9 | 4 | 1 | – | 2 | 2 | – | 2 | 1 | – | 2 | – | 2 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 26 | 2 | – | – | 1 | 1 | – | – | – | – | 2 | 2 | – | 2 |
| | 14. Jaundice | 35 | 21 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 84 | 1 | – | – | – | 1 | – | – | 1 | 1 | 3 | – | 2 | 2 |
| | 16. *Spleen Disease, etc.* | 7 | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 28 | 1 | – | – | 1 | 2 | 1 | 1 | 1 | – | 2 | 4 | 2 | 1 |
| | 2. Ischuria | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 3. Bright's Disease (Nephria) | 56 | – | – | – | 3 | 1 | 1 | 1 | – | 3 | 3 | 1 | 3 | – |
| | 4. Diabetes | 23 | – | – | – | – | – | – | – | – | 1 | 2 | 1 | 2 | 1 |
| | 5. Calculus (Stone) | 4 | – | – | 1 | – | – | – | – | – | – | – | – | – | |
| | 6. Cystitis | 30 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| | 7. *Kidney Disease, etc.* | 75 | 1 | – | 1 | 2 | 1 | – | – | 1 | 3 | 1 | 2 | 1 | 5 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 8 | – | – | – | – | – | 1 | – | 2 | 1 | 2 | 1 | – | – |
| | 2. *Joint Disease, etc.* | 45 | – | 2 | | 1 | – | 1 | – | 5 | 6 | 10 | 7 | – | 4 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 100 | 1 | 4 | 5 | 8 | 5 | 2 | 3 | 10 | 13 | 14 | 6 | 5 | 3 |
| | 2. Tabes Mesenterica | 138 | 10 | 7 | 17 | 36 | 18 | 10 | 5 | 11 | 11 | 6 | 2 | – | 2 |
| | 3. Phthisis | 1069 | 3 | 2 | 11 | 14 | 7 | 10 | 10 | 40 | 80 | 170 | 171 | 146 | 107 |
| | 4. Hydrocephalus | 222 | 7 | 22 | 43 | 50 | 22 | 15 | 16 | 30 | 12 | 2 | 1 | – | 1 |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 116 | 5 | 6 | 9 | 17 | 12 | 5 | 5 | 17 | 16 | 3 | – | 2 | 2 |
| | 2. Apoplexy | 250 | 2 | 3 | 5 | 4 | 1 | 3 | 3 | 6 | 2 | 3 | 3 | 2 | 4 |
| | 3. Paralysis | 238 | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | 1 | 4 |
| | 4. Insanity | 18 | – | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 2 |
| | 5. Chorea | 5 | – | – | – | – | – | – | 2 | – | 1 | 1 | – | – | – |
| | 6. Epilepsy | 35 | 1 | – | – | 1 | – | 3 | – | 1 | 4 | 4 | 2 | 2 | – |
| | 7. Convulsions | 115 | 33 | 13 | 20 | 23 | 6 | 4 | 2 | 8 | 1 | – | – | – | 2 |
| | 8. *Brain Disease, etc.* | 117 | – | 2 | 2 | 5 | 2 | 2 | 1 | 3 | 6 | 12 | 3 | 4 | 2 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 11 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 2. Aneurism | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 529 | 3 | 3 | 1 | 1 | 1 | – | 1 | 12 | 7 | 4 | 12 | 9 | 18 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 18 | – | 1 | – | 3 | 6 | 1 | 1 | 1 | 1 | – | 1 | – | – |
| | 2. Bronchitis | 938 | 85 | 66 | 111 | 124 | 32 | 19 | 11 | 16 | 4 | 1 | 3 | 6 | 8 |
| | 3. Pleurisy | 21 | 2 | 1 | – | 1 | 1 | 1 | – | – | 1 | 1 | – | 2 | – |
| | 4. Pneumonia | 276 | 16 | 13 | 28 | 29 | 12 | 8 | 9 | 10 | 2 | 7 | 2 | 2 | 4 |
| | 5. Asthma | 31 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 6. *Lung Disease, etc.* | 125 | 7 | 6 | 12 | 9 | 4 | 7 | 1 | 6 | 3 | 2 | 2 | 4 | 3 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 33 | 3 | 4 | 2 | 3 | 2 | – | – | 1 | – | 1 | 2 | 1 | 1 |
| | 2. Enteritis | 129 | 37 | 22 | 19 | 10 | 5 | 1 | – | 2 | – | 1 | 2 | 3 | 2 |
| | 3. Peritonitis | 69 | 1 | 2 | 4 | 2 | 1 | 1 | – | 6 | 6 | 3 | 6 | 3 | 4 |
| | 4. Ascites | 8 | – | – | – | – | – | – | – | 1 | – | – | 2 | – | – |
| | 5. Ulceration of Intestines | 37 | 1 | – | – | 2 | 1 | – | – | 1 | – | – | 1 | 3 | 2 |
| | 6. Hernia | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 32 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 8. Intussusception | 6 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| | 9. Stricture of Intestines | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 78 | 8 | 3 | 7 | 6 | 2 | – | 2 | 2 | 2 | 1 | 3 | 2 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 35 | – | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 | 3 |
| | 14. Jaundice | 32 | 7 | – | – | – | 1 | – | – | – | – | – | – | 1 | 2 |
| | 15. *Liver Disease, etc.* | 75 | – | 1 | – | – | – | – | – | 2 | – | 1 | 2 | – | 1 |
| | 16. *Spleen Disease, etc.* | 7 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 17 | – | – | – | 1 | – | – | – | 4 | 1 | – | – | – | – |
| | 2. Ischuria | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 52 | – | – | – | 2 | 1 | 1 | 2 | 3 | – | 4 | 4 | 1 | 1 |
| | 4. Diabetes | 17 | – | – | – | – | – | – | – | – | – | 3 | 1 | 2 | 2 |
| | 5. Calculus (Stone) | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 6. Cystitis | 12 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 7. *Kidney Disease, etc.* | 32 | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | 2 | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 21 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| | 2. *Uterus Disease, etc.* | 29 | – | – | – | – | – | – | – | – | – | 2 | 2 | 1 | 2 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 4 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 2. *Joint Disease, etc.* | 28 | – | – | – | – | 1 | 1 | – | 3 | 8 | 6 | – | 2 | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | 2 | 4 | 3 | 1 | 2 | – | – | 1 | – | 1 | – | – | – | – |
| | 2. Tabes Mesenterica | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 64 | 47 | 49 | 37 | 24 | 13 | 11 | 5 | 2 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 4 | 1 | – | 3 | 2 | – | 2 | 1 | – | 2 | – | – | – | – | – |
| | 2. Apoplexy | 5 | 11 | 7 | 17 | 20 | 17 | 36 | 32 | 23 | 12 | 8 | 1 | – | – | – |
| | 3. Paralysis | 2 | 8 | 7 | 8 | 9 | 28 | 44 | 30 | 34 | 16 | 2 | 1 | – | – | – |
| | 4. Insanity | – | 1 | 2 | – | – | – | – | 2 | – | 1 | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | 3 | 5 | 1 | – | 1 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 5 | 9 | 7 | 7 | 7 | 10 | 15 | 13 | 13 | 2 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | 1 | – | 1 | – | 2 | 1 | 1 | – | 1 | – | 1 | – | – | – |
| | 2. Aneurism | 4 | 3 | 1 | 4 | 1 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 20 | 24 | 39 | 40 | 41 | 63 | 74 | 76 | 57 | 35 | 7 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 1 | – | – | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| | 2. Bronchitis | 9 | 16 | 16 | 40 | 44 | 47 | 34 | 50 | 47 | 27 | 17 | 2 | – | – | – |
| | 3. Pleurisy | 3 | 1 | 1 | – | – | 2 | 3 | 1 | 1 | 2 | 1 | – | – | – | – |
| | 4. Pneumonia | 21 | 21 | 21 | 25 | 22 | 20 | 15 | 11 | 11 | 6 | 1 | – | 1 | – | – |
| | 5. Asthma | 2 | 6 | 3 | 5 | 8 | 7 | 5 | 4 | 1 | 1 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 2 | 11 | 4 | 8 | 10 | 9 | 8 | 10 | 8 | 9 | – | 1 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | 1 | 1 | – | 1 | 1 | 4 | 2 | – | 1 | – | – | – | – | – |
| | 2. Enteritis | – | 1 | 4 | 1 | 2 | 2 | 3 | 2 | 3 | 1 | 2 | – | – | – | – |
| | 3. Peritonitis | – | 1 | 2 | 2 | 3 | 1 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| | 4. Ascites | – | 1 | 2 | – | 1 | 1 | – | 1 | – | – | | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | 1 | 2 | 1 | 3 | 1 | 3 | 3 | 1 | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | 2 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 7. Ileus | 1 | 1 | – | 3 | 1 | 4 | 1 | 7 | 1 | 1 | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | 1 | – | – | 4 | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 2 | 2 | 2 | 4 | 1 | 7 | 6 | 3 | 1 | 5 | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | 4 | 2 | 2 | 4 | – | – | 1 | 2 | – | – | – | – | – | – |
| | 14. Jaundice | 1 | 1 | 2 | – | 1 | – | 2 | 2 | 2 | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 3 | 5 | 5 | 11 | 11 | 12 | 11 | 10 | 2 | 2 | – | 1 | – | – | – |
| | 16. *Spleen Disease, etc.* | – | 1 | – | – | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 1 | – | 4 | – | 2 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| | 2. Ischuria | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 6 | 7 | 4 | 4 | 2 | 5 | 2 | 5 | 3 | 1 | 1 | – | – | – | – |
| | 4. Diabetes | 1 | 4 | 2 | 2 | 1 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 6. Cystitis | 2 | 1 | 2 | 1 | 2 | 3 | 4 | 1 | 6 | 4 | 1 | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 3 | 2 | 3 | 2 | 11 | 8 | 12 | 1 | 7 | 5 | 3 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 1 | 1 | 3 | – | – | – | – | 1 | 2 | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 8 | 3 | 1 | 3 | 3 | 2 | – | 1 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Phthisis | 89 | 70 | 36 | 35 | 23 | 18 | 17 | 5 | 5 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 1 | 4 | 2 | 1 | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – | – |
| | 2. Apoplexy | 5 | 7 | 11 | 11 | 19 | 27 | 35 | 34 | 30 | 18 | 10 | 1 | 1 | – | – |
| | 3. Paralysis | 5 | 5 | 5 | 16 | 13 | 32 | 39 | 45 | 27 | 29 | 8 | 4 | 1 | – | – |
| | 4. Insanity | – | 2 | 2 | 1 | – | – | 2 | 4 | 2 | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 6. Epilepsy | 2 | – | 2 | 1 | – | 3 | 4 | 2 | 1 | 2 | – | – | – | – | – |
| | 7. Convulsions | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 2 | 7 | 4 | 14 | 4 | 6 | 12 | 12 | 8 | 1 | 3 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | 1 | – | 2 | – | 2 | 3 | 1 | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | 4 | – | 2 | 3 | 2 | 2 | – | 1 | – | – | – | – |
| | 3. *Heart Disease, etc.* | 33 | 24 | 23 | 41 | 38 | 69 | 66 | 71 | 49 | 30 | 11 | 2 | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Bronchitis | 9 | 13 | 17 | 38 | 28 | 52 | 63 | 82 | 72 | 50 | 22 | 4 | 2 | – | – |
| | 3. Pleurisy | 1 | – | 2 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| | 4. Pneumonia | 9 | 14 | 13 | 8 | 17 | 16 | 20 | 12 | 15 | 8 | 1 | – | 1 | – | – |
| | 5. Asthma | – | 1 | 2 | 2 | 3 | 2 | 4 | 7 | 6 | 2 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 4 | 1 | 1 | 5 | 6 | 4 | 7 | 12 | 8 | 8 | 3 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | 2 | 3 | 4 | – | 1 | 3 | – | – | – | – | – | – |
| | 2. Enteritis | 1 | 3 | – | 2 | – | 7 | 7 | 1 | 4 | – | – | – | – | – | – |
| | 3. Peritonitis | 1 | – | 3 | 4 | 4 | 5 | 5 | 4 | 3 | 1 | – | – | – | – | – |
| | 4. Ascites | 1 | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | 6 | 3 | 4 | 2 | 5 | 1 | – | 2 | 2 | – | 1 | – | – | – |
| | 6. Hernia | – | 1 | 2 | 2 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | 7. Ileus | – | 1 | 1 | – | 3 | 4 | 6 | 3 | 9 | 3 | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | 1 | 2 | – | – | 1 | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 2 | 2 | 1 | 3 | 6 | 6 | 8 | 4 | 3 | 3 | 1 | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 2 | 3 | 3 | 3 | 5 | 3 | 3 | 3 | 2 | 1 | – | – | – | – | – |
| | 14. Jaundice | – | 1 | – | – | – | 4 | 5 | 4 | 4 | 1 | 2 | – | – | – | – |
| | 15. *Liver Disease, etc.* | 5 | 4 | 9 | 9 | 9 | 10 | 13 | 3 | 4 | 1 | 1 | – | – | – | – |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 1 | 1 | 1 | – | 3 | – | 3 | 2 | – | – | – | – | – | – | – |
| | 2. Ischuria | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 2 | 3 | 4 | 4 | 7 | 7 | 3 | 1 | 2 | – | – | – | – | – | – |
| | 4. Diabetes | – | 1 | – | 2 | 4 | 1 | – | – | – | 1 | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | 1 | 2 | – | – | 4 | 3 | 1 | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 2 | 5 | – | 3 | 1 | 5 | 4 | 1 | 2 | – | 2 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 3 | 1 | 2 | 2 | 2 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 3 | 4 | 1 | 6 | 2 | 1 | 1 | 3 | – | 1 | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 2 | – | 1 | 1 | – | – | – | 1 | 1 | 1 | – | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 19 | 2 | 1 | 2 | – | – | – | – | 3 | 1 | 1 | – | – | – |
| | 2. Ulcer | 6 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 9 | 2 | 1 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 195 | 194 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 11 | 10 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 25 | 22 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Teething | 85 | – | 6 | 41 | 33 | 5 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 391 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | I. Atrophy and Debility | 362 | 245 | 41 | 25 | 25 | 6 | 3 | 1 | – | – | 1 | 1 | 1 | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 185 | – | – | – | 3 | 1 | 2 | 2 | 6 | 15 | 20 | 17 | 14 | 14 |
| | 2. Gunshot Wounds | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | 3. Cut, Stab | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| | 4. Burns and Scalds | 32 | – | – | – | 7 | 5 | 2 | 1 | 5 | 1 | 1 | 2 | – | 1 |
| | 5. Poison | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | 2 |
| | 6. Drowning | 110 | – | – | – | 2 | 3 | 3 | 4 | 4 | 7 | 11 | 13 | 11 | 12 |
| | 7. Suffocation | 23 | 10 | 3 | – | 1 | – | – | – | 1 | – | 1 | – | 2 | – |
| | 8. Otherwise | 29 | 1 | – | – | – | – | – | 1 | 1 | 1 | 3 | 1 | 2 | 2 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 3 | 1 | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 10 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| | 5. Hanging | 11 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 6. Otherwise and undefined | 1 | – | – | – | – | – | | – | – | – | – | – | – | 1 |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 12 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | Causes not specified or ill-defined | 95 | 34 | 11 | 8 | 6 | 3 | – | – | 2 | 2 | 4 | 2 | – | 2 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 23 | 1 | – | – | 2 | – | – | – | 2 | 1 | – | 3 | 2 | 2 |
| | 2. Ulcer | 9 | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 7 | 2 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 170 | 170 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 10 | 8 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 16 | 14 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 21 | 21 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 80 | – | 7 | 33 | 37 | 3 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | 6 | – | – | – | – | – | – | – | – | – | 2 | 2 | 1 | – |
| | 2. Childbirth (*see* Puerperal Fever) | 105 | – | – | – | – | – | – | – | – | – | 2 | 24 | 14 | 27 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 625 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 284 | 165 | 32 | 25 | 20 | 6 | 3 | – | 5 | 1 | 1 | – | 1 | 1 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 32 | – | – | – | 1 | 2 | 2 | 1 | 2 | – | 1 | 1 | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 22 | 1 | 1 | – | 4 | 2 | 2 | 1 | 2 | – | – | – | – | – |
| | 5. Poison | 6 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Drowning | 16 | – | – | – | 2 | – | – | 1 | 1 | – | 1 | 1 | – | – |
| | 7. Suffocation | 29 | 15 | 7 | – | – | 1 | – | – | 1 | – | – | 1 | – | – |
| | 8. Otherwise | 12 | 2 | 1 | – | – | – | 1 | 2 | 1 | – | – | 1 | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 5. Hanging | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 8 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| | Causes not specified or ill-defined | 78 | 25 | 5 | 5 | 3 | 2 | 2 | – | 4 | 4 | 1 | 2 | – | 3 |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | 1 | 1 | 1 | 2 | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | 3 | 13 | 25 | 59 | 95 | 104 | 71 | 17 | 4 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1 | – | 2 | 7 | 3 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 13 | 18 | 11 | 14 | 7 | 11 | 4 | 4 | 5 | 2 | 2 | – | – | – | – |
| | 2. Gunshot Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | 2 | – | 2 | – | 1 | – | 2 | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 6. Drowning | 6 | 6 | 7 | 7 | 2 | 3 | 1 | 3 | 2 | 1 | 2 | – | – | – | – |
| | 7. Suffocation | – | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 1 | 2 | 3 | 1 | – | 3 | 2 | 1 | 1 | 3 | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 2 | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 3. Poison | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 2 | 1 | – | 3 | 1 | – | 1 | – | – | – | – | – | – |
| | 6. Hanging | 1 | – | – | 1 | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| | 5. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | 1 | 1 | 2 | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 2 | 1 | 3 | 2 | 1 | 2 | 6 | 2 | 1 | 1 | | – | – | – | – |

CAUSES of DEATH in the SMALL TOWN DISTRICTS of SCOTLAND, at different Periods of Life, in 1880—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | 2 | – | 1 | 1 | 2 | 3 | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | 1 | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 23 | 11 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 19 | 44 | 83 | 154 | 161 | 98 | 51 | 12 | 3 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1 | 3 | 2 | 4 | 13 | – | – | – | 1 | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | 2 | 1 | 3 | – | 3 | 3 | 1 | 4 | 3 | 1 | 1 | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | 1 | 1 | 1 | – | 2 | 1 | – | 2 | 1 | – | – | – | – |
| | 5. Poison | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | 1 | 2 | 3 | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 8. Otherwise | 1 | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | 1 | – | – | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 1 | 5 | 2 | 7 | 1 | 1 | 4 | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 8800 | 920 | 317 | 466 | 516 | 213 | 138 | 118 | 340 | 208 | 299 | 297 | 279 | 228 |
| | **Specified Causes** . . | 8588 | 837 | 305 | 456 | 503 | 210 | 137 | 116 | 336 | 206 | 295 | 289 | 276 | 226 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1285 | 93 | 63 | 140 | 170 | 88 | 74 | 58 | 151 | 54 | 56 | 31 | 29 | 19 |
| II. | CONSTITUTIONAL ,, | 1427 | 25 | 29 | 50 | 80 | 31 | 24 | 21 | 62 | 56 | 111 | 147 | 134 | 93 |
| III. | LOCAL ,, | 4004 | 273 | 168 | 216 | 188 | 69 | 32 | 29 | 95 | 67 | 82 | 66 | 78 | 79 |
| IV. | DEVELOPMENTAL ,, | 1373 | 432 | 41 | 47 | 56 | 8 | – | 1 | 2 | 4 | 5 | – | 1 | – |
| V. | VIOLENT DEATHS . | 499 | 14 | 4 | 3 | 9 | 14 | 7 | 7 | 26 | 25 | 41 | 45 | 34 | 35 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1202 | 75 | 57 | 133 | 168 | 87 | 74 | 57 | 145 | 54 | 56 | 28 | 27 | 16 |
| | 2. ENTHETIC ,, . | 20 | 5 | 3 | 5 | – | – | – | – | 2 | – | – | 1 | 1 | – |
| | 3. DIETIC ,, . | 59 | 10 | 3 | 2 | 2 | 1 | – | 1 | 3 | – | – | 2 | 1 | 3 |
| | 4. PARASITIC ,, . | 4 | 3 | – | – | – | – | – | – | 1 | – | | – | – | – |
| II. | 1. DIATHETIC ,, . | 286 | 2 | 1 | 2 | 1 | – | – | 1 | 2 | 3 | 3 | 5 | 1 | 2 |
| | 2. TUBERCULAR ,, . | 1141 | 23 | 28 | 48 | 79 | 31 | 24 | 20 | 60 | 53 | 108 | 142 | 133 | 91 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 910 | 56 | 39 | 39 | 31 | 17 | 7 | 9 | 31 | 23 | 22 | 10 | 18 | 15 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 658 | 1 | – | 1 | 1 | – | – | 1 | 8 | 4 | 7 | 10 | 8 | 14 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1457 | 135 | 95 | 146 | 129 | 38 | 18 | 13 | 29 | 13 | 21 | 16 | 24 | 26 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 597 | 74 | 31 | 27 | 20 | 11 | 4 | 5 | 19 | 9 | 14 | 16 | 18 | 12 |
| | 5 ,, OF URINARY ORGANS . . . | 285 | 1 | 1 | – | 2 | 2 | 1 | – | 1 | 7 | 10 | 8 | 7 | 7 |
| | . ,, OF ORGANS OF GENERATION . | – | – | – | – | – | | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 54 | 1 | – | – | 1 | 1 | – | 1 | 5 | 10 | 7 | 6 | 3 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 43 | 5 | 2 | 3 | 4 | – | 2 | – | 2 | 1 | 1 | – | – | 4 |
| IV. | 1. DEV. DIS. OF CHILDREN | 283 | 203 | 12 | 29 | 36 | 2 | | – | – | – | 1 | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| | 3. ,, OF OLD PEOPLE | 759 | – | – | – | – | – | – | – | – | – | – | – | .. | – |
| | 4. DISEASES OF NUTRITION | 331 | 229 | 29 | 18 | 20 | 6 | – | 1 | 2 | 4 | 4 | – | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 8757 | 752 | 231 | 366 | 436 | 207 | 144 | 109 | 326 | 226 | 268 | 278 | 284 | 275 |
| | **Specified Causes** . . | 8524 | 672 | 218 | 353 | 428 | 203 | 142 | 109 | 320 | 222 | 265 | 272 | 281 | 269 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1275 | 87 | 52 | 110 | 175 | 101 | 59 | 51 | 141 | 60 | 42 | 33 | 37 | 38 |
| II. | CONSTITUTIONAL ,, | 1640 | 22 | 30 | 56 | 58 | 28 | 28 | 23 | 79 | 90 | 139 | 159 | 130 | 118 |
| III | LOCAL ,, | 3672 | 186 | 96 | 144 | 149 | 60 | 47 | 26 | 87 | 69 | 74 | 59 | 87 | 84 |
| IV. | DEVELOPMENTAL ,, | 1758 | 364 | 36 | 39 | 37 | 7 | 1 | 2 | 3 | 2 | 6 | 15 | 20 | 23 |
| V. | VIOLENT DEATHS . | 179 | 13 | 4 | 4 | 9 | 7 | 7 | 7 | 10 | 1 | 4 | 6 | 7 | 6 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1220 | 70 | 46 | 106 | 171 | 101 | 58 | 51 | 140 | 59 | 42 | 32 | 35 | 36 |
| | 2. ENTHETIC ,, . | 14 | 5 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | 1 |
| | 3. DIETIC ,, . | 33 | 10 | 2 | 2 | 1 | – | – | – | – | – | – | 1 | 2 | 1 |
| | 4. PARASITIC ,, . | 8 | 2 | 1 | 1 | 2 | – | 1 | – | 1 | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 405 | 6 | 1 | 1 | 2 | 1 | 3 | – | – | 2 | – | 5 | 3 | 4 |
| | 2. TUBERCULAR ,, . | 1235 | 16 | 29 | 55 | 56 | 27 | 25 | 23 | 79 | 88 | 139 | 154 | 127 | 114 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . | 880 | 38 | 21 | 27 | 29 | 12 | 14 | 5 | 26 | 21 | 20 | 12 | 18 | 17 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 640 | 2 | 1 | 2 | – | – | – | 4 | 2 | 8 | 14 | 17 | 17 | 19 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1334 | 94 | 59 | 97 | 104 | 35 | 28 | 13 | 40 | 14 | 20 | 6 | 29 | 20 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 558 | 48 | 14 | 14 | 13 | 10 | 3 | 1 | 11 | 13 | 7 | 14 | 12 | 13 |
| | 5. ,, OF URINARY ORGANS . . . | 135 | – | 1 | 1 | 1 | – | 1 | 1 | 7 | 6 | 4 | 6 | 5 | 7 |
| | 6. ,, OF ORGANS OF GENERATION . | 54 | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 4 | 5 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 35 | – | – | 1 | – | 1 | – | – | – | 5 | 8 | 2 | 1 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 36 | 4 | – | 2 | 1 | 2 | 1 | 1 | 1 | 2 | – | 2 | 1 | 2 |
| IV. | 1. DEV. DIS. OF CHILDREN | 224 | 166 | 6 | 23 | 25 | 3 | – | – | – | 1 | – | – | – | – |
| | 2. ,, OF ADULTS . | 102 | – | – | – | – | – | – | – | – | 1 | 4 | 14 | 18 | 21 |
| | 3. ,, OF OLD PEOPLE | 1140 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 292 | 198 | 30 | 16 | 12 | 4 | 1 | 2 | 3 | – | 2 | 1 | 2 | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 227 | 231 | 275 | 318 | 345 | 447 | 540 | 654 | 622 | 445 | 248 | 80 | 19 | 4 | 6 |
| | **Specified Causes** . . | 226 | 229 | 268 | 315 | 339 | 438 | 527 | 644 | 610 | 444 | 247 | 80 | 19 | 4 | 6 |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 13 | 17 | 22 | 35 | 23 | 27 | 29 | 45 | 26 | 12 | 9 | – | – | – | 1 |
| II. | CONSTITUTIONAL ,, | 71 | 58 | 60 | 54 | 72 | 68 | 59 | 53 | 37 | 21 | 8 | 3 | – | – | – |
| III. | LOCAL ,, | 104 | 132 | 154 | 184 | 210 | 294 | 383 | 428 | 372 | 208 | 70 | 20 | 3 | – | – |
| IV. | DEVELOPMENTAL ,, | 1 | – | 1 | 5 | 10 | 22 | 43 | 100 | 162 | 197 | 158 | 57 | 16 | 4 | – |
| V. | VIOLENT DEATHS . | 37 | 22 | 31 | 37 | 24 | 27 | 13 | 18 | 13 | 6 | 2 | – | - | – | 5 |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 13 | 13 | 17 | 27 | 21 | 22 | 26 | 43 | 21 | 12 | 9 | – | – | – | 1 |
| | 2. ENTHETIC ,, . | – | - | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | 4 | 5 | 8 | 2 | 4 | 3 | 1 | 4 | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 6 | 4 | 16 | 18 | 34 | 44 | 37 | 38 | 35 | 20 | 8 | 3 | – | – | – |
| | 2. TUBERCULAR ,, . | 65 | 54 | 44 | 36 | 38 | 24 | 22 | 15 | 2 | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM : . | 19 | 31 | 28 | 35 | 53 | 66 | 77 | 88 | 104 | 62 | 24 | 5 | 1 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 16 | 25 | 32 | 32 | 42 | 69 | 109 | 120 | 96 | 45 | 14 | 3 | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 40 | 44 | 53 | 77 | 59 | 92 | 95 | 111 | 98 | 57 | 19 | 8 | 1 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 16 | 17 | 24 | 30 | 30 | 42 | 65 | 53 | 34 | 21 | 2 | 2 | 1 | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 10 | 12 | 13 | 8 | 23 | 19 | 35 | 47 | 36 | 22 | 11 | 2 | – | - | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | 2 | 2 | 1 | – | 5 | 1 | 5 | 2 | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 3 | 1 | 2 | 1 | 3 | 1 | 1 | 4 | 2 | 1 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | - | – | – | – | - | – | – | – | – | – | – | – | – |
| | 2. , OF ADULTS . | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | - | – | – | 1 | 21 | 43 | 100 | 162 | 197 | 158 | 57 | 16 | 4 | - |
| | 4. DISEASES OF NUTRITION | 1 | – | 1 | 5 | 9 | 1 | | - | - | – | – | – | - | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 266 | 206 | 252 | 257 | 309 | 449 | 536 | 701 | 715 | 629 | 348 | 127 | 46 | 11 | 3 |
| | **Specified Causes** . . | 257 | 204 | 247 | 250 | 301 | 435 | 520 | 685 | 709 | 627 | 348 | 127 | 46 | 11 | 3 |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 26 | 16 | 13 | 13 | 28 | 26 | 33 | 34 | 40 | 31 | 25 | 1 | 2 | – | 1 |
| II. | CONSTITUTIONAL ,, | 95 | 77 | 77 | 62 | 67 | 85 | 62 | 63 | 58 | 21 | 9 | 3 | – | 1 | – |
| III. | LOCAL ,, | 105 | 91 | 142 | 161 | 185 | 283 | 368 | 444 | 350 | 243 | 104 | 19 | 7 | 1 | 1 |
| IV. | DEVELOPMENTAL ,, | 26 | 14 | 6 | 8 | 14 | 33 | 52 | 133 | 245 | 323 | 201 | 101 | 37 | 9 | 1 |
| V. | VIOLENT DEATHS . | 5 | 6 | 9 | 6 | 7 | 8 | 5 | 11 | 16 | 9 | 9 | 3 | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 26 | 14 | 11 | 13 | 24 | 23 | 31 | 32 | 40 | 31 | 25 | 1 | 2 | – | – |
| | 2. ENTHETIC ,, . | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | 2 | 1 | – | 3 | 3 | 2 | 2 | – | – | – | – | – | – | 1 |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 17 | 21 | 26 | 35 | 38 | 51 | 51 | 53 | 52 | 20 | 9 | 3 | – | 1 | – |
| | 2. TUBERCULAR ,, . | 78 | 56 | 51 | 27 | 29 | 34 | 11 | 10 | 6 | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 20 | 21 | 25 | 39 | 46 | 70 | 94 | 103 | 91 | 77 | 28 | 4 | 2 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 26 | 21 | 25 | 32 | 49 | 61 | 89 | 110 | 71 | 49 | 20 | 1 | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 17 | 16 | 36 | 39 | 39 | 87 | 119 | 137 | 131 | 92 | 42 | 14 | 5 | 1 | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 18 | 17 | 38 | 32 | 37 | 49 | 46 | 69 | 47 | 19 | 12 | – | – | – | 1 |
| | 5. ,, OF URINARY ORGANS . . . | 11 | 8 | 9 | 9 | 6 | 9 | 14 | 16 | 8 | 3 | 2 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 7 | 6 | 7 | 6 | 4 | 5 | 3 | 3 | – | 1 | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 4 | 1 | – | 4 | 4 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 2 | 1 | 2 | – | – | 2 | 2 | 5 | 1 | 2 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 25 | 14 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | 1 | 4 | 33 | 52 | 133 | 245 | 323 | 201 | 101 | 37 | 9 | 1 |
| | 4. DISEASES OF NUTRITION | 1 | – | 3 | 6 | 9 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 453 | 13 | 4 | 3 | 9 | 14 | 7 | 7 | 26 | 25 | 38 | 45 | 32 | 33 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. SUICIDE | 43 | – | – | – | – | – | – | – | – | – | 2 | – | 2 | 2 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 12 | 5 | 2 | – | 2 | – | – | – | – | – | – | 2 | – | – |
| | CAUSES NOT SPECIFIED | 200 | 78 | 10 | 10 | 11 | 3 | 1 | 2 | 4 | 2 | 4 | 6 | 3 | 2 |
| I. | ORDER 1 | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 97 | 2 | 3 | 25 | 34 | 12 | 5 | 4 | 6 | 2 | 1 | 1 | – | – |
| | 3. Scarlatina | 134 | – | 1 | 8 | 20 | 14 | 17 | 14 | 39 | 10 | 7 | 2 | – | 1 |
| | 4. Diphtheria | 135 | 2 | 1 | 5 | 9 | 23 | 18 | 16 | 40 | 12 | 4 | 1 | 2 | – |
| | 5. Quinsy | 6 | 1 | – | – | – | – | 1 | – | 1 | – | 1 | – | 1 | – |
| | 6. Croup | 111 | 4 | 3 | 13 | 25 | 21 | 23 | 8 | 14 | – | – | – | – | – |
| | 7. Hooping-cough | 141 | 12 | 15 | 45 | 46 | 9 | 3 | 3 | 8 | – | – | – | – | – |
| | 8. Typhus Fever | 18 | – | – | – | – | 1 | – | 1 | 3 | 3 | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 178 | – | – | 2 | 2 | 3 | 4 | 7 | 22 | 14 | 31 | 18 | 21 | 9 |
| | 8. Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 22 | – | – | – | 1 | – | – | 2 | 2 | 2 | 3 | 1 | 1 | – |
| | 9. Erysipelas | 59 | 21 | 1 | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 15 | 2 | – | – | 2 | – | – | – | – | 2 | – | – | – | 1 |
| | 13. Dysentery | 21 | – | 2 | 5 | – | – | – | – | 3 | – | 1 | – | – | – |
| | 14. Diarrhœa | 173 | 30 | 22 | 27 | 24 | 4 | 3 | 1 | 2 | – | 1 | 1 | – | 1 |
| | 15. Cholera | 19 | 1 | 5 | 1 | 4 | – | – | – | 1 | – | – | – | – | – |
| | 16. Ague | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 61 | – | 1 | 1 | – | – | – | – | 3 | 8 | 7 | 3 | 2 | 4 |
| | 19. Other *Miasmatic* Diseases | 5 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 15 | 5 | 3 | 5 | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | 3 | – | – | – | – | – | – | – | 2 | – | – | 1 | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 12 | 8 | 3 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 13 | 2 | – | 1 | 2 | 1 | – | 1 | 3 | – | – | 1 | – | – |
| | 4. Alcoholism *a* Del. Tremens | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 4. Alcoholism *b* Intemperance | 22 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 46 | 1 | 1 | – | 1 | – | – | 1 | 1 | 3 | – | 2 | – | – |
| | 3. Cancer | 217 | – | – | 2 | – | – | – | – | 1 | – | 2 | 3 | 1 | 2 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 21 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 151 | 13 | 4 | 4 | 9 | 7 | 7 | 7 | 10 | 1 | 3 | 3 | 2 | 5 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 28 | – | – | – | – | – | – | – | – | – | 1 | 3 | 5 | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 7 | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | CAUSES NOT SPECIFIED | 226 | 77 | 12 | 13 | 8 | 4 | 2 | – | 6 | 3 | 3 | 6 | 3 | 6 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 71 | 2 | 1 | 14 | 26 | 13 | 3 | 2 | 8 | – | 1 | – | – | – |
| | 3. Scarlatina | 129 | 2 | 1 | 6 | 24 | 16 | 15 | 13 | 31 | 9 | 5 | – | 1 | 4 |
| | 4. Diphtheria | 132 | 3 | 1 | 3 | 14 | 13 | 14 | 12 | 44 | 17 | 4 | 1 | 1 | – |
| | 5. Quinsy | 8 | – | – | 1 | 1 | – | – | 2 | 3 | – | – | – | – | – |
| | 6. Croup | 88 | 2 | 2 | 10 | 24 | 16 | 13 | 9 | 12 | – | – | – | – | – |
| | 7. Hooping-cough | 163 | 19 | 14 | 40 | 48 | 27 | 3 | 6 | 6 | – | – | – | – | – |
| | 8. Typhus Fever | 10 | – | – | – | – | – | 2 | – | – | 1 | 3 | 2 | – | 1 |
| | 8. Enteric or Typhoid Fever | 160 | – | 1 | 1 | 2 | 6 | 3 | 5 | 22 | 21 | 22 | 18 | 15 | 15 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 27 | 2 | – | – | 1 | 2 | 1 | 1 | 3 | 3 | 1 | 2 | – | 1 |
| | 9. Erysipelas | 46 | 11 | 3 | – | 1 | – | – | – | 2 | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 43 | – | – | – | – | – | – | – | – | – | 1 | 7 | 10 | 12 |
| | 11. Carbuncle | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 20 | 2 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – |
| | 13. Dysentery | 28 | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – |
| | 14. Diarrhœa | 203 | 26 | 22 | 26 | 24 | 2 | 3 | 1 | 3 | 1 | – | – | 4 | 1 |
| | 15. Cholera | 17 | – | 1 | 3 | 5 | 2 | – | – | 1 | – | – | 1 | – | – |
| | 16. Ague | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 17. Remittent Fever | 6 | – | – | – | – | 1 | 1 | – | 3 | – | – | – | – | – |
| | 18. Rheumatism | 52 | – | – | – | – | – | – | – | 1 | 4 | 3 | 1 | 4 | 2 |
| | 19. Other *Miasmatic* Diseases | 7 | 1 | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 14 | 5 | 3 | 1 | 1 | – | – | – | – | 1 | – | – | – | 1 |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 13 | 9 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 8 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | 1 | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 4 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 4 | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 60 | 1 | 1 | 1 | – | 1 | 2 | – | – | 1 | – | 2 | 1 | – |
| | 3. Cancer | 309 | – | – | – | 2 | – | 1 | – | – | 1 | – | 3 | 2 | 4 |
| | 4. Cancrum Oris (Noma) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 34 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 31 | 20 | 25 | 31 | 18 | 22 | 12 | 14 | 12 | 6 | 2 | – | – | – | 4 |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. SUICIDE | 6 | 2 | 6 | 6 | 6 | 5 | 1 | 3 | 1 | – | – | – | – | – | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 1 | 2 | 6 | 3 | 6 | 9 | 13 | 10 | 12 | 1 | 1 | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | 1 | 1 | 3 | – | 3 | 2 | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 3 | 6 | 7 | 10 | 5 | 4 | 3 | 3 | 4 | – | – | – | – | – | – |
| | 8. Relapsing Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | 1 | – | 2 | 2 | 4 | – | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | 2 | 3 | 3 | 3 | 5 | 4 | 5 | 2 | 2 | 4 | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | 1 | 3 | 2 | 1 | 1 | – | – | – | – |
| | 13. Dysentery | – | 1 | 1 | – | – | – | 2 | 4 | 2 | – | – | – | – | – | – |
| | 14. Diarrhœa | 1 | 1 | 2 | 5 | 6 | 5 | 7 | 14 | 7 | 5 | 4 | – | – | – | – |
| | 15. Cholera | 2 | – | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 16. Ague | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 3 | 2 | 2 | 5 | 2 | 3 | 2 | 5 | 4 | 3 | – | – | – | – | 1 |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | 1 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | 1 | 1 | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | 2 | 4 | 5 | 1 | 2 | 2 | 1 | 2 | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 1 | – | 1 | 2 | 5 | 7 | 4 | 7 | 4 | 2 | 2 | 1 | – | – | – |
| | 3. Cancer | 5 | 4 | 14 | 16 | 27 | 35 | 32 | 29 | 29 | 12 | 3 | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | 2 | 1 | 1 | 2 | 2 | 6 | 3 | 2 | – | – | – |

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 3 | 5 | 4 | 3 | 3 | 6 | 5 | 10 | 16 | 9 | 9 | 3 | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 2 | 1 | 5 | 3 | 4 | 2 | – | 1 | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 9 | 2 | 5 | 7 | 8 | 13 | 16 | 15 | 6 | 2 | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 8 | 3 | 2 | 2 | 3 | 3 | 2 | 2 | 3 | 1 | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | 1 | 2 | 1 | 2 | – | 3 | 1 | – | – | – | – | – |
| | 9. Erysipelas | – | – | 1 | 1 | 2 | 2 | 6 | 4 | 3 | 4 | 5 | 1 | – | – | – |
| | 10. Puerperal Fever (Metria) | 10 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | 1 | 1 | 1 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | 2 | 2 | 1 | 4 | 6 | – | – | – | – |
| | 13. Dysentery | – | – | 1 | 1 | 4 | 3 | 4 | 4 | 5 | 2 | – | – | – | – | – |
| | 14. Diarrhœa | 1 | 3 | 2 | 3 | 8 | 11 | 11 | 14 | 15 | 10 | 10 | – | 2 | – | – |
| | 15. Cholera | – | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – |
| | 16. Ague | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 18. Rheumatism | 3 | 1 | 2 | 3 | 3 | 1 | 4 | 5 | 6 | 7 | 2 | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | 1 | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | 2 | – | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Dropsy | 3 | 3 | 6 | 3 | 3 | 4 | 7 | 9 | 10 | 1 | 1 | – | – | – | – |
| | 3. Cancer | 13 | 18 | 20 | 32 | 35 | 41 | 41 | 42 | 35 | 14 | 4 | 1 | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | – | – | – | 6 | 3 | 2 | 6 | 5 | 4 | 2 | – | 1 | – |

* See page 52, note.

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 87 | – | 4 | 4 | 10 | 2 | 4 | 2 | 7 | 8 | 10 | 8 | 8 | 3 |
| | 2. Tabes Mesenterica | 96 | 7 | 10 | 10 | 23 | 12 | 4 | 1 | 8 | 2 | 4 | 3 | 3 | 1 |
| | 3. Phthisis | 785 | 1 | 6 | 4 | 6 | 4 | 6 | 3 | 17 | 32 | 92 | 131 | 122 | 85 |
| | 4. Hydrocephalus | 173 | 15 | 8 | 30 | 40 | 13 | 10 | 14 | 28 | 11 | 2 | – | – | 2 |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 117 | 7 | 12 | 12 | 11 | 5 | 4 | 6 | 15 | 9 | 10 | 3 | 2 | 3 |
| | 2. Apoplexy | 236 | 9 | 1 | 6 | 4 | 2 | 1 | – | 5 | 1 | – | 1 | 4 | 3 |
| | 3. Paralysis | 277 | – | – | 1 | – | 1 | 1 | – | 2 | 1 | 2 | 1 | 2 | 3 |
| | 4. Insanity | 15 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 25 | 1 | – | – | 3 | – | – | 2 | 1 | 1 | 1 | 2 | 1 | 1 |
| | 7. Convulsions | 95 | 36 | 23 | 16 | 10 | 6 | – | – | – | 1 | – | – | – | – |
| | 8. *Brain Disease, etc.* | 145 | 3 | 3 | 4 | 3 | 3 | 1 | 1 | 8 | 10 | 9 | 3 | 8 | 3 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 16 | – | – | – | 1 | – | – | – | 4 | 1 | – | 1 | – | 1 |
| | 2. Aneurism | 29 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | 3. *Heart Disease, etc.* | 613 | 1 | – | 1 | – | – | – | 1 | 4 | 3 | 7 | 9 | 7 | 12 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 25 | – | – | 3 | 5 | 3 | 1 | 1 | 3 | 1 | 1 | – | 1 | 1 |
| | 2. Bronchitis | 778 | 102 | 76 | 103 | 87 | 22 | 9 | 8 | 10 | 2 | 1 | 2 | 5 | 3 |
| | 3. Pleurisy | 49 | – | – | 1 | 2 | 1 | 1 | – | 1 | 3 | 8 | 1 | 2 | 1 |
| | 4. Pneumonia | 396 | 14 | 13 | 26 | 30 | 8 | 7 | 2 | 11 | 3 | 10 | 11 | 10 | 15 |
| | 5. Asthma | 50 | – | – | 1 | 1 | – | – | – | – | – | – | – | 2 | 1 |
| | 6. *Lung Disease, etc.* | 159 | 19 | 6 | 12 | 4 | 4 | – | 2 | 4 | 4 | 1 | 2 | 4 | 5 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 42 | 3 | 4 | 2 | 5 | – | – | 2 | 3 | 1 | – | – | 1 | 1 |
| | 2. Enteritis | 116 | 26 | 13 | 17 | 7 | 5 | 2 | – | 5 | 2 | 2 | 3 | 3 | 1 |
| | 3. Peritonitis | 55 | 4 | 3 | 2 | 2 | – | 1 | 1 | 4 | 1 | 5 | 6 | 2 | 2 |
| | 4. Ascites | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 5. Ulceration of Intestines | 32 | 1 | – | – | 1 | – | – | – | 1 | 1 | – | – | – | 2 |
| | 6. Hernia | 23 | 1 | 1 | – | – | – | – | – | – | – | – | – | 2 | – |
| | 7. Ileus | 49 | 6 | 1 | – | – | 1 | – | – | 1 | 1 | 2 | 2 | – | – |
| | 8. Intussusception | 20 | 3 | 1 | 3 | 1 | 1 | – | – | 1 | 1 | 1 | – | 2 | 1 |
| | 9. Stricture of Intestines | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 11. *Stomach Disease, etc.* | 90 | 11 | 5 | 3 | 2 | 1 | – | – | 1 | 2 | 1 | 2 | 3 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 40 | 2 | 2 | – | 2 | 1 | 1 | – | – | – | – | 1 | 3 | – |
| | 14. Jaundice | 30 | 15 | – | – | – | 2 | – | 1 | 1 | – | – | – | 1 | – |
| | 15. *Liver Disease, etc.* | 80 | 2 | 1 | – | – | – | – | – | 2 | – | 1 | 1 | – | 2 |
| | 16. *Spleen Disease, etc.* | 8 | – | – | – | – | – | – | 1 | – | – | 2 | – | 1 | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 25 | – | 1 | – | – | 2 | – | – | – | 3 | 1 | 1 | 1 | – |
| | 2. Ischuria | 15 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 56 | – | – | – | 1 | – | – | – | 1 | – | 3 | 3 | 2 | 2 |
| | 4. Diabetes | 27 | – | – | – | – | – | – | – | – | – | 1 | 3 | 2 | 2 |
| | 5. Calculus (Stone) | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 53 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 7. *Kidney Disease, etc.* | 97 | 1 | – | – | 1 | – | 1 | – | – | 3 | 5 | 1 | 1 | 3 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 6 | – | – | – | – | 1 | – | – | – | 1 | – | – | – | 1 |
| | 2. *Joint Disease, etc.* | 48 | 1 | – | – | 1 | – | – | 1 | 5 | 9 | 7 | 6 | 3 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 84 | 1 | – | 3 | 6 | 3 | 7 | 3 | 9 | 6 | 9 | 5 | 4 | 4 |
| | 2. Tabes Mesenterica | 86 | 6 | 7 | 10 | 20 | 6 | 6 | 2 | 7 | 8 | 5 | 4 | 1 | 2 |
| | 3. Phthisis | 916 | 3 | 2 | 8 | 7 | 7 | 5 | 8 | 34 | 70 | 124 | 143 | 120 | 108 |
| | 4. Hydrocephalus | 149 | 6 | 20 | 34 | 23 | 11 | 7 | 10 | 29 | 4 | 1 | 2 | 2 | - |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 92 | 2 | 10 | 5 | 10 | 4 | 5 | 3 | 11 | 10 | 9 | 4 | 4 | 1 |
| | 2. Apoplexy | 228 | 1 | 1 | 4 | 2 | 1 | – | – | 3 | 1 | 2 | 1 | 5 | 2 |
| | 3. Paralysis | 292 | 1 | – | – | 1 | 1 | 2 | 1 | 2 | – | – | – | 1 | 6 |
| | 4. Insanity | 26 | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 2 | – |
| | 5. Chorea | 2 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| | 6. Epilepsy | 35 | – | – | 2 | 1 | 1 | 2 | – | 2 | 1 | 2 | 3 | 3 | 2 |
| | 7. Convulsions | 77 | 28 | 9 | 15 | 13 | 4 | 3 | – | 2 | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 128 | 6 | 1 | 1 | 2 | 1 | 2 | 1 | 5 | 8 | 3 | 3 | 3 | 6 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 9 | – | – | – | – | – | – | – | – | 1 | 2 | – | – | 1 |
| | 2. Aneurism | 10 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| | 3. *Heart Disease, etc.* | 621 | 2 | 1 | 2 | – | – | – | 4 | 2 | 7 | 12 | 17 | 17 | 16 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 13 | 3 | – | - | 3 | – | – | – | 4 | 1 | – | – | – | – |
| | 2. Bronchitis | 877 | 66 | 45 | 71 | 77 | 27 | 16 | 11 | 23 | 4 | 8 | – | 9 | 5 |
| | 3. Pleurisy | 30 | – | – | – | 1 | – | 1 | – | 1 | – | – | 2 | 1 | 4 |
| | 4. Pneumonia | 257 | 8 | 10 | 20 | 18 | 7 | 10 | – | 9 | 7 | 11 | 4 | 13 | 9 |
| | 5. Asthma | 46 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 6. *Lung Disease, etc.* | 111 | 16 | 4 | 6 | 5 | 1 | 1 | 2 | 3 | 2 | 1 | – | 5 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 40 | 3 | 1 | 3 | 5 | – | – | – | – | 1 | – | 1 | 1 | 2 |
| | 2. Enteritis | 91 | 24 | 8 | 5 | 5 | 5 | 2 | – | 2 | 3 | – | 1 | 2 | 3 |
| | 3. Peritonitis | 62 | 2 | – | 1 | – | 1 | – | 1 | 3 | 4 | 1 | 4 | 4 | 1 |
| | 4. Ascites | 17 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | 1 |
| | 5. Ulceration of Intestines | 29 | 1 | – | 1 | – | 1 | – | – | – | – | – | 3 | 1 | 1 |
| | 6. Hernia | 19 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 7. Ileus | 38 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | 1 |
| | 8. Intussusception | 6 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 9 | – | 1 | – | - | – | – | – | – | – | – | – | 1 | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 89 | 4 | 1 | 2 | – | 1 | 1 | – | 1 | 2 | 1 | 1 | 1 | – |
| | 12. *Pancreas Disease, etc.* | 1 | – | – | – | - | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 37 | 2 | – | – | 2 | – | – | – | 3 | – | 1 | 1 | – | 1 |
| | 14. Jaundice | 35 | 7 | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 79 | 3 | – | – | – | – | – | – | 1 | 3 | 1 | 2 | 1 | 2 |
| | 16. *Spleen Disease, etc.* | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | 1 |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 15 | – | – | – | 1 | – | – | 1 | 2 | 1 | – | 1 | 2 | 1 |
| | 2. Ischuria | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 56 | – | – | 1 | – | – | 1 | – | 2 | 3 | – | 2 | 3 | 4 |
| | 4. Diabetes | 13 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | 1 |
| | 5. Calculus (Stone) | 4 | – | – | – | – | – | – | – | - | – | – | - | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 42 | – | – | – | – | – | – | – | 2 | 1 | 2 | 3 | – | 1 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 29 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | 2. *Uterus Disease, etc.* | 25 | – | – | – | 1 | – | – | 1 | – | – | 1 | – | 3 | 3 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 6 | – | – | – | – | – | – | – | – | 2 | 1 | – | – | 1 |
| | 2. *Joint Disease, etc.* | 29 | – | – | 1 | – | 1 | – | – | – | 3 | 7 | 2 | 1 | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued*).

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 1 | 8 | 1 | 1 | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | 2 | 2 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| | 3. Phthisis | 64 | 46 | 43 | 33 | 33 | 22 | 19 | 13 | 2 | 1 | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 3 | 2 | 2 | – | 4 | 3 | 3 | 1 | – | – | – | – | – | – | – |
| | 2. Apoplexy | 4 | 6 | 10 | 13 | 17 | 24 | 23 | 38 | 35 | 21 | 7 | 1 | – | – | – |
| | 3. Paralysis | 6 | 12 | 10 | 11 | 16 | 23 | 34 | 40 | 56 | 34 | 16 | 4 | 1 | – | – |
| | 4. Insanity | 1 | 3 | 1 | 1 | 1 | 4 | 1 | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | 3 | 2 | 3 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 7. Convulsions | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 3 | 5 | 2 | 6 | 14 | 12 | 16 | 8 | 13 | 6 | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | 1 | – | 1 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| | 2. Aneurism | 1 | 4 | 2 | 4 | 2 | 6 | 2 | 2 | 3 | – | 1 | – | – | – | – |
| | 3. *Heart Disease, etc.* | 15 | 21 | 29 | 28 | 39 | 62 | 104 | 117 | 92 | 45 | 13 | 3 | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – |
| | 2. Bronchitis | 7 | 13 | 14 | 27 | 28 | 43 | 49 | 52 | 62 | 36 | 12 | 4 | 1 | – | – |
| | 3. Pleurisy | 5 | 2 | 7 | 3 | 1 | – | 2 | 4 | 2 | 2 | – | – | – | – | – |
| | 4. Pneumonia | 19 | 21 | 25 | 32 | 19 | 31 | 26 | 29 | 20 | 10 | 3 | 1 | – | – | – |
| | 5. Asthma | 3 | 1 | 3 | 9 | 3 | 7 | 4 | 7 | 6 | 1 | 1 | – | – | – | – |
| | 6. *Lung Disease, etc.* | 6 | 6 | 3 | 6 | 7 | 11 | 14 | 18 | 7 | 8 | 3 | 3 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | 1 | – | 2 | 2 | 6 | 3 | 4 | 2 | – | – | – | – | – |
| | 2. Enteritis | 1 | – | 1 | 3 | 2 | 3 | 9 | 3 | 3 | 4 | 1 | – | – | – | – |
| | 3. Peritonitis | 1 | – | 2 | 5 | 1 | 1 | 7 | 3 | – | 2 | – | – | – | – | – |
| | 4. Ascites | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 4 | 1 | 3 | 3 | 2 | 5 | 3 | 2 | 3 | – | – | – | – | – | – |
| | 6. Hernia | – | 1 | 1 | 2 | 2 | 5 | 1 | 6 | – | 1 | – | – | – | – | – |
| | 7. Ileus | 1 | 3 | – | 4 | – | 3 | 7 | 7 | 4 | 4 | 1 | – | 1 | – | – |
| | 8. Intussusception | – | – | – | 1 | – | – | 2 | 1 | 1 | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | 1 | 1 | – | 1 | 3 | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 2 | 3 | 4 | 4 | 5 | 5 | 13 | 14 | 7 | 1 | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 3 | 4 | 3 | – | 4 | 5 | 2 | – | 5 | 2 | – | – | – | – | – |
| | 14. Jaundice | 1 | – | – | 1 | 1 | 1 | 1 | – | 1 | 3 | – | 1 | – | – | – |
| | 15. *Liver Disease, etc.* | 3 | 4 | 7 | 4 | 10 | 10 | 13 | 11 | 6 | 2 | – | 1 | – | – | – |
| | 16. *Spleen Disease, etc.* | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | 2 | – | 3 | – | 3 | – | 3 | 1 | 4 | – | – | – | – | – | – |
| | 2. Ischuria | – | – | 1 | – | – | – | 3 | 2 | 4 | 1 | 2 | 1 | – | – | – |
| | 3. Bright's Disease (Nephria) | 3 | 2 | 3 | 1 | 5 | 7 | 7 | 3 | 9 | 3 | 1 | – | – | – | – |
| | 4. Diabetes | 5 | 3 | 2 | 1 | 1 | 1 | 5 | 1 | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | 4 | 3 | 4 | – | 1 | – | – | – | – | – |
| | 6. Cystitis | – | – | – | 1 | 4 | 2 | 6 | 19 | 10 | 5 | 4 | 1 | – | – | – |
| | 7. *Kidney Disease, etc.* | – | 7 | 4 | 5 | 10 | 5 | 8 | 17 | 9 | 12 | 4 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | 1 | 1 | 1 | – | 5 | 1 | 4 | 2 | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 2 | 5 | 3 | – | 4 | 3 | 1 | 4 | 2 | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 76 | 50 | 48 | 27 | 25 | 30 | 10 | 6 | 4 | 1 | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 2 | 5 | – | 2 | 1 | 1 | 2 | – | 1 | – | – | – | – | – | – |
| | 2. Apoplexy | 1 | 6 | 13 | 12 | 19 | 29 | 27 | 39 | 28 | 23 | 5 | 2 | 1 | – | – |
| | 3. Paralysis | 8 | 5 | 2 | 13 | 11 | 25 | 52 | 45 | 48 | 45 | 20 | 2 | 1 | – | – |
| | 4. Insanity | 1 | – | 3 | 2 | 4 | 1 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | 2 | 2 | 2 | 3 | – | 2 | 1 | 1 | 1 | – | – | – | – | – |
| | 7. Convulsions | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 5 | 3 | 4 | 7 | 8 | 14 | 9 | 15 | 12 | 6 | 3 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – |
| | 2. Aneurism | – | 2 | – | – | – | 3 | 1 | 1 | – | – | 1 | – | – | – | – |
| | 3. *Heart Disease, etc.* | 25 | 19 | 25 | 32 | 49 | 58 | 85 | 108 | 71 | 49 | 19 | 1 | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| | 2. Bronchitis | 5 | 7 | 16 | 24 | 26 | 52 | 82 | 87 | 95 | 68 | 36 | 13 | 3 | 1 | – |
| | 3. Pleurisy | 1 | 3 | 2 | 3 | 2 | 2 | 1 | 5 | 1 | – | – | – | – | – | – |
| | 4. Pneumonia | 6 | 5 | 13 | 9 | 5 | 19 | 18 | 23 | 15 | 14 | 3 | – | 1 | – | – |
| | 5. Asthma | 1 | 1 | 1 | 1 | 5 | 8 | 8 | 9 | 8 | 2 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 4 | – | 4 | 2 | 1 | 5 | 10 | 13 | 12 | 8 | 3 | 1 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | 1 | 3 | 3 | 2 | 1 | 5 | 3 | 3 | 1 | 1 | – | – | – | – |
| | 2. Enteritis | 3 | 1 | 2 | 3 | 3 | 3 | 2 | 5 | 6 | 1 | 2 | – | – | – | – |
| | 3. Peritonitis | 7 | 2 | 4 | – | 3 | 5 | 3 | 6 | 8 | – | 2 | – | – | – | – |
| | 4. Ascites | – | – | 1 | 1 | 1 | – | 2 | 2 | 1 | 4 | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | 3 | 4 | 4 | – | 3 | 2 | 5 | – | – | – | – | – | – | – |
| | 6. Hernia | – | 1 | 3 | 1 | 1 | 3 | 2 | 5 | 1 | 1 | – | – | – | – | – |
| | 7. Ileus | – | 2 | 2 | 4 | 4 | 5 | 2 | 8 | 4 | 1 | 1 | – | – | – | 1 |
| | 8. Intussusception | – | – | – | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | – | – | 1 | – | 1 | – | 3 | 1 | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 3 | 1 | 6 | 3 | 7 | 8 | 15 | 11 | 11 | 6 | 3 | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | 1 | 1 | 4 | 3 | 5 | 4 | 6 | 1 | 1 | – | – | – | – | – |
| | 14. Jaundice | – | 1 | 1 | 1 | 4 | 2 | 5 | 3 | 4 | 1 | 3 | – | – | – | – |
| | 15. *Liver Disease, etc.* | 3 | 2 | 11 | 7 | 7 | 11 | 4 | 12 | 6 | 3 | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 7 | 4 | 5 | 6 | 3 | 7 | 4 | 3 | – | – | 1 | – | – | – | – |
| | 4. Diabetes | 1 | – | 1 | 1 | 1 | – | 1 | 1 | 2 | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – |
| | 6. Cystitis | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 3 | 2 | 3 | – | 1 | 2 | 8 | 7 | 5 | 2 | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 2 | 4 | 3 | 4 | 3 | 4 | 2 | 3 | – | 1 | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 5 | 2 | 4 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 2 | 1 | – | 4 | 4 | – | 1 | 1 | 1 | – | – | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 20 | 1 | – | 1 | – | – | 1 | – | 2 | – | 1 | – | – | 4 |
| | 2. Ulcer | 8 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 15 | 4 | 1 | 2 | 4 | – | 1 | – | – | 1 | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 183 | 181 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 11 | 10 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 3. Spina Bifida | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 11 | 8 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 75 | 1 | 9 | 28 | 35 | 2 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 759 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 331 | 229 | 29 | 18 | 20 | 6 | – | 1 | 2 | 4 | 4 | – | 1 | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 186 | – | – | – | 1 | – | 2 | 1 | 7 | 14 | 12 | 23 | 16 | 14 |
| | 2. Gunshot Wounds | 5 | – | – | – | – | – | – | 1 | 1 | – | – | 1 | – | 1 |
| | 3. Cut, Stab | 6 | – | – | – | – | – | – | | 1 | – | 1 | 2 | – | – |
| | 4. Burns and Scalds | 33 | 1 | – | 3 | 5 | 10 | – | 3 | – | – | – | 2 | 1 | – |
| | 5. Poison | 4 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| | 6. Drowning | 136 | – | – | – | 3 | 4 | 5 | 2 | 10 | 8 | 20 | 14 | 11 | 14 |
| | 7. Suffocation | 25 | 10 | 4 | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | 8. Otherwise | 58 | 2 | – | – | – | – | – | – | 4 | 3 | 5 | 3 | 3 | 4 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 3 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Cut, Stab | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 3. Poison | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 8 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 5. Hanging | 17 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| | 6. Otherwise and undefined | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | Sudden Deaths (cause unascertained) | 12 | 5 | 2 | – | 2 | – | – | – | – | – | – | 2 | – | – |
| | Causes not specified or ill-defined | 200 | 78 | 10 | 10 | 11 | 3 | 1 | 2 | 4 | 2 | 4 | 6 | 3 | 2 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 17 | 2 | – | – | – | – | 1 | 1 | 1 | 2 | – | 1 | 1 | 2 |
| | 2. Ulcer | 11 | 2 | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| | 3. *Skin Disease, etc.* | 8 | – | – | 2 | – | 2 | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 145 | 145 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 11 | 8 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 3. Spina Bifida | 6 | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 10 | 8 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 52 | – | 5 | 21 | 23 | 3 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | 8 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 94 | – | – | – | – | – | – | – | – | – | 3 | 12 | 18 | 21 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 1140 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 292 | 198 | 30 | 16 | 12 | 4 | 1 | 2 | 3 | – | 2 | 1 | 2 | 2 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 47 | – | – | – | 2 | – | – | – | 3 | 1 | 2 | 1 | – | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 39 | – | – | 1 | 5 | 5 | 5 | 6 | 4 | – | – | – | – | 1 |
| | 5. Poison | 5 | – | – | – | – | – | 1 | – | – | – | – | – | – | 2 |
| | 6. Drowning | 18 | – | – | 2 | 1 | 1 | – | – | 1 | – | 1 | 2 | 1 | 1 |
| | 7. Suffocation | 20 | 10 | 4 | 1 | – | – | – | – | 1 | – | – | – | 1 | – |
| | 8. Otherwise | 21 | 3 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Drowning | 11 | – | – | – | – | – | – | – | – | – | 1 | 2 | 2 | – |
| | 5. Hanging | 8 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| | 6. Otherwise and undefined | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 7 | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | Causes not specified or ill-defined | 226 | 77 | 12 | 13 | 8 | 4 | 2 | – | 6 | 3 | 3 | 6 | 3 | 6 |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 2 | 1 | – | 1 | 2 | – | – | 3 | 1 | – | – | – | – | – | – |
| | 2. Ulcer | – | – | 2 | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | 1 | 21 | 43 | 100 | 162 | 197 | 158 | 57 | 16 | 4 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1 | – | 1 | 5 | 9 | 1 | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 17 | 10 | 11 | 13 | 10 | 8 | 8 | 8 | 7 | 3 | 1 | – | – | – | – |
| | 2. Gunshot Wounds | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | 3 | 1 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – |
| | 5. Poison | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| | 6. Drowning | 8 | 5 | 6 | 9 | 3 | 3 | 2 | 2 | 2 | 1 | 1 | – | – | – | 3 |
| | 7. Suffocation | 1 | 1 | 1 | – | – | 4 | – | 1 | – | – | – | – | – | – | 1 |
| | 8. Otherwise | 5 | 4 | 3 | 7 | 3 | 6 | 1 | 2 | 2 | 1 | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | 2 | – | 2 | 2 | – | 1 | 2 | – | – | – | – | – | – | 1 |
| | 3. Poison | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 2 | 3 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 4 | – | 4 | 1 | – | 4 | – | 1 | 1 | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 1 | 2 | 6 | 3 | 6 | 9 | 13 | 10 | 12 | 1 | 1 | – | – | – | – |

CAUSES of DEATH in the MAINLAND-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 2 | – | 2 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | 2. Ulcer | – | 1 | – | – | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 25 | 13 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | 1 | 4 | 33 | 52 | 133 | 245 | 323 | 201 | 101 | 37 | 9 | 1 |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 1 | – | 3 | 6 | 9 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | 1 | 1 | – | 1 | 2 | 4 | 5 | 11 | 8 | 2 | 2 | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | 1 | – | 3 | 3 | 1 | 3 | 1 | – | – | – |
| | 5. Poison | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | 3 | 1 | 1 | 1 | – | – | – | – | – | 2 | – | – | – | – |
| | 7. Suffocation | – | – | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – |
| | 8. Otherwise | 2 | 1 | 1 | 1 | 1 | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – |
| | ORDER 3. (*Homicide*). | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 1 | – | 2 | 1 | 2 | – | – | – | – | – | | – | – | – | – |
| | 6. Otherwise and undefined | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 9 | 2 | 5 | 7 | 8 | 13 | 16 | 15 | 6 | 2 | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 1023 | 93 | 15 | 39 | 40 | 21 | 17 | 12 | 38 | 27 | 32 | 39 | 36 | 36 |
| | **Specified Causes** . . | 896 | 57 | 12 | 31 | 39 | 16 | 14 | 11 | 33 | 24 | 29 | 39 | 31 | 34 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 142 | 9 | 7 | 16 | 20 | 10 | 5 | 6 | 13 | 9 | 4 | 1 | 4 | 6 |
| II. | CONSTITUTIONAL ,, | 154 | 1 | – | 5 | 4 | 1 | 3 | 1 | 6 | 7 | 11 | 20 | 10 | 14 |
| III. | LOCAL ,, | 340 | 24 | 3 | 7 | 11 | 3 | 4 | 2 | 11 | 7 | 6 | 10 | 10 | 10 |
| IV. | DEVELOPMENTAL ,, | 199 | 22 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| V. | VIOLENT DEATHS . | 61 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | 1 | 8 | 8 | 7 | 4 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 137 | 6 | 7 | 16 | 20 | 10 | 5 | 6 | 13 | 9 | 4 | 1 | 4 | 6 |
| | 2. ENTHETIC ,, . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 27 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. TUBERCULAR ,, . | 127 | 1 | – | 5 | 4 | 1 | 3 | 1 | 6 | 7 | 11 | 19 | 10 | 14 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 67 | 9 | 1 | 2 | 1 | – | – | – | 3 | 4 | – | 3 | 3 | 2 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 43 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 2 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 138 | 13 | 2 | 5 | 8 | 3 | 3 | 1 | 6 | 2 | 4 | 2 | 5 | 4 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 58 | 2 | – | – | 2 | – | – | 1 | 2 | – | – | 3 | – | 2 |
| | 5. ,, OF URINARY ORGANS . . . | 31 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 11 | 9 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 170 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 18 | 13 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . | 1028 | 64 | 24 | 34 | 39 | 16 | 8 | 9 | 31 | 29 | 25 | 23 | 39 | 27 |
| | **Specified Causes** . | 882 | 29 | 17 | 26 | 33 | 11 | 8 | 8 | 26 | 28 | 22 | 21 | 36 | 23 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 131 | 2 | 8 | 15 | 18 | 6 | 4 | 6 | 14 | 8 | 3 | 3 | 8 | 3 |
| II. | CONSTITUTIONAL ,, | 142 | 1 | 1 | 2 | 4 | 1 | – | 1 | 4 | 12 | 10 | 10 | 21 | 7 |
| III. | LOCAL ,, | 289 | 8 | 5 | 6 | 8 | 4 | 2 | – | 5 | 8 | 6 | 6 | 7 | 7 |
| IV. | DEVELOPMENTAL ,, | 303 | 18 | 2 | 3 | 2 | – | 1 | 1 | 1 | – | – | 1 | – | 5 |
| V. | VIOLENT DEATHS . | 17 | – | 1 | – | 1 | – | 1 | – | 2 | – | 3 | 1 | – | 1 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 129 | 1 | 8 | 15 | 18 | 6 | 4 | 6 | 14 | 8 | 3 | 3 | 7 | 3 |
| | 2. ENTHETIC ,, . | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. DIETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 38 | – | – | – | 2 | – | – | – | 1 | – | – | – | 2 | – |
| | 2. TUBERCULAR ,, . | 104 | 1 | 1 | 2 | 2 | 1 | – | 1 | 3 | 12 | 10 | 10 | 19 | 7 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 59 | 3 | – | – | 1 | – | – | – | 2 | 1 | 1 | – | 2 | 1 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 30 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 1 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 120 | 3 | 5 | 5 | 7 | 2 | 2 | – | 2 | 1 | 3 | 2 | 3 | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . . | 57 | 2 | – | 1 | – | – | – | – | – | 2 | 1 | 2 | 1 | 2 |
| | 5. ,, OF URINARY ORGANS . . . | 10 | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | 1 |
| | 6. ,, OF ORGANS OF GENERATION . | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 6 | – | – | – | – | 1 | – | – | 1 | 3 | – | – | – | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 11 | 8 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 15 | – | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| | 3. ,, OF OLD PEOPLE | 257 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 20 | 10 | 1 | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH | MALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 26 | 21 | 31 | 36 | 30 | 52 | 66 | 74 | 80 | 83 | 48 | 23 | 3 | 2 | 3 |
| | **Specified Causes** . . | 23 | 20 | 29 | 32 | 26 | 49 | 58 | 57 | 71 | 83 | 47 | 23 | 3 | 2 | 3 |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 4 | 2 | 5 | – | 1 | 7 | 3 | 3 | 6 | – | 1 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 9 | 5 | 6 | 7 | 2 | 10 | 11 | 6 | 8 | 5 | 2 | – | – | – | – |
| III. | LOCAL ,, | 6 | 10 | 13 | 24 | 21 | 31 | 32 | 31 | 33 | 21 | 8 | 2 | – | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | – | – | 1 | 10 | 17 | 24 | 56 | 36 | 21 | 3 | 2 | – |
| V. | VIOLENT DEATHS . | 4 | 3 | 5 | 1 | 2 | – | 2 | – | – | 1 | – | – | – | – | 3 |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 4 | 2 | 5 | – | 1 | 6 | 3 | 3 | 5 | – | 1 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | – | – | 1 | 1 | 1 | 3 | 6 | 4 | 4 | 4 | 2 | – | – | – | – |
| | 2. TUBERCULAR ,, . | 9 | 5 | 5 | 6 | 1 | 7 | 5 | 2 | 4 | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 2 | 3 | 2 | 4 | 1 | 6 | 5 | 3 | 8 | 4 | 1 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 2 | 4 | 3 | 3 | 5 | 5 | 4 | 5 | 4 | 3 | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 2 | 2 | 2 | 8 | 9 | 9 | 11 | 12 | 12 | 9 | 4 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | – | – | 5 | 8 | 6 | 6 | 9 | 6 | 2 | 3 | 1 | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | – | – | 1 | 1 | – | 5 | 3 | 5 | 7 | 2 | 2 | 1 | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 1 | 10 | 17 | 24 | 56 | 36 | 21 | 3 | 2 | – |
| | 4. DISEASES OF NUTRITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 30 | 30 | 25 | 29 | 45 | 55 | 59 | 84 | 88 | 105 | 62 | 31 | 12 | 5 | – |
| | **Specified Causes** . | 27 | 27 | 22 | 25 | 33 | 44 | 53 | 75 | 73 | 105 | 62 | 31 | 12 | 5 | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2 | 3 | 2 | 2 | 2 | 3 | 5 | 5 | 1 | 6 | 1 | – | 1 | – | – |
| II. | CONSTITUTIONAL ,, | 7 | 12 | 8 | 5 | 6 | 8 | 7 | 10 | 2 | 2 | 1 | – | – | – | – |
| III. | LOCAL ,, | 11 | 10 | 10 | 18 | 22 | 24 | 31 | 38 | 30 | 17 | 4 | 2 | – | – | – |
| IV. | DEVELOPMENTAL ,, | 7 | 2 | 1 | – | 2 | 9 | 9 | 19 | 39 | 80 | 56 | 29 | 11 | 5 | – |
| V. | VIOLENT DEATHS . | – | – | 1 | – | 1 | – | 1 | 3 | 1 | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 2 | 3 | 2 | 2 | 2 | 3 | 5 | 5 | 1 | 6 | 1 | – | 1 | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | – | 3 | 2 | 2 | 2 | 6 | 6 | 7 | 2 | 2 | 1 | – | – | – | – |
| | 2. TUBERCULAR ,, . | 7 | 9 | 6 | 3 | 4 | 2 | 1 | 3 | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 1 | 1 | 3 | 2 | 6 | 7 | 5 | 13 | 5 | 4 | 1 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | – | 1 | – | 3 | 4 | 4 | 1 | 3 | 8 | 2 | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 4 | 1 | 3 | 4 | 6 | 9 | 17 | 15 | 12 | 9 | 3 | 2 | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 4 | 4 | 3 | 8 | 4 | 4 | 6 | 7 | 5 | 1 | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 2 | 1 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | 2 | – | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 9 | 9 | 19 | 39 | 80 | 56 | 29 | 11 | 5 | – |
| | 4. DISEASES OF NUTRITION | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 60 | 1 | 1 | 1 | 2 | 1 | 1 | 2 | 3 | 1 | 8 | 8 | 7 | 4 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 127 | 36 | 3 | 8 | 1 | 5 | 3 | 1 | 5 | 3 | 3 | – | 5 | 2 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 3 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | 1 |
| | 3. Scarlatina | 13 | – | – | – | 2 | – | 1 | 2 | 3 | 1 | 2 | – | – | 1 |
| | 4. Diphtheria | 9 | – | – | – | – | – | – | – | 4 | 4 | 1 | – | – | – |
| | 5. Quinsy | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 14 | 4 | – | 1 | 4 | 2 | 1 | – | – | 1 | – | – | 1 | – |
| | 7. Hooping-cough | 43 | 1 | 4 | 12 | 10 | 7 | 1 | 3 | 5 | – | – | – | – | – |
| | 8. Typhus Fever | 9 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| | 8. Enteric or Typhoid Fever | 12 | – | – | – | 1 | – | 1 | – | 1 | 2 | – | – | 2 | 1 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 9. Erysipelas | 5 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 1 |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 3 | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – |
| | 13. Dysentery | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 8 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 15. Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 9 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 3. Cancer | 17 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 15 | – | 1 | – | 1 | – | 1 | – | 2 | – | 3 | 1 | – | 1 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 146 | 35 | 7 | 8 | 6 | 5 | – | 1 | 5 | 1 | 3 | 2 | 3 | 4 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 11 | – | – | – | 1 | 3 | – | 1 | 3 | 1 | – | – | 1 | – |
| | 4. Diphtheria | 10 | – | – | 1 | 1 | 1 | 1 | 1 | 3 | 2 | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 14 | – | 2 | 3 | 5 | – | 2 | 1 | 1 | – | – | – | – | – |
| | 7. Hooping-cough | 36 | 1 | 4 | 10 | 10 | 1 | 1 | 3 | 4 | 2 | – | – | – | – |
| | 8. Typhus Fever | 7 | – | – | – | – | – | – | – | – | 1 | – | – | – | 1 |
| | 8. Enteric or Typhoid Fever | 11 | – | – | – | – | – | – | – | 3 | – | 2 | 3 | 2 | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 10. Puerperal Fever (Metria) | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | 11. Carbuncle | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 15. Cholera | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 17 | – | – | – | – | – | – | – | – | 1 | – | – | 1 | – |
| | 19. Other *Miasmatic* Diseases | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 13 | – | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| | 3. Cancer | 19 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 5 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 4 | 2 | 5 | 1 | 2 | – | 2 | – | – | 1 | – | – | – | – | 3 |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 3 | 1 | 2 | 4 | 4 | 3 | 8 | 17 | 9 | – | 1 | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | – | 4 | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | – | 2 | – | 1 | 3 | – | 1 | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | 1 | – | – | – | 2 | – | 1 | – | – | – | – | – | – |
| | 3. Cancer | – | – | – | 1 | 1 | 1 | 3 | 4 | 3 | 3 | 1 | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | 1 | 1 | – | – | 1 | 1 | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | – | – | – | – | – | – | 1 | 3 | 1 | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 3 | 3 | 3 | 4 | 12 | 11 | 6 | 9 | 15 | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | 1 | 1 | – | – | 1 | – | – | 2 | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 9. Erysipelas | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | 1 | 3 | 3 | 4 | 1 | 3 | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Dropsy | – | 1 | – | 1 | – | 2 | 3 | 3 | 1 | – | – | – | – | – | – |
| | 3. Cancer | – | 2 | 2 | 1 | 2 | 4 | 3 | 4 | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 5 | – | – | – | 1 | – | – | – | – | 1 | – | 2 | – | 1 |
| | 2. Tabes Mesenterica | 4 | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – | – |
| | 3. Phthisis | 107 | – | – | – | – | – | – | 1 | 5 | 6 | 11 | 16 | 10 | 13 |
| | 4. Hydrocephalus | 11 | – | – | 5 | 1 | 1 | 2 | – | 1 | – | – | 1 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 7 | – | 1 | – | – | – | – | – | 1 | 3 | – | 1 | 1 | – |
| | 2. Apoplexy | 16 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| | 3. Paralysis | 21 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 7. Convulsions | 10 | 5 | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 8. *Brain Disease, etc.* | 9 | 3 | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 3. *Heart Disease, etc.* | 40 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 66 | 3 | 2 | 4 | 6 | 2 | 3 | – | 2 | 1 | 1 | – | 2 | 1 |
| | 3. Pleurisy | 16 | 8 | – | – | 2 | – | – | – | 1 | – | 1 | – | – | – |
| | 4. Pneumonia | 29 | 1 | – | – | – | – | – | 1 | 2 | 1 | 2 | 1 | 2 | 3 |
| | 5. Asthma | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 16 | 1 | – | 1 | – | – | – | – | 1 | – | – | 1 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 8 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 2. Enteritis | 8 | – | – | – | 1 | – | – | 1 | – | – | – | 1 | – | – |
| | 3. Peritonitis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 4. Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 13 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 14. Jaundice | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 7 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. Diabetes | 5 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 5. Calculus (Stone) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 5 | – | – | – | – | 1 | – | – | – | 2 | – | – | – | 1 |
| | 2. Tabes Mesenterica | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 89 | – | – | – | 1 | – | – | – | 2 | 8 | 10 | 10 | 19 | 6 |
| | 4. Hydrocephalus | 8 | 1 | 1 | 2 | – | – | – | 1 | 1 | 2 | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 5 | – | – | – | 1 | – | – | – | 2 | – | 1 | – | 1 | – |
| | 2. Apoplexy | 18 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 3. Paralysis | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 8. *Brain Disease, etc.* | 6 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 29 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 68 | – | 3 | 3 | 6 | 2 | 1 | – | 1 | – | 1 | 1 | 2 | – |
| | 3. Pleurisy | 15 | 2 | 2 | 1 | 1 | – | 1 | – | 1 | – | – | – | – | – |
| | 4. Pneumonia | 16 | 1 | – | – | – | – | – | – | – | 1 | 2 | 1 | 1 | – |
| | 5. Asthma | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 3. Peritonitis | 7 | – | – | – | – | – | – | – | – | 2 | – | – | 1 | 1 |
| | 4. Ascites | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 12 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 15 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 4. Diabetes | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 7. *Kidney Disease, etc.* | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 2. *Joint Disease, etc.* | 5 | – | – | – | – | 1 | – | – | 1 | 3 | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 9 | 5 | 5 | 6 | 1 | 7 | 5 | 2 | 4 | 1 | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | – | – | – | 1 | – | 3 | 3 | 1 | 5 | 1 | – | – | – | – | – |
| | 3. Paralysis | 1 | 1 | 1 | 2 | 1 | 3 | 2 | 1 | 3 | 3 | 1 | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 2 | 3 | 2 | 3 | 5 | 5 | 4 | 5 | 4 | 3 | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 1 | – | – | 2 | – | 5 | 6 | 6 | 10 | 6 | 3 | – | – | – | – |
| | 3. Pleurisy | – | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | – | 1 | – | 3 | 4 | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – |
| | 5. Asthma | – | – | 1 | – | 2 | – | 1 | 4 | – | 1 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 1 | – | 1 | 2 | 2 | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | 2 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| | 2. Enteritis | – | – | 1 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | 1 | 1 | – | 1 | 1 | – | – | 1 | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | 1 | 3 | 2 | 1 | 2 | 1 | 1 | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | – | – | 1 | 1 | – | – | 2 | 1 | – | 1 | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | 2 | 2 | 1 | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | 1 | – | – | 1 | 1 | 2 | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | 1 | – | 1 | 1 | 1 | 3 | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 6 | 9 | 5 | 3 | 4 | 2 | 1 | 3 | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 1 | – | 1 | – | 5 | 4 | 2 | 3 | – | 1 | – | – | – | – | – |
| | 3. Paralysis | – | – | 1 | 2 | 1 | 3 | 3 | 6 | 4 | 3 | 1 | – | – | – | – |
| | 4. Insanity | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | – | – | – | – | – | – | – | 4 | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | – | 1 | – | 3 | 4 | 4 | 1 | 3 | 8 | 2 | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | – | – | 1 | 1 | 4 | 4 | 8 | 12 | 9 | 5 | 2 | 2 | – | – | – |
| | 3. Pleurisy | 2 | – | – | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 1 | 1 | 1 | 1 | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – |
| | 5. Asthma | 1 | – | 1 | – | – | 2 | 6 | 2 | 1 | 2 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | – | – | – | – | – | 1 | 1 | – | 2 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 1 | 1 | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | 1 | 1 | 2 | 1 | 2 | – | 2 | 1 | 1 | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 2 | 2 | – | – | – | 2 | 2 | 5 | 1 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | ORDER 6 | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | 1 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 170 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 18 | 13 | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 9 | – | – | – | 1 | – | – | – | 1 | – | – | 2 | 2 | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 5 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 41 | – | – | – | – | – | – | – | 2 | 1 | 8 | 5 | 5 | 4 |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 5 | 1 | 1 | – | – | – | – | 1 | – | – | – | 1 | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 127 | 36 | 3 | 8 | 1 | 5 | 3 | 1 | 5 | 3 | 3 | – | 5 | 2 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | | 3 | 6 | 12 | | | | | | | | | | |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 7 | 7 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 3 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 15 | – | – | – | – | – | – | – | – | – | – | 1 | – | 5 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 257 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 20 | 10 | 1 | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 7 | – | – | – | 1 | – | 1 | – | – | – | 2 | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 5 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | 1 |
| | 7. Suffocation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 146 | 35 | 7 | 8 | 6 | 5 | – | 1 | 5 | 1 | 3 | 2 | 3 | 4 |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 1 | 10 | 17 | 24 | 56 | 36 | 21 | 3 | 2 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 4 | 1 | 4 | 1 | 2 | – | 1 | – | – | – | – | – | – | – | 3 |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 3 | 1 | 2 | 4 | 4 | 3 | 8 | 17 | 9 | – | 1 | – | – | – | – |

CAUSES of DEATH in the INSULAR-RURAL DISTRICTS of SCOTLAND, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 9 | 9 | 19 | 39 | 80 | 56 | 29 | 11 | 5 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 3 | 3 | 3 | 4 | 12 | 11 | 6 | 9 | 15 | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 6817 | 735 | 235 | 607 | 839 | 371 | 224 | 170 | 456 | 181 | 256 | 258 | 214 | 196 |
| | **Specified Causes** . . | 6759 | 728 | 231 | 607 | 837 | 370 | 224 | 169 | 454 | 178 | 255 | 257 | 212 | 196 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1418 | 82 | 61 | 196 | 277 | 166 | 99 | 75 | 164 | 38 | 45 | 40 | 30 | 18 |
| II. | CONSTITUTIONAL ,, | 1351 | 22 | 23 | 79 | 133 | 74 | 46 | 39 | 141 | 77 | 126 | 123 | 91 | 70 |
| III. | LOCAL ,, | 3085 | 233 | 129 | 285 | 378 | 118 | 73 | 51 | 121 | 54 | 63 | 62 | 68 | 79 |
| IV. | DEVELOPMENTAL ,, | 607 | 374 | 18 | 44 | 45 | 8 | 3 | 1 | 8 | – | – | 1 | – | – |
| V. | VIOLENT DEATHS . | 298 | 17 | – | 3 | 4 | 4 | 3 | 3 | 20 | 9 | 21 | 31 | 23 | 29 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1327 | 53 | 52 | 192 | 273 | 165 | 98 | 74 | 161 | 37 | 45 | 37 | 28 | 14 |
| | 2. ENTHETIC ,, . | 46 | 21 | 8 | 3 | 2 | – | – | – | – | – | – | 1 | 1 | 2 |
| | 3. DIETIC ,, . | 42 | 6 | 1 | 1 | 2 | – | 1 | 1 | 3 | 1 | – | 2 | 1 | 2 |
| | 4. PARASITIC ,, . | 3 | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 131 | – | 2 | 1 | 3 | 1 | 2 | – | 9 | 3 | 2 | 1 | 2 | 2 |
| | 2. TUBERCULAR ,, . | 1220 | 22 | 21 | 78 | 130 | 73 | 44 | 39 | 132 | 74 | 124 | 122 | 89 | 68 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 656 | 49 | 27 | 57 | 91 | 27 | 20 | 19 | 37 | 16 | 10 | 6 | 9 | 9 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 338 | 1 | – | 2 | – | – | – | – | 4 | 8 | 8 | 12 | 15 | 22 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1509 | 100 | 82 | 192 | 254 | 76 | 46 | 20 | 43 | 15 | 26 | 25 | 25 | 36 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 364 | 81 | 19 | 30 | 26 | 9 | – | 8 | 15 | 8 | 7 | 10 | 6 | 7 |
| | 5. ,, OF URINARY ORGANS . . . | 151 | 1 | – | – | 2 | 3 | 7 | 3 | 10 | 2 | 3 | 5 | 10 | 4 |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 47 | – | – | – | 4 | 1 | – | 1 | 11 | 5 | 9 | 4 | 2 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 19 | 1 | 1 | 4 | 1 | 2 | – | – | 1 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 290 | 217 | 5 | 29 | 37 | 2 | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 98 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION . | 219 | 157 | 13 | 15 | 8 | 6 | 3 | 1 | 8 | – | – | 1 | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 6487 | 521 | 202 | 542 | 778 | 401 | 233 | 184 | 369 | 173 | 242 | 236 | 249 | 221 |
| | **Specified Causes** . . | 6436 | 508 | 199 | 539 | 777 | 400 | 232 | 184 | 364 | 173 | 240 | 236 | 245 | 221 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1468 | 64 | 62 | 185 | 308 | 188 | 123 | 113 | 145 | 33 | 26 | 33 | 25 | 23 |
| II. | CONSTITUTIONAL ,, | 1416 | 16 | 24 | 60 | 97 | 65 | 44 | 21 | 105 | 72 | 153 | 140 | 125 | 102 |
| III. | LOCAL ,, | 2759 | 144 | 87 | 247 | 333 | 130 | 62 | 43 | 101 | 61 | 53 | 48 | 72 | 73 |
| IV. | DEVELOPMENTAL ,, | 684 | 275 | 26 | 44 | 37 | 14 | 1 | 1 | 5 | – | 6 | 11 | 17 | 21 |
| V. | VIOLENT DEATHS . | 109 | 9 | – | 3 | 2 | 3 | 2 | 6 | 8 | 7 | 2 | 4 | 6 | 2 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1412 | 47 | 58 | 179 | 307 | 188 | 122 | 110 | 144 | 33 | 26 | 31 | 22 | 19 |
| | 2. ENTHETIC ,, . | 18 | 7 | 1 | 4 | – | – | 1 | – | – | – | – | – | 1 | 2 |
| | 3. DIETIC ,, . | 31 | 5 | 3 | 2 | 1 | – | – | 2 | – | – | – | 2 | 2 | 2 |
| | 4. PARASITIC ,, . | 7 | 5 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 212 | 2 | – | – | 2 | 1 | 2 | 2 | 4 | 1 | 3 | 5 | 8 | 8 |
| | 2. TUBERCULAR ,, . | 1204 | 14 | 24 | 60 | 95 | 64 | 42 | 19 | 101 | 71 | 150 | 135 | 117 | 94 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 551 | 34 | 20 | 44 | 59 | 22 | 18 | 14 | 21 | 12 | 10 | 3 | 3 | 8 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 321 | – | – | – | 1 | – | 1 | – | 2 | 15 | 10 | 11 | 13 | 15 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1344 | 68 | 47 | 178 | 238 | 97 | 33 | 21 | 47 | 16 | 18 | 15 | 32 | 25 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 375 | 40 | 18 | 21 | 32 | 6 | 6 | 5 | 15 | 9 | 9 | 9 | 17 | 15 |
| | 5. ,, OF URINARY ORGANS . . | 101 | – | – | 1 | – | 4 | 4 | 3 | 9 | 6 | – | 8 | 6 | 5 |
| | 6. ,, OF ORGANS OF GENERATION . | 19 | – | – | – | – | – | – | – | – | – | 2 | 1 | – | 3 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 24 | – | – | – | 2 | – | – | – | 5 | 3 | 3 | 1 | 1 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 24 | 2 | 2 | 3 | 1 | 1 | – | – | 2 | – | 1 | – | – | 1 |
| IV | 1. DEV. DIS. OF CHILDREN | 228 | 148 | 11 | 33 | 29 | 6 | – | 1 | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 69 | – | – | – | – | – | – | – | – | – | 4 | 11 | 17 | 20 |
| | 3. ,, OF OLD PEOPLE | 187 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 200 | 127 | 15 | 11 | 8 | 8 | 1 | – | 5 | – | 2 | – | – | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 228 | 257 | 261 | 262 | 252 | 270 | 197 | 151 | 99 | 63 | 29 | 5 | – | 1 | – |
| | **Specified Causes** . . | 225 | 250 | 256 | 258 | 247 | 263 | 194 | 151 | 99 | 63 | 29 | 5 | – | 1 | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 20 | 23 | 21 | 14 | 11 | 10 | 8 | 12 | 4 | 4 | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 74 | 46 | 55 | 34 | 38 | 25 | 14 | 12 | 5 | 4 | – | – | – | – | – |
| III. | LOCAL ,, | 109 | 153 | 164 | 185 | 178 | 211 | 153 | 105 | 67 | 34 | 11 | 1 | – | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | 2 | 5 | 5 | 13 | 17 | 21 | 20 | 17 | 4 | – | 1 | – |
| V. | VIOLENT DEATHS . | 22 | 28 | 16 | 23 | 15 | 12 | 6 | 5 | 2 | 1 | 1 | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 12 | 17 | 16 | 10 | 9 | 8 | 7 | 12 | 3 | 4 | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | 3 | 2 | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 8 | 3 | 3 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | . |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 3 | 8 | 13 | 14 | 20 | 18 | 9 | 10 | 5 | 3 | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 71 | 38 | 42 | 20 | 18 | 7 | 5 | 2 | – | 1 | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 18 | 17 | 24 | 30 | 40 | 44 | 50 | 28 | 18 | 6 | 4 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 30 | 33 | 28 | 35 | 32 | 40 | 30 | 17 | 14 | 5 | 2 | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 36 | 65 | 66 | 89 | 70 | 95 | 59 | 46 | 25 | 13 | 4 | 1 | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 14 | 15 | 28 | 21 | 20 | 18 | 9 | 2 | 3 | 7 | 1 | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 9 | 18 | 16 | 9 | 15 | 11 | 3 | 10 | 7 | 3 | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | 2 | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | 3 | – | 1 | 1 | 2 | 1 | 1 | – | – | – | . | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 5 | 13 | 17 | 21 | 20 | 17 | 4 | – | 1 | – |
| | 4. DISEASES OF NUTRITION | – | – | – | 2 | 5 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class | CAUSES OF DEATH | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 218 | 216 | 226 | 244 | 249 | 281 | 231 | 179 | 147 | 82 | 39 | 15 | 8 | 1 | – |
| | **Specified Causes** . . | 212 | 213 | 221 | 242 | 248 | 281 | 231 | 178 | 147 | 82 | 39 | 15 | 8 | 1 | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 17 | 18 | 13 | 15 | 11 | 18 | 17 | 14 | 12 | 1 | 3 | 1 | – | – | – |
| II. | CONSTITUTIONAL ,, | 88 | 79 | 68 | 48 | 37 | 31 | 18 | 11 | 6 | 5 | – | 1 | – | – | – |
| III. | LOCAL ,, | 85 | 104 | 132 | 163 | 183 | 208 | 164 | 122 | 79 | 39 | 17 | 5 | 4 | – | – |
| IV. | DEVELOPMENTAL ,, | 16 | 4 | 3 | 9 | 7 | 16 | 30 | 26 | 48 | 36 | 18 | 8 | 4 | 1 | – |
| V. | VIOLENT DEATHS . | 6 | 8 | 5 | 7 | 10 | 8 | 2 | 5 | 2 | 1 | 1 | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 15 | 15 | 11 | 12 | 10 | 18 | 15 | 14 | 12 | 1 | 2 | 1 | – | – | – |
| | 2. ENTHETIC ,, . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | 2 | 2 | 3 | 1 | – | 2 | – | – | – | 1 | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 11 | 20 | 39 | 31 | 16 | 22 | 14 | 10 | 5 | 5 | – | 1 | – | – | – |
| | 2. TUBERCULAR ,, . | 77 | 59 | 29 | 17 | 21 | 9 | 4 | 1 | 1 | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 11 | 11 | 20 | 27 | 41 | 46 | 42 | 38 | 28 | 10 | 6 | 1 | 2 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 17 | 27 | 22 | 49 | 36 | 33 | 28 | 23 | 12 | 4 | 1 | 1 | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 28 | 42 | 47 | 59 | 76 | 86 | 63 | 45 | 30 | 21 | 8 | 3 | 1 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 20 | 10 | 31 | 20 | 20 | 27 | 23 | 12 | 7 | 2 | – | – | 1 | – | – |
| | 5. ,, OF URINARY ORGANS . . | 7 | 12 | 7 | 5 | 6 | 8 | 5 | – | 2 | 1 | 2 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | 2 | 3 | 1 | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | 1 | 1 | 1 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | 1 | 1 | 1 | 3 | 1 | 3 | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 12 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 16 | 30 | 26 | 48 | 36 | 18 | 8 | 4 | 1 | – |
| | 4. DISEASES OF NUTRITION | 4 | – | 2 | 9 | 7 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 290 | 17 | – | 3 | 4 | 4 | 3 | 3 | 20 | 9 | 21 | 31 | 23 | 29 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 23 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| | CAUSES NOT SPECIFIED | 35 | 6 | 4 | – | 1 | 1 | – | 1 | 2 | 3 | 1 | 1 | 1 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 170 | 2 | 5 | 33 | 63 | 32 | 18 | 8 | 8 | 1 | – | – | – | – |
| | 3. Scarlatina | 242 | – | 2 | 17 | 29 | 30 | 36 | 31 | 80 | 9 | 6 | – | 2 | – |
| | 4. Diphtheria | 78 | 1 | – | 7 | 21 | 15 | 6 | 8 | 16 | 2 | 2 | – | – | – |
| | 5. Quinsy | 5 | – | 1 | 2 | – | 1 | – | – | – | – | – | – | 1 | – |
| | 6. Croup | 54 | 1 | 2 | 5 | 11 | 11 | 12 | 5 | 5 | 1 | – | – | – | – |
| | 7. Hooping-cough | 331 | 9 | 18 | 83 | 111 | 61 | 20 | 16 | 13 | – | – | – | – | – |
| | 8. Typhus Fever | 20 | – | – | – | – | – | – | 1 | 2 | – | 3 | 3 | 2 | 2 |
| | 8. Enteric or Typhoid Fever | 161 | – | – | 1 | 2 | 4 | 2 | 3 | 31 | 22 | 28 | 30 | 21 | 6 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 7 | – | – | 1 | – | – | – | – | – | 2 | 2 | – | – | 1 |
| | 9. Erysipelas | 25 | 3 | – | 1 | 2 | 1 | – | – | 1 | – | – | 1 | – | 2 |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 12. Influenza | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 13. Dysentery | 8 | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 171 | 32 | 20 | 37 | 28 | 7 | 3 | 2 | 3 | – | – | 1 | 1 | 2 |
| | 15. Cholera | 23 | 5 | 3 | 4 | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 16. Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 2 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 19 | – | – | – | – | – | – | – | – | – | 4 | 1 | 1 | 1 |
| | 19. Other *Miasmatic* Diseases | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 40 | 21 | 8 | 3 | 2 | – | – | – | – | – | – | – | 1 | 1 |
| | 2. Stricture of Urethra | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 3. Hydrophobia | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 8 | 6 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 10 | – | – | – | 2 | – | 1 | 1 | 3 | 1 | – | 1 | – | – |
| | 4. Alcoholism *a* Del. Tremens | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 14 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 32 | – | 1 | 1 | 1 | 1 | 1 | – | 9 | 3 | – | 1 | – | 1 |
| | 3. Cancer | 80 | – | – | – | – | – | – | – | – | – | 2 | – | 2 | 1 |
| | 4. Cancrum Oris (Noma) | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 17 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 103 | 9 | – | 3 | 2 | 3 | 2 | 5 | 8 | 7 | 2 | 3 | 4 | 1 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | 2 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | 4. SUICIDE | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNACERTAINED) | 12 | 3 | – | 1 | – | – | – | – | – | – | – | – | 2 | – |
| | CAUSES NOT SPECIFIED | 39 | 10 | 3 | 2 | 1 | 1 | 1 | – | 5 | – | 2 | – | 2 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Measles | 160 | – | 3 | 15 | 66 | 32 | 20 | 14 | 9 | 1 | – | – | – | – |
| | 3. Scarlatina | 225 | – | – | 10 | 33 | 38 | 35 | 34 | 60 | 5 | 2 | 3 | 3 | 1 |
| | 4. Diphtheria | 83 | – | – | 9 | 12 | 19 | 10 | 17 | 15 | 1 | – | – | – | – |
| | 5. Quinsy | 5 | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| | 6. Croup | 57 | 3 | 1 | 10 | 15 | 10 | 10 | 6 | 2 | – | – | – | – | – |
| | 7. Hooping-cough | 403 | 14 | 22 | 85 | 122 | 73 | 38 | 24 | 24 | – | 1 | – | – | – |
| | 8. Typhus Fever | 19 | – | – | – | – | – | – | – | 1 | 4 | – | 2 | – | 1 |
| | 8. Enteric or Typhoid Fever | 122 | – | – | 1 | 6 | 6 | 4 | 5 | 22 | 18 | 19 | 15 | 9 | 6 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 9 | 1 | – | 1 | 1 | – | – | – | 1 | – | 1 | 1 | – | – |
| | 9. Erysipelas | 29 | 5 | 2 | 2 | 2 | – | 1 | 1 | 1 | – | 2 | – | – | 1 |
| | 10. Puerperal Fever (Metria) | 27 | – | – | – | – | – | – | – | – | – | – | 5 | 6 | 6 |
| | 11. Carbuncle | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 5 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 11 | 1 | – | 2 | – | 1 | – | – | – | – | – | – | 1 | – |
| | 14. Diarrhœa | 209 | 23 | 28 | 39 | 41 | 9 | 3 | 4 | 4 | 2 | – | 2 | 1 | 1 |
| | 15. Cholera | 15 | – | 1 | 4 | 3 | – | 1 | 2 | – | – | – | – | – | – |
| | 16. Ague | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 17. Remittent Fever | 5 | – | – | – | 1 | – | – | 1 | 3 | – | – | – | – | – |
| | 18. Rheumatism | 20 | – | – | – | – | – | – | – | 1 | 2 | – | 3 | 2 | 3 |
| | 19. Other *Miasmatic* Diseases | 3 | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 18 | 7 | 1 | 4 | – | – | 1 | – | – | – | – | – | 1 | 2 |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 7 | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 8 | – | 2 | 1 | 1 | – | – | 2 | – | – | – | – | 1 | – |
| | 4. Alcoholism *a* Del. Tremens | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| | 4. Alcoholism *b* Intemperance | 12 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Dropsy | 46 | – | – | – | 1 | – | 1 | 2 | 3 | – | 2 | 2 | 2 | 1 |
| | 3. Cancer | 156 | 1 | – | – | – | – | – | – | 1 | – | 1 | 3 | 5 | 7 |
| | 4. Cancrum Oris (Noma) | 2 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 5. Mortification | 8 | 1 | – | – | 1 | – | – | – | – | 1 | – | – | 1 | – |

* See page 52, note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 22 | 25 | 15 | 23 | 14 | 10 | 6 | 5 | 2 | 1 | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | 3 | 1 | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | 4 | 3 | 1 | 3 | 5 | 3 | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 2 | 3 | 2 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 2 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 6 | 2 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | 4 | – | 3 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | 1 | – | – | 1 | – | 2 | – | – | – | – | – |
| | 13. Dysentery | – | 1 | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 1 | 2 | 8 | 4 | 4 | 4 | 4 | 4 | 2 | 2 | – | – | – | – | – |
| | 15. Cholera | – | 2 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | 4 | 2 | – | – | 3 | – | 2 | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 6 | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 2 | 1 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1 | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | – | 2 | 3 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – |
| | 3. Cancer | 3 | 8 | 12 | 11 | 13 | 13 | 6 | 5 | 2 | 2 | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | 1 | 1 | 4 | 3 | – | 3 | 2 | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 6 | 8 | 4 | 7 | 10 | 8 | 2 | 5 | 2 | 1 | 1 | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 3 | 2 | 4 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 2 | 3 | 2 | 4 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 1 | 4 | 1 | – | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | 1 | 1 | 2 | 3 | 3 | 1 | – | 1 | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 7 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | 2 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 14. Diarrhœa | 2 | 2 | 3 | 3 | 5 | 8 | 8 | 9 | 8 | 1 | 2 | 1 | – | – | – |
| | 15. Cholera | 1 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | – | 1 | 1 | – | 3 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | 2 | 1 | 3 | 1 | – | 2 | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 4 | 3 | 3 | 6 | 3 | 3 | 1 | 5 | 1 | 2 | – | 1 | – | – | – |
| | 3. Cancer | 7 | 17 | 35 | 25 | 13 | 19 | 12 | 5 | 3 | 2 | – | – | – | – | – |
| | 4 Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | 1 | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 87 | 1 | – | 4 | 8 | 6 | 9 | 3 | 17 | 12 | 11 | 6 | 1 | 1 |
| | 2. Tabes Mesenterica | 199 | 11 | 5 | 17 | 36 | 30 | 16 | 19 | 46 | 10 | 5 | 1 | 3 | – |
| | 3. Phthisis | 752 | 3 | 3 | 18 | 30 | 15 | 14 | 11 | 42 | 46 | 108 | 114 | 85 | 67 |
| | 4. Hydrocephalus | 182 | 7 | 13 | 39 | 56 | 22 | 5 | 6 | 27 | 6 | – | 1 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 151 | 4 | 5 | 24 | 42 | 19 | 7 | 11 | 20 | 3 | 3 | – | – | 2 |
| | 2. Apoplexy | 169 | 5 | 4 | 7 | 10 | – | 6 | 2 | 3 | 4 | 1 | 1 | 3 | 5 |
| | 3. Paralysis | 123 | – | – | – | 3 | – | – | – | – | – | – | 1 | 2 | 1 |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 14 | – | – | – | – | – | – | – | – | 2 | 2 | 2 | 1 | – |
| | 7. Convulsions | 122 | 37 | 15 | 23 | 33 | 6 | 3 | 3 | 1 | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 77 | 3 | 3 | 3 | 3 | 2 | 4 | 3 | 13 | 7 | 4 | 2 | 3 | 1 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 9 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | 1 |
| | 2. Aneurism | 16 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| | 3. *Heart Disease, etc.* | 313 | 1 | – | 2 | – | – | – | – | 3 | 7 | 8 | 10 | 14 | 20 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 27 | 1 | 2 | 4 | 9 | 2 | 1 | 1 | – | – | – | – | 1 | 2 |
| | 2. Bronchitis | 919 | 77 | 46 | 124 | 152 | 47 | 28 | 10 | 22 | 6 | 8 | 7 | 7 | 11 |
| | 3. Pleurisy | 28 | 1 | – | 1 | 2 | – | – | – | – | 1 | 1 | – | 1 | 2 |
| | 4. Pneumonia | 372 | 12 | 20 | 48 | 70 | 20 | 11 | 8 | 11 | 3 | 14 | 17 | 12 | 17 |
| | 5. Asthma | 13 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 6. *Lung Disease, etc.* | 150 | 9 | 14 | 15 | 21 | 7 | 6 | 1 | 10 | 5 | 3 | 1 | 3 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 18 | 4 | 1 | 2 | 3 | 1 | – | 1 | 1 | – | – | – | – | – |
| | 2. Enteritis | 95 | 32 | 7 | 16 | 11 | 3 | – | 3 | 5 | 2 | 2 | 2 | 1 | – |
| | 3. Peritonitis | 29 | 3 | 2 | 3 | 2 | – | – | – | 6 | – | 3 | 1 | 1 | 1 |
| | 4. Ascites | 5 | – | – | – | – | – | – | 2 | – | 1 | – | – | – | 1 |
| | 5. Ulceration of Intestines | 11 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 6. Hernia | 16 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | 1 | 2 |
| | 7. Ileus | 19 | 9 | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – |
| | 8. Intussusception | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 3 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | – |
| | 11. *Stomach Disease, etc.* | 60 | 13 | 5 | 5 | 4 | 3 | – | 2 | 1 | 1 | – | 2 | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 20 | 1 | 1 | 1 | 4 | – | – | – | – | – | – | – | 1 | – |
| | 14. Jaundice | 20 | 10 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 58 | 6 | – | – | – | – | – | – | 1 | 2 | 2 | 2 | 2 | 3 |
| | 16. *Spleen Disease, etc.* | 3 | – | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 16 | – | – | – | 1 | – | 4 | 2 | 2 | – | 1 | – | – | – |
| | 2. Ischuria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 52 | – | – | – | – | – | – | – | 3 | – | – | 2 | 4 | 1 |
| | 4. Diabetes | 5 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 7 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 7. *Kidney Disease, etc.* | 68 | 1 | – | – | 1 | 3 | 2 | 1 | 5 | 2 | 2 | 3 | 4 | 3 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 2 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | 2. *Joint Disease, etc.* | 45 | – | – | – | 4 | 1 | – | 1 | 10 | 5 | 9 | 4 | 1 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 52 | 3 | – | 1 | 4 | 6 | 2 | 1 | 13 | 4 | 8 | 3 | 2 | 1 |
| | 2. Tabes Mesenterica | 128 | 4 | 9 | 6 | 31 | 15 | 12 | 3 | 22 | 16 | 4 | 2 | – | 1 |
| | 3. Phthisis | 855 | 3 | 4 | 13 | 24 | 20 | 11 | 5 | 41 | 49 | 137 | 130 | 115 | 92 |
| | 4. Hydrocephalus | 169 | 4 | 11 | 40 | 36 | 23 | 17 | 10 | 25 | 2 | 1 | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 99 | 6 | 10 | 15 | 23 | 11 | 4 | 5 | 11 | 4 | 4 | 1 | – | – |
| | 2. Apoplexy | 162 | 4 | 3 | 11 | 12 | 3 | 4 | 3 | 4 | 1 | 2 | – | 2 | 1 |
| | 3. Paralysis | 136 | 1 | – | – | – | – | – | – | – | – | – | – | 1 | 3 |
| | 4. Insanity | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 12 | – | – | – | – | 1 | – | – | – | 3 | 2 | 1 | – | 1 |
| | 7. Convulsions | 81 | 23 | 6 | 12 | 17 | 6 | 7 | 4 | 2 | – | 2 | – | – | – |
| | 8. *Brain Disease, etc.* | 57 | – | 1 | 6 | 7 | 1 | 3 | 2 | 4 | 4 | – | 1 | – | 2 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 10 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | – | 3 |
| | 2. Aneurism | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 3. *Heart Disease, etc.* | 307 | – | – | – | 1 | – | 1 | – | 1 | 14 | 8 | 10 | 13 | 12 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 22 | 3 | – | 3 | 7 | 3 | 1 | – | 2 | – | – | 1 | – | 1 |
| | 2. Bronchitis | 903 | 40 | 31 | 119 | 152 | 63 | 19 | 10 | 15 | 5 | 6 | 7 | 13 | 11 |
| | 3. Pleurisy | 13 | – | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – | 2 |
| | 4. Pneumonia | 264 | 10 | 14 | 42 | 50 | 19 | 9 | 7 | 23 | 6 | 5 | 5 | 15 | 7 |
| | 5. Asthma | 8 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 6. *Lung Disease, etc.* | 134 | 15 | 2 | 14 | 28 | 11 | 4 | 3 | 5 | 5 | 6 | 2 | 4 | 4 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 34 | 1 | – | 1 | 6 | 1 | 2 | 1 | 1 | – | – | 1 | 2 | – |
| | 2. Enteritis | 81 | 21 | 8 | 9 | 20 | 1 | 1 | 2 | 2 | 2 | – | 1 | – | 2 |
| | 3. Peritonitis | 51 | 5 | 1 | 2 | 2 | – | 1 | 2 | 3 | 3 | 3 | 2 | 7 | 4 |
| | 4. Ascites | 8 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | 5. Ulceration of Intestines | 16 | – | – | – | – | – | – | – | 1 | – | – | 2 | 2 | 2 |
| | 6. Hernia | 10 | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 7. Ileus | 16 | 2 | 1 | 1 | – | 1 | – | – | 1 | 1 | 1 | – | – | 1 |
| | 8. Intussusception | 4 | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – | – |
| | 9. Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 11. *Stomach Disease, etc.* | 52 | 7 | 5 | 6 | 3 | 2 | 1 | – | 2 | 2 | 1 | – | 1 | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 23 | – | 1 | – | 1 | 1 | – | – | 3 | 1 | 1 | – | 2 | – |
| | 14. Jaundice | 12 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 65 | 1 | – | 1 | – | – | 1 | – | 1 | – | 2 | 2 | 2 | 5 |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 20 | – | – | – | – | 2 | 3 | 1 | 3 | 2 | – | 2 | 2 | 2 |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 32 | – | – | – | – | – | – | 1 | 3 | 4 | – | 4 | 1 | 1 |
| | 4. Diabetes | 7 | – | – | 1 | – | 1 | – | – | – | – | – | 1 | – | 2 |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 35 | – | – | – | – | 1 | 1 | 1 | 3 | – | – | 1 | 3 | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 7 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. *Uterus Disease, etc.* | 12 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | 3 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 5 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 19 | – | – | – | 2 | – | – | – | 4 | 3 | 3 | 1 | 1 | 1 |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 2 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 69 | 37 | 40 | 19 | 16 | 7 | 5 | 2 | – | 1 | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 2 | 5 | – | 1 | 2 | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Apoplexy | 8 | 4 | 10 | 17 | 14 | 15 | 26 | 11 | 7 | 4 | 2 | – | – | – | – |
| | 3. Paralysis | 4 | 5 | 9 | 9 | 22 | 23 | 18 | 12 | 11 | 1 | 2 | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 2 | 3 | 2 | 2 | 5 | 6 | 4 | – | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 3 | 4 | 2 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 26 | 28 | 25 | 32 | 32 | 37 | 30 | 17 | 14 | 5 | 2 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 15 | 33 | 36 | 62 | 54 | 67 | 42 | 32 | 18 | 10 | 4 | 1 | – | – | – |
| | 3. Pleurisy | 1 | 3 | 1 | 3 | 2 | 4 | 1 | 2 | 2 | – | – | – | – | – | – |
| | 4. Pneumonia | 12 | 18 | 21 | 13 | 10 | 16 | 9 | 7 | 2 | 1 | – | – | – | – | – |
| | 5. Asthma | 2 | 3 | 1 | 1 | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 6 | 7 | 7 | 7 | 4 | 6 | 5 | 4 | 3 | 2 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | 1 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 1 | – | 4 | 2 | 2 | – | 1 | – | – | 1 | – | – | – | – | – |
| | 3. Peritonitis | 1 | 1 | 2 | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Ascites | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 2 | – | 1 | 3 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| | 6. Hernia | – | 1 | 1 | 1 | 2 | 1 | – | – | 1 | 1 | – | – | – | – | – |
| | 7. Ileus | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 8. Intussusception | 1 | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 1 | 2 | 6 | 7 | 2 | 6 | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | 1 | 4 | 1 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – |
| | 14. Jaundice | 1 | – | 1 | 1 | 1 | 2 | – | 1 | 1 | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 5 | 6 | 7 | 5 | 6 | 4 | 5 | 1 | – | 1 | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | 2 | – | 2 | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 5 | 10 | 8 | 6 | 2 | 6 | – | 4 | 1 | – | – | – | – | – | – |
| | 4. Diabetes | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | – | – | – | 1 | – | 4 | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 2 | 7 | 4 | 3 | 11 | 3 | 3 | 1 | 4 | 3 | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 2 | 2 | 2 | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 74 | 58 | 29 | 16 | 20 | 8 | 4 | 1 | 1 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 1 | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 2. Apoplexy | 6 | 6 | 12 | 10 | 18 | 18 | 15 | 16 | 8 | 2 | – | 1 | – | – | – |
| | 3. Paralysis | 3 | 4 | 4 | 11 | 15 | 22 | 24 | 20 | 14 | 7 | 5 | – | 2 | – | – |
| | 4. Insanity | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | 1 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 1 | 3 | 4 | 3 | 2 | 3 | 2 | 6 | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | 3 | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 16 | 27 | 21 | 48 | 36 | 30 | 28 | 23 | 12 | 4 | 1 | 1 | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 16 | 31 | 41 | 45 | 61 | 73 | 53 | 40 | 26 | 16 | 6 | 3 | 1 | – | – |
| | 3. Pleurisy | 1 | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 9 | 9 | 4 | 4 | 9 | 6 | 4 | 2 | 1 | 4 | – | – | – | – | – |
| | 5. Asthma | – | – | – | 1 | – | 3 | – | 1 | 2 | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 2 | 1 | 1 | 8 | 4 | 3 | 6 | 2 | 1 | 1 | 2 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | 1 | 3 | 5 | 1 | 2 | 3 | 2 | – | – | – | – | – | – | – |
| | 2. Enteritis | 1 | – | 2 | – | – | 1 | 1 | 3 | 1 | 2 | – | – | 1 | – | – |
| | 3. Peritonitis | 3 | – | 4 | 2 | – | 2 | 2 | 2 | 1 | – | – | – | – | – | – |
| | 4. Ascites | – | – | 1 | 1 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | 1 | 1 | 2 | – | 2 | 2 | 1 | – | – | – | – | – | – | – |
| | 6. Hernia | 1 | – | 2 | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | 1 | 2 | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 6 | – | 4 | 4 | 1 | 4 | 1 | 2 | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | 1 | 2 | 2 | 2 | 2 | 2 | – | 1 | – | – | – | – | – | – |
| | 14. Jaundice | 1 | 3 | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 6 | 2 | 10 | 2 | 9 | 7 | 10 | – | 4 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 6 | 4 | 2 | 2 | – | 1 | 2 | – | – | – | 1 | – | – | – | – |
| | 4. Diabetes | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | 1 | – | 1 | 3 | 2 | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | 7 | 5 | 1 | 2 | 3 | 2 | – | 2 | 1 | 1 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 1 | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | 3 | 1 | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 11 | 1 | – | 3 | – | 1 | – | – | 1 | – | – | – | – | – |
| | 2. Ulcer | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 4 | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 200 | 200 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 6 | 4 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 72 | 1 | 5 | 29 | 35 | 2 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 98 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 219 | 157 | 13 | 15 | 8 | 6 | 3 | 1 | 8 | – | – | 1 | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 137 | 1 | – | – | 1 | 3 | – | 2 | 13 | 4 | 10 | 10 | 12 | 15 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 37 | – | – | 1 | 2 | 1 | 3 | 1 | 1 | 2 | 3 | 7 | 2 | 4 |
| | 5. Poison | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 6. Drowning | 54 | – | – | – | – | – | – | – | 3 | 3 | 2 | 8 | 7 | 9 |
| | 7. Suffocation | 24 | 15 | – | 2 | – | – | – | – | – | – | 1 | – | 2 | – |
| | 8. Otherwise | 31 | 1 | – | – | 1 | – | – | – | 3 | – | 4 | 6 | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | I. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 23 | 1 | – | – | 1 | – | – | – | – | – | – | – | 1 | – |
| | Causes not specified or ill-defined | 35 | 6 | 4 | – | 1 | 1 | – | 1 | 2 | 3 | 1 | 1 | 1 | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 9 | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| | 2. Ulcer | 10 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| | 3. *Skin Disease, etc.* | 5 | – | 1 | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 136 | 134 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 7 | 5 | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Other Malformations | 10 | 8 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5 Teething | 74 | – | 7 | 33 | 29 | 5 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 67 | – | – | – | – | – | – | – | – | – | 3 | 10 | 17 | 20 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 187 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 200 | 127 | 15 | 11 | 8 | 8 | 1 | – | 5 | – | 2 | – | – | 1 |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 38 | – | – | – | – | 2 | 1 | – | 3 | 3 | 1 | 1 | 2 | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 25 | – | – | 2 | 2 | 1 | 1 | 5 | 2 | 4 | – | – | – | – |
| | 5. Poison | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 6. Drowning | 12 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | 1 | 1 |
| | 7. Suffocation | 16 | 8 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 8 | 1 | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | 2 | – | – | – | – | – | – | 1 | – | – | – | – | 1 | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Drowning | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 5 Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 12 | 3 | – | 1 | – | – | – | – | – | – | – | – | 2 | – |
| | Causes not specified or ill-defined | 39 | 10 | 3 | 2 | 1 | 1 | 1 | – | 5 | – | 2 | – | 2 | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—MALES. (*Continued*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | 2 | – | – | 1 | 1 | – | 1 | – | – | | – | | – | – |
| | 2. Ulcer | – | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 5 | 13 | 17 | 21 | 20 | 17 | 4 | – | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | 2 | 5 | | – | – | – | – | | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 11 | 10 | 9 | 12 | 9 | 6 | 3 | 3 | 2 | 1 | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 2 | 3 | 2 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 5. Poison | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Drowning | 6 | 6 | 2 | 5 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 3 | 2 | 2 | 5 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | 2 | – | – | 1 | 2 | – | – | – | – | 1 | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | 4 | 3 | 1 | 3 | 5 | 3 | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 2 | 3 | 2 | 3 | 2 | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GLASGOW, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | 1 | 3 | 1 | 2 | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 12 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 16 | 30 | 26 | 48 | 36 | 18 | 8 | 4 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 4 | – | 2 | 9 | 7 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1 (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | 3 | 1 | 2 | 7 | 4 | 1 | 2 | 2 | 1 | – | – | | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | 1 | 1 | – | 1 | 2 | – | 2 | – | – | 1 | – | – | – | – |
| | 5. Poison | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 1 | 1 | – | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | 1 | 2 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 2 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 1 | – | – | – | | – | | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 3 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 3 | 2 | 4 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 2520 | 294 | 88 | 225 | 240 | 136 | 90 | 59 | 159 | 43 | 68 | 79 | 83 | 83 |
| | **Specified Causes** . . | 2514 | 291 | 88 | 225 | 240 | 136 | 90 | 59 | 158 | 43 | 68 | 79 | 83 | 83 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 614 | 44 | 25 | 88 | 104 | 78 | 55 | 37 | 81 | 11 | 11 | 10 | 11 | 7 |
| II. | CONSTITUTIONAL ,, | 466 | 8 | 12 | 33 | 36 | 17 | 15 | 9 | 32 | 14 | 29 | 38 | 39 | 33 |
| III. | LOCAL ,, | 1124 | 97 | 40 | 91 | 89 | 35 | 18 | 8 | 41 | 15 | 27 | 26 | 30 | 38 |
| IV. | DEVELOPMENTAL ,, | 225 | 127 | 8 | 12 | 9 | 5 | 1 | 2 | 1 | – | – | – | – | – |
| V. | VIOLENT DEATHS . | 85 | 15 | 3 | 1 | 2 | 1 | 1 | 3 | 3 | 3 | 1 | 5 | 3 | 5 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 565 | 28 | 20 | 85 | 102 | 78 | 55 | 37 | 81 | 11 | 11 | 9 | 7 | 4 |
| | 2. ENTHETIC ,, . | 19 | 6 | 4 | 2 | 2 | – | – | – | – | – | – | – | 1 | 3 |
| | 3. DIETIC ,, . | 30 | 10 | 1 | 1 | – | – | – | – | – | – | – | 1 | 3 | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 77 | – | 1 | 1 | – | 1 | 2 | 1 | – | – | 1 | 1 | 1 | 1 |
| | 2. TUBERCULAR ,, . | 389 | 8 | 11 | 32 | 36 | 16 | 13 | 8 | 32 | 14 | 28 | 37 | 38 | 32 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 243 | 26 | 4 | 23 | 23 | 5 | 3 | 4 | 6 | 3 | 6 | 5 | 2 | 5 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 189 | 1 | – | 1 | 2 | – | – | – | 4 | 2 | 7 | 7 | 6 | 11 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 479 | 53 | 31 | 59 | 59 | 25 | 10 | | 17 | 4 | 5 | 4 | 9 | 8 |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 111 | 16 | 5 | 7 | 4 | 3 | 1 | 1 | 2 | 3 | 4 | 1 | 6 | 10 |
| | 5. ,, OF URINARY ORGANS . . . | 86 | – | – | 1 | 1 | 1 | 4 | – | 11 | 3 | 4 | 6 | 4 | 3 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 13 | 1 | – | – | – | – | – | – | 1 | – | 1 | 3 | 2 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 3 | – | – | – | – | 1 | – | – | – | – | – | – | 1 | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 96 | 72 | 1 | 10 | 9 | 3 | – | 1 | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 58 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 71 | 55 | 7 | 2 | – | 2 | 1 | 1 | 1 | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 2426 | 213 | 93 | 163 | 263 | 117 | 81 | 56 | 131 | 60 | 56 | 71 | 80 | 62 |
| | **Specified Causes** . . | 2418 | 211 | 92 | 163 | 261 | 117 | 79 | 56 | 131 | 60 | 56 | 71 | 79 | 62 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 567 | 39 | 21 | 58 | 117 | 55 | 56 | 37 | 81 | 16 | 6 | 12 | 6 | 9 |
| II. | CONSTITUTIONAL ,, | 462 | 7 | 9 | 16 | 35 | 15 | 8 | 12 | 15 | 27 | 27 | 33 | 36 | 25 |
| III. | LOCAL ,, | 1102 | 61 | 53 | 69 | 101 | 44 | 14 | 6 | 33 | 16 | 22 | 22 | 31 | 22 |
| IV. | DEVELOPMENTAL ,, | 240 | 92 | 7 | 19 | 4 | 1 | 1 | – | – | 1 | 1 | 3 | 5 | 2 |
| V. | VIOLENT DEATHS . | 47 | 12 | 2 | 1 | 4 | 2 | – | 1 | 2 | – | – | 1 | 1 | 4 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 536 | 29 | 17 | 55 | 117 | 55 | 56 | 36 | 81 | 16 | 6 | 12 | 5 | 9 |
| | 2. ENTHETIC ,, . | 10 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 18 | 1 | 1 | 3 | – | – | – | 1 | – | – | – | – | 1 | – |
| | 4. PARASITIC ,, . | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 140 | – | 1 | – | 1 | 1 | 1 | – | – | – | – | 1 | 6 | 5 |
| | 2. TUBERCULAR ,, . | 322 | 7 | 8 | 16 | 34 | 14 | 7 | 12 | 15 | 27 | 27 | 32 | 30 | 20 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 241 | 18 | 6 | 18 | 20 | 13 | 3 | 2 | 11 | 1 | 2 | 2 | 1 | 4 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 208 | – | – | – | 2 | – | – | – | 3 | 5 | 7 | 8 | 7 | 7 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 444 | 30 | 39 | 46 | 73 | 26 | 7 | 4 | 11 | 4 | 2 | 3 | 8 | 4 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 132 | 13 | 7 | 5 | – | 3 | 2 | – | 3 | 3 | 5 | 3 | 8 | 2 |
| | 5. ,, OF URINARY ORGANS . . . | 48 | – | – | – | 4 | 2 | 2 | – | 4 | 2 | 4 | 5 | 3 | 2 |
| | 6. ,, OF ORGANS OF GENERATION . | 11 | – | – | – | – | – | – | | – | – | – | 1 | 1 | 2 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 14 | – | 1 | – | – | – | – | – | | 1 | 2 | – | 1 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 4 | – | – | – | 2 | – | – | – | – | – | – | – | 2 | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 67 | 52 | – | 11 | 2 | 1 | – | – | – | 1 | – | – | – | – |
| | 2. ,, OF ADULTS . | 24 | – | – | – | – | – | – | – | | – | 1 | 3 | 5 | 2 |
| | 3. ,, OF OLD PEOPLE | 88 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 61 | 40 | 7 | 8 | 2 | – | 1 | – | – | – | – | – | – | |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . | 79 | 103 | 109 | 95 | 81 | 86 | 98 | 87 | 59 | 49 | 24 | 2 | 1 | – | – |
| | **Specified Causes** . | 79 | 103 | 109 | 95 | 79 | 86 | 98 | 87 | 59 | 49 | 24 | 2 | 1 | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 5 | 7 | 8 | 10 | 3 | 1 | 6 | 5 | 6 | – | 1 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 22 | 31 | 20 | 11 | 22 | 12 | 11 | 11 | 5 | 3 | 3 | – | – | – | – |
| III. | LOCAL ,, | 45 | 61 | 74 | 67 | 47 | 66 | 72 | 55 | 37 | 33 | 11 | – | 1 | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | 1 | 1 | 4 | 6 | 13 | 11 | 13 | 9 | 2 | – | – | – |
| V. | VIOLENT DEATHS . | 7 | 4 | 7 | 6 | 6 | 3 | 3 | 3 | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 4 | 5 | 4 | 5 | 2 | 1 | 5 | 5 | 5 | – | 1 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | 1 | | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | 2 | 3 | 5 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | | | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, | 2 | 9 | 6 | 6 | 11 | 9 | 8 | 7 | 3 | 3 | 3 | – | – | – | – |
| | 2. TUBERCULAR ,, | 20 | 22 | 14 | 5 | 11 | 3 | 3 | 4 | 2 | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 12 | 11 | 9 | 13 | 8 | 16 | 27 | 12 | 8 | 9 | 2 | – | 1 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 12 | 22 | 23 | 18 | 17 | 14 | 10 | 14 | 10 | 7 | 1 | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 12 | 14 | 31 | 21 | 12 | 25 | 26 | 19 | 12 | 14 | 6 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 2 | 6 | 7 | 7 | 4 | 7 | 4 | 4 | 3 | 2 | 2 | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 5 | 8 | 3 | 8 | 5 | 4 | 5 | 5 | 4 | 1 | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV DIS. OF CHILDREN | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | | | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | | | 4 | 6 | 13 | 11 | 13 | 9 | 2 | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | 1 | 1 | | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . | 78 | 91 | 97 | 78 | 90 | 97 | 104 | 117 | 116 | 73 | 30 | 7 | 2 | – | – |
| | **Specified Causes** . . | 78 | 91 | 97 | 78 | 90 | 97 | 104 | 117 | 116 | 73 | 30 | 7 | 2 | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 3 | 6 | 4 | 4 | 3 | 5 | 11 | 5 | 5 | 7 | 1 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 31 | 30 | 34 | 17 | 24 | 17 | 15 | 14 | 6 | 4 | 4 | 1 | – | – | – |
| III. | LOCAL ,, | 34 | 51 | 55 | 55 | 59 | 67 | 73 | 81 | 76 | 38 | 16 | 2 | 1 | – | – |
| IV. | DEVELOPMENTAL ,, | 9 | 3 | – | 2 | 2 | 5 | 5 | 16 | 26 | 22 | 9 | 4 | 1 | – | – |
| V. | VIOLENT DEATHS . | 1 | 1 | 4 | – | 2 | 3 | – | 1 | 3 | 2 | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 2 | 5 | 3 | 4 | 1 | 2 | 10 | 2 | 5 | 7 | 1 | – | – | – | – |
| | 2. ENTHETIC ,, . | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | 1 | 1 | – | 2 | 3 | 1 | 3 | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 4 | 16 | 20 | 12 | 17 | 15 | 13 | 12 | 6 | 4 | 4 | 1 | – | – | – |
| | 2. TUBERCULAR ,, | 27 | 14 | 14 | 5 | 7 | 2 | 2 | 2 | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 2 | 6 | 8 | 10 | 9 | 20 | 18 | 17 | 27 | 15 | 8 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 10 | 19 | 22 | 22 | 15 | 16 | 22 | 18 | 13 | 10 | – | 1 | 1 | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 12 | 10 | 12 | 16 | 25 | 20 | 21 | 28 | 22 | 12 | 8 | 1 | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 5 | 11 | 9 | 6 | 7 | 9 | 8 | 14 | 9 | – | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . . | 3 | 4 | 4 | – | 2 | – | 1 | 1 | 4 | 1 | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | 1 | – | 1 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 1 | – | – | – | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 9 | 3 | – | 1 | – | | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 5 | 5 | 16 | 26 | 22 | 9 | 4 | 1 | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 78 | 15 | 3 | 1 | 2 | 1 | 1 | 3 | 3 | 3 | 1 | 5 | 3 | 5 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 6 | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| I. | ORDER 1 | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | . Measles | 101 | 3 | – | 30 | 31 | 13 | 13 | 4 | 7 | – | – | – | – | – |
| | 3. Scarlatina | 194 | – | – | 13 | 18 | 37 | 28 | 24 | 61 | 6 | 4 | 1 | 2 | – |
| | 4 Diphtheria | 18 | 1 | – | – | 2 | 4 | 2 | 4 | 3 | 1 | – | – | – | – |
| | 5. Quinsy | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Croup | 21 | – | 3 | 4 | 7 | 5 | 1 | – | 1 | – | – | – | – | – |
| | 7 Hooping-cough | 100 | 2 | 6 | 24 | 35 | 17 | 7 | 3 | 6 | – | – | – | – | – |
| | 8. Typhus Fever | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 8. Enteric or Typhoid Fever | 28 | – | – | – | – | – | 2 | 2 | – | 3 | 4 | 4 | 4 | 3 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 6 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| | 9. Erysipelas | 8 | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 3 | – | – | – | 1 | 1 | – | – | – | – | – | – | 1 | – |
| | 14. Diarrhœa | 61 | 19 | 9 | 12 | 6 | – | 1 | – | – | – | 1 | 1 | – | – |
| | 15. Cholera | 4 | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 8 | – | – | – | – | – | – | – | 2 | – | 1 | 2 | – | – |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 15 | 6 | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| | 3. Hydrophobia | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 12 | 10 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 13 | – | – | – | – | – | – | – | – | – | – | 1 | 3 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 10 | – | 1 | 1 | – | – | 1 | 1 | – | – | 1 | – | – | – |
| | 3. Cancer | 59 | – | – | – | – | 1 | 1 | – | – | – | – | 1 | 1 | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 43 | 12 | 2 | 1 | 4 | 2 | – | 1 | 2 | – | – | 1 | 1 | 3 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | | | – | – | | – | – |
| | 4. SUICIDE | 4 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | | | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 8 | 2 | 1 | – | 2 | – | 2 | – | – | – | – | – | 1 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 82 | 1 | – | 14 | 30 | 13 | 15 | 5 | 3 | 1 | – | – | – | – |
| | 3. Scarlatina | 158 | – | 1 | 3 | 27 | 20 | 19 | 16 | 55 | 9 | 2 | 2 | 2 | 1 |
| | 4. Diphtheria | 21 | – | 1 | – | 6 | 4 | 3 | 1 | 4 | – | 1 | – | – | – |
| | 5. Quinsy | 3 | 1 | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | 6. Croup | 19 | – | 2 | 2 | 5 | 1 | 5 | 4 | – | – | – | – | – | – |
| | 7. Hooping-cough | 111 | 9 | 5 | 23 | 38 | 16 | 11 | 4 | 5 | – | – | – | | – |
| | 8. Typhus Fever | 3 | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 29 | – | – | – | – | 1 | 1 | 2 | 9 | 3 | 1 | 5 | – | 4 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 3 | – | – | – | – | – | – | 1 | – | 1 | – | – | – | – |
| | 9. Erysipelas | 6 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 10 | – | – | – | – | – | – | – | – | – | 2 | 4 | 2 | 2 |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | 4 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 6 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 14. Diarrhœa | 62 | 12 | 7 | 12 | 9 | – | 1 | – | – | – | – | – | – | 2 |
| | 15. Cholera | 8 | 3 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 18. Rheumatism | 9 | – | – | – | – | – | – | 2 | 1 | 2 | – | – | 1 | – |
| | 19. Other *Miasmatic* Diseases | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 10 | 7 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 Want of Breast Milk | 5 | 1 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| | 3 Purpura and Scurvy | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4 Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 Alcoholism *b* Intemperance | 10 | – | – | – | – | – | | – | – | – | – | – | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | 2 | – | – | – | – | – | – | – | – | – | – | – | | – |
| | 2. Dropsy | 18 | – | 1 | – | 1 | – | 1 | – | – | – | – | 1 | 2 | 1 |
| | 3. Cancer | 111 | | – | – | – | 1 | – | – | – | – | – | – | 4 | 4 |
| | 4. Cancrum Oris Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES. (*Continued.*

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 7 | 2 | 6 | 5 | 6 | 2 | 1 | 3 | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | 2 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 1 | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11 Carbuncle | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 1 | – | 1 | 1 | – | – | 2 | 3 | 3 | – | 1 | – | – | – | – |
| | 15. Cholera | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | | | 1 | | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | 2 | 2 | 2 | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | 2. Dropsy | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 3. Cancer | 2 | 9 | 5 | 6 | 9 | 8 | 6 | 6 | 2 | 2 | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | 1 | – | 1 | 1 | 2 | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | – | – | 4 | – | 1 | 3 | – | 1 | 3 | 2 | – | | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 SUICIDE | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5 EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 13. Dysentery | – | 1 | – | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| | 14. Diarrhœa | – | 2 | – | 1 | – | – | 6 | – | 4 | 5 | 1 | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a.* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b.* Intemperance | – | 1 | 1 | – | 1 | 2 | 1 | 3 | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | | 1 | 1 | – | 2 | 2 | 3 | 1 | – | – | 1 | – | – | – | – |
| | 3. Cancer | 4 | 15 | 19 | 12 | 15 | 9 | 9 | 8 | 6 | 4 | 1 | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | 2 | 1 | 3 | – | – | 2 | 1 | – | – | – |

* See page 52, note.

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 21 | – | – | – | 2 | 2 | 1 | 1 | 7 | 2 | – | 1 | 2 | 2 |
| | 2. Tabes Mesenterica | 43 | 3 | 3 | 7 | 11 | 4 | 5 | – | 5 | 4 | – | – | – | – |
| | 3. Phthisis | 242 | 3 | – | – | 4 | 2 | 3 | 2 | 11 | 7 | 27 | 35 | 36 | 30 |
| | 4. Hydrocephalus | 83 | 2 | 8 | 25 | 19 | 8 | 4 | 5 | 9 | 1 | 1 | 1 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 46 | 2 | 1 | 13 | 6 | 3 | 3 | 2 | 4 | 2 | 2 | 2 | 2 | – |
| | 2. Apoplexy | 58 | 1 | 1 | 2 | 2 | – | – | – | – | 1 | – | 2 | – | 2 |
| | 3. Paralysis | 54 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 4. Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 6 | – | – | 1 | – | – | – | – | 1 | – | 1 | – | – | – |
| | 7. Convulsions | 44 | 21 | 2 | 6 | 11 | 1 | – | 2 | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 33 | 2 | – | 1 | 4 | 1 | – | – | 1 | – | 2 | 1 | – | 2 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 6 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| | 2. Aneurism | 21 | – | – | – | – | – | – | – | – | – | – | – | 1 | 2 |
| | 3. *Heart Disease, etc.* | 162 | 1 | – | 1 | 2 | – | – | – | 3 | 2 | 6 | 7 | 5 | 9 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 10 | 1 | – | 2 | 3 | – | 1 | – | – | – | – | – | 1 | 1 |
| | 2. Bronchitis | 249 | 37 | 24 | 40 | 36 | 16 | 2 | – | 6 | 2 | 1 | – | – | 2 |
| | 3. Pleurisy | 15 | – | – | – | – | – | 1 | – | 1 | – | – | – | 2 | – |
| | 4. Pneumonia | 149 | 4 | 7 | 13 | 18 | 9 | 6 | 3 | 9 | 1 | 4 | 3 | 3 | 5 |
| | 5. Asthma | 10 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 46 | 11 | – | 4 | 2 | – | – | – | – | 1 | – | 1 | 3 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 6 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 27 | 7 | 2 | 3 | 2 | 2 | – | 1 | 1 | – | 1 | 1 | – | 2 |
| | 3. Peritonitis | 15 | 1 | – | – | 2 | – | – | – | – | 1 | 2 | – | 2 | 2 |
| | 4. Ascites | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 5. Ulceration of Intestines | 6 | 1 | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | 6. Hernia | 8 | – | – | – | – | 1 | – | – | – | – | 1 | – | – | 3 |
| | 7. Ileus | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 9. Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 11. *Stomach Disease, etc.* | 12 | 2 | 1 | 2 | – | – | – | – | – | – | – | – | 2 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 6 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, tc* | 21 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | 1 | – |
| | 16. *Spleen Disease, etc.* | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 5 | | | | | | | | | | | | | | |
| | 1 Nephritis | 17 | | – | 1 | 1 | – | 3 | – | 7 | – | – | 1 | – | 1 |
| | . Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 29 | – | – | – | – | 1 | 1 | – | 3 | 2 | 2 | 1 | 1 | 2 |
| | 4. Diabetes | 12 | – | – | – | – | – | – | – | – | – | – | 4 | 2 | – |
| | 5. Calculus (Stone) | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 19 | – | – | – | – | – | – | – | 1 | 1 | 2 | – | 1 | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7 | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 12 | – | – | – | – | – | – | – | 1 | – | 1 | 3 | 2 | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 23 | – | – | – | 5 | 3 | – | 1 | 1 | 6 | 3 | 1 | 1 | 1 |
| | 2. Tabes Mesenterica | 29 | 5 | – | 2 | 8 | 5 | 1 | 1 | 4 | 2 | – | – | – | – |
| | 3. Phthisis | 209 | 2 | 3 | 2 | 5 | 1 | – | 2 | 4 | 18 | 23 | 30 | 29 | 19 |
| | 4. Hydrocephalus | 61 | – | 5 | 12 | 16 | 5 | 6 | 8 | 6 | 1 | 1 | 1 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 41 | 4 | 2 | 6 | 5 | 7 | 1 | 1 | 6 | 1 | – | 1 | – | 1 |
| | 2. Apoplexy | 61 | 2 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | 2 |
| | 3. Paralysis | 58 | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 43 | 11 | 3 | 7 | 11 | 5 | 1 | 1 | 1 | – | – | – | – | 1 |
| | 8. *Brain Disease, etc.* | 34 | – | 1 | 4 | 2 | – | – | – | 3 | – | 2 | 1 | 1 | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 6 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | 2 |
| | 2. Aneurism | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 197 | – | – | – | 2 | – | – | – | 3 | 4 | 6 | 8 | 7 | 5 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 5 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 246 | 18 | 28 | 25 | 41 | 14 | 3 | 2 | 2 | 1 | – | – | 2 | 2 |
| | 3. Pleurisy | 16 | – | 1 | – | 1 | 2 | – | – | – | 1 | – | 1 | – | – |
| | 4. Pneumonia | 109 | 4 | 4 | 13 | 24 | 8 | 2 | 2 | 5 | – | 2 | 2 | 5 | – |
| | 5. Asthma | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 60 | 7 | 6 | 7 | 6 | 1 | 2 | – | 4 | 2 | – | – | 1 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Enteritis | 21 | 4 | 4 | 3 | – | 2 | 1 | – | 1 | – | 1 | – | – | – |
| | 3. Peritonitis | 19 | 2 | 1 | – | – | – | – | – | 2 | – | 2 | 2 | 3 | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 10 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | – |
| | 6. Hernia | 6 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 8 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 8. Intussusception | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 19 | 1 | 1 | 2 | – | 1 | – | – | – | – | 2 | – | 2 | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 11 | 3 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 23 | – | 1 | – | – | – | – | – | – | 2 | – | – | 2 | – |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 13 | – | – | – | 3 | 2 | 1 | – | 3 | – | – | 1 | – | – |
| | 2. Ischuria | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 16 | – | – | – | – | – | 1 | – | 1 | – | 2 | 3 | 2 | 1 |
| | 4. Diabetes | 5 | – | – | – | – | – | – | – | – | 2 | 1 | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 7. *Kidney Disease, etc.* | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | 2 |
| | 2. *Uterus Disease, etc.* | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 11 | – | 1 | – | – | – | – | – | 1 | 1 | 2 | – | 1 | 1 |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 20 | 21 | 14 | 5 | 11 | 3 | 3 | 3 | 2 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 1 | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 5 | 1 | 3 | 8 | 3 | 8 | 7 | 4 | 3 | 4 | 1 | – | – | – | – |
| | 3. Paralysis | 1 | 7 | 3 | – | 3 | 6 | 16 | 7 | 4 | 3 | 1 | – | 1 | – | – |
| | 4. Insanity | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 4 | 1 | 3 | 2 | 1 | 2 | 2 | 1 | 1 | 2 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 2 | 6 | 3 | 1 | 2 | 1 | 1 | – | 2 | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 9 | 16 | 19 | 16 | 14 | 13 | 9 | 14 | 8 | 7 | 1 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 1 | 7 | 4 | 8 | 6 | 12 | 12 | 9 | 9 | 11 | 4 | – | – | – | – |
| | 3. Pleurisy | 2 | 1 | 2 | – | 1 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| | 4. Pneumonia | 6 | 5 | 16 | 10 | 5 | 3 | 11 | 5 | 2 | 1 | – | – | – | – | – |
| | 5. Asthma | 1 | – | 2 | – | – | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 2 | 1 | 6 | 3 | – | 4 | 2 | 3 | – | 1 | 2 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | 3 | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 3. Peritonitis | 1 | 1 | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 7. Ileus | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | – | – | – | 2 | 1 | – | – | – | 1 | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| | 15. *Liver Disease, etc.* | 1 | 1 | 3 | 5 | 2 | 1 | 1 | 3 | – | – | – | – | – | – | – |
| | 16 *Spleen Disease, etc.* | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 2 | 3 | 1 | 4 | 2 | 2 | – | 2 | – | – | – | – | – | – | – |
| | 4. Diabetes | 1 | 1 | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| | 6. Cystitis | – | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 2 | 3 | – | 2 | 2 | – | 2 | 2 | 1 | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Perods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 26 | 14 | 14 | 5 | 7 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 1 | 1 | 3 | 6 | 3 | 8 | 11 | 7 | 6 | 5 | 3 | – | – | – | – |
| | 3. Paralysis | – | 1 | 1 | 2 | 3 | 7 | 4 | 9 | 15 | 8 | 5 | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | 1 | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | 7. Convulsions | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 1 | 2 | 2 | 1 | 3 | 2 | 1 | 5 | 2 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 8 | 17 | 21 | 20 | 15 | 16 | 22 | 18 | 13 | 10 | – | 1 | 1 | – | – |
| | ORDER 3 | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | | – | – | | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Bronchitis | 1 | 4 | 6 | 9 | 12 | 14 | 13 | 19 | 16 | 9 | 5 | – | – | – | – |
| | 3. Pleurisy | 3 | 2 | 1 | 1 | 1 | 1 | – | – | – | – | 1 | – | – | – | – |
| | 4. Pneumonia | 5 | 2 | 1 | 4 | 7 | 4 | 5 | 5 | 1 | 2 | 1 | 1 | – | – | – |
| | 5. Asthma | – | – | 1 | 1 | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 3 | 2 | 3 | 1 | 4 | – | 2 | 2 | 3 | 1 | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | 1 | – | 1 | – | – | 2 | – | 1 | – | – | – | – | – | – |
| | 3. Peritonitis | 1 | – | 1 | 1 | – | – | 1 | 2 | 1 | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | 2 | 1 | – | – | 2 | 1 | 2 | – | – | – | – | – | – | – |
| | 6. Hernia | – | 1 | 1 | – | – | 1 | – | 2 | – | – | – | – | – | – | – |
| | 7. Ileus | – | 1 | – | 1 | 1 | – | 1 | – | 2 | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 1 | 1 | 1 | – | 2 | 2 | – | 2 | 1 | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | 2 | – | 1 | 1 | – | – | 2 | 1 | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | 1 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 3 | 1 | 5 | 1 | – | 4 | 2 | 2 | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | 1 | – | 1 | | | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | | | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 1 | 2 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | 1 | – | – | – | – | 1 | – | 3 | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | – | – | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | 1 | – | – | – | | 1 | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 1 | – | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 59 | 59 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 11 | 10 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Teething | 23 | – | 1 | 10 | 9 | 3 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 58 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 71 | 55 | 7 | 2 | – | 2 | 1 | 1 | 1 | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 44 | – | – | – | 2 | 1 | – | 2 | 1 | 3 | – | 2 | 3 | 3 |
| | 2. Gunshot Wounds | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 3. Cut, Stab | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Burns and Scalds | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 5. Poison | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | 1 |
| | 6. Drowning | 3 | – | 1 | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 7. Suffocation | 16 | 13 | 2 | – | – | – | – | 1 | – | – | – | – | – | – |
| | 8. Otherwise | 5 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 6 | 3 | – | – | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| | 2. Ulcer | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 47 | 46 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 3. Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 13 | – | – | 10 | 2 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Childbirth (*see* Puerperal Fever) | 22 | – | – | – | – | – | – | – | – | – | 1 | 3 | 4 | 2 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 88 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 61 | 40 | 7 | 8 | 2 | – | 1 | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 14 | – | – | – | – | 1 | – | 1 | – | – | – | – | – | 2 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 9 | – | – | 1 | 3 | 1 | – | – | 2 | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | 14 | 10 | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| | 8. Otherwise | 5 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 8 | 2 | 1 | – | 2 | – | 2 | | – | – | – | – | 1 | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 4 | 6 | 13 | 11 | 13 | 9 | 2 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 5 | 2 | 5 | 5 | 5 | 2 | 1 | 2 | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | 1 | 1 | 1 | – | – | 2 | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in EDINBURGH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 9 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 5 | 5 | 16 | 26 | 22 | 9 | 4 | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | 1 | 2 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | 3 | – | 1 | 3 | – | 1 | 2 | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 1681 | 218 | 108 | 162 | 225 | 96 | 48 | 24 | 62 | 28 | 52 | 57 | 47 | 48 |
| | **Specified Causes** . . | 1674 | 215 | 107 | 162 | 225 | 96 | 48 | 24 | 62 | 28 | 51 | 57 | 47 | 48 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 316 | 30 | 31 | 56 | 76 | 41 | 19 | 9 | 12 | 3 | 6 | 5 | 6 | 2 |
| II. | CONSTITUTIONAL ,, | 268 | 3 | 8 | 11 | 23 | 15 | 9 | 5 | 18 | 11 | 24 | 22 | 14 | 21 |
| III. | LOCAL ,, | 801 | 78 | 55 | 81 | 114 | 38 | 15 | 10 | 27 | 12 | 16 | 9 | 13 | 17 |
| IV. | DEVELOPMENTAL ,, | 177 | 97 | 5 | 12 | 11 | – | 1 | – | 1 | – | 1 | – | – | – |
| V. | VIOLENT DEATHS . | 112 | 7 | 8 | 2 | 1 | 2 | 4 | – | 4 | 2 | 4 | 21 | 14 | 8 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 299 | 23 | 28 | 55 | 75 | 41 | 19 | 9 | 12 | 3 | 6 | 4 | 6 | – |
| | 2. ENTHETIC ,, . | 9 | 5 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 6 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | 2 |
| | 4. PARASITIC ,, . | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 28 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | 2 | – |
| | 2. TUBERCULAR ,, . | 240 | 3 | 8 | 11 | 22 | 14 | 9 | 5 | 17 | 11 | 23 | 22 | 12 | 21 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 182 | 22 | 12 | 9 | 15 | 9 | 7 | 3 | 10 | 4 | 4 | 1 | 1 | 3 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 79 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | 2 | 2 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 426 | 46 | 39 | 62 | 95 | 25 | 7 | 6 | 10 | 1 | 3 | 2 | 6 | 9 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 61 | 9 | 3 | 8 | 4 | 3 | 1 | – | – | 3 | 3 | 2 | 3 | 2 |
| | 5. ,, OF URINARY ORGANS . . | 34 | – | 1 | 1 | – | 1 | – | – | 2 | – | 2 | 3 | – | 1 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 12 | – | – | – | – | – | – | 1 | 2 | 3 | 4 | – | 1 | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 7 | 1 | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 59 | 48 | – | 6 | 5 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 44 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 74 | 49 | 5 | 6 | 6 | – | 1 | – | 1 | – | 1 | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 1783 | 183 | 74 | 132 | 178 | 87 | 49 | 31 | 81 | 28 | 65 | 57 | 57 | 65 |
| | **Specified Causes** . . | 1774 | 180 | 74 | 132 | 178 | 87 | 49 | 31 | 81 | 27 | 65 | 56 | 55 | 65 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 321 | 28 | 16 | 50 | 71 | 42 | 19 | 13 | 26 | 2 | 6 | 8 | 4 | 5 |
| II. | CONSTITUTIONAL ,, | 323 | 2 | 3 | 8 | 16 | 6 | 6 | 8 | 17 | 15 | 38 | 24 | 27 | 32 |
| III. | LOCAL ,, | 837 | 42 | 48 | 63 | 80 | 35 | 24 | 8 | 35 | 9 | 19 | 14 | 16 | 25 |
| IV. | DEVELOPMENTAL ,, | 254 | 103 | 5 | 10 | 9 | 4 | – | – | – | – | 1 | 5 | 7 | 2 |
| V. | VIOLENT DEATHS . | 39 | 5 | 2 | 1 | 2 | – | – | 2 | 3 | 1 | 1 | 5 | 1 | 1 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 304 | 23 | 14 | 48 | 71 | 42 | 19 | 13 | 26 | 2 | 6 | 7 | 4 | 3 |
| | 2. ENTHETIC ,, . | 9 | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| | 3. DIETIC ,, . | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 4. PARASITIC ,, . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 59 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | 3 |
| | 2. TUBERCULAR ,, . | 264 | 1 | 3 | 8 | 16 | 6 | 6 | 7 | 17 | 14 | 38 | 24 | 27 | 29 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 179 | 8 | 9 | 14 | 17 | 10 | 3 | 2 | 12 | 4 | 2 | 1 | 3 | 3 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 123 | 1 | 1 | – | – | – | 1 | – | 3 | 1 | 4 | 2 | 3 | 8 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 413 | 28 | 32 | 44 | 61 | 23 | 18 | 6 | 16 | 1 | 8 | 2 | 4 | 8 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 87 | 5 | 5 | 5 | 1 | 2 | 1 | – | 4 | 1 | 2 | 6 | 3 | 3 |
| | 5. ,, OF URINARY ORGANS . . | 23 | – | – | – | 1 | – | 1 | – | – | 2 | 3 | 2 | 1 | 2 |
| | 6. ,, OF ORGANS OF GENERATION . | 6 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | 1 |
| IV | 1. DEV. DIS. OF CHILDREN | 67 | 54 | 1 | 3 | 7 | 2 | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 20 | – | – | – | – | – | – | – | – | – | 1 | 5 | 7 | 2 |
| | 3. ,, OF OLD PEOPLE | 93 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 DISEASES OF NUTRITION | 74 | 49 | 4 | 7 | 2 | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 53 | 45 | 49 | 67 | 64 | 62 | 55 | 55 | 26 | 16 | 9 | 5 | – | – | – |
| | **Specified Causes** . . | 53 | 45 | 49 | 67 | 63 | 62 | 54 | 55 | 26 | 16 | 9 | 5 | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 4 | 3 | – | 5 | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 18 | 11 | 18 | 13 | 9 | 9 | 1 | 2 | 3 | – | – | – | – | – | – |
| III. | LOCAL ,, | 25 | 20 | 28 | 42 | 48 | 43 | 38 | 41 | 15 | 11 | 5 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | 2 | 3 | 7 | 10 | 8 | 7 | 5 | 4 | 3 | – | – | – |
| V. | VIOLENT DEATHS . | 6 | 11 | 3 | 5 | 1 | 2 | 2 | 3 | – | – | – | 2 | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 3 | 2 | – | 5 | 2 | 1 | 3 | 1 | 1 | – | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 2 | – | 4 | 2 | 6 | 3 | – | 2 | 3 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 16 | 11 | 14 | 11 | 3 | 6 | 1 | – | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 4 | 4 | 8 | 10 | 6 | 15 | 12 | 17 | 2 | 3 | 1 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 7 | 7 | 5 | 9 | 13 | 14 | 5 | 6 | 3 | 2 | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 8 | 8 | 12 | 17 | 20 | 6 | 13 | 16 | 7 | 4 | 4 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 2 | 1 | 2 | 2 | 6 | 4 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | 3 | – | 1 | 3 | 2 | 4 | 6 | 1 | 1 | 2 | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 7 | 10 | 8 | 7 | 5 | 4 | 3 | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 63 | 81 | 70 | 81 | 58 | 92 | 62 | 66 | 64 | 36 | 16 | 4 | 3 | – | – |
| | **Specified Causes** . . | 63 | 81 | 70 | 80 | 58 | 92 | 62 | 66 | 64 | 36 | 15 | 4 | 3 | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 4 | 6 | 1 | 5 | 1 | 1 | 3 | 2 | 5 | 2 | 1 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 24 | 29 | 24 | 15 | 8 | 10 | 4 | 3 | 1 | 2 | 1 | – | – | – | – |
| III. | LOCAL ,, | 30 | 46 | 42 | 51 | 42 | 60 | 48 | 42 | 34 | 14 | 8 | 1 | 1 | – | – |
| IV. | DEVELOPMENTAL ,, | 5 | – | 2 | 3 | 5 | 19 | 7 | 17 | 22 | 18 | 5 | 3 | 2 | – | – |
| V. | VIOLENT DEATHS . | – | – | 1 | 6 | 2 | 2 | – | 2 | 2 | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 3 | 3 | – | 5 | 1 | 1 | 3 | 2 | 5 | 2 | 1 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 7 | 5 | 10 | 10 | 4 | 8 | 2 | 3 | 1 | 2 | 1 | – | – | – | – |
| | 2. TUBERCULAR ,, . | 17 | 24 | 14 | 5 | 4 | 2 | 2 | – | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 2 | 6 | 8 | 10 | 9 | 14 | 10 | 13 | 15 | 3 | 1 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 9 | 14 | 12 | 12 | 14 | 14 | 8 | 4 | 8 | 2 | 1 | 1 | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 9 | 16 | 17 | 22 | 13 | 20 | 22 | 20 | 9 | 8 | 5 | – | 1 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 4 | 6 | 3 | 5 | 5 | 10 | 8 | 4 | 2 | 1 | 1 | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | 4 | 2 | 1 | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 6. , OF ORGANS OF GENERATION . | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 19 | 7 | 17 | 22 | 18 | 5 | 3 | 2 | – | – |
| | 4. DISEASES OF NUTRITION | – | – | 2 | 3 | 5 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE . . . | 105 | 7 | 8 | 2 | 1 | 2 | 4 | – | 4 | 2 | 3 | 21 | 13 | 8 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . . | 7 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| | 5. EXECUTION . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED . . . | 6 | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox . . . | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles . . . . | 89 | 1 | 3 | 25 | 42 | 14 | 2 | – | 2 | – | – | – | – | – |
| | 3. Scarlatina . . . | 17 | – | – | 3 | 1 | 4 | 4 | 3 | 1 | 1 | – | – | – | – |
| | 4. Diphtheria . . . | 13 | – | – | – | 2 | 3 | 2 | 2 | 3 | – | – | 1 | – | – |
| | 5. Quinsy . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup . . . . | 12 | – | – | 1 | 5 | 4 | 2 | – | – | – | – | – | – | – |
| | 7. Hooping-cough . . | 47 | 3 | 1 | 11 | 15 | 9 | 2 | 3 | 3 | – | – | – | – | – |
| | 8. Typhus Fever . . | 9 | – | – | – | – | – | 1 | – | – | – | 2 | – | 3 | – |
| | 8. Enteric or Typhoid Fever | 13 | – | – | – | – | 2 | 3 | – | 1 | 1 | 3 | – | 1 | – |
| | 8. Relapsing Fever . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas . . . | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery . . . | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 14. Diarrhœa . . . | 80 | 17 | 22 | 14 | 10 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | – | – |
| | 15. Cholera . . . . | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague . . . . | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 17. Remittent Fever . . | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 18. Rheumatism . . . | 7 | – | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis . . . . | 9 | 5 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy . | 3 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Alcoholism { *a* Del. Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Alcoholism { *b* Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush . . . . | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy . . . . | 8 | – | – | – | – | 1 | – | – | 1 | – | 1 | – | – | – |
| | 3. Cancer . . . . | 19 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |
| | 4. Cancrum Oris (Noma) . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification . . . | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 36 | 5 | 2 | 1 | 2 | – | – | 2 | 3 | 1 | 1 | 5 | – | 1 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 8 | 3 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 75 | 1 | 1 | 15 | 31 | 16 | 4 | 2 | 4 | – | 1 | – | – | – |
| | 3. Scarlatina | 16 | – | – | – | 2 | 2 | 1 | 4 | 6 | 1 | – | – | – | – |
| | 4. Diphtheria | 10 | – | – | – | 1 | 4 | 4 | – | 1 | – | – | – | – | – |
| | 5. Quinsy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 16 | 1 | – | 4 | 5 | 4 | 1 | – | 1 | – | – | – | – | – |
| | 7. Hooping-cough | 70 | 4 | 2 | 17 | 20 | 8 | 9 | 4 | 6 | – | – | – | – | – |
| | 8. Typhus Fever | 8 | – | – | – | – | – | – | – | – | – | – | 2 | 1 | 2 |
| | 8. Enteric or Typhoid Fever | 15 | – | – | – | – | – | – | 1 | 3 | 1 | 4 | 2 | 1 | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9 Erysipelas | 7 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – |
| | 10. Puerperal Fever (Metria) | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13 Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 72 | 16 | 10 | 11 | 11 | 7 | – | 1 | 3 | – | – | – | – | 1 |
| | 15. Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 6 | – | – | – | – | 1 | – | – | 2 | – | – | 2 | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 9 | 4 | 2 | 2 | – | – | – | – | – | – | – | – | – | 1 |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 6 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 7 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 3. Cancer | 47 | – | – | – | – | – | – | – | – | – | – | – | – | 3 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| | 5. Mortification | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 5 | 10 | 2 | 4 | 1 | 2 | 2 | 2 | – | – | – | 2 | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | – | 1 | 1 | 1 | 2 | 1 | – | – | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 1 | – | – | – | 1 | – | – | 1 | 2 | – | – | – | – | – | – |
| | 3. Cancer | 1 | – | 4 | 2 | 5 | 3 | – | 1 | 1 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | – | – | 1 | 6 | 1 | 2 | – | 1 | 2 | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 1 | – | – | 2 | – | – | 3 | 1 | 4 | 1 | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19 Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 3. Cancer | 7 | 5 | 9 | 8 | 3 | 7 | 1 | 1 | – | 2 | 1 | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | 1 | – | – | – | 2 | 1 | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 15 | – | – | – | 1 | 1 | 2 | – | 3 | 3 | 1 | – | – | – |
| | 2. Tabes Mesenterica | 38 | 2 | 4 | 5 | 9 | 6 | 3 | 2 | 4 | 1 | – | 2 | – | – |
| | 3. Phthisis | 151 | – | – | 2 | 1 | 1 | – | 1 | 8 | 5 | 22 | 20 | 12 | 21 |
| | 4. Hydrocephalus | 36 | 1 | 4 | 4 | 11 | 6 | 4 | 2 | 2 | 2 | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 36 | 2 | 5 | 1 | 5 | 6 | 2 | 3 | 2 | 3 | 2 | 1 | 1 | – |
| | 2. Apoplexy | 43 | – | 1 | 2 | – | – | – | – | 2 | – | 1 | – | – | – |
| | 3. Paralysis | 39 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 7. Convulsions | 47 | 20 | 6 | 5 | 8 | 2 | 5 | – | 1 | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 15 | – | – | 1 | 2 | – | – | – | 4 | – | 1 | – | – | 2 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. *Heart Disease, etc.* | 74 | – | – | – | – | – | – | – | 2 | 1 | – | 1 | 1 | 2 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 8 | 1 | 1 | – | 2 | 2 | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 271 | 39 | 32 | 45 | 64 | 14 | 4 | 5 | 5 | 1 | – | – | – | 3 |
| | 3. Pleurisy | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| | 4. Pneumonia | 119 | 4 | 6 | 17 | 27 | 8 | 3 | 1 | 4 | – | 2 | 2 | 4 | 4 |
| | 5. Asthma | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 19 | 2 | – | – | 2 | 1 | – | – | 1 | – | – | – | 1 | 2 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 5 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Enteritis | 15 | 3 | 2 | 4 | 1 | – | – | – | – | – | 1 | – | 1 | – |
| | 3. Peritonitis | 5 | – | – | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| | 4. Ascites | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | 5. Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 6 | 3 | 1 | – | – | – | – | – | – | – | – | 2 | – | – |
| | 8. Intussusception | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 9 | – | – | 1 | 2 | 1 | – | – | – | – | 1 | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 9 | – | – | – | – | 1 | – | – | – | 1 | – | – | 1 | 1 |
| | 16. *Spleen Disease, etc.* | 2 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 3 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| | 2. Ischuria | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 10 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 4. Diabetes | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 5. Calculus (Stone) | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 6. Cystitis | 6 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 7. *Kidney Disease, etc.* | 7 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 12 | – | – | – | – | – | – | 1 | 2 | 3 | 4 | – | 1 | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 16 | – | – | – | 2 | 1 | 2 | 1 | 2 | 3 | 2 | – | 1 | 1 |
| | 2. Tabes Mesenterica | 25 | 1 | 1 | 2 | 9 | 2 | 1 | 1 | 2 | 2 | 2 | – | 1 | – |
| | 3. Phthisis | 192 | – | – | – | 1 | 1 | 1 | 1 | 5 | 6 | 34 | 24 | 25 | 28 |
| | 4. Hydrocephalus | 31 | – | 2 | 6 | 4 | 2 | 2 | 4 | 8 | 3 | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 32 | – | 2 | 3 | 6 | 5 | 2 | 2 | 7 | 2 | – | – | 1 | – |
| | 2. Apoplexy | 54 | – | 2 | 4 | 2 | 2 | – | – | 2 | – | – | – | – | 1 |
| | 3. Paralysis | 45 | – | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| | 7. Convulsions | 36 | 8 | 5 | 6 | 8 | 3 | 1 | – | 2 | 1 | – | – | – | 1 |
| | 8. *Brain Disease, etc.* | 10 | – | – | 1 | 1 | – | – | – | 1 | – | – | – | 1 | 1 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 119 | 1 | 1 | – | – | – | 1 | – | 2 | 1 | 4 | 2 | 3 | 8 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 6 | – | – | – | 1 | 1 | – | 1 | 2 | – | – | – | – | – |
| | 2. Bronchitis | 279 | 25 | 25 | 36 | 49 | 12 | 11 | 2 | 4 | 1 | 1 | 1 | 3 | 3 |
| | 3. Pleurisy | 7 | – | – | – | – | – | – | – | – | – | 2 | – | – | – |
| | 4. Pneumonia | 97 | 2 | 7 | 8 | 9 | 10 | 6 | 3 | 10 | – | 2 | 1 | – | 5 |
| | 5. Asthma | 4 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 6. *Lung Disease, etc.* | 20 | 1 | – | – | 2 | – | 1 | – | – | – | 2 | – | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 22 | 2 | 4 | 4 | – | – | – | – | 1 | – | 1 | 1 | – | 1 |
| | 3. Peritonitis | 11 | 1 | – | – | – | – | 1 | – | 1 | – | 1 | 2 | 1 | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 9 | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | 1 |
| | 6. Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 9 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 15 | 1 | 1 | 1 | 1 | – | – | – | 1 | – | – | 1 | 2 | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 14. Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 11 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 5 | – | – | – | 1 | – | 1 | – | – | 1 | – | 1 | – | 1 |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 16 | – | – | – | – | – | – | – | – | – | 3 | 1 | 1 | 1 |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. *Uterus Disease, etc.* | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | 2 | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES. *(Continued.)*

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 3 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 13 | 11 | 13 | 11 | 3 | 6 | 1 | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 4 | 3 | 4 | 5 | 4 | 2 | 5 | 8 | – | 2 | – | – | – | – | – |
| | 3. Paralysis | – | 1 | 2 | 4 | 2 | 11 | 6 | 7 | 2 | 1 | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | – | – | – | – | – | 2 | – | 2 | – | – | 1 | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 5 | 5 | 5 | 9 | 13 | 14 | 5 | 6 | 3 | 2 | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 2 | 1 | 5 | 10 | 11 | 3 | 6 | 10 | 6 | 2 | 3 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 4. Pneumonia | 4 | 5 | 4 | 5 | 6 | 2 | 6 | 2 | 1 | 1 | 1 | – | – | – | – |
| | 5. Asthma | 1 | – | – | – | 2 | – | – | 1 | – | 1 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | 2 | 3 | 1 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| | 3. Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | – | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 2 | – | 1 | 2 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 4. Diabetes | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | 1 | – | 2 | 1 | 1 | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | – | – | 3 | 1 | – | – | 1 | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 *Joint Disease, etc.* | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES. (*Continued*).

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 15 | 24 | 14 | 5 | 4 | 2 | 2 | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 1 | 1 | 4 | 4 | 4 | 7 | 5 | 5 | 7 | 2 | 1 | – | – | – | – |
| | 3. Paralysis | – | 3 | 3 | 4 | 4 | 7 | 5 | 8 | 7 | 1 | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | – | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 9 | 13 | 10 | 12 | 14 | 14 | 8 | 4 | 8 | 2 | 1 | 1 | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 3 | 7 | 9 | 14 | 5 | 14 | 18 | 16 | 8 | 7 | 4 | – | 1 | – | – |
| | 3. Pleurisy | – | 2 | – | – | 3 | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 2 | 5 | 5 | 6 | 2 | 6 | 4 | 3 | 1 | – | – | – | – | – | – |
| | 5. Asthma | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 3 | 2 | 2 | 1 | 2 | – | – | 1 | – | 1 | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | 1 | – | 2 | – | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 3. Peritonitis | 1 | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | 1 | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 1 | 1 | – | – | 1 | – | 1 | 2 | – | 1 | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 1 | – | – | 2 | 1 | 1 | 2 | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | – | 1 | 3 | – | 2 | 2 | – | 1 | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 4 | 2 | – | 2 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 3 | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Ulcer | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 41 | 41 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 11 | – | – | 6 | 5 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 44 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 74 | 49 | 5 | 6 | 6 | – | 1 | – | 1 | – | 1 | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1 Fractures and Contusions | 17 | – | – | – | – | – | 2 | – | 1 | 1 | 1 | 2 | 2 | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 5 | – | – | – | 1 | 2 | 1 | – | – | – | – | – | – | – |
| | 5. Poison | 2 | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| | 6. Drowning | 61 | – | – | – | – | – | 1 | – | 2 | 1 | 2 | 18 | 10 | 8 |
| | 7. Suffocation | 20 | 7 | 8 | 1 | – | – | – | – | 1 | – | – | – | 1 | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 4 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 6 | 3 | – | – | – | – | – | – | – | – | 1 | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 3. *Skin Disease, etc.* | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 43 | 43 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 4 | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 11 | – | 1 | 3 | 6 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 20 | – | – | – | – | – | – | – | – | – | 1 | 5 | 7 | 2 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 93 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 74 | 49 | 4 | 7 | 2 | 2 | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 8 | – | – | – | 1 | – | – | – | 1 | – | – | – | – | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 6 | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 13 | – | – | – | – | – | – | 1 | – | 1 | 1 | 5 | – | – |
| | 7. Suffocation | 7 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 8 | 3 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 7 | 10 | 8 | 7 | 5 | 4 | 3 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | 2 | 3 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 1 | 3 | – | 1 | – | – | 1 | – | – | – | – | 2 | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 4 | 7 | 2 | 2 | 1 | – | 1 | 2 | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill defined | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in DUNDEE, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | 2. Childbirth (*see* Puerperal Fever) | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 19 | 7 | 17 | 22 | 18 | 5 | 3 | 2 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | 2 | 3 | 5 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence*). | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | – | 3 | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | 1 | 3 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 984 | 139 | 55 | 70 | 65 | 30 | 26 | 11 | 39 | 24 | 31 | 44 | 39 | 18 |
| | **Specified Causes** . . | 980 | 138 | 54 | 70 | 65 | 30 | 26 | 11 | 38 | 24 | 31 | 44 | 39 | 18 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 150 | 18 | 16 | 23 | 25 | 11 | 8 | 6 | 6 | 3 | 7 | 3 | 6 | 1 |
| II. | CONSTITUTIONAL ,, | 179 | 5 | 4 | 9 | 6 | 3 | 5 | 2 | 15 | 8 | 12 | 23 | 18 | 7 |
| III. | LOCAL ,, | 483 | 41 | 27 | 31 | 28 | 15 | 11 | 2 | 16 | 10 | 10 | 14 | 9 | 10 |
| IV. | DEVELOPMENTAL ,, | 130 | 74 | 4 | 7 | 6 | – | – | – | – | – | – | – | – | – |
| V. | VIOLENT DEATHS . | 38 | – | 3 | – | – | 1 | 2 | 1 | 1 | 3 | 2 | 4 | 6 | – |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 134 | 10 | 13 | 22 | 25 | 11 | 8 | 6 | 6 | 3 | 7 | 3 | 6 | 1 |
| | 2. ENTHETIC ,, . | 8 | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 8 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 30 | 3 | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 |
| | 2. TUBERCULAR ,, . | 149 | 2 | 4 | 9 | 6 | 3 | 5 | 2 | 15 | 8 | 11 | 21 | 18 | 6 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 136 | 12 | 6 | 8 | 12 | 7 | 5 | – | 6 | 2 | 3 | 4 | 2 | 2 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 67 | – | – | – | 1 | – | – | – | – | 1 | – | 3 | – | 3 |
| | 3 ,, OF RESPIRATORY ORGANS . . | 175 | 21 | 17 | 20 | 13 | 6 | 5 | 1 | 6 | 2 | – | 3 | 3 | 1 |
| | 4 ,, OF DIGESTIVE ORGANS . . | 59 | 7 | 4 | 3 | 2 | 2 | – | – | 2 | 3 | 4 | 2 | 2 | 2 |
| | 5. ,, OF URINARY ORGANS . . | 39 | – | – | – | – | – | 1 | 1 | 2 | – | 2 | – | 2 | 1 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 6 | – | – | – | – | – | – | – | – | 2 | 1 | 2 | – | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 59 | 46 | 3 | 4 | 6 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 38 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION . | 33 | 28 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | | 3 | 6 | 12 | | | | | | | | | | |
| | **All Causes** . . . | 1094 | 106 | 30 | 76 | 68 | 17 | 16 | 10 | 36 | 32 | 44 | 40 | 44 | 42 |
| | **Specified Causes** . . | 1086 | 105 | 27 | 76 | 68 | 17 | 16 | 10 | 36 | 32 | 44 | 40 | 44 | 41 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 144 | 22 | 8 | 24 | 22 | 7 | 8 | 4 | 4 | 4 | 1 | 3 | 6 | 4 |
| II. | CONSTITUTIONAL ,, | 248 | 2 | 2 | 14 | 9 | 4 | 2 | 2 | 16 | 13 | 28 | 17 | 24 | 16 |
| III. | LOCAL ,, | 509 | 31 | 13 | 28 | 24 | 3 | 6 | 3 | 14 | 15 | 14 | 18 | 13 | 20 |
| IV. | DEVELOPMENTAL ,, | 166 | 47 | 4 | 10 | 11 | 2 | – | – | 1 | – | 1 | 1 | 1 | 1 |
| V. | VIOLENT DEATHS . | 19 | 3 | – | – | 2 | 1 | – | 1 | 1 | – | – | 1 | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 124 | 13 | 7 | 20 | 19 | 7 | 8 | 4 | 4 | 4 | 1 | 3 | 5 | 4 |
| | 2. ENTHETIC ,, . | 6 | – | – | 3 | 2 | – | – | – | – | – | – | – | 1 | – |
| | 3. DIETIC ,, . | 8 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | 6 | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 56 | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| | 2. TUBERCULAR ,, . | 192 | 1 | 2 | 14 | 9 | 4 | 2 | 2 | 16 | 13 | 27 | 17 | 23 | 15 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 119 | 10 | 4 | 7 | 8 | 1 | 2 | – | 4 | 1 | 4 | 2 | 2 | 3 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 81 | – | – | – | – | – | – | – | 3 | 2 | 2 | 1 | 1 | 6 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 199 | 14 | 6 | 19 | 15 | 1 | 4 | 3 | 2 | 5 | 4 | 4 | 3 | 5 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 61 | 6 | 3 | 2 | 1 | 1 | – | – | 2 | 4 | 1 | 6 | 3 | 2 |
| | 5. ,, OF URINARY ORGANS . . | 29 | – | – | – | – | – | – | – | – | 3 | 2 | 1 | 2 | 2 |
| | 6. ,, OF ORGANS OF GENERATION . | 8 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 8 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 1 | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 4 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| IV. | 1. DEV. DIS. OF CHILDREN | 45 | 28 | 1 | 8 | 8 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 11 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| | 3. ,, OF OLD PEOPLE | 80 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION . | 30 | 19 | 3 | 2 | 3 | 2 | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 28 | 36 | 31 | 31 | 40 | 46 | 46 | 49 | 40 | 31 | 14 | – | 1 | – | – |
| | **Specified Causes** . . | 28 | 36 | 31 | 31 | 40 | 46 | 45 | 49 | 40 | 31 | 14 | – | 1 | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2 | 2 | 2 | – | 2 | 2 | 1 | 4 | 1 | – | 1 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 11 | 9 | 12 | 8 | 8 | 4 | 4 | 1 | 3 | 2 | – | – | – | – | – |
| III. | LOCAL ,, | 13 | 24 | 14 | 22 | 29 | 36 | 36 | 37 | 25 | 17 | 5 | – | 1 | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | – | 1 | 1 | 2 | 5 | 10 | 12 | 8 | – | – | – | – |
| V. | VIOLENT DEATHS . . | 2 | 1 | 3 | 1 | – | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1 | 1 | 1 | – | 2 | 2 | 1 | 3 | 1 | – | 1 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 1 | – | 3 | 1 | 7 | 1 | 4 | 1 | 3 | 2 | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 10 | 9 | 9 | 7 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 4 | 5 | 2 | 7 | 10 | 3 | 9 | 13 | 10 | 3 | 1 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 3 | 6 | 2 | 3 | 7 | 9 | 11 | 8 | 4 | 5 | 1 | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 5 | 6 | 5 | 5 | 8 | 16 | 7 | 10 | 8 | 6 | – | – | 1 | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | – | 2 | 4 | 4 | 2 | 4 | 6 | 2 | 1 | 1 | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | 1 | 5 | 1 | 3 | 2 | 4 | 3 | 4 | 2 | 2 | 3 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 1 | 2 | 5 | 10 | 12 | 8 | – | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 32 | 34 | 34 | 48 | 34 | 72 | 74 | 56 | 67 | 43 | 31 | 8 | – | – | – |
| | **Specified Causes** . . | 31 | 34 | 34 | 48 | 33 | 71 | 74 | 56 | 67 | 43 | 31 | 8 | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 3 | – | 3 | 4 | 1 | 2 | 2 | 3 | 5 | 4 | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 12 | 15 | 13 | 18 | 8 | 13 | 9 | 4 | 6 | – | – | 1 | – | – | – |
| III. | LOCAL ,, | 11 | 16 | 17 | 26 | 24 | 47 | 54 | 40 | 37 | 20 | 15 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | 4 | 3 | – | – | – | 6 | 9 | 8 | 18 | 17 | 15 | 7 | – | – | – |
| V. | VIOLENT DEATHS . . | 1 | – | 1 | – | – | 3 | – | 1 | 1 | 2 | 1 | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 3 | – | 2 | 3 | 1 | 2 | 2 | 3 | 5 | 4 | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 2 | 5 | 5 | 9 | 5 | 10 | 8 | 2 | 5 | – | – | 1 | – | – | – |
| | 2. TUBERCULAR ,, . | 10 | 10 | 8 | 9 | 3 | 3 | 1 | 2 | 1 | – | – | – | – | – | – |
| III | 1. DISEASES OF NERVOUS SYSTEM . . | – | 4 | 2 | 5 | 5 | 12 | 17 | 5 | 14 | 7 | – | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 5 | 4 | 6 | 10 | 7 | 10 | 9 | 6 | 5 | 1 | 3 | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 4 | 7 | 1 | 7 | 8 | 13 | 16 | 23 | 13 | 10 | 12 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 2 | 1 | 4 | 3 | 3 | 5 | 7 | 2 | 1 | 2 | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | – | – | 3 | 1 | 1 | 5 | 5 | 1 | 3 | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | 1 | – | 3 | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 6 | 9 | 8 | 18 | 17 | 15 | 7 | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 37 | – | 3 | – | – | 1 | 2 | 1 | 1 | 3 | 2 | 4 | 6 | – |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 3 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 2. Measles | 7 | – | – | 2 | 3 | – | 2 | – | – | – | – | – | – | – |
| | 3. Scarlatina | 5 | – | – | 1 | – | 1 | – | 1 | 1 | – | 1 | – | – | – |
| | 4. Diphtheria | 10 | – | – | 1 | 2 | 3 | 1 | 2 | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 10 | – | – | 2 | 4 | 2 | – | 1 | 1 | – | – | – | – | – |
| | 7. Hooping-cough | 39 | 4 | 6 | 11 | 8 | 4 | 3 | 1 | 2 | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 12 | – | – | – | 1 | – | – | – | 1 | 2 | 4 | – | 2 | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 6 | 1 | – | – | – | – | – | – | – | – | – | 2 | 1 | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 4 | – | 1 | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 14. Diarrhœa | 31 | 5 | 5 | 5 | 6 | 1 | 1 | 1 | – | – | 1 | – | 1 | – |
| | 15. Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 2 | – | – | – | – | – | 1 | – | – | – | – | – | 1 | – |
| | 18. Rheumatism | 4 | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 | – |
| | 19. Other *Miasmatic* Diseases | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 7 | 5 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 23 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | 1 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 19 | 3 | – | – | 2 | 1 | – | 1 | 1 | – | – | 1 | – | – |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 12 | 1 | – | 5 | 4 | 1 | 1 | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | 7 | – | – | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 5 | – | – | – | – | 1 | 2 | 1 | 1 | – | – | – | – | – |
| | 7. Hooping-cough | 30 | 3 | 4 | 7 | 8 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| | 8. Typhus Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 8. Enteric or Typhoid Fever | 10 | – | – | – | – | – | 1 | 1 | – | 2 | 1 | 1 | 1 | 2 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 11 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 10. Puerperal Fever (Metria) | 3 | – | – | – | – | – | – | – | – | – | – | – | 3 | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 7 | 1 | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 28 | 6 | 1 | 5 | 4 | – | – | – | – | 2 | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 18. Rheumatism | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 |
| | 19. Other *Miasmatic* Diseases | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 6 | – | – | 3 | 2 | – | – | – | – | – | – | – | 1 | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | 2. Want of Breast Milk | 5 | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 6 | 5 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 48 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 25, note.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OF NEGLIGENCE | 2 | 1 | 2 | 1 | – | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | – | – | – | – | 1 | 2 | 1 | – | 1 | – | – | – | – |
| | 15. Cholera | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 1 | – | 2 | 1 | 6 | 1 | 4 | 1 | 3 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | 2 | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 1 | – | 1 | – | – | 3 | – | 1 | 1 | 2 | 1 | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | 1 | – | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | 1 | 1 | – | – | – | 2 | 3 | 3 | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 3. Cancer | 2 | 5 | 4 | 8 | 5 | 8 | 7 | 2 | 4 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | 1 | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – |

* See page 52, note.

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 10 | – | – | 1 | – | – | – | – | 3 | – | 1 | 2 | – | – |
| | 2. Tabes Mesenterica | 9 | 1 | – | – | 2 | – | – | 1 | 5 | – | – | – | – | – |
| | 3. Phthisis | 100 | – | 2 | 1 | – | – | – | 1 | 2 | 6 | 10 | 19 | 18 | 6 |
| | 4. Hydrocephalus | 30 | 1 | 2 | 7 | 4 | 3 | 5 | – | 5 | 2 | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1 Cephalitis | 25 | – | 1 | 4 | 7 | 3 | 2 | – | 4 | 1 | – | – | – | 1 |
| | 2. Apoplexy | 32 | – | – | – | – | – | 1 | – | – | – | 1 | 1 | 2 | – |
| | 3. Paralysis | 26 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Epilepsy | 7 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – |
| | 7. Convulsions | 30 | 12 | 5 | 4 | 5 | 3 | – | – | – | 1 | – | – | – | – |
| | 8. *Brain Disease, etc.* | 14 | – | – | – | – | 1 | 1 | – | 1 | – | 1 | – | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 3 | – | – | – | 1 | – | – | – | – | – | – | 2 | – | – |
| | 2. Aneurism | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 53 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 3 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 120 | 18 | 11 | 19 | 10 | 1 | 2 | – | 2 | 1 | – | 1 | 2 | – |
| | 3. Pleurisy | 3 | – | 1 | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 4. Pneumonia | 43 | 1 | 4 | 1 | 3 | 5 | 3 | 1 | 2 | 1 | – | 1 | 1 | 1 |
| | 5. Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 9 | 2 | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. Enteritis | 4 | – | – | 1 | 1 | – | – | – | – | – | – | – | 1 | – |
| | 3. Peritonitis | 13 | – | 1 | – | – | 2 | – | – | 1 | 1 | 4 | – | 1 | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 4 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 8. Intussusception | 3 | – | 1 | – | – | – | – | – | – | 1 | – | – | – | – |
| | 9. Stricture of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 11 | 3 | 2 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 5 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 8 | – | – | – | – | – | – | – | – | 1 | – | 1 | – | 1 |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Ischuria | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 10 | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – | – |
| | 4. Diabetes | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 19 | – | – | – | – | – | 1 | – | – | – | 1 | – | 1 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 6 | – | – | – | – | – | – | – | – | 2 | 1 | 2 | – | 1 |

CAUSES of DEATH in ABERDEEN, at different Periods of Life in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 14 | – | – | 1 | 1 | – | – | 1 | – | 3 | 3 | – | 3 | – |
| | 2. Tabes Mesenterica | 13 | – | – | 4 | – | – | 1 | – | 4 | 1 | 1 | – | 1 | – |
| | 3. Phthisis | 136 | – | – | – | 1 | 1 | – | – | 7 | 9 | 23 | 17 | 19 | 15 |
| | 4. Hydrocephalus | 29 | 1 | 2 | 9 | 7 | 3 | 1 | 1 | 5 | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 18 | – | 1 | 3 | 3 | – | 1 | – | 2 | 1 | 2 | 2 | – | – |
| | 2. Apoplexy | 24 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | 3. Paralysis | 27 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | 7. Convulsions | 19 | 8 | 3 | 3 | 5 | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 25 | 2 | – | 1 | – | 1 | 1 | – | 2 | – | 2 | – | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 2 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| | 2. Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 77 | – | – | – | – | – | – | – | 1 | 2 | 2 | 1 | 1 | 6 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 4 | – | – | – | – | – | 1 | 1 | – | – | – | 1 | – | – |
| | 2. Bronchitis | 141 | 12 | 5 | 16 | 14 | 1 | 1 | 1 | 1 | 3 | – | – | 2 | 2 |
| | 3. Pleurisy | 5 | – | – | – | – | – | – | – | – | – | 1 | 2 | – | – |
| | 4. Pneumonia | 31 | 1 | 1 | 3 | 1 | – | 2 | 1 | 1 | 2 | 2 | – | 1 | 2 |
| | 5. Asthma | 7 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. *Lung Disease, etc.* | 11 | 1 | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | 7 | – | – | – | 1 | – | – | – | 1 | 1 | – | 2 | 1 | – |
| | 4. Ascites | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 5. Ulceration of Intestines | 7 | – | – | – | – | 1 | – | – | – | 1 | – | 3 | – | – |
| | 6. Hernia | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 14 | 4 | 3 | 1 | – | – | – | – | – | 2 | – | – | – | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 18 | 1 | – | – | – | – | – | – | 1 | – | 1 | 1 | 1 | – |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 13 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 1 |
| | 4. Diabetes | 5 | – | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 10 | – | – | – | – | – | – | – | – | 2 | – | – | 1 | 1 |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 7 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 8 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | 1 | 1 |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 10 | 7 | 8 | 6 | 1 | 3 | – | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | – | 1 | 1 | 4 | 4 | 1 | 3 | 6 | 5 | 1 | 1 | – | – | – | – |
| | 3. Paralysis | 2 | 2 | – | 2 | 4 | 2 | 3 | 6 | 4 | – | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 1 | 1 | – | – | – | 3 | – | 1 | 2 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 1 | 1 | 1 | 2 | 1 | 2 | – | 2 | – | 1 | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 2 | 5 | 1 | 1 | 6 | 7 | 11 | 6 | 4 | 4 | 1 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 3 | 3 | 2 | 2 | 6 | 10 | 5 | 9 | 7 | 5 | – | – | 1 | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 2 | 3 | 2 | 3 | 1 | 3 | 2 | 1 | 1 | 1 | – | – | – | – | – |
| | 5. Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | – | 1 | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 2. Enteritis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 14 Jaundice | – | – | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | – | – | 2 | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | 2 | 1 | – | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | 3 | – | 3 | 1 | 2 | 1 | 1 | 1 | – | 2 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—FEMALES. (*Continued*).

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 10 | 9 | 7 | 9 | 3 | 3 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | – | – | – | 2 | 1 | 5 | 5 | 2 | 5 | 2 | – | – | – | – | – |
| | 3. Paralysis | – | 2 | – | 2 | 2 | 4 | 6 | 2 | 5 | 4 | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | – | 1 | 1 | 1 | 1 | 2 | 6 | 1 | 2 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 5 | 4 | 5 | 9 | 7 | 10 | 9 | 6 | 5 | 1 | 3 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 2 | 3 | 1 | 5 | 4 | 8 | 13 | 17 | 11 | 8 | 11 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 1 | 1 | – | – | 3 | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| | 5. Asthma | 1 | – | – | 1 | – | 1 | – | 2 | – | 1 | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | 2 | – | 1 | – | 1 | 1 | 2 | – | – | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – |
| | 7. Ileus | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 1 | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 1 | 1 | 3 | – | 2 | 4 | 2 | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | – | 1 | 1 | 1 | 3 | 3 | – | 1 | – | – | – | – | – | – |
| | 4. Diabetes | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | 1 | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 35 | 35 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 9 | 9 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 13 | – | 3 | 4 | 6 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 38 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 33 | 28 | 1 | 3 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 16 | – | – | – | – | – | – | 1 | – | 2 | – | 2 | 4 | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 4 | – | – | – | – | – | 2 | – | 1 | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 11 | – | – | – | – | 1 | – | – | – | 1 | 2 | 2 | 2 | – |
| | 7. Suffocation | 4 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2 Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 3 | 1 | – | – | | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | 1 |
| | 2. Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 25 | 25 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 16 | – | – | 8 | 8 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 11 | – | – | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 80 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 30 | 19 | 3 | 2 | 3 | 2 | – | – | 1 | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 5 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 6 | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| | 5. Poison | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | 4 | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 8. Otherwise | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 3 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 5 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 1 | 2 | 5 | 10 | 12 | 8 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 1 | 1 | 1 | – | – | 1 | 2 | – | 1 | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in ABERDEEN, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 6 | 9 | 8 | 18 | 17 | 15 | 7 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | – | – | – | – | – | 1 | 1 | 2 | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| | 5. Poison | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 865 | 112 | 29 | 80 | 103 | 46 | 28 | 17 | 42 | 20 | 27 | 38 | 22 | 32 |
| | **Specified Causes** . . | 860 | 110 | 29 | 80 | 103 | 44 | 28 | 17 | 41 | 20 | 27 | 38 | 22 | 32 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 129 | 16 | 4 | 13 | 26 | 10 | 9 | 5 | 10 | 1 | 2 | 5 | 2 | 6 |
| II. | CONSTITUTIONAL ,, | 173 | 2 | 6 | 16 | 13 | 10 | 9 | 5 | 11 | 6 | 13 | 21 | 8 | 7 |
| III. | LOCAL ,, | 409 | 40 | 14 | 38 | 55 | 18 | 7 | 6 | 20 | 7 | 8 | 9 | 9 | 14 |
| IV. | DEVELOPMENTAL ,, | 93 | 48 | 5 | 13 | 9 | 6 | 2 | – | – | 1 | – | – | – | – |
| V. | VIOLENT DEATHS . . | 56 | 4 | – | – | – | – | 1 | 1 | – | 5 | 4 | 3 | 3 | 5 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 112 | 8 | 2 | 12 | 26 | 10 | 9 | 4 | 10 | 1 | 2 | 5 | 2 | 4 |
| | 2. ENTHETIC ,, . | 8 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 6 | 2 | – | – | – | – | – | – | – | – | – | – | – | 2 |
| | 4. PARASITIC ,, . | 3 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 19 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 154 | 2 | 6 | 15 | 13 | 10 | 9 | 5 | 11 | 6 | 13 | 21 | 8 | 7 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 104 | 9 | 2 | 6 | 12 | 4 | 2 | 2 | 11 | 2 | – | 2 | 2 | 2 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 50 | – | – | – | – | – | – | – | – | 2 | 2 | 2 | 1 | 4 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 179 | 24 | 11 | 25 | 35 | 13 | 4 | 3 | 5 | 2 | 3 | 2 | 3 | 6 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 52 | 5 | 1 | 5 | 7 | 1 | 1 | 1 | 2 | – | 1 | 2 | 2 | 1 |
| | 5. ,, OF URINARY ORGANS . . | 11 | – | – | – | 1 | – | – | – | – | – | 1 | 1 | 1 | 1 |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 6 | – | – | – | – | – | – | – | 2 | 1 | 1 | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 7 | 2 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 42 | 20 | 3 | 9 | 6 | 4 | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 42 | 28 | 2 | 4 | 3 | 2 | 2 | – | – | 1 | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | | 3 | 6 | 12 | | | | | | | | | | |
| | **All Causes** . . . | 755 | 84 | 26 | 58 | 88 | 41 | 20 | 22 | 33 | 18 | 23 | 20 | 17 | 40 |
| | **Specified Causes** . . | 752 | 84 | 26 | 58 | 88 | 40 | 20 | 22 | 32 | 18 | 23 | 20 | 17 | 39 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 106 | 5 | 5 | 13 | 19 | 11 | 6 | 6 | 8 | 4 | – | 2 | 1 | 4 |
| II. | CONSTITUTIONAL ,, | 177 | 6 | 3 | 9 | 9 | 5 | 8 | 7 | 8 | 6 | 16 | 13 | 9 | 17 |
| III. | LOCAL ,, | 330 | 27 | 15 | 27 | 44 | 16 | 5 | 8 | 12 | 8 | 5 | 5 | 5 | 15 |
| IV. | DEVELOPMENTAL ,, | 125 | 44 | 2 | 8 | 16 | 5 | 1 | – | 4 | – | 1 | – | 2 | 3 |
| V. | VIOLENT DEATHS . . | 14 | 2 | 1 | 1 | – | 3 | – | 1 | – | – | 1 | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 94 | 1 | 3 | 11 | 19 | 11 | 6 | 6 | 8 | 4 | – | 1 | 1 | 4 |
| | 2. ENTHETIC ,, . | 6 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 6 | 1 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 23 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 2. TUBERCULAR ,, . | 154 | 6 | 3 | 9 | 9 | 5 | 8 | 7 | 8 | 6 | 15 | 13 | 9 | 16 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 68 | 2 | 1 | 1 | 10 | 3 | 2 | 2 | 4 | 5 | 3 | – | – | 2 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 37 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 2 | 1 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 172 | 14 | 12 | 26 | 31 | 13 | 3 | 5 | 6 | 1 | – | 1 | 1 | 9 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 41 | 10 | 2 | – | 2 | – | – | 1 | – | 1 | – | 2 | 2 | 3 |
| | 5. ,, OF URINARY ORGANS . . | 6 | – | – | – | 1 | – | – | – | 1 | – | 1 | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 37 | 25 | – | 2 | 7 | 3 | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 3 |
| | 3. ,, OF OLD PEOPLE | 34 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 45 | 19 | 2 | 6 | 9 | 2 | 1 | – | 4 | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 31 | 38 | 23 | 39 | 30 | 29 | 22 | 27 | 16 | 12 | 2 | – | – | – | – |
| | **Specified Causes** . . | 31 | 38 | 23 | 39 | 30 | 29 | 22 | 27 | 16 | 12 | 2 | – | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2 | 6 | 1 | 1 | 1 | 4 | 4 | – | 1 | – | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 6 | 13 | 6 | 4 | 4 | 3 | 1 | 6 | 3 | – | – | – | – | – | – |
| III. | LOCAL ,, | 17 | 14 | 12 | 31 | 20 | 18 | 13 | 18 | 8 | 11 | 2 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | – | – | 1 | 1 | 3 | 3 | 1 | – | – | – | – | – |
| V. | VIOLENT DEATHS . . | 6 | 5 | 4 | 3 | 5 | 3 | 3 | – | 1 | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1 | 6 | 1 | 1 | 1 | 2 | 4 | – | 1 | – | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 2 | 3 | 4 | 2 | 3 | – | – | 1 | 3 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 4 | 10 | 2 | 2 | 1 | 3 | 1 | 5 | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 3 | 2 | – | 12 | 4 | 4 | 4 | 7 | 5 | 5 | 2 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 3 | 3 | 7 | 8 | 6 | 5 | – | 5 | – | 2 | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 6 | 6 | 4 | 6 | 7 | 3 | 7 | 3 | – | 1 | – | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 4 | 1 | 1 | 4 | 3 | 5 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | – | 1 | – | 1 | – | – | – | 2 | – | 2 | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| IV. | 1 DEV. DIS. OF CHILDREN . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 1 | 1 | 3 | 3 | 1 | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 30 | 34 | 22 | 21 | 31 | 28 | 34 | 17 | 21 | 14 | 8 | 4 | 1 | – | – |
| | **Specified Causes** . . | 30 | 34 | 22 | 21 | 31 | 28 | 34 | 17 | 21 | 14 | 8 | 4 | 1 | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 4 | 2 | 1 | 3 | 5 | 3 | 1 | – | 3 | – | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 13 | 13 | 9 | 2 | 10 | 6 | 5 | 2 | 1 | – | – | – | – | – | – |
| III. | LOCAL ,, | 11 | 16 | 12 | 15 | 15 | 16 | 22 | 11 | 8 | 9 | 3 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | 2 | 1 | – | 1 | 1 | 3 | 6 | 4 | 6 | 5 | 5 | 4 | 1 | – | – |
| V. | VIOLENT DEATHS . . | – | 2 | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 4 | 1 | 1 | 2 | 5 | 2 | 1 | – | 3 | – | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II | 1. DIATHETIC ,, . | 2 | 1 | 3 | 2 | 4 | 2 | 5 | 1 | 1 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 11 | 12 | 6 | – | 6 | 4 | – | 1 | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 2 | 2 | 1 | 3 | 2 | 4 | 5 | 6 | 2 | 6 | – | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 4 | 4 | 4 | 2 | 1 | 3 | 5 | 1 | 4 | – | 2 | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 3 | 4 | 4 | 8 | 4 | 7 | 10 | 4 | 2 | 3 | 1 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 1 | 5 | 3 | 1 | 4 | 2 | 2 | – | – | – | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 3 | 6 | 4 | 6 | 5 | 5 | 4 | 1 | – | – |
| | 4. DISEASES OF NUTRITION . | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 55 | 4 | – | – | – | – | 1 | 1 | – | 5 | 4 | 3 | 3 | 5 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 4 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 12 | 1 | – | 1 | 4 | 2 | 2 | – | 2 | – | – | – | – | – |
| | 3. Scarlatina | 9 | – | – | – | 1 | 2 | 3 | 1 | 2 | – | – | – | – | – |
| | 4. Diphtheria | 4 | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 15 | – | – | – | 7 | 1 | 3 | 2 | 2 | – | – | – | – | – |
| | 7. Hooping-cough | 26 | 4 | 2 | 7 | 9 | 3 | – | – | 1 | – | – | – | – | – |
| | 8. Typhus Fever | 10 | – | – | – | – | – | – | 1 | – | – | 1 | 3 | – | 2 |
| | 8. Enteric or Typhoid Fever | 8 | – | – | – | – | – | – | – | 1 | 1 | 1 | 1 | 1 | 2 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 2 | – | – | 1 | – | – | – | – | – | – | – | – | 1 | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 20 | 3 | – | 3 | 2 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 8 | 5 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Alcoholism *b* Intemperance | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| I | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 7 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 11 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 13 | 2 | 1 | 1 | – | 3 | – | 1 | – | – | 1 | – | – | – |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 6 | – | – | 1 | 1 | 2 | 1 | – | – | 1 | – | – | – | – |
| | 3. Scarlatina | 4 | – | – | – | 1 | – | – | – | 1 | 1 | – | – | – | – |
| | 4. Diphtheria | 4 | – | – | – | 2 | 1 | – | 1 | – | – | – | – | – | – |
| | 5. Quinsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Croup | 7 | – | 1 | 1 | – | 1 | 1 | 3 | – | – | – | – | – | – |
| | 7. Hooping-cough | 25 | – | 1 | 2 | 9 | 5 | 4 | 2 | 2 | – | – | – | – | – |
| | 8. Typhus Fever | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 8. Enteric or Typhoid Fever | 3 | – | – | – | – | – | – | – | 1 | 2 | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 4 | – | – | 1 | 1 | – | – | – | 2 | – | – | – | – | – |
| | 9. Erysipelas | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 22 | 1 | – | 6 | 5 | 2 | – | – | 1 | – | – | – | 1 | – |
| | 15. Cholera | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 8 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 6 | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 5 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 3. Cancer | 17 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 5 | 5 | 4 | 3 | 5 | 3 | 3 | – | 1 | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | – | 1 | – | 1 | 1 | 2 | 4 | – | – | – | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | 2 | 2 | 2 | – | – | 1 | – | | – | | – | – | – |
| | 3. Cancer | 2 | 3 | 2 | – | 1 | – | – | – | 3 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | – | 1 | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | – | 1 | 4 | 1 | – | – | – | – | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | – | 1 | – | – | 1 | 1 | – | 2 | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| | 3. Cancer | 2 | 1 | 2 | 2 | 3 | 2 | 3 | 1 | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

* See page 52, note

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 18 | 2 | – | 2 | 1 | 4 | 2 | 1 | 2 | 1 | 1 | – | – | 1 |
| | 2. Tabes Mesenterica | 18 | – | 1 | 5 | 3 | – | 1 | 1 | 2 | 2 | 2 | – | – | 1 |
| | 3. Phthisis | 87 | – | – | 3 | 3 | 1 | 2 | 1 | 5 | 3 | 9 | 20 | 8 | 5 |
| | 4. Hydrocephalus | 31 | – | 5 | 5 | 6 | 5 | 4 | 2 | 2 | – | 1 | 1 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 22 | – | 1 | 2 | 6 | 3 | 1 | – | 7 | 1 | – | – | – | – |
| | 2. Apoplexy | 31 | 2 | – | 1 | – | – | – | – | – | 1 | – | 1 | 1 | 1 |
| | 3. Paralysis | 24 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | 1 |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 14 | 7 | 1 | 1 | 3 | 1 | – | – | 1 | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 13 | – | – | 2 | 3 | – | 1 | 2 | 2 | – | – | 1 | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 48 | – | – | – | – | – | – | – | – | 2 | 2 | 2 | 1 | 4 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 5 | – | – | 1 | 1 | 2 | – | – | – | – | – | – | – | 1 |
| | 2. Bronchitis | 90 | 15 | 8 | 18 | 17 | 4 | 3 | 2 | – | – | 1 | – | – | 2 |
| | 3. Pleurisy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Pneumonia | 60 | 8 | 1 | 6 | 12 | 6 | 1 | 1 | 3 | 2 | 1 | 1 | 3 | 2 |
| | 5. Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 20 | 1 | 2 | – | 5 | 1 | – | – | 2 | – | 1 | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 13 | – | 1 | 3 | 5 | – | 1 | 1 | – | – | – | 1 | – | – |
| | 3. Peritonitis | 8 | – | – | – | 1 | 1 | – | – | 1 | – | – | – | 1 | 1 |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 3 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 6. Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 11. *Stomach Disease, etc.* | 7 | 2 | – | 1 | – | – | – | – | – | – | – | 1 | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 3 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 8 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 3 | – | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 7. *Kidney Disease, etc.* | 6 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 6 | – | – | – | – | | – | – | 2 | 1 | 1 | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 10 | – | – | 1 | 2 | 1 | 1 | – | 1 | 1 | 1 | – | 1 | – |
| | 2. Tabes Mesenterica | 18 | 5 | 1 | 2 | 2 | – | 2 | 2 | 2 | 1 | 1 | – | – | – |
| | 3. Phthisis | 110 | 1 | 1 | 2 | 2 | 2 | 3 | 4 | 3 | 3 | 13 | 13 | 8 | 16 |
| | 4. Hydrocephalus | 16 | – | 1 | 4 | 3 | 2 | 2 | 1 | 2 | 1 | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 14 | 1 | – | – | 7 | 1 | 1 | – | 3 | 1 | – | – | – | – |
| | 2. Apoplexy | 12 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Paralysis | 17 | – | – | – | – | – | – | 1 | – | – | – | – | – | 1 |
| | 4. Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | – | – | – | 1 | – | – | – | – | 1 | 1 | – | – | – |
| | 7. Convulsions | 6 | 1 | – | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 |
| | 8. *Brain Disease, etc.* | 14 | – | 1 | – | 1 | 2 | – | 1 | 1 | 3 | 2 | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. *Heart Disease, etc.* | 36 | – | – | – | – | – | – | – | – | 1 | 1 | 2 | 1 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 107 | 9 | 12 | 16 | 19 | 4 | 1 | 2 | 4 | – | – | – | – | 4 |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 49 | 2 | – | 10 | 10 | 7 | 1 | 3 | 2 | 1 | – | 1 | 1 | 2 |
| | 5. Asthma | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 11 | 3 | – | – | – | 2 | 1 | – | – | – | – | – | – | 3 |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 9 | 5 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | 10 | 2 | – | – | – | – | – | 1 | – | – | – | 1 | 2 | 1 |
| | 4. Ascites | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 3 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 14. Jaundice | 4 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 4 | 10 | 2 | 2 | 1 | 2 | 1 | 5 | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 2 | 2 | – | 5 | 3 | 1 | 4 | 2 | – | 4 | 1 | – | – | – | – |
| | 3. Paralysis | – | – | – | 5 | 1 | 3 | – | 5 | 5 | 1 | 1 | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 3 | 3 | 7 | 6 | 6 | 5 | – | 5 | – | 2 | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 3 | 1 | 3 | 4 | 4 | 1 | 2 | 2 | – | – | – | – | – | – | – |
| | 3. Pleurisy | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 2 | 2 | – | 2 | 1 | 1 | 4 | 1 | – | – | – | – | – | – | – |
| | 5. Asthma | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | 1 | 1 | – | 2 | 1 | 1 | – | – | 1 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 2 | – | – | 2 | – | 3 | – | – | 1 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | 1 | – | – | – | 2 | – | 2 | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 11 | 12 | 6 | – | 6 | 4 | – | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | – | – | 1 | 2 | 2 | 1 | 1 | – | 2 | 3 | – | – | – | – | – |
| | 3. Paralysis | – | – | – | 1 | – | 3 | 4 | 4 | – | 3 | – | – | – | – | – |
| | 4. Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 4 | 4 | 4 | 2 | 1 | 3 | 5 | 1 | 4 | – | 2 | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 1 | 2 | 3 | 5 | 3 | 5 | 9 | 2 | 2 | 3 | 1 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 2 | 1 | – | 2 | – | 2 | 1 | 1 | – | – | – | – | – | – | – |
| | 5. Asthma | – | – | – | 1 | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | – | 2 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | 2. *Joint Disease, etc.* | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 5 | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 17 | 17 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 21 | – | 3 | 8 | 6 | 4 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 9 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 42 | 28 | 2 | 4 | 3 | 2 | 2 | – | – | 1 | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 29 | – | – | – | – | – | 1 | – | – | 4 | 2 | 2 | 2 | 3 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 5. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 15 | – | – | – | – | – | – | 1 | – | – | 2 | 1 | – | 2 |
| | 7. Suffocation | 5 | 4 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 4 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | Causes not specified or ill-defined | 4 | 2 | – | – | – | 2 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 23 | 23 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 11 | – | – | 2 | 7 | 2 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 2 | 3 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 34 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 45 | 19 | 2 | 6 | 9 | 2 | 1 | – | 4 | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 5 | – | – | – | – | 2 | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 4 | – | – | 1 | – | 1 | – | 1 | – | – | 1 | – | – | – |
| | 5. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 3 | – | – | – | – | 1 | – | – | 1 | – | – | – | – | 1 |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 1 | 1 | 3 | 3 | 1 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | 2 | 2 | 2 | 4 | 3 | – | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | 1 | – | – | – | – | – | – | – | – | – | – | – | | – |
| | 6. Drowning | 3 | – | 1 | 1 | 1 | – | 2 | – | 1 | – | – | – | – | – | – |
| | 7. Suffocation | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | 2 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | | | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in GREENOCK, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 3 | 6 | 4 | 6 | 5 | 5 | 4 | 1 | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES.

| Class | CAUSES OF DEATH. | MALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 681 | 68 | 26 | 54 | 69 | 32 | 14 | 9 | 51 | 18 | 25 | 23 | 17 | 15 |
| | **Specified Causes** . . | 677 | 68 | 26 | 54 | 69 | 32 | 14 | 9 | 51 | 18 | 25 | 23 | 17 | 15 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 105 | 6 | 7 | 14 | 26 | 11 | 3 | 2 | 15 | 1 | 1 | 2 | 1 | – |
| II. | CONSTITUTIONAL ,, | 128 | – | 2 | 4 | 7 | 8 | 6 | 3 | 16 | 11 | 16 | 11 | 7 | 5 |
| III. | LOCAL ,, | 333 | 25 | 12 | 27 | 28 | 11 | 5 | 4 | 19 | 3 | 5 | 8 | 9 | 8 |
| IV. | DEVELOPMENTAL ,, | 84 | 35 | 4 | 9 | 8 | 1 | – | – | – | – | – | – | – | – |
| V. | VIOLENT DEATHS . . | 27 | 2 | 1 | – | – | 1 | – | – | 1 | 3 | 3 | 2 | – | 2 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 99 | 2 | 7 | 14 | 26 | 11 | 3 | 2 | 15 | – | 1 | 2 | 1 | – |
| | 2. ENTHETIC ,, . | 2 | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 3. DIETIC ,, . | 4 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 9 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | 2. TUBERCULAR ,, . | 119 | – | 2 | 4 | 7 | 8 | 5 | 3 | 16 | 10 | 16 | 11 | 7 | 5 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 90 | 10 | 3 | 4 | 5 | 1 | 1 | 2 | 6 | 1 | 2 | 1 | 2 | 1 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 29 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 147 | 9 | 6 | 20 | 22 | 7 | 3 | 2 | 7 | 1 | 1 | 4 | 3 | 1 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 43 | 6 | 2 | 3 | – | 1 | 1 | – | 2 | 1 | – | 2 | 1 | 4 |
| | 5. ,, OF URINARY ORGANS . . | 17 | – | – | – | 1 | 1 | – | – | 1 | – | 2 | – | 1 | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 5 | – | – | – | – | 1 | – | – | 3 | – | – | 1 | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 23 | 8 | 1 | 7 | 7 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 37 | 27 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | | 3 | 6 | 12 | | | | | | | | | | |
| | **All Causes** . . . . | 743 | 53 | 23 | 52 | 83 | 28 | 15 | 11 | 30 | 24 | 40 | 39 | 26 | 28 |
| | **Specified Causes** . . | 741 | 53 | 23 | 52 | 83 | 28 | 15 | 10 | 30 | 24 | 40 | 39 | 26 | 28 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 135 | 5 | 6 | 17 | 30 | 15 | 8 | 5 | 11 | 6 | 3 | 9 | 2 | 1 |
| II. | CONSTITUTIONAL ,, | 168 | 2 | 2 | 8 | 13 | 5 | 3 | 2 | 10 | 14 | 27 | 19 | 11 | 14 |
| III. | LOCAL ,, | 291 | 17 | 9 | 19 | 27 | 7 | 4 | 3 | 9 | 4 | 10 | 8 | 11 | 8 |
| IV. | DEVELOPMENTAL ,, | 139 | 27 | 6 | 7 | 12 | – | – | – | – | – | – | 3 | 2 | 5 |
| V. | VIOLENT DEATHS . | 8 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 129 | 3 | 4 | 17 | 30 | 15 | 7 | 5 | 11 | 6 | 3 | 9 | 2 | 1 |
| | 2. ENTHETIC ,, . | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 3 | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 19 | – | – | – | – | – | 1 | – | – | – | – | – | – | 2 |
| | 2. TUBERCULAR ,, . | 149 | 2 | 2 | 8 | 13 | 5 | 2 | 2 | 10 | 14 | 27 | 19 | 11 | 12 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 78 | 3 | 3 | 5 | 8 | 3 | 1 | 2 | 3 | 1 | 4 | – | 4 | 1 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 28 | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 | 1 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 124 | 11 | 4 | 12 | 19 | 4 | 3 | 1 | 3 | 1 | 2 | 3 | 2 | 4 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 40 | 3 | 2 | 2 | – | – | – | – | – | 2 | 1 | – | 2 | 1 |
| | 5. ,, OF URINARY ORGANS . . | 6 | – | – | – | – | – | – | – | – | – | – | 1 | 1 | – |
| | 6 ,, OF ORGANS OF GENERATION . | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 6 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | – | 1 |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 33 | 16 | 1 | 7 | 9 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 12 | – | – | – | – | – | – | – | – | – | – | 3 | 2 | 5 |
| | 3. ,, OF OLD PEOPLE | 73 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 21 | 11 | 5 | – | 3 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 21 | 27 | 25 | 32 | 22 | 32 | 41 | 28 | 17 | 11 | 3 | 1 | – | – | – |
| | **Specified Causes** . . | 21 | 26 | 25 | 31 | 22 | 32 | 40 | 27 | 17 | 11 | 3 | 1 | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2 | 2 | – | 3 | – | 2 | 3 | 1 | 1 | 2 | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 8 | 6 | 6 | 2 | 2 | 3 | 4 | – | 1 | – | – | – | – | – | – |
| III. | LOCAL ,, | 10 | 17 | 19 | 21 | 15 | 25 | 31 | 20 | 7 | 2 | 2 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | – | 1 | – | – | 2 | 1 | 2 | 4 | 8 | 7 | 1 | 1 | – | – | – |
| V. | VIOLENT DEATHS . | 1 | – | – | 5 | 3 | 1 | – | 2 | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1 | 2 | – | 3 | – | 2 | 3 | 1 | 1 | 2 | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | – | – | 1 | 1 | – | 2 | 2 | – | 1 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 8 | 6 | 5 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 2 | 2 | 4 | 6 | 3 | 10 | 13 | 6 | 3 | 1 | 1 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 4 | 3 | 1 | 3 | 3 | 1 | 8 | 2 | – | – | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 2 | 9 | 8 | 8 | 3 | 12 | 7 | 7 | 4 | – | 1 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 2 | 1 | 4 | 3 | 4 | 2 | – | 3 | – | 1 | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | – | 2 | 2 | 1 | 1 | – | 3 | 2 | – | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 1 | 2 | 4 | 8 | 7 | 1 | 1 | – | – | – |
| | 4. DISEASES OF NUTRITION | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . . | 20 | 27 | 24 | 27 | 27 | 39 | 40 | 30 | 23 | 19 | 13 | 2 | – | – | – |
| | **Specified Causes** . . | 20 | 27 | 24 | 26 | 27 | 39 | 40 | 30 | 23 | 19 | 13 | 2 | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1 | 2 | 1 | 2 | 4 | 1 | 2 | 2 | 2 | – | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 13 | 5 | 4 | 7 | 3 | 2 | 2 | – | 2 | – | – | – | – | – | – |
| III. | LOCAL ,, | 4 | 19 | 19 | 16 | 18 | 30 | 26 | 11 | 7 | 3 | 2 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | 1 | 1 | – | 1 | 1 | 5 | 10 | 17 | 12 | 16 | 11 | 2 | – | – | – |
| V. | VIOLENT DEATHS . | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1 | 2 | 1 | 1 | 4 | 1 | 2 | 2 | 2 | – | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 3 | 2 | 1 | 2 | 2 | 2 | 2 | – | 2 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 10 | 3 | 3 | 5 | 1 | – | – | – | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | – | 5 | 2 | 5 | 2 | 6 | 9 | 4 | 4 | 2 | 1 | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | – | 2 | 5 | 2 | 3 | 4 | 4 | 1 | – | – | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1 | 7 | 6 | 5 | 9 | 14 | 8 | 2 | 1 | 1 | 1 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 2 | 3 | 4 | 4 | 3 | 4 | 3 | 2 | 2 | – | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | – | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 1 | – | 1 | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 5 | 10 | 17 | 12 | 16 | 11 | 2 | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V | 1. ACCIDENT OR NEGLIGENCE . . . | 24 | 2 | 1 | – | – | 1 | – | – | 1 | 3 | 3 | 2 | – | 1 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . . | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 5. EXECUTION . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED . . . | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles . . . . | 8 | – | – | 2 | 4 | 1 | – | – | 1 | – | – | – | – | – |
| | 3. Scarlatina . . . | 5 | – | 1 | – | – | – | 1 | – | 3 | – | – | – | – | – |
| | 4. Diphtheria . . . | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 5. Quinsy . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup . . . . | 8 | – | – | 2 | 3 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 7. Hooping-cough . . | 37 | – | 3 | 7 | 14 | 8 | 1 | 1 | 3 | – | – | – | – | – |
| | 8. Typhus Fever . . | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 8. Enteric or Typhoid Fever | 7 | – | – | – | – | – | – | – | 5 | – | – | 1 | – | – |
| | 8. Relapsing Fever . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 3 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – | – |
| | 9. Erysipelas . . . | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa . . . | 19 | 2 | 3 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| | 15. Cholera . . . . | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 16. Ague . . . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever . . | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 18. Rheumatism . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis . . . . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia . . . | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 4. Glanders . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk . | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy . . . . | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Cancer . . . . | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification . . . | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 8 | 2 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 16 | – | – | 3 | 7 | 4 | 1 | – | 1 | – | – | – | – | – |
| | 3. Scarlatina | 5 | – | – | 1 | – | 2 | 1 | – | – | – | – | 1 | – | – |
| | 4. Diphtheria | 4 | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| | 5. Quinsy | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 6. Croup | 8 | – | – | 1 | 2 | 1 | 1 | 2 | 1 | – | – | – | – | – |
| | 7. Hooping-cough | 45 | 2 | 3 | 9 | 16 | 5 | 4 | 1 | 5 | – | – | – | – | – |
| | 8. Typhus Fever | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 18 | – | – | – | – | – | – | 2 | 1 | 5 | 1 | 5 | 2 | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 9. Erysipelas | 5 | 1 | – | – | – | 1 | – | – | – | – | 1 | – | – | – |
| | 10. Puerperal Fever (Metria) | 3 | – | – | – | – | – | – | – | – | – | – | 2 | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 14 | – | 1 | 3 | 2 | – | – | – | 1 | – | 1 | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 2 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 12 | – | – | – | – | – | – | – | – | – | – | – | – | 2 |
| | 4. Cancrum Oris (Noma) | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE . . . | 1 | – | – | 3 | 3 | 1 | – | 2 | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE . . . | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) . . . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED . . . | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever . . | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas . . . | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle . . . | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 12. Influenza . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery . . . | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa . . . | – | 1 | – | 1 | – | 1 | 1 | 1 | – | 2 | – | – | – | – | – |
| | 15. Cholera . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague . . . | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 17 Remittent Fever . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy . . . | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer . . . | – | – | 1 | – | – | 2 | 2 | – | 1 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification . . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 1 | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | – | – | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | 1 | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 3 | 2 | – | – | 1 | – | 2 | – | 2 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES. (*Continued*).

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 15 | – | – | – | 2 | – | 1 | – | 3 | 3 | 2 | 2 | 1 | – |
| | 2. Tabes Mesenterica | 14 | – | – | – | 1 | 5 | – | 1 | 4 | 1 | 2 | – | – | – |
| | 3. Phthisis | 68 | – | – | – | – | 1 | 2 | 1 | 3 | 6 | 11 | 9 | 6 | 5 |
| | 4. Hydrocephalus | 22 | – | 2 | 4 | 4 | 2 | 2 | 1 | 6 | – | 1 | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 5 | – | – | 1 | – | – | 1 | – | 1 | 1 | – | – | – | – |
| | 2. Apoplexy | 30 | 2 | 1 | 3 | 1 | 1 | – | 1 | 4 | – | – | – | – | – |
| | 3. Paralysis | 27 | – | – | – | – | – | – | – | – | – | 1 | – | – | 1 |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | – | – | – | – | – | – | – | – | – | 1 | 1 | 2 | – |
| | 7. Convulsions | 14 | 8 | 2 | – | 4 | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 10 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 29 | – | – | – | – | – | – | – | – | – | – | – | 2 | 2 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 5 | 1 | – | – | – | – | – | – | – | 1 | – | 1 | 1 | – |
| | 2. Bronchitis | 102 | 6 | 3 | 19 | 20 | 5 | 3 | 1 | 4 | – | 1 | – | – | – |
| | 3. Pleurisy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 27 | 1 | 2 | 1 | 1 | 2 | – | 1 | 3 | – | – | 2 | 1 | – |
| | 5. Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. *Lung Disease, etc.* | 10 | 1 | 1 | – | 1 | – | – | – | – | – | – | 1 | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 5 | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Enteritis | 14 | 6 | 1 | 2 | – | – | – | – | 1 | – | – | 1 | – | 1 |
| | 3. Peritonitis | 2 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 5 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | 1 |
| | 14. Jaundice | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 9 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 8 | – | – | – | 1 | 1 | – | – | 1 | – | 1 | – | 1 | – |
| | 2. Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 3 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | 2 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | 2. *Joint Disease, etc.* | 3 | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | | | 3 | 6 | 12 | | | | | | | | | | |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 7 | – | – | 1 | 2 | – | – | – | 1 | – | 2 | 1 | – | – |
| | 2. Tabes Mesenterica | 11 | – | – | 2 | 4 | 1 | – | – | 3 | 1 | – | – | – | – |
| | 3. Phthisis | 109 | – | – | 1 | 3 | 1 | – | 1 | 4 | 13 | 23 | 18 | 11 | 12 |
| | 4. Hydrocephalus | 22 | 2 | 2 | 4 | 4 | 3 | 2 | 1 | 2 | – | 2 | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 7 | – | – | – | 1 | 1 | – | – | 1 | – | 2 | – | – | – |
| | 2. Apoplexy | 23 | – | – | 3 | 4 | 1 | – | 2 | 1 | – | – | – | – | – |
| | 3. Paralysis | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | – | – | – | – | – | – | – | – | 1 | 1 | – | 2 | – |
| | 7. Convulsions | 13 | 3 | 3 | 2 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 9 | – | – | – | – | – | – | – | 1 | – | 1 | – | 2 | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 28 | – | – | – | – | – | – | – | – | – | 2 | 2 | 2 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 96 | 9 | 3 | 10 | 14 | 2 | 2 | 1 | 2 | 1 | – | 2 | 1 | 3 |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 21 | 1 | – | 2 | 3 | 2 | 1 | – | 1 | – | 2 | 1 | 1 | 1 |
| | 5. Asthma | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 5 | 1 | 1 | – | 2 | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 2 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 2. Enteritis | 10 | 2 | 2 | 1 | – | – | – | – | – | 1 | 1 | – | – | – |
| | 3. Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 2 | – | – | 1 | – | – | – | – | – | | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | 1 |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 10 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 2 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 6 | – | – | – | – | – | – | – | 2 | – | 1 | 1 | – | 1 |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 8 | 6 | 4 | 1 | 2 | 1 | 2 | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Apoplexy | 1 | 1 | 2 | 1 | 1 | 3 | 4 | 2 | 1 | 1 | – | – | – | – | – |
| | 3. Paralysis | – | 1 | 1 | 4 | 1 | 4 | 8 | 3 | 2 | – | 1 | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | – | 1 | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 4 | 3 | 1 | 3 | 3 | 1 | 8 | 2 | – | – | – | – | – | – | |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Bronchitis | 1 | 7 | 4 | 3 | 2 | 10 | 4 | 5 | 3 | – | 1 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | – | 2 | 2 | 4 | – | 1 | 3 | – | 1 | – | – | – | – | – | – |
| | 5. Asthma | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 1 | – | 2 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | 1 | – | – | 2 | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 1 | – | 3 | 1 | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | 2 | 2 | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 10 | 3 | 3 | 5 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. Apoplexy | – | 4 | 1 | 2 | – | 1 | 2 | – | 1 | 1 | – | – | – | – | – |
| | 3. Paralysis | – | – | – | 2 | 2 | 3 | 7 | 3 | 2 | 1 | 1 | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | – | 1 | 1 | – | – | 2 | – | – | 1 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | – | 2 | 5 | 2 | 3 | 4 | 4 | 1 | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 1 | 5 | 4 | 5 | 8 | 11 | 7 | 2 | 1 | 1 | 1 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | – | 2 | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | 5. Asthma | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13 Hepatitis | – | 1 | 1 | 2 | – | 1 | – | – | 1 | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 1 | – | – | 2 | 2 | 2 | – | 1 | 1 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 1 | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 8 | 8 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 15 | – | 1 | 7 | 7 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 24 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 37 | 27 | 3 | 2 | 1 | 1 | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 12 | – | – | – | – | 1 | – | – | – | 2 | 1 | 1 | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 5 | – | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – |
| | 7. Suffocation | 2 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 4 | 1 | – | – | – | – | – | – | – | – | – | 1 | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | 4 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 15 | 15 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 17 | – | 1 | 7 | 9 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Childbirth (*see* Puerperal Fever) | 11 | – | – | – | – | – | – | – | – | – | – | 3 | 1 | 5 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 73 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 21 | 11 | 5 | – | 3 | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class | CAUSES OF DEATH. | MALES. AGE UNDER . | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 1 | 2 | 4 | 8 | 7 | 1 | 1 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 1 | – | – | 2 | 3 | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | 1 | – | 1 | – | – | 1 | 1 | – | – | – | – | – | – | – |

CAUSES of DEATH in PAISLEY, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 5 | 10 | 17 | 12 | 16 | 11 | 2 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 715 | 80 | 27 | 52 | 82 | 39 | 30 | 30 | 62 | 8 | 20 | 22 | 18 | 7 |
| | **Specified Causes** . . | 713 | 80 | 27 | 52 | 82 | 39 | 30 | 30 | 62 | 8 | 20 | 22 | 17 | 7 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 189 | 17 | 6 | 16 | 39 | 23 | 17 | 16 | 27 | 2 | 9 | 3 | 2 | – |
| II. | CONSTITUTIONAL ,, | 110 | 1 | 6 | 5 | 8 | 4 | 2 | 8 | 9 | 2 | 3 | 11 | 5 | 2 |
| III. | LOCAL ,, | 319 | 23 | 13 | 29 | 30 | 12 | 9 | 5 | 22 | 4 | 4 | 5 | 6 | 3 |
| IV. | DEVELOPMENTAL ,, | 61 | 39 | 2 | 2 | 4 | – | – | – | – | – | – | – | – | – |
| V. | VIOLENT DEATHS . | 34 | – | – | – | 1 | – | 2 | 1 | 4 | – | 4 | 3 | 4 | 2 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 178 | 14 | 6 | 16 | 37 | 23 | 16 | 16 | 27 | 2 | 9 | 2 | – | – |
| | 2. ENTHETIC ,, . | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 7 | 1 | – | – | 1 | – | – | – | – | – | – | 1 | 2 | – |
| | 4. PARASITIC ,, . | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 18 | 1 | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 92 | – | 6 | 5 | 8 | 4 | 1 | 7 | 9 | 2 | 3 | 11 | 5 | 2 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 80 | 2 | 2 | 6 | 8 | 3 | 2 | 1 | 7 | 1 | 1 | 2 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 49 | 2 | – | 1 | – | – | – | – | 2 | 1 | 1 | – | 1 | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 141 | 16 | 9 | 19 | 21 | 9 | 4 | 2 | 8 | – | 2 | 3 | 2 | 1 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 27 | 3 | 2 | 3 | 1 | – | 1 | – | 3 | – | – | – | – | 2 |
| | 5. ,, OF URINARY ORGANS . . | 19 | – | – | – | – | – | 2 | 2 | 2 | 1 | – | – | 1 | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 3 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN] | 30 | 24 | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 17 | 15 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 663 | 73 | 27 | 50 | 74 | 29 | 31 | 21 | 41 | 16 | 17 | 19 | 20 | 15 |
| | **Specified Causes** . . | 659 | 72 | 26 | 50 | 74 | 29 | 31 | 21 | 41 | 16 | 17 | 19 | 19 | 15 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 205 | 12 | 8 | 25 | 43 | 18 | 23 | 14 | 29 | 7 | 2 | 5 | 7 | 2 |
| II. | CONSTITUTIONAL ,, | 127 | 3 | 7 | 8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 10 | 7 | 7 |
| III. | LOCAL ,, | 245 | 20 | 7 | 13 | 20 | 8 | 6 | 4 | 6 | 2 | 3 | 4 | 5 | 3 |
| IV. | DEVELOPMENTAL ,, | 67 | 35 | 2 | 4 | 2 | 1 | 1 | – | – | – | 2 | – | – | 2 |
| V. | VIOLENT DEATHS . | 15 | 2 | 2 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | 1 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 198 | 10 | 8 | 24 | 43 | 18 | 23 | 14 | 29 | 7 | 2 | 5 | 6 | 2 |
| | 2. ENTHETIC ,, . | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 21 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 106 | 3 | 7 | 8 | 8 | 1 | 1 | 3 | 5 | 7 | 9 | 10 | 7 | 7 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 58 | 3 | – | 3 | 4 | 2 | 2 | 1 | 1 | – | 2 | 1 | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 36 | – | – | – | – | 1 | – | – | 1 | 1 | – | 1 | 1 | 2 |
| | 3. ,, OF RESPIRATORY ORGANS . . | 109 | 15 | 6 | 9 | 16 | 5 | 3 | 2 | 2 | – | 1 | 1 | 2 | 1 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 29 | 2 | 1 | 1 | – | – | – | – | 1 | – | – | 1 | – | – |
| | 5. ,, OF URINARY ORGANS . . | 10 | – | – | – | – | – | 1 | – | – | 1 | – | – | 2 | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 32 | 26 | – | 4 | 2 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| | 3. ,, OF OLD PEOPLE | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 14 | 9 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 26 | 21 | 23 | 31 | 16 | 34 | 31 | 24 | 16 | 12 | 4 | – | – | – | – |
| | **Specified Causes** . . | 25 | 21 | 23 | 31 | 16 | 34 | 31 | 24 | 16 | 12 | 4 | – | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2 | – | 1 | 2 | 2 | 2 | 1 | 1 | 1 | – | – | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 10 | 5 | 7 | 4 | 6 | 5 | 2 | 4 | 1 | – | – | – | – | – | – |
| III. | LOCAL ,, | 12 | 15 | 14 | 22 | 6 | 23 | 22 | 19 | 10 | 7 | 4 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | – | – | 1 | 4 | – | 4 | 5 | – | – | – | – | – |
| V. | VIOLENT DEATHS . | 1 | 1 | 1 | 3 | 2 | 3 | 2 | – | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 2 | – | 1 | 2 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | – | – | 2 | 1 | 4 | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 10 | 5 | 5 | 3 | 2 | 2 | – | 2 | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 1 | 5 | 4 | 6 | – | 7 | 9 | 7 | 2 | 4 | – | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 5 | 4 | 5 | 7 | 2 | 8 | 6 | 3 | 1 | – | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 4 | 4 | 3 | 6 | 3 | 6 | 6 | 3 | 5 | 2 | 3 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 1 | 1 | – | 2 | 1 | 2 | – | 3 | 2 | – | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | 1 | 1 | 2 | 1 | – | – | 1 | 3 | – | 1 | 1 | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1 DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 1 | 4 | – | 4 | 5 | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 18 | 25 | 23 | 21 | 23 | 28 | 30 | 28 | 22 | 8 | 4 | – | – | – | – |
| | **Specified Causes** . . | 18 | 25 | 22 | 21 | 23 | 28 | 30 | 28 | 22 | 8 | 4 | – | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2 | 1 | 1 | 1 | 2 | 1 | 1 | – | – | – | 1 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 7 | 10 | 9 | 5 | 7 | 6 | 4 | 1 | 1 | – | 1 | – | – | – | – |
| III. | LOCAL ,, | 8 | 12 | 12 | 15 | 13 | 20 | 21 | 21 | 15 | 6 | 1 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | 1 | 2 | – | – | – | – | 3 | 3 | 6 | 2 | 1 | – | – | – | – |
| V. | VIOLENT DEATHS . | – | – | – | – | 1 | 1 | 1 | 3 | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 2 | 1 | 1 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 1 | 2 | 3 | 2 | 3 | 4 | 4 | 1 | – | – | 1 | – | – | – | – |
| | 2. TUBERCULAR ,, . | 6 | 8 | 6 | 3 | 4 | 2 | – | – | 1 | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 2 | 4 | 4 | 2 | 4 | 5 | 4 | 4 | 7 | 3 | – | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 2 | 2 | 4 | 2 | 2 | 5 | 4 | 2 | 4 | 2 | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 3 | 3 | 3 | 2 | 3 | 7 | 9 | 11 | 3 | 1 | 1 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . . | 1 | 1 | 1 | 6 | 4 | 2 | 3 | 4 | 1 | – | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | – | 2 | – | 2 | – | 1 | 1 | – | – | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | – | 3 | 3 | 6 | 2 | 1 | – | – | – | – |
| | 4. DISEASES OF NUTRITION | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 32 | – | – | – | 1 | – | 2 | 1 | 4 | – | 4 | 2 | 4 | 2 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 30 | 1 | – | 7 | 15 | 5 | – | – | 1 | – | 1 | – | – | – |
| | 3. Scarlatina | 75 | – | 1 | 1 | 9 | 11 | 10 | 13 | 25 | 1 | 3 | – | – | – |
| | 4. Diphtheria | 5 | – | 1 | – | 1 | – | 1 | 2 | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 11 | – | 1 | – | 4 | 4 | 2 | – | – | – | – | – | – | – |
| | 7. Hooping-cough | 22 | 2 | 2 | 5 | 7 | 3 | 2 | 1 | – | – | – | – | – | – |
| | 8. Typhus Fever | 1 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 8. Enteric or Typhoid Fever | 6 | – | – | – | – | – | – | – | 1 | – | 1 | 2 | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 17 | 10 | 1 | 2 | – | – | – | – | – | 1 | 1 | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 2 | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 18. Rheumatism | 5 | – | – | – | 1 | – | – | – | – | – | 2 | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 3 | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 3 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | – |
| | 4. Alcoholism *b* Intemperance | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 2 | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Cancer | 16 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 14 | 2 | 2 | – | 1 | 1 | – | – | 1 | – | 1 | – | – | 1 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 29 | 1 | – | 6 | 13 | 2 | 2 | 2 | 3 | – | – | – | – | – |
| | 3. Scarlatina | 76 | 1 | – | 3 | 8 | 9 | 14 | 10 | 21 | 4 | – | 5 | 1 | – |
| | 4. Diphtheria | 5 | – | – | 1 | 1 | – | – | – | 3 | – | – | – | – | – |
| | 5. Quinsy | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 7 | – | – | – | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| | 7. Hooping-cough | 30 | 1 | 2 | 8 | 11 | 2 | 4 | 1 | 1 | – | – | – | – | – |
| | 8. Typhus Fever | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 8. Enteric or Typhoid Fever | 8 | – | – | – | – | 2 | 1 | – | 1 | 2 | 1 | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 3 | 2 | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 10. Puerperal Fever (Metria) | 6 | – | – | – | – | – | – | – | – | – | – | – | 3 | 2 |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 27 | 5 | 5 | 6 | 5 | 1 | 1 | – | – | – | – | – | – | – |
| | 15. Cholera | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 2 | – | – | – | – | – | – | – | – | 1 | 1 | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 3 | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 20 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 1 | 1 | 1 | 3 | 2 | 2 | 2 | – | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | – | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13 Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14 Diarrhœa | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | – | – | 2 | 1 | 4 | 3 | 2 | 2 | 1 | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | – | – | – | – | 1 | – | 1 | 3 | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | – | – | 1 | – | 1 | – | 1 | – | – | – | 1 | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 1 | 2 | 3 | 2 | 3 | 4 | 4 | 1 | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | – | 1 | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in LEITH, t different Periods of Life in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 3 | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | 5 | – | 2 | – | 1 | – | – | – | 2 | – | – | – | – | – |
| | 3. Phthisis | 58 | – | – | – | 1 | 1 | – | 2 | 4 | 2 | 2 | 10 | 5 | 2 |
| | 4. Hydrocephalus | 26 | – | 3 | 5 | 6 | 2 | 1 | 4 | 3 | – | 1 | 1 | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 12 | – | – | – | 2 | 2 | 1 | 1 | 5 | – | 1 | – | – | – |
| | 2. Apoplexy | 16 | – | – | – | – | – | – | – | 1 | 1 | – | 1 | – | – |
| | 3. Paralysis | 23 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Insanity | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 17 | 2 | 2 | 5 | 6 | 1 | 1 | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 8 | – | – | – | – | – | – | – | 1 | – | – | 1 | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Aneurism | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 45 | 2 | – | 1 | – | – | – | – | 1 | 1 | 1 | – | 1 | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | – | – | – | – | 1 | – | – | – | – | – | 1 | – | – |
| | 2. Bronchitis | 81 | 15 | 4 | 14 | 15 | 5 | 2 | – | 1 | – | – | – | – | 1 |
| | 3. Pleurisy | 5 | – | – | – | – | – | – | – | 2 | – | 1 | – | 1 | – |
| | 4. Pneumonia | 42 | – | 4 | 4 | 5 | 2 | 2 | 2 | 5 | – | 1 | 2 | 1 | – |
| | 5. Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 10 | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 3 | – | – | 2 | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Peritonitis | 4 | – | 1 | 1 | – | – | – | – | – | – | – | – | – | 1 |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 6 | 1 | 1 | – | – | – | – | – | 3 | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 3 | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 14. Jaundice | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 6 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 5 | – | – | – | – | – | 2 | 1 | 1 | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 5 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 6 | – | – | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 3 | – | – | – | – | – | – | – | – | 1 | – | – | 2 | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 4 | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | 9 | 2 | 3 | – | 2 | – | – | – | 1 | 1 | – | – | – | – |
| | 3. Phthisis | 69 | – | – | – | 1 | – | – | 1 | 1 | 5 | 8 | 10 | 7 | 7 |
| | 4. Hydrocephalus | 24 | 1 | 4 | 6 | 4 | 1 | 1 | 2 | 3 | 1 | 1 | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 10 | – | – | 2 | 1 | 1 | 1 | 1 | 1 | – | 1 | 1 | – | – |
| | 2. Apoplexy | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Paralysis | 24 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 9 | 3 | – | 1 | 3 | 1 | 1 | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 36 | – | – | – | – | 1 | – | – | 1 | 1 | – | 1 | 1 | 2 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 78 | 13 | 6 | 9 | 10 | 5 | 3 | 1 | 1 | – | – | – | 1 | – |
| | 3. Pleurisy | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 4. Pneumonia | 21 | 1 | – | – | 6 | – | – | 1 | – | – | 1 | 1 | 1 | – |
| | 5. Asthma | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 6. *Lung Disease, etc.* | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | 5 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 3 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 4 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 9 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 2. Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 3. Bright's Disease (Nephria) | 5 | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 2 | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 10 | 5 | 5 | 3 | 2 | 2 | – | 2 | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 1 | 1 | 2 | 1 | – | 3 | 4 | 1 | – | – | – | – | – | – | – |
| | 3. Paralysis | – | 2 | 2 | 3 | – | 3 | 2 | 5 | 2 | 3 | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | 1 | – | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | – | 1 | – | – | – | 1 | 2 | 1 | – | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 4 | 3 | 4 | 7 | 2 | 8 | 6 | 3 | 1 | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 2 | 1 | 1 | 3 | 2 | 3 | 2 | 3 | 3 | 1 | 3 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 2 | 2 | 1 | 3 | – | 3 | 2 | – | – | 1 | – | – | – | – | – |
| | 5. Asthma | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | 1 | 1 | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | – | 1 | 1 | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 1 | 1 | – | 2 | – | 2 | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | – | – | – | – | 3 | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 6 | 8 | 6 | 3 | 4 | 1 | – | – | 1 | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | 1 | – | 1 | 1 | 2 | 2 | 1 | – | 1 | 1 | – | – | – | – | – |
| | 3. Paralysis | – | 1 | 3 | 1 | 2 | 3 | 3 | 3 | 6 | 1 | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | 1 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| | 3. *Heart Disease, etc.* | 2 | 2 | 4 | 2 | 2 | 5 | 4 | 2 | 4 | 2 | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | – | 2 | 2 | 1 | 2 | 5 | 5 | 9 | 2 | – | 1 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 3 | – | 1 | – | 1 | 1 | 3 | 1 | – | – | – | – | – | – | – |
| | 5. Asthma | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | 1 | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | 2 | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | 1 | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 1 | – | – | 2 | 1 | – | 3 | – | 1 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | – | – | – | – | – | – | | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1 Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | – | – | – | – | – | | – | – | – | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 18 | 18 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | 3 | 3 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 6 | – | 1 | 1 | 4 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 14 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 17 | 15 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 11 | – | – | – | – | – | 1 | – | 2 | – | 1 | 1 | 1 | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Burns and Scalds | 2 | – | – | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | 5. Poison | 3 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 6. Drowning | 11 | – | – | – | 1 | – | – | – | 1 | – | 3 | 1 | 2 | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 3 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 5. Hanging | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 21 | 21 | – | | | | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | 1 | 1 | – | – | – | | | | – | | – | – | – | – |
| | 3. Spina Bifida | 1 | 1 | – | – | – | – | – | – | | – | – | – | – | – |
| | 4. Other Malformations | 3 | 3 | – | – | – | – | – | – | – | – | | – | – | – |
| | 5. Teething | 6 | – | – | 4 | 2 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 6 | – | – | – | – | – | – | – | – | – | 2 | – | – | 2 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 15 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 14 | 9 | 2 | – | – | 1 | 1 | – | – | – | – | – | – | – |
| V | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 5 | – | – | – | – | 1 | – | – | – | – | – | – | – | 1 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 2 | – | – | – | – | – | – | – | 1 | – | 1 | – | – | – |
| | 5. Poison | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | 5 | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 3 | 1 | 1 | | – | – | – | – | – | | – | – | 1 | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 1 | 4 | – | 4 | 5 | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | 1 | – | 3 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | Causes not specified or ill-defined | – | – | – | – | – | – | – | – | – | – | – | – | – | | – |

CAUSES of DEATH in LEITH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | – | 3 | 3 | 6 | 2 | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | – | – | – | – | 1 | 2 | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES.

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 315 | 44 | 14 | 17 | 18 | 7 | 6 | 3 | 11 | 6 | 12 | 7 | 7 | 11 |
| | **Specified Causes** . . | 313 | 44 | 14 | 17 | 18 | 7 | 6 | 3 | 11 | 6 | 12 | 7 | 7 | 11 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 53 | 11 | 5 | 5 | 6 | – | 1 | – | 3 | 1 | – | 3 | 1 | 3 |
| II. | CONSTITUTIONAL ,, | 51 | – | 1 | – | 4 | 2 | 3 | 1 | 2 | 4 | 7 | 3 | 2 | 3 |
| III. | LOCAL ,, | 135 | 7 | 5 | 5 | 5 | 4 | 2 | 2 | 5 | 1 | 4 | 1 | 2 | 3 |
| IV. | DEVELOPMENTAL ,, | 57 | 26 | 2 | 7 | 3 | 1 | – | – | – | – | – | – | – | – |
| V. | VIOLENT DEATHS . . | 17 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 2 | 2 |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 46 | 8 | 3 | 5 | 6 | – | 1 | – | 3 | 1 | – | 3 | 1 | 3 |
| | 2. ENTHETIC ,, . | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 6 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, | | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, | 4 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 47 | – | 1 | – | 4 | 2 | 2 | 1 | 2 | 4 | 7 | 3 | 2 | 3 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 36 | – | – | 1 | 1 | 1 | 1 | – | 2 | 1 | 1 | – | – | 1 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 25 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 49 | 6 | 3 | 4 | 3 | 3 | 1 | 1 | 1 | – | 1 | – | 1 | 1 |
| | 4. ,, OF DIGESTIVE ORGANS . . | 11 | 1 | 1 | – | 1 | – | – | – | – | – | 1 | 1 | – | 1 |
| | 5. ,, OF URINARY ORGANS . . | 10 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 4 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | 15 | 11 | – | 4 | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 24 | 15 | 2 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES.

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | **All Causes** . . . | 344 | 34 | 16 | 18 | 17 | 6 | 3 | 4 | 8 | 9 | 12 | 14 | 15 | 10 |
| | **Specified Causes** . . | 342 | 33 | 16 | 18 | 17 | 6 | 3 | 4 | 8 | 9 | 12 | 14 | 15 | 9 |
| | (CLASSES.) | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 61 | 9 | 6 | 9 | 6 | 2 | 2 | 1 | 2 | 1 | – | 2 | – | 2 |
| II. | CONSTITUTIONAL ,, | 74 | – | 1 | 3 | 4 | 1 | 1 | 1 | 2 | 3 | 8 | 10 | 10 | 4 |
| III. | LOCAL ,, | 140 | 10 | 7 | 5 | 3 | 3 | – | 2 | 3 | 5 | 4 | 1 | 3 | 2 |
| IV. | DEVELOPMENTAL ,, | 62 | 14 | 2 | 1 | 3 | – | – | – | 1 | – | – | 1 | 2 | 1 |
| V. | VIOLENT DEATHS . . | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 56 | 5 | 5 | 9 | 6 | 2 | 2 | 1 | 2 | 1 | – | 2 | – | 2 |
| | 2. ENTHETIC ,, . | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC ,, . | 16 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 2. TUBERCULAR ,, . | 58 | – | 1 | 3 | 4 | 1 | 1 | 1 | 2 | 3 | 8 | 9 | 10 | 4 |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 50 | 2 | 1 | 2 | 1 | 2 | – | 1 | – | 1 | 2 | 1 | – | 1 |
| | 2. ,, OF ORGANS OF CIRCULATION . | 27 | 2 | – | – | – | – | – | – | 1 | 1 | 1 | – | 2 | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 38 | 5 | 5 | 2 | 1 | 1 | – | 1 | 1 | 2 | 1 | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | 17 | 1 | 1 | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | 5. ,, OF URINARY ORGANS . . | 3 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | 3 | – | | – | – | – | – | – | – | – | – | – | – | 1 |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV | 1. DEV. DIS. OF CHILDREN | 9 | 5 | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| | 3. ,, OF OLD PEOPLE | 36 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. DISEASES OF NUTRITION | 13 | 9 | 2 | – | – | – | – | – | 1 | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **All Causes** . . . | 17 | 11 | 12 | 12 | 17 | 17 | 21 | 20 | 9 | 13 | 3 | – | – | – | – |
| | **Specified Causes** . . | 17 | 11 | 12 | 11 | 17 | 16 | 21 | 20 | 9 | 13 | 3 | – | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 2 | 1 | 2 | 2 | 1 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| II | CONSTITUTIONAL ,, | 7 | 4 | 3 | 1 | 2 | 1 | – | 1 | – | – | – | – | – | – | – |
| III. | LOCAL ,, | 5 | 6 | 5 | 5 | 13 | 12 | 15 | 12 | 7 | 8 | 1 | – | – | – | – |
| IV. | DEVELOPMENTAL ,, | – | – | – | – | – | 2 | 3 | 4 | 2 | 5 | 2 | – | – | – | – |
| V. | VIOLENT DEATHS . | 3 | – | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 2 | 1 | – | 2 | 1 | 1 | 2 | 3 | – | – | – | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. DIETIC ,, . | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | 1. DIATHETIC | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 7 | 4 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 1 | – | 1 | 1 | 4 | 3 | 7 | 7 | 1 | 2 | – | – | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 2 | 1 | 1 | – | 5 | 3 | 3 | 2 | 2 | 3 | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 2 | 3 | 1 | 2 | 2 | 4 | 4 | 1 | 2 | 2 | 1 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | – | – | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | – | 2 | 1 | 1 | – | 1 | – | 2 | 1 | 1 | – | – | – | – | |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 2 | 3 | 4 | 2 | 5 | 2 | – | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | – | – | – | – | – | – | – | | | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES. (*Continued*).

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
| | **All Causes** . . . | 9 | 5 | 16 | 10 | 20 | 16 | 23 | 21 | 26 | 21 | 7 | 4 | – | – | – |
| | **Specified Causes** . . | 9 | 5 | 16 | 10 | 20 | 16 | 23 | 21 | 26 | 21 | 7 | 4 | – | – | – |
| | (CLASSES.) | | | | | | | | | | | | | | | |
| I. | ZYMOTIC DISEASES | 1 | – | 1 | 1 | 4 | 2 | 3 | 2 | 3 | 1 | 1 | – | – | – | – |
| II. | CONSTITUTIONAL ,, | 5 | 2 | 7 | 3 | 2 | 3 | 2 | 1 | 1 | – | – | – | – | – | – |
| III. | LOCAL ,, | 3 | 2 | 7 | 6 | 14 | 10 | 14 | 13 | 14 | 6 | 2 | 1 | – | – | |
| IV. | DEVELOPMENTAL ,, | – | – | 1 | – | – | 1 | 3 | 4 | 8 | 13 | 4 | 3 | – | – | – |
| V. | VIOLENT DEATHS . . | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| | (ORDERS.) | | | | | | | | | | | | | | | |
| I. | 1. MIASMATIC DISEASES . | 1 | – | 1 | 1 | 4 | 2 | 3 | 2 | 3 | 1 | 1 | – | – | – | – |
| | 2. ENTHETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | |
| | 3. DIETIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. PARASITIC ,, . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II | 1. DIATHETIC ,, . | 1 | 1 | 3 | 2 | 2 | 2 | 2 | 1 | 1 | – | – | – | – | – | – |
| | 2. TUBERCULAR ,, . | 4 | 1 | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| III. | 1. DISEASES OF NERVOUS SYSTEM . . | 1 | 1 | 1 | 2 | 4 | 4 | 7 | 6 | 7 | 2 | – | 1 | – | – | – |
| | 2. ,, OF ORGANS OF CIRCULATION . | 1 | 1 | 2 | 2 | 4 | 1 | 3 | 1 | 2 | 3 | – | – | – | – | – |
| | 3. ,, OF RESPIRATORY ORGANS . . | 1 | – | 3 | – | 3 | 2 | 2 | 3 | 3 | – | 2 | – | – | – | – |
| | 4. ,, OF DIGESTIVE ORGANS . . | – | – | – | 1 | 3 | 2 | 2 | 2 | 2 | 1 | – | – | – | – | – |
| | 5. ,, OF URINARY ORGANS . . | – | – | – | 1 | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. ,, OF ORGANS OF GENERATION . | – | – | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 7. ,, OF ORGANS OF LOCOMOTION . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. ,, OF INTEGUMENTARY SYSTEM . . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | 1. DEV. DIS. OF CHILDREN | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. ,, OF ADULTS . | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. ,, OF OLD PEOPLE | – | – | – | – | – | 1 | 3 | 4 | 8 | 13 | 4 | 3 | – | – | – |
| | 4. DISEASES OF NUTRITION | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 17 | – | 1 | – | – | – | – | – | 1 | – | 1 | – | 2 | 2 |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | 4 | 1 | – | – | 2 | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 8. Enteric or Typhoid Fever | 10 | – | – | – | – | – | – | – | 3 | – | – | 1 | 1 | 1 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 9. Erysipelas | 2 | – | – | – | 1 | – | – | – | – | – | – | 1 | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 23 | 6 | 3 | 4 | 3 | – | – | – | – | – | – | – | – | 1 |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | 1 | – | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 5 | 3 | 2 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| I | ORDER 1. | | | | | | | | | | | | | | |
| | 1 Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 3. Cancer | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| V. | 1. ACCIDENT OR NEGLIGENCE | 5 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |
| I. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | 1 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | 1 | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | 1 | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 7. Hooping-cough | 3 | – | – | 2 | – | 1 | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 11 | – | – | – | – | – | 1 | – | 2 | – | – | 2 | – | 1 |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 9. Erysipelas | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | 2 | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 35 | 4 | 5 | 5 | 6 | – | – | – | – | 1 | – | – | – | 1 |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Syphilis | 2 | 2 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | 3 | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 13 | – | – | – | – | – | – | – | – | – | – | 1 | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | 3 | – | 2 | 3 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| I. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | 1 | 1 | – | – | – | – | – | 2 | – | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 1 | – | – | 1 | 1 | 1 | 1 | 1 | – | – | – | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | | – | – | – | – | – | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| V. | 1. ACCIDENT OR NEGLIGENCE | – | 1 | – | – | – | – | 1 | 1 | – | 1 | – | – | – | – | – |
| | * | | | | | | | | | | | | | | | |
| | 3. HOMICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. SUICIDE | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. EXECUTION | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | SUDDEN DEATHS (CAUSE UNASCERTAINED) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | CAUSES NOT SPECIFIED | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Small-pox | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Measles | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Scarlatina | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diphtheria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Quinsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Croup | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Hooping-cough | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Typhus Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Enteric or Typhoid Fever | – | – | 1 | 1 | 1 | 1 | – | – | 1 | – | – | – | – | – | – |
| | 8. Relapsing Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Simple Continued Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Erysipelas | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Puerperal Fever (Metria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. Carbuncle | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. Influenza | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Dysentery | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 14. Diarrhœa | 1 | – | – | – | 3 | – | 3 | 2 | 2 | 1 | 1 | – | – | – | – |
| | 15. Cholera | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. Ague | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 17. Remittent Fever | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 18. Rheumatism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 19. Other *Miasmatic* Diseases | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Syphilis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Stricture of Urethra | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Hydrophobia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Glanders | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Privation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Want of Breast Milk | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Purpura and Scurvy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *a* Del. Tremens | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Alcoholism *b* Intemperance | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Thrush | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Worms, etc. | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| II. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Gout | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Dropsy | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cancer | 1 | 1 | 2 | 1 | 2 | 2 | 2 | 1 | – | – | – | – | – | – | – |
| | 4. Cancrum Oris (Noma) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Mortification | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |

* See page 52, note.

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 2 | – | – | – | 1 | – | – | – | – | – | 1 | – | – | – |
| | 2. Tabes Mesenterica | 4 | – | 1 | – | – | 1 | – | – | 1 | 1 | – | – | – | – |
| | 3. Phthisis | 35 | – | – | – | 1 | – | 1 | – | – | 3 | 6 | 3 | 2 | 3 |
| | 4. Hydrocephalus | 6 | – | – | – | 2 | 1 | 1 | 1 | 1 | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 2 | – | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 2. Apoplexy | 5 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Paralysis | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 3 | – | – | – | 1 | – | 1 | – | 1 | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 12 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | – | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 25 | – | 1 | – | – | – | – | – | – | – | 1 | – | 1 | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | 2 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 31 | 6 | 3 | 3 | 2 | 2 | – | – | – | – | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 11 | – | – | – | – | 1 | – | 1 | – | – | 1 | – | – | 1 |
| | 5. Asthma | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 4 | – | – | 1 | – | – | 1 | – | 1 | – | – | – | 1 | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | 2. Enteritis | 3 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | 2 | – | – | – | – | – | – | – | – | – | 1 | 1 | – | – |
| | 7. Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | 2 | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 4 | – | – | – | – | – | – | – | 2 | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | ALL AGES. | AGE UNDER | | | | | | | | | | | | |
| | | | MONTHS. | | | | | | | | | | | | |
| | | | 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Scrofula | 2 | – | – | – | – | – | – | – | – | – | 1 | – | – | – |
| | 2. Tabes Mesenterica | 5 | – | 1 | 1 | 2 | – | – | – | – | 1 | – | – | – | – |
| | 3. Phthisis | 44 | – | – | – | – | 1 | 1 | 1 | – | 2 | 6 | 9 | 10 | 4 |
| | 4. Hydrocephalus | 7 | – | – | 2 | 2 | – | – | – | 2 | – | 1 | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Cephalitis | 6 | – | – | 1 | – | 1 | – | – | – | 1 | 1 | 1 | – | – |
| | 2. Apoplexy | 10 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Paralysis | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Insanity | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | 5 | 2 | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 9 | – | – | – | 1 | – | – | 1 | – | – | 1 | – | – | 1 |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 27 | 2 | – | – | – | – | – | – | 1 | 1 | 1 | – | 2 | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | 27 | 5 | 3 | 2 | – | 1 | – | – | – | – | 1 | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 7 | – | 2 | – | – | – | – | 1 | 1 | 1 | – | – | – | – |
| | 5. Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | 4 | – | – | – | 1 | – | – | – | – | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Gastritis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | 2 | 1 | – | – | – | – | – | – | 1 | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | 4 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | 2 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | 4 | – | – | – | – | – | – | – | – | – | – | – | 1 | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | 3 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | 2 | – | – | – | – | – | – | – | – | – | – | – | – | 1 |
| | ORDER 7. | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | 2 | – | – | 1 | – | – | – | – | – | 1 | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 7 | 4 | 3 | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| III. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Apoplexy | – | – | – | – | – | 1 | 2 | 2 | – | – | – | – | – | – | – |
| | 3. Paralysis | – | – | 1 | – | 1 | – | 3 | 4 | – | 1 | – | – | – | – | – |
| | 4. Insanity | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | 1 | – | – | – | 1 | – | 2 | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | – | – | – | – | 2 | 2 | – | 1 | 1 | 1 | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 2 | 1 | 1 | – | 5 | 3 | 3 | 2 | 2 | 3 | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | – | 1 | 1 | 2 | 2 | 2 | 2 | 1 | 2 | 1 | 1 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 1 | 2 | – | – | – | 2 | 1 | – | – | 1 | – | – | – | – | – |
| | 5. Asthma | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Ileus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | – | – | 1 | – | – | 1 | – | – | 1 | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | – | 1 | – | – | 1 | – | 1 | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | 1 | – | 1 | – | – | – | 1 | – | 1 | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | 1 | – | 1 | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Scrofula | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Tabes Mesenterica | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Phthisis | 4 | – | 4 | 1 | – | 1 | – | – | – | – | – | – | – | – | – |
| | 4. Hydrocephalus | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Cephalitis | – | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – |
| | 2. Apoplexy | – | 1 | – | 1 | – | 3 | 2 | 1 | – | 1 | – | 1 | – | – | – |
| | 3. Paralysis | – | – | 1 | – | 2 | 1 | 4 | 4 | 5 | 1 | – | – | – | – | – |
| | 4. Insanity | – | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – |
| | 5. Chorea | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Epilepsy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Convulsions | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. *Brain Disease, etc.* | 1 | – | – | – | 1 | – | 1 | 1 | 1 | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Pericarditis | – | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Aneurism | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Heart Disease, etc.* | 1 | 1 | 2 | 2 | 4 | 1 | 3 | 1 | 2 | 3 | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Laryngitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Bronchitis | – | – | 1 | – | 3 | 2 | 2 | 3 | 3 | – | 1 | – | – | – | – |
| | 3. Pleurisy | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Pneumonia | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Asthma | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. *Lung Disease, etc.* | – | – | 1 | – | – | – | – | – | – | – | 1 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Gastritis | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Enteritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Peritonitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Ascites | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Ulceration of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Hernia | – | – | – | – | – | 1 | 1 | 1 | – | 1 | – | – | – | – | – |
| | 7. Ileus | | – | – | – | – | – | 1 | – | | – | – | – | | – | – |
| | 8. Intussusception | – | – | – | – | – | – | – | – | – | – | – | – | | | |
| | 9. Stricture of Intestines | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 10. Fistula | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 11. *Stomach Disease, etc.* | – | – | – | – | 1 | – | – | – | 2 | – | – | – | – | – | – |
| | 12. *Pancreas Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 13. Hepatitis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 14. Jaundice | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 15. *Liver Disease, etc.* | – | – | – | – | 2 | 1 | – | – | – | – | – | – | – | – | – |
| | 16. *Spleen Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. | | | | | | | | | | | | | | | |
| | 1. Nephritis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ischuria | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Bright's Disease (Nephria) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Diabetes | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Calculus (Stone) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Cystitis | – | | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 7. *Kidney Disease, etc.* | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | ORDER 6. | | | | | | | | | | | | | | | |
| | 1. Ovarian Dropsy | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Uterus Disease, etc.* | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | ORDER 7. | | | | | | | | | | | | | | | |
| | 1. Synovitis (Arthritis) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. *Joint Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 11 | 11 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 4 | – | – | 4 | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 18 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 24 | 15 | 2 | 3 | 3 | 1 | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 9 | – | – | – | – | – | – | – | – | – | 1 | – | 1 | 2 |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 4 | – | – | – | – | – | – | – | 1 | – | – | – | 1 | – |
| | 7. Suffocation | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. ALL AGES. | AGE UNDER MONTHS. 3 | 6 | 12 | 2 | 3 | 4 | 5 | 10 | 15 | 20 | 25 | 30 | 35 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | |
| | 1. Premature Birth | 5 | 5 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | 4 | – | – | 1 | 3 | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | 4 | – | – | – | – | – | – | – | – | – | – | 1 | 2 | 1 |
| | ORDER 3. | | | | | | | | | | | | | | |
| | 1. Old Age | 36 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | 13 | 9 | 2 | – | – | – | – | – | 1 | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | 1 | – | – | – | 1 | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4 Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | 2 | 1 | – | – | – | – | – | – | – | – | – | – | – | 1 |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—MALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | MALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 2 | 3 | 4 | 2 | 5 | 2 | – | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | 2 | – | – | 1 | 1 | – | 1 | – | – | – | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | 1 | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | – | 1 | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. (*Execution.*) | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined | – | – | – | – | – | 1 | – | – | – | – | – | – | – | – | – |

CAUSES of DEATH in PERTH, at different Periods of Life, in 1880.—FEMALES. (*Continued.*)

| Class. | CAUSES OF DEATH. | FEMALES. AGE UNDER 40 | 45 | 50 | 55 | 60 | 65 | 70 | 75 | 80 | 85 | 90 | 95 | 100 | 105 | ? |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | ORDER 8. | | | | | | | | | | | | | | | |
| | 1. Phlegmon | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Ulcer | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. *Skin Disease, etc.* | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| IV. | ORDER 1. | | | | | | | | | | | | | | | |
| | 1. Premature Birth | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cyanosis | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Spina Bifida | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Other Malformations | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Teething | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 2. | | | | | | | | | | | | | | | |
| | 1. Paramenia | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Childbirth (*see* Puerperal Fever) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. | | | | | | | | | | | | | | | |
| | 1. Old Age | – | – | – | – | – | 1 | 3 | 4 | 8 | 13 | 4 | 3 | – | – | – |
| | ORDER 4. | | | | | | | | | | | | | | | |
| | 1. Atrophy and Debility | – | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – |
| V. | ORDER 1. (*Accident or Negligence.*) | | | | | | | | | | | | | | | |
| | 1. Fractures and Contusions | – | – | – | – | – | – | 1 | – | – | 1 | – | – | – | – | – |
| | 2. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Burns and Scalds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Drowning | – | – | – | – | – | – | – | 1 | – | – | – | – | – | – | – |
| | 7. Suffocation | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 8. Otherwise | – | 1 | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 3. (*Homicide.*) | | | | | | | | | | | | | | | |
| | 1. Murder and Manslaughter | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 4. (*Suicide.*) | | | | | | | | | | | | | | | |
| | 1. Gunshot Wounds | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 2. Cut, Stab | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 3. Poison | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 4. Drowning | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 5. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | 6. Otherwise and undefined | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | ORDER 5. *Execution.* | | | | | | | | | | | | | | | |
| | 1. Hanging | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Sudden Deaths (cause unascertained) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |
| | Causes not specified or ill-defined) | – | – | – | – | – | – | – | – | – | – | – | – | – | – | – |

TABLE showing the Distribution of DEATHS according to MONTHS, or the influence of SEASON on the MORTALITY

| | | DEATHS in 1880. | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | Jan | Feb | Mar | Apr | May | Jun | July | Aug | Sep | Oct | Nov | Dec | YEAR |
| | MEAN TEMPERATURE in 1880 | 36°·8 | 41°·7 | 41°·2 | 44°·7 | 49°·0 | 54°·9 | 56°·7 | 59°·4 | 55°·2 | 42°·4 | 38°·5 | 36°·6 | 46°·4 |
| | SCOTLAND | 6959 | 6473 | 7319 | 6986 | 6677 | 6048 | 5706 | 5770 | 5571 | 5656 | 6510 | 6120 | 75795 |
| 1 | PRINCIPAL TOWN DISTRICTS | 2595 | 2349 | 2801 | 2618 | 2631 | 2283 | 2161 | 2143 | 2014 | 2271 | 2586 | 2390 | 28842 |
| 2 | LARGE TOWN DISTRICTS | 879 | 882 | 940 | 930 | 840 | 777 | 725 | 743 | 735 | 707 | 865 | 812 | 9835 |
| 3 | SMALL TOWN DISTRICTS | 1624 | 1492 | 1717 | 1573 | 1481 | 1395 | 1269 | 1417 | 1377 | 1290 | 1459 | 1391 | 17485 |
| 4 | MAINLAND-RURAL DISTRICTS | 1675 | 1563 | 1660 | 1676 | 1552 | 1406 | 1378 | 1304 | 1316 | 1263 | 1418 | 1347 | 17558 |
| 5 | INSULAR-RURAL DISTRICTS | 186 | 187 | 201 | 189 | 173 | 187 | 173 | 163 | 129 | 125 | 182 | 180 | 2075 |
| | DIVISIONS. | | | | | | | | | | | | | |
| 1 | NORTHERN | 181 | 170 | 189 | 195 | 171 | 165 | 158 | 148 | 134 | 130 | 178 | 181 | 2000 |
| 2 | NORTH-WESTERN | 248 | 236 | 249 | 255 | 213 | 223 | 208 | 183 | 183 | 177 | 233 | 211 | 2619 |
| 3 | NORTH-EASTERN | 682 | 618 | 693 | 624 | 633 | 539 | 508 | 520 | 499 | 489 | 599 | 549 | 6953 |
| 4 | EAST-MIDLAND | 1042 | 1050 | 1158 | 1101 | 1055 | 988 | 890 | 875 | 869 | 892 | 931 | 882 | 11733 |
| 5 | WEST-MIDLAND | 506 | 529 | 474 | 507 | 474 | 429 | 399 | 452 | 407 | 417 | 445 | 432 | 5471 |
| 6 | SOUTH-WESTERN | 2929 | 2656 | 3142 | 2905 | 2860 | 2521 | 2465 | 2457 | 2328 | 2429 | 2821 | 2630 | 32143 |
| 7 | SOUTH-EASTERN | 1000 | 874 | 1062 | 1058 | 927 | 870 | 823 | 893 | 888 | 852 | 997 | 967 | 11211 |
| 8 | SOUTHERN | 371 | 340 | 352 | 341 | 344 | 313 | 255 | 242 | 263 | 270 | 306 | 268 | 3665 |
| | COUNTIES. | | | | | | | | | | | | | |
| | I. NORTHERN. | | | | | | | | | | | | | |
| 1 | Shetland | 36 | 44 | 45 | 42 | 52 | 35 | 43 | 43 | 30 | 30 | 50 | 50 | 500 |
| 2 | Orkney | 44 | 43 | 47 | 55 | 32 | 40 | 40 | 29 | 31 | 30 | 34 | 40 | 465 |
| 3 | Caithness | 60 | 54 | 63 | 74 | 56 | 60 | 44 | 46 | 47 | 45 | 63 | 63 | 675 |
| 4 | Sutherland | 41 | 29 | 34 | 24 | 31 | 30 | 31 | 30 | 26 | 25 | 31 | 28 | 360 |
| | II. NORTH-WESTERN. | | | | | | | | | | | | | |
| 5 | Ross and Cromarty | 108 | 102 | 115 | 111 | 106 | 88 | 103 | 87 | 84 | 83 | 106 | 101 | 1194 |
| 6 | Inverness | 140 | 134 | 134 | 144 | 107 | 135 | 105 | 96 | 99 | 94 | 127 | 110 | 1425 |
| | III. NORTH-EASTERN. | | | | | | | | | | | | | |
| 7 | Nairn | 8 | 6 | 12 | 12 | 21 | 11 | 12 | 6 | 8 | 10 | 15 | 9 | 130 |
| 8 | Elgin (or Moray) | 82 | 63 | 80 | 67 | 76 | 75 | 60 | 61 | 50 | 47 | 85 | 64 | 810 |
| 9 | Banff | 90 | 86 | 108 | 92 | 92 | 73 | 73 | 79 | 77 | 62 | 88 | 80 | 1000 |
| 10 | Aberdeen | 445 | 412 | 438 | 392 | 395 | 343 | 330 | 331 | 332 | 340 | 361 | 352 | 4471 |
| 11 | Kincardine | 57 | 51 | 55 | 61 | 49 | 37 | 33 | 43 | 32 | 30 | 50 | 44 | 542 |
| | IV. EAST-MIDLAND. | | | | | | | | | | | | | |
| 12 | Forfar | 527 | 517 | 612 | 545 | 497 | 464 | 426 | 422 | 397 | 424 | 445 | 427 | 5703 |
| 13 | Perth | 197 | 211 | 194 | 234 | 239 | 213 | 169 | 176 | 182 | 196 | 184 | 177 | 2372 |
| 14 | Fife | 273 | 266 | 279 | 259 | 279 | 257 | 255 | 241 | 248 | 245 | 256 | 241 | 3099 |
| 15 | Kinross | 7 | 12 | 25 | 13 | 12 | 15 | 11 | 7 | 16 | 9 | 12 | 4 | 143 |
| 16 | Clackmannan | 38 | 44 | 48 | 50 | 28 | 39 | 29 | 29 | 26 | 18 | 34 | 33 | 416 |
| | V. WEST-MIDLAND. | | | | | | | | | | | | | |
| 17 | Stirling | 189 | 232 | 181 | 206 | 176 | 139 | 142 | 148 | 160 | 168 | 182 | 152 | 2075 |
| 18 | Dumbarton | 133 | 148 | 119 | 134 | 136 | 108 | 100 | 128 | 112 | 124 | 118 | 135 | 1495 |
| 19 | Argyll | 158 | 125 | 143 | 131 | 141 | 142 | 129 | 129 | 110 | 104 | 113 | 123 | 1548 |
| 20 | Bute | 26 | 24 | 31 | 36 | 21 | 40 | 28 | 47 | 25 | 21 | 32 | 22 | 353 |
| | VI. SOUTH-WESTERN. | | | | | | | | | | | | | |
| 21 | Renfrew | 499 | 416 | 441 | 413 | 455 | 377 | 401 | 398 | 423 | 431 | 521 | 466 | 5241 |
| 22 | Ayr | 456 | 371 | 491 | 430 | 401 | 351 | 317 | 347 | 323 | 285 | 288 | 350 | 4410 |
| 23 | Lanark | 1974 | 1869 | 2210 | 2062 | 2004 | 1793 | 1747 | 1712 | 1582 | 1713 | 2012 | 1814 | 22492 |
| | VII. SOUTH-EASTERN. | | | | | | | | | | | | | |
| 24 | Linlithgow | 64 | 73 | 78 | 83 | 63 | 64 | 62 | 87 | 67 | 64 | 69 | 63 | 837 |
| 25 | Edinburgh | 742 | 645 | 812 | 790 | 723 | 676 | 619 | 655 | 668 | 668 | 797 | 755 | 8550 |
| 26 | Haddington | 66 | 53 | 58 | 74 | 46 | 46 | 44 | 51 | 51 | 46 | 48 | 44 | 627 |
| 27 | Berwick | 74 | 46 | 44 | 55 | 39 | 37 | 49 | 44 | 44 | 34 | 41 | 47 | 554 |
| 28 | Peebles | 19 | 16 | 14 | 19 | 16 | 20 | 14 | 17 | 17 | 16 | 10 | 16 | 194 |
| 29 | Selkirk | 35 | 41 | 56 | 37 | 40 | 27 | 35 | 39 | 41 | 24 | 32 | 42 | 449 |
| | VIII. SOUTHERN. | | | | | | | | | | | | | |
| 30 | Roxburgh | 82 | 72 | 72 | 85 | 77 | 63 | 62 | 62 | 51 | 67 | 81 | 63 | 837 |
| 31 | Dumfries | 142 | 126 | 160 | 137 | 124 | 132 | 97 | 85 | 113 | 85 | 123 | 95 | 1419 |
| 32 | Kirkcudbright | 73 | 70 | 51 | 56 | 86 | 66 | 47 | 38 | 55 | 61 | 54 | 51 | 708 |
| 33 | Wigtown | 74 | 72 | 69 | 63 | 57 | 52 | 49 | 57 | 44 | 57 | 48 | 59 | 701 |

The numbers given above are taken from the Registrar-General's Quarterly Reports, which, being made up from the Returns furnished by the Registrars, do not correspond with those given in the foregoing tables.

## CONSTITUTION OF THE DISTRICTS DISTINGUISHED IN THE PRECEDING TABLES BY AN ASTERISK (*).

| No. | Districts. | Component Parts (Parishes). |
|---|---|---|
| 14 | Deerness | Part of St Andrews. |
| 15 | Eday and Pharay | Part of Stronsay and Eday. |
| 22 | North Ronaldshay | Part of Cross and Burness. |
| 26 | Sanday | Lady, and part of Cross and Burness. |
| 58 | Applecross | (1) Part of Applecross; (2) Rest of Applecross and part of Gairloch. |
| 59*b* | Carnoch | Parts of Contin, Fodderty, and Urray. |
| 71*b* | Kinlochluichart | Parts of Contin, Fodderty, and Urray. |
| 86*b* | Carloway | Parts of Lochs and Uig. |
| 87 | Lochs | Parts of Lochs and Uig. |
| 112 | Kilmuir | (1) Part of Kilmuir; (2) Rest of Kilmuir and part of Snizort. |
| 135 | Elgin | Elgin, and parts of New Spynie and St Andrews-Lhanbryde. |
| 147 | Banff | Banff, and part of Gamrie. |
| 152 | Enzie | Parts of Bellie and Rathven. |
| 155*b* | Glenrinnes | Parts of Aberlour and Mortlach. |
| 167 | Seafield | Parts of Cullen and Rathven. |
| 210*b* | Kinninmonth | Parts of Crimond, Longside, Lonmay, Old Deer and Strichen. |
| 217 | Logie Coldstone and Cromar | Logie Coldstone, and part of Glenmuick, Tullich, and Glengairn. |
| 222*b* | Millbrex | Parts of Fyvie and Monquhitter. |
| 227*b* | New Pitsligo | Parts of Aberdour, New Deer, Strichen, and Tyrie. |
| 237*b* | Savoch | Parts of Ellon, New Deer, Old Deer, and Tarves. |
| 240 | Strathdon | Strathdon, and part of Tarland. |
| 249*b* | Ythan Wells | Parts of Auchterless and Forgue. |
| 272 | Arbroath | Arbroath, and part of St Vigeans. |
| 282 | Dundee | Dundee, and part of Liff, Benvie, and Invergowrie. |
| 294 | Kettins | Kettins and part of Scone. |
| 297 | Kinnettles | Kinnettles and part of Caputh. |
| 324 | Aberfeldy | Parts of Dull, Fortingall, Kenmore, Logierait, and Weem. |
| 331 | Balquhidder | Balquhidder, and part of Comrie. |
| 344 | Dowally | Part of Dunkeld and Dowally. |
| 349 | Dunkeld | Parts of Caputh and of Dunkeld and Dowally. |
| 355*a* | Fortingall | (1) Parts of Fortingall and Weem; (2) Part of Fortingall. |
| 355*b* | Foss | Part of Dull. |
| 360 | Kenmore | Parts of Kenmore and Weem. |
| 361 | Killin | Parts of Kenmore, Killin, and Weem. |
| 367 | Kinloch-Rannoch | Parts of Fortingall and Logierait. |
| 375 | Logiealmond | Parts of Fowlis-Wester, Little Dunkeld, Methven, Monzie, and Redgorton. |
| 379 | Meigle | Meigle, and part of Coupar-Angus. |
| 386*b* | Persie | Parts of Alyth, Bendochy, Blairgowrie, Caputh, Kirkmichael, Lethendy and Kinloch, and Rattray. |
| 387 | Perth | Perth, and parts of Kinnoull, Scone, and Tibbermore. |
| 393*b* | Stanley | Parts of Auchtergaven, Kinclaven, and Redgorton. |
| 394*b* | Strathfillan | Part of Killin. |
| 394*c* | Tenandry | Parts of Blair-Athol, Dull, and Moulin. |
| 402 | Anstruther-Easter | Anstruther-Easter and part of Kilrenny. |
| 417 | Crail | Part of Crail and May Island. |
| 423 | Dunbog | Dunbog, and parts of Abdie and Flisk. |
| 424 | Dunfermline | Parts of Dunfermline and Inverkeithing. |
| 425 | Dunino | Dunino and part of Crail. |
| 432 | Inverkeithing | Parts of Inverkeithing and Dunfermline. |
| 442 | Kirkcaldy and Abbotshall | Kirkcaldy, Abbotshall, and part of Kinghorn. |
| 481 *b* | Grangemouth | Parts of Bothkennar, Falkirk, and Polmont. |
| 490 | Stirling | Stirling, and part of St Ninians. |
| 493 | Bonhill | Bonhill, and part of Dumbarton. |
| 496 | Dumbarton | Parts of Cardross and Dumbarton. |
| 506 | Ballachulish, etc. | Part of Kilmalie. |
| 509 | Cumlodden and Minard | Parts of Glassary and Glenaray. |
| 513 | Inveraray | Inveraray and part of Glenaray. |
| 515 | Kilbrandon and Kilchattan | Kilbrandon and Kilchattan, and part of Jura. |
| 517 | Kilchrenan | (1) Parts of Kilchrenan and Dalavich, and of Glenorchy and Inishail; (2) Rest of Kilchrenan and Dalavich. |
| 526 | Lochgilphead | Parts of Glassary and South Knapdale. |
| 529 | Muckairn | Parts of Ardchattan and Muckairn, and of Glenorchy and Inishail. |
| 535 | Tarbert | Parts of Kilcalmonell and Kilberry, of Saddell and Skipness, and of South Knapdale. |
| 536 | Bowmore (or Kilarrow) | Part of Kilarrow and Kilmeny. |
| 542 | Kilfinichen and Kilvickeon | Parts of Kilfinichen and Kilvickeon, and of Torosay. |
| 543 | Kilmeny | Part of Kilarrow and Kilmeny. |
| 545 | Kinlochspelvie | Part of Torosay. |
| 547 | Portnahaven | Part of Kilchoman. |
| 548 | Salen | Parts of Kilninian and Kilmore, and of Torosay. |
| 549 | Tobermory | Part of Kilninian and Kilmore. |
| 556 | Lochranza | Parts of Kilbride and of Kilmory. |
| 557 | North Bute | North Bute, and part of Rothesay. |
| 572 | Neilston | (1) Part of Neilston; (2) Rest of Neilston and part of Abbey. |
| 573 | Paisley | High, Middle, and Low Church Parishes, and parts of Abbey and of Renfrew. |
| 576 | Ardrossan | (1) Parts of Ardrossan and of West Kilbride; (2) Rest of Ardrossan. |
| 578 | Ayr | Ayr, and parts of Newton-upon-Ayr, and of St Quivox. |
| 584*b* | Crosshill | Parts of Kirkmichael, Kirkoswald, and Maybole. |
| 595 | Irvine | Irvine, and part of Dundonald. |
| 612 | St Quivox, etc. | Parts of Newton-upon-Ayr, and St Quivox. |
| 626*b* | Calderhead | Parts of Cambusnethan and Shotts. |
| 644 | Glasgow | City of Glasgow, including Gorbals and parts of Barony and Govan. |
| 670 | Queensferry | Queensferry, and part of Dalmeny. |
| 684 | Portobello | Parts of Duddingston and South Leith. |
| 685 | Edinburgh | City of Edinburgh, Canongate, and parts of St Cuthberts, Duddingston, Liberton, and North Leith and South Leith. |
| 690 | Kirknewton & East Calder | Kirknewton and East Calder, and part of Kirkliston. |
| 692 | Leith | (1) Parts of Cramond, North Leith, and St Cuthberts; (2) Parts of North Leith, St Cuthberts, and South Leith. |
| 698*b* | Stobhill | Parts of Borthwick, Cockpen, Newbattle, and Temple. |
| 774*a* | Caddonfoot | Parts of Galashiels, Selkirk, Yarrow, Innerleithen, and Stow. |
| 776*b* | Ladhope | Part of Melrose. |
| 787*b* | Edgerston | Parts of Jedburgh, Oxnam, and Southdean. |
| 794 | Kirktown | Kirktown and part of Cavers. |
| 813*b* | Brydekirk | Parts of Annan, Cummertrees, and Hoddom. |
| 853*b* | Wanlockhead | Part of Sanquhar. |
| 857*b* | Bargrennan | Parts of Minnigaff (Kirkcudbright) and of Penninghame (Wigtown). |
| 862 | Corsockbridge | Parts of Balmaclellan, Kirkpatrick-Durham, and Parton. |
| 864 | Dalbeattie | Part of Urr. |
| 899 | Stranraer | Stranraer, and parts of Inch and Leswalt. |

LIST of REGISTRATION DISTRICTS which include BURGHS, or TOWNS of 2000 Inhabitants, and upwards, *or parts thereof*, bearing a different name from the Districts in which they are situated.

| No. | Registration Districts. | Burghs. | Towns. |
|---|---|---|---|
| 80 | Rosemarkie | * Fortrose. | |
| 130 | Drainie | - | *Lossiemouth. |
| 164 | Rathven | - | *Buckie. |
| 167 | Seafield | Cullen. | |
| 211 | Kinnellar | Kintore. | |
| 213 | Kintore | Inverurie. | |
| 251[1] | Banchory-Devenick | Aberdeen. | |
| 253 | Benholm | Inverbervie. | |
| 255 | Dunnottar | - | Stonehaven. |
| 258[1] | Fetteresso | - | Do. |
| 262 | Kinneff, etc. | Inverbervie. | |
| 274 | Barry | - | Carnoustie. |
| 280 | Craig | Montrose. | |
| 282[4] | St Andrews (Dundee) | - | Broughty-Ferry. |
| 310 | Monifieth | - | Do. |
| 316 | Panbride | - | Carnoustie. |
| 371 | Lecropt | - | Bridge of Allan. |
| 374 | Logie | Stirling. | Do. |
| 385 | Muckart | - | Dollar. |
| 386 *a* | Muthill | - | Crieff. |
| 389 | Rattray | - | Blairgowrie. |
| 400 | Abdie | - | Suburban of Newburgh. |
| 405 | Auchterderran | - | Lochgelly. |
| 408 | Ballingry | - | Do. |
| 410 | Beath | - | Cowdenbeath. |
| 431 | Forgan | - | Newport. |
| 436 | Kilconquhar | * Earlsferry. | |
| 438 | Kilrenny | Anstruther-Easter. | |
| 456 | Scoonie | - | *Leven. |
| 459 | Wemyss | - | Buckhaven. |
| 466 | Clackmannan | - | Alloa. |
| 475 | Campsie | - | *Lennoxtown. |
| 478 | Dunipace | - | Denny. |
| 485 | Larbert | - | Stenhousemuir. |
| 488 | St Ninians | - | Bannockburn. |
| 493 | Bonhill | - | *Alexandria. |
| 494 | Cardross | - | *Renton. |
| 500 | New or East Kilpatrick | - | *Milngavie. |
| 503 | Row | - | *Helensburgh. |
| 523 | Kilmore and Kilbride | * Oban. | |
| 559[3] | Abbey | - | Johnstone. |
| 560 | Cathcart | - | Busby.<br>Suburban of Glasgow (Crosshill). |
| 562 | Eastwood | - | *Pollokshaws and Thornliebank. |
| 564 | Greenock, East | Port-Glasgow. | |
| 571 | Mearns | - | Busby. |
| 576[1] | Old Ardrossan | - | Saltcoats. |
| 577 | Auchinleck | - | Cumnock. |
| 593 | Galston | - | Newmilns. |
| 597 | Kilmarnock | - | Hurlford. |
| 603 | Loudoun | - | Galston and Newmilns. |
| 611 | Riccarton | Kilmarnock. | Hurlford. |
| 613 | Sorn | - | *Catrine. |
| 615 | Stevenston | - | Saltcoats. |
| 621 | Avondale | - | *Strathaven. |
| 622[1] | Maryhill | - | Suburban of Glasgow (Maryhill and Possilpark). |
| 622[2] | Shettleston | - | Suburban of Glasgow (Shettleston and part of Tollcross). |
| 622[2] | Shettleston | - | Tollcross. |
| 624 | Blantyre | - | Stonefield. |
| 625[1] | Bothwell | - | *Bellshill, Uddingston and Mossend. |
| 628 | Cambusnethan | - | *Newmains and Wishaw. |
| 639 | Dalziel | - | Motherwell. |
| 643 | East Kilbride | - | Busby. |
| 644[11] | Glasgow (Hutchesontown) | - | Suburban of Glasgow (Govanhill and Polmadie). |
| 644[13] | Glasgow (Gorbals) | - | Suburban of Glasgow (Govanhill, Pollockshields, and Strathbungo). |
| 644[14] | Glasgow (Kinning Park) | - | Suburban of Glasgow (Pollockshields, Strathbungo, and Kinning Park) |
| 646[1] | Govan | - | Suburban of Glasgow (Govanhead). |
| 646[2] | Partick | - | Suburban of Glasgow (Partick and Hillhead). |
| 647 | Hamilton | - | Larkhall and Motherwell. |
| 651[2] | New Monkland (Landward) | - | Suburban of Airdrie. |
| 652 | Old Monkland | | |
| | (1) Western District | - | Bailliestone, and Tollcross. |
| | (2) Middle District | - | Coatbridge and Rosehall. |
| | (3) Eastern District | - | Do. do. |
| 654 | Rutherglen | - | Cambuslang. |
| 664 | Carriden | - | Borrowstounness. |
| 672 | Uphall | - | Broxburn. |
| 673[2] | Fauldhouse | - | *Crofthead. |
| 676 | Cockpen | - | Bonnyrigg. |
| 689 | Inveresk | *Musselburgh. | |
| 691 | Lasswade | - | Penicuik, Loanhead. |
| 727 | Ayton | - | Eyemouth. |
| 776 *b* | Ladhope | Galashiels. | |
| 810 | Wilton | Hawick. | |
| 813 *b* | Brydekirk | Annan. | |
| 820 | Dryfesdale | - | Lockerbie. |
| 863 | Crossmichael | - | Castle-Douglas. |
| 868 | Kells | *New Galloway. | |
| 869 | Kelton | - | Castle-Douglas. |
| 876 | Minnigaff | - | Newton-Stewart. |
| 880 | Terregles | Dumfries. | |
| 882 | Troqueer | Do. | |
| 895 | Penninghame | - | Newton-Stewart. |

# INDEX TO THE DISTRICTS.

*The Figures refer to the Numbers of the Districts in the preceding Tables of Births, Deaths, and Marriages, these being numbered consecutively from* 1 *to* 901.*


Abbey, . 559
Abbey St Bathans, . 726
Abbotshall, 399
Abdie, . 400
Abercorn, . 661
Aberdalgie, 323
Aberdeen, . 168
Aberdour(Aberdeen), . 169
Aberdour(Fife), 401
Aberfeldy, . 324
Aberfoyle, . 325
Aberlady, . 702
Aberlemno, 269
Aberlour, . 145
Abernethy 326
Abernethy and Kincardine, 90
Abernyte, . 327
Aboyne, . 170
Aharacle, . 505
Airdrie, . 651
Airlie, . 270
Airth, . 469
Alford, . 171
Alloa, . 465
Alness, . 57
Alva (Stirling), 470
Alvah (Banff), 146
Alves, . 125
Alvie,. . 90
Alyth, . 328
Ancrum, . 780
Anderston,. 644
Annan, . 812
Anstruther-E., 402
Anstruther-W., 403
Anwoth, . 855
Appin, . 525
Applecross, 58
Applegarth, 813
Arbirlot, . 271
Arbroath, . 272
Arbuthnott, 250
Ardchattan, 504
Ardclach, . 120
Ardersier, . 91
Ardnamurchan, 505
Ardoch, . 328
Ardrossan,. 576
Arisaig, 505
Armadale, . 662
Arngask, . 404
Arrochar, . 492
Ashkirk, . 781
Assynt, . 44
Athelstaneford, 703
Auchindoir, 172
Auchinleck, 577
Auchterarder, 329
Auchterderran, 405
Auchtergaven, 330
Auchterhouse, 273
Auchterless, 173
Auchtermuchty, 406
Auchtertool, 407
Auldearn, . 121
Avoch, . 59
Avondale, . 621
Ayr, . . 578
Ayton, . 727

Baldernock, 471
Balfron, . 472
Ballachulish and Corran of Ardgour, . 506
Ballantrae, 579
Ballingry, . 408
Balmaclellan, 856
Balmaghie, 857
Balmerino,. 409
Balquhidder, 331
Banchory-Devenick, . 251
Banchory-Ternan, . 252
Banff, . 147
Bannockburn, 488
Bargrennan, 857
Barony, . 622
Barr, . . 580
Barra (Inverness), . 108
Barrhead and Levern, . 572
Barrhill, . 582
Barry (Forfar), 274
Barvas, . 86
Bathgate, . 662
Beath (Fife), 410
Bedrule, . 782
Beith (Ayr), 581
Belhelvie, . 174
Bellie, . 126
Benbecula,. 118
Bendochy, . 332
Benholm, . 253
Bernera, . 111
Bervie, . 254
Biggar, . 623
Birnie, . 127
Birsay, . 13
Birse,. . 175
Blackford, . 333
Blackfriars, 644
Blair-Athol, 334
Blairgowrie, 335
Blantyre, . 624
Blythswood, 644
Boddam, . 232
Boharm, . 128
Boisdale, . 118
Boleskine, . 92
Bolton, . 704
Bonar, . 46
Bonhill, . 493
Borgue, . 858
Bo'ness, . 663
Borthwick,. 674
Bothkennar, 473
Bothwell, . 625
Botriphnie, 148
Bourtie, . 176
Bowden, . 783
Bower, . 34
Bowmore, . 536
Boyndie, . 149
Bracadale, . 109
Brechin, . 275
Bressay, . 1
Bridgeton, . 644
Brodick, . 553
Broughton, 758
Brydekirk,. 813
Buchanan, . 474
Buckhaven, 459
Buittle, . 859
Bunkle and Preston, . 728
Burntisland, 411
Burra & Quarff, 1

Cabrach, . 177
Cadder, . 626
Caddonfoot, 774
Cairney, . 178
Calderhead, 626
Callander, . 336
Calton, . 644
Cambuslang, 627
Cambusnethan, 628
Cameron, . 412
Camlachie, 644
Campbeltown, 507
Campsie, . 475
Canisbay, . 35
Canonbie, . 814
Canongate,. 685
Caputh, . 337
Cardross, . 494
Careston, . 277
Cargill, . 338
Carlaverock, 815
Carloway, . 86
Carluke, . 629
Carmichael, 630
Carmunnock, 631
Carmylie, . 276
Carnbee, . 413
Carnoch (Ross), 595
Carnock (Fife), 414
Carnwath, . 632
Carriden, . 664
Carrington, 675
Carsphairn, 860
Carstairs, . 633
Castleton, . 784
Cathcart, . 560
Cavers, . 785
Cawdor, . 122
Ceres, . 415
Channelkirk, 729
Chapel-of-Garioch, . 179
Chirnside, . 730
Clackmannan, 466
Clatt,. . 180
Cleish, . 460
Closeburn, . 816
Clunie (Perth), 339
Cluny(Aberd'n), 181
Clyne, . 45
Cockburnspath, 731
Cockpen, . 676
Coigach, . 75
Coldingham, 732
Coldstream, 733
Colinton, . 677
Coll, . . 551
Collace, . 340
Collessie, . 416
Colmonell, . 582
Colonsay, . 539
Colvend, . 861
Comrie, . 341
Contin, . 60
Cookney, . 258
Corsock-Bridge, 862
Corstorphine, 678
Cortachy&Clova 278
Coull, . 182
Coupar-Angus, 279
Covington and Thankerton, 634
Coylton, . 583
Craig, . 280
Craigie, . 584
Craignish, . 508
Crail,. . 417
Crailing, . 786
Cramond, . 679
Cranshaws, 734
Cranston, . 680
Crathie and Braemar, 183
Crawford, . 635
Crawfordjohn, 636
Creich (Fife), 418
Crichton, . 681
Criech (Sutherland), . 46
Crieff, . 342
Crimond, . 184
Cromarty, . 61
Cromdale and Advie, . 128
Crosshill, . 584
Crossmichael, 863
Croy & Dalcross, 94
Cruden, . 185
Cullen, . 150
Culross, . 343
Culsamond, 186
Culter, . 637
Cults, . 419
Cumbernauld, 495
Cumbrae, . 552
Cumlodden and Minard, . 509
Cummertrees, 817
Cupar, . 420
Currie, . 682

Dailly, . 585
Dairsie, . 421
Dalavich, . 517
Dalbeattie,. 864
Dalgetty, . 422
Dalkeith, . 683
Dallas, . 129
Dalmellington, 586
Dalmeny, . 665
Dalry (Ayr), 587


* The actual number of Districts is 1035—many Parishes and Burghs having been divided into two or more Districts for the purposes of Registration. Thus Edinburgh and Glasgow, to each of which only a single number is assigned in the Tables, consist of 5 and 14 Districts respectively. In forming the alphabetical arrangement, the principle adopted has been to place *compound* names in the order in which they are pronounced.

Dalry (Kirkcudbright), . 865
Dalrymple, 588
Dalserf, . 638
Dalton, . 818
Dalziel, . 639
Daviot, . 187
Daviot & Dunlichity, . 95
Deerness, . 14
Delting, . 6
Dennistoun, 644
Denny, . 471
Deskford, . 152
Dingwall, . 62
Dirleton, . 705
Dollar, . 467
Dolphington, 640
Dores, . 90
Dornoch (Sutherland), . 47
Dornock (Dumfries), . 819
Douglas, . 641
Dowally, . 344
Drainie, . 130
Dreghorn, . 589
Dron, . . 345
Drumblade, 188
Drumelzier, 759
Drumoak, . 189
Dryfesdale, 820
Drymen, . 477
Duddingston, 684
Duffus, . 131
Duirinish, . 110
Dull, . . 346
Dumbarton, 496
Dumfries, . 821
Dun, . . 281
Dunbar, . 706
Dunbarney, 347
Dunblane, . 348
Dunbog, . 423
Dundee, . 282
Dundonald, 590
Dunfermline, 424
Dunino, . 425
Dunipace, . 478
Dunkeld, . 349
Dunlop, . 591
Dunnet, . 36
Dunnichen, 283
Dunning, . 350
Dunnottar, . 255
Dunoon & Kilmun, . 510
Dunrossness, 3
Dunscore, . 822
Dunse, . 735
Dunsyre, . 642
Durness, . 48
Duror, . 525
Durris, . 256
Durrisdeer, 823
Duthil, . 96
Dyce, . . 190
Dyke, . 133
Dysart, . 426

Eaglesham, 561
Earlsferry, . 436
Earlston, . 736
Eassie & Nevay, 284
East Kilbride, 643
Eastwood, . 562
Eccles, . 737
Ecclesmachen, 666
Echt, . . 191
Eckford, . 787
Eday & Pharay, 15
Edderton, . 63
Eddlestone, 760
Eddrachillis, 49
Edgerston, . 787
Edinburgh, 685
Edinkillie, . 134
Ednam, . 788
Edrom, . 738
Edzell, . 285
Elgin, . . 135
Elie, . . 427
Ellon, . . 192
Enzie, . . 152
Errol, . . 351
Erskine, . 563
Eskdalemuir, 824
Ettrick, . 774
Evie & Rendall, 16
Ewes, . 825
Eyemouth, 739

Fair Isle, . 3
Fala & Soutra, 686
Falkirk, . 479
Falkland, . 428
Farnell, . 286
Farr, . 50
Fauldhouse, 673
Fearn (Forfar), 287
Fearn (Ross), 64
Fenwick, . 592
Ferry-Port-on-Craig, . 429
Fetlar, . 4
Fettercairn, 257
Fetteresso, . 258
Findo-Gask, 352
Fintray (Aberd.), 193
Fintry (Stirling), 480
Firth & Stennes, 17
Flisk, . 430
Flotta, . 32
Fodderty, . 65
Fogo, . 740
Fordoun, . 259
Fordyce, . 153
Forfar, . 288
Forgan, . 431
Forgandenny, 353
Forglen, . 154
Forgue, . 194
Forres, . 137
Fort-Augustus (or Abertarff), 92
Forteviot, . 354
Fortingall, . 355
Fortrose, . 80
Foss, . . 355
Fossaway and Tulliebole, 461
Foula, . 12
Foulden, . 741
Foveran, . 195
Fowlis-Easter, 356
Fowlis-Wester, 357
Fraserburgh, 196
Fyvie, . 197

Gairloch, . 66
Galashiels, . 775
Galston, . 593
Gamrie, . 155
Gargunnock, 481
Gartly, . 198
Garvald, . 707
Garvock, . 260
Gigha, . 537
Girthon, . 866
Girvan, . 594
Gladsmuir, 708
Glamis, . 289
Glasgow, . 644
Glass, . 199
Glassary, . 511
Glasserton, 885
Glassford, 645
Glenbervie, 261
Glenbucket, 200
Glencairn, . 826
Glencoe and Ballachulish, 525
Glencorse, . 687
Glendevon, 358
Glenelg, . 97
Glengarry, . 99
Glenholm, . 761
Glenisla, . 290
Glenlivat, . 157
Glenmoriston, 107
Glenmuick, Tullich, &c., 201
Glenorchy, . 512
Glenrinnes, . 155
Glenshee, . 370
Glenshiel, . 67
Golspie, . 51
Gorbals, . 644
Gordon, . 742
Gourock, . 567
Govan Church, 646
Graitney (or Gretna). . 827
Grange, . 156
Grangemouth, 481
Grantshouse, 732
Greenlaw, . 743
Greenock, . 564
Guthrie . 291

Haddington, 709
Haggs, . 476
Halfmorton, 828
Halkirk, . 37
Hamilton, . 647
Harray, . 18
Harris, . 111
Hawick, . 789
Heriot, . 688
Hobkirk, . 790
Hoddom, . 829
Holm & Paplay, 19
Holytown, . 625
Holywood, . 830
Houston and Killellan, 565
Howmore, . 118
Hownam, . 791
Hoy & Græmsay, 20
Humbie, . 710
Hume, . 744
Huntly, . 202
Hutchesontown, 644
Hutton (Berwick), . 745
Hutton (Dumf.) 831

Inch (Wigtown), 886
Inchinnan, . 566
Inchture, . 359
Innerleithen 762
Innerwick (Had.) 711
Innerwick, in Glenlyon, 355*a*
Insch (Aberd'n), 203
Inverallan, . 128
Inverallochy, 235
Inveraray, . 513
Inverarity, . 292
Inveravon, . 157
Inverchaolain, 514
Inveresk, . 689
Inverkeillor, 293
Inverkeithing, 432
Inverkeithny, 158
Inverkip, . 567
Inverness, . 98
Inverurie, . 204
Iona, . 538
Irongray, . 867
Irvine, . 595

Jedburgh, . 792
Johnstone (Dumfries), 832
Johnstone & Elderslie (Renfrew), 559
Jura, . 539

Keig, . . 205
Keir, . . 833
Keith, . 159
Keith-hall, . 206
Kells, . 868
Kelso, . 793
Kelton, . 869
Kelvin, . 644
Kemback, . 433
Kemnay, . 207
Kenmore, . 360
Kennoway, 434
Kettins, . 294
Kettle, . 435
Kilbarchan, 568
Kilberry, . 516
Kilbirnie, . 596
Kilbrandon and Kilchattan, 515
Kilbride, . 553
Kilbucho, &c., 763
Kilcalmonell, 516
Kilchoman, 540
Kilchrenan, 517
Kilconquhar, 436
Kilcreggan, 502
Kildalton & Oa, 541
Kildonan, . 52
Kildrummy, 208
Kilfinan, . 518
Kilfinichen and Kilvickeon, 542
Killean and Kilchenzie, 519
Killearn, . 482
Kilearnan, . 68
Killin, . 361
Kilmadock, 362
Kilmalcolm, 569
Kilmallie, . 520
Kilmany (Fife), 437
Kilmarnock, 597
Kilmaronock, 497
Kilmartin, . 521
Kilmaurs, . 598
Kilmelford, 524
Kilmeny (Argyll) 543
Kilmodan, . 522
Kilmonivaig, 99
Kilmorack, 100
Kilmore & Kilbride, . 523
Kilmorich, . 527
Kilmory, . 554
Kilmuir, . 112
Kilmuir-Easter, 69
Kilmun, . 510
Kilninian and Kilmore, 544
Kilninver, . 524
Kilrenny, . 338
Kilspindie, 363
Kilsyth, . 483
Kiltarlity, . 101
Kiltearn, . 70
Kilwinning, 599
Kincardine (Perth), . 364
Kincardine (Ross), 71
Kincardine O'Neil, . 209
Kinclaven, . 365
Kinfauns, . 366
Kingarth, . 554
King-Edward, 210
Kinghorn, . 439
Kinglassie, . 440
Kingoldrum, 295
Kingsbarns, 441
Kingussie, &c., 102
Kininmonth, 210
Kinloch, . 372
Kinlochbervie, 49
Kinlochluichart, 71
Kinloch-Rannoch, . 367
Kinlochspelvie, 545
Kinloss, . 138
Kinnaird, . 368
Kinneff and Catterline, 262
Kinnell, . 296
Kinnellar, . 211
Kinnethmont, 212
Kinnettles, 297
Kinning Park, 644
Kinnoull, . 369
Kinross, . 462
Kintail, . 72
Kintore, . 213
Kippen, . 484
Kirkbean, . 870
Kirkcaldy and Abbotshall, 442
Kirkcolm, . 887
Kirkconnel, 834
Kirkcowan, 888
Kirkcudbright, 871
Kirkden, . 298
Kirkgunzeon, 872
Kirkhill, . 103
Kirkhope, . 776
Kirkinner, . 889
Kirkintilloch, 498
Kirkliston, . 667
Kirkmabreck, 873
Kirkmahoe, 835
Kirkmaiden, 890
Kirkmichael (Ayr), . 600
Kirkmichael (Banff), . 160
Kirkmichael (Dumfries), 836
Kirkmichael (Perth), . 370

Kirknewton and East-Calder, 690
Kirkoswald, 601
Kirkpatrick-Durham, 874
Kirkpatrick-Fleming, 837
Kirkpatrick-Juxta, . 838
Kirkton (Assynt), . 44
Kirkton (Farr), 50
Kirktown (Roxburgh), . 794
Kirkurd, . 764
Kirkwall & St Ola 21
Kirriemuir, 299
Knockando, 139
Knockbain, 73
Knoydart, . 97

Ladhope, . 776
Ladykirk, . 746
Laggan, . 104
Lairg, . 53
Lanark, . 648
Langholm, . 839
Langton, . 747
Larbert, . 485
Largo, . 443
Largs, . 602
Larkhall, . 638
Lasswade, . 691
Latheron, . 38
Lauder, . 748
Laurencekirk, 263
Leadhills, . 635
Lecropt, . 371
Legerwood, 749
Leith, . . 692
Leochel-Cushnie, . 214
Lerwick, . 5
Leslie (Aberd'n), 215
Leslie (Fife), 444
Lesmahagow, 649
Leswalt, . 891
Lethendy, . 372
Lethnot and Navar, . 300
Leuchars, . 445
Libberton (Lanark), . 650
Liberton (Edin.) 693
Liff, Benvie, & Invergowrie, 301
Lilliesleaf, . 795
Linlithgow, 668
Linton, . 796
Lintrathen, 302
Lismore, . 525
Little Dunkeld, 373
Livingstone, 669
Lochaber, . 99
Lochalsh, . 74
Lochbroom, 75
Lochcarron, 76
Lochee, . 282
Lochgilphead, 526
Lochgoilhead, 527
Lochlee, . 303
Lochmaben, 840
Lochranza, 567
Lochrutton, 855
Lochs, . 87
Lochwinnoch, 570
Logie (Fife), 446
Logie (Perth), 374
Logiealmond, 375
Logie-Buchan, 216
Logie-Coldstone and Cromar, 217
Logie-Easter, 77
Logie-Pert, 304
Logierait, . 376
Longforgan, 377
Longformacus, 750
Longside, . 218
Lonmay, . 219
Loth, . 54
Loudoun, . 603
Lumphanan, 220
Lunan, . 305
Lundie, . 306
Lunnasting, 7
Luss, . 499
Lyne, . 765

Madderty, . 378
Mains, . 307
Makerstoun, 797
Manor, . 766
Markinch, . 447
Marnoch, . 161
Maryculter, 264
Maryhill, . 622
Marykirk, . 265
Marytown, . 308
Mauchline, . 604
Maxton, . 798
Maybole, . 605
Mearns, . 571
Megget, . 765
Meigle, . 379
Melrose, . 799
Menmuir, . 309
Merton, . 751
Methlic, . 221
Methven, . 380
Mid-Calder, 694
Middlebie, . 841
Midmar, . 222
Mid & S. Yell, 6
Millbrex, . 222
Milton, . 644
Minnigaff, . 876
Minto, . 800
Mochrum, . 892
Moffat, . 842
Moneydie, . 381
Monifieth, . 310
Monikie, . 311
Monimail, . 448
Monkton and Prestwick, 606
Monquhitter, 223
Montrose, . 312
Monymusk, 224
Monzie (Perth), 382
Monzievaird and Strowan, . 383
Moonzie (Fife), 449
Mordington, 752
Morebattle, 801
Morham, . 712
Mortlach, . 162
Morton, . 843
Morvern, . 528
Moulin, . 384
Mouswald, . 844
Moy and Dalarossie, . 105
Muckairn, . 529
Muckart, . 385
Muiravonside, 486
Muirkirk, . 607
Murroes, . 313
Musselburgh, 689
Muthill, . 386

Nairn, . 123
Neilston, . 572
Nenthorn, . 753
Nesting, . 7
New Abbey, 877
New Ardrossan, 576
Newbattle, . 695
Newburgh, . 450
Newburn, . 451
New Byth, . 210
New Cumnock, 608
New Deer, . 225
New Galloway, 868
Newhills, . 226
Newington, . 685
New Kilpatrick, 500
Newlands, . 767
New Luce, . 893
New Machar, 227
New Monkland, 651
New Pitsligo, 227
New Spynie, 136
Newton, . 696
Newtyle, . 314
Nigg (Kincard.), 266
Nigg (Ross), 78
North Berwick, 713
North Bute, 557
North Harris, 111
North Knapdale, 530
North Leith, 692
Northmavine, 8
North Morar, 97
North Ronaldshay, . 22
North Uist, 113
North Yell, . 4

Oa, . . 546
Oathlaw, . 315
Oban, . 523
Ochiltree, . 609
Old Ardrossan, 576
Old Cumnock, 610
Old Deer, . 228
Oldhamstocks, 714
Old, or West, Kilpatrick 501
Old Luce, . 894
Old Machar, 168
Old Meldrum, 229
Old Monkland, 652
Olrig, . 39
Ordiquhill, . 163
Ormiston, . 715
Orphir, . 23
Orwell, . 463
Oxnam, . 802
Oyne, . 230

Paisley, . 573
Panbride, . 316
Papa-Stour, 12
Papa-Westray, 33
Partick, . 646
Parton, . 878
Peebles, . 768
Pencaitland, 716
Penicuik, . 697
Penninghame, 895
Penpont, . 845
Persie, . 386
Perth, . 387
Peterculter, 231
Peterhead, . 232
Pettinain, . 653
Petty, . 106
Pitsligo, . 233
Pittenweem, 453
Polmont, . 487
Polwarth, . 754
Port-Glasgow, 574
Port of Monteith, 388
Portlethen, . 251
Portmoak, . 464
Portnahaven, 547
Portobello, . 684
Portpatrick, 896
Portree, . 114
Portsoy, . 153
Premnay, . 234
Prestonkirk, 717
Prestonpans, 718

Queensferry, 670

Raasay, . 114
Rafford, . 140
Rathen, . 235
Ratho, . 698
Rathven, . 164
Rattray, . 389
Rayne, . 236
Reay, . 40
Redgorton, . 390
Renfrew, . 575
Rerrick, . 879
Rescobie, . 317
Resolis, . 79
Rhynd, . 391
Rhynie, . 237
Riccarton, . 611
Roberton, . 777
Rogart, . 55
Rosehall, . 46
Rosemarkie, 80
Roseneath, . 502
Rosskeen, . 81
Rothes, . 141
Rothesay, . 558
Rothiemay, . 165
Rothiemurchus, 96
Rousay and Egilsay, . 24
Row, . . 503
Roxburgh, . 803
Rutherglen, 654
Ruthven, . 318
Ruthwell, . 846

Saddell, . 531
St Andrew (Dundee), 282
St Andrew (Edinburgh), 685
St Andrews (Orkney), 25
St Andrews-Lhanbryde, 142
St Andrews and St Leonards (Fife), . 453
St Boswells, 804
St Clement, 282
St Cyrus, . 267
St Fergus, . 166
St George, . 685
St Giles, . 685
St Kilda, . 111
St Madoes, . 392
St Mary, . 282
St Martins, . 393
St Monance (or Abercrombie), 454
St Mungo, . 847
St Nicholas, 168
St Ninians, . 488
St Peter, . 282
St Quivox, &c., 612
St Rollox, . 644
St Vigeans, 319
Salen (Argyll), 548
Saline (Fife), 455
Salton, . 719
Sanday, . 26
Sandness, . 12
Sandsting and Aithsting, 9
Sandwick, . 27
Sandwick & Cuningsburgh, 3
Sanquhar, . 848
Savoch, . 237
Scone, . 394
Scoonie, . 456
Scourie, . 49
Seafield, . 167
Selkirk, . 778
Shapinshay, 28
Shettleston, . 622
Shieldaig, . 58
Shotts, . 655
Skene, . 238
Skipness, . 531
Skirling, . 769
Slains, . 239
Slamannan, . 489
Sleat, . 115
Smailholm, . 805
Small Isles, . 116
Snizort, . 117
Sorbie, . 897
Sorn, . 613
Southdean, 806
Southend, . 532
South Harris, 111
South Knapdale, 533
South Leith, 692
South Ronaldshay & Burray, 29
South Uist, 118
Speymouth, 143
Spott, . 720
Sprouston, . 807
Stair, . . 614
Stanley, . 393
Stenscholl, . 112
Stenton, . 721
Stevenston, . 615
Stewarton, . 616
Stirling, . 490
Stitchell, . 808
Stobhill, . 698
Stobo, . 770
Stoer, . . 44
Stonehouse, 656
Stoneykirk, 898
Stornoway, . 88
Stow, . 699
Stracathro, . 320
Strachan, . 268
Strachur, . 534
Straiton, . 617
Stralachlan, 534
Stranraer . 899

EDINBURGH: PRINTED BY NEILL AND COMPANY,

FOR HER MAJESTY'S STATIONERY OFFICE.